

Jinxia Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9561641/publications.pdf>

Version: 2024-02-01

55
papers

1,310
citations

331670

21
h-index

377865

34
g-index

55
all docs

55
docs citations

55
times ranked

862
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhibitive effect of SiO ₂ @ NO ₂ - intercalated MgAl-LDH nanocomposite on steel in Cl ⁻ contaminated saturated Ca(OH) ₂ solution. <i>Corrosion Science</i> , 2022, 195, 109997.	6.6	22
2	Effect of nitrite intercalated Mg ²⁺ /Al layered double hydroxides on mortar durability under Cl ⁻ and SO ₂ ²⁻ coexisting environment. <i>Journal of Central South University</i> , 2022, 29, 546-560.	3.0	4
3	Electrical and Piezoresistive Properties of Steel Fiber Cement-based Composites Aligned by a Magnetic Field. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2022, 37, 229-240.	1.0	4
4	Hydration behavior and chloride ingress in cement mortar incorporating a novel core@shell admixture. <i>Cement and Concrete Composites</i> , 2022, 128, 104461.	10.7	16
5	Improving electrical and piezoresistive properties of cement-based composites by combined addition of nano carbon black and nickel nanofiber. <i>Journal of Building Engineering</i> , 2022, 51, 104312.	3.4	7
6	Enhanced inhibition performance of NO ₂ - intercalated MgAl-LDH modified with nano-SiO ₂ on steel corrosion in simulated concrete pore solution. <i>Corrosion Science</i> , 2022, 204, 110387.	6.6	17
7	Evaluation of Corrosion Inhibition of NO ₂ ⁻ Intercalated LDHs on Steel Coated by Cement Paste. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2022, 37, 399-409.	1.0	0
8	Application of magnesium alloy sacrificial anode for restraining chloride ingress into mortar. <i>Construction and Building Materials</i> , 2022, 344, 128212.	7.2	1
9	Anisotropic electrical and piezoresistive sensing properties of cement-based sensors with aligned carbon fibers. <i>Cement and Concrete Composites</i> , 2021, 116, 103873.	10.7	33
10	Hierarchical zeolite-LTA@Mg-Al layered double hydroxide core@shell structure with enhanced corrosion protection of steel in saturated Ca(OH) ₂ solution. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 122, 260-272.	5.3	12
11	Kinetic, thermodynamic and equilibrium studies on chloride adsorption from simulated concrete pore solution by core@shell zeolite-LTA@Mg-Al layered double hydroxides. <i>Applied Clay Science</i> , 2021, 209, 106117.	5.2	17
12	Improved conductivity and piezoresistive properties of Ni-CNTs cement-based composites under magnetic field. <i>Cement and Concrete Composites</i> , 2021, 121, 104089.	10.7	22
13	Corrosion protection of steel by Mg-Al layered double hydroxides in simulated concrete pore solution: Effect of SO ₄ ²⁻ . <i>Corrosion Science</i> , 2020, 163, 108223.	6.6	45
14	Effect of MgAl-NO ₂ LDHs inhibitor on steel corrosion in chloride-free and contaminated simulated carbonated concrete pore solutions. <i>Corrosion Science</i> , 2020, 176, 108940.	6.6	50
15	Increasing self-sensing capability of carbon nanotubes cement-based materials by simultaneous addition of Ni nanofibers with low content. <i>Construction and Building Materials</i> , 2020, 254, 119306.	7.2	23
16	Chloride adsorption on aminobenzoate intercalated layered double hydroxides: Kinetic, thermodynamic and equilibrium studies. <i>Applied Clay Science</i> , 2020, 187, 105495.	5.2	34
17	A comparative investigation on cathodic protections of three sacrificial anodes on chloride-contaminated reinforced concrete. <i>Construction and Building Materials</i> , 2020, 246, 118476.	7.2	31
18	Enhancing corrosion resistance of epoxy coating on steel reinforcement by aminobenzoate intercalated layered double hydroxides. <i>Progress in Organic Coatings</i> , 2019, 134, 288-296.	3.9	56

#	ARTICLE	IF	CITATIONS
19	Microstructure and pressure-sensitive properties of cement-based composite with Ni nanowires. <i>Construction and Building Materials</i> , 2018, 159, 46-53.	7.2	8
20	Influence of polycarboxylate superplasticizer on chloride binding in cement paste. <i>Construction and Building Materials</i> , 2018, 158, 847-854.	7.2	21
21	Electrochemical and Semiconducting Properties of Passive Films on Steel Surfaces in Alkali-Activated Slag Extraction Solution. <i>Journal of Materials in Civil Engineering</i> , 2018, 30, .	2.9	9
22	Chloride removal and corrosion inhibitions of nitrate, nitrite-intercalated Mg Al layered double hydroxides on steel in saturated calcium hydroxide solution. <i>Applied Clay Science</i> , 2018, 163, 129-136.	5.2	85
23	Improvement on the Repair Effect of Electrochemical Chloride Extraction Using a Modified Electrode Configuration. <i>Materials</i> , 2018, 11, 225.	2.9	10
24	Chloride absorption by nitrate, nitrite and aminobenzoate intercalated layered double hydroxides. <i>Journal of Materials Science</i> , 2017, 52, 5908-5916.	3.7	52
25	Effect of Na ₂ SiO ₃ content on passivation and corrosion behaviour of steel in a simulated pore solution of Na ₂ SiO ₃ -activated slag. <i>Construction and Building Materials</i> , 2017, 146, 156-164.	7.2	15
26	Improvement of mortar durability by electrochemical technique. <i>Advances in Cement Research</i> , 2017, 29, 429-437.	1.6	1
27	Electrochemical Characterization of Solid Ag/AgCl Reference Electrode with Different Electrolytes for Corrosion Monitoring of Steel in Concrete. <i>Electrochemistry</i> , 2016, 84, 383-389.	1.4	15
28	Electrochemical chloride removal in reinforced concrete structures: Improvement of effectiveness by simultaneous migration of silicate ion. <i>Construction and Building Materials</i> , 2016, 127, 344-352.	7.2	37
29	Experimental study and modeling on effective thermal conductivity of EPS lightweight concrete. <i>Journal of Thermal Science and Technology</i> , 2016, 11, JTST0023-JTST0023.	1.1	13
30	Surface coating treatment and densification of mortar by electrodeposition method. <i>Magazine of Concrete Research</i> , 2016, 68, 69-79.	2.0	10
31	Influence of surfactants on chloride binding in cement paste. <i>Construction and Building Materials</i> , 2016, 125, 369-374.	7.2	22
32	Influence of elevated temperature on release of bound chlorides from chloride-admixed plain and blended cement pastes. <i>Construction and Building Materials</i> , 2016, 104, 9-15.	7.2	17
33	Application of Electrodeposition Method in Upgrading Mortar Durability. <i>Journal of Advanced Concrete Technology</i> , 2015, 13, 367-372.	1.8	6
34	Investigation on the performance characteristics of chloride selective electrode in concrete. <i>Ionics</i> , 2015, 21, 2981-2992.	2.4	23
35	Prediction of compressive strength and elastic modulus of expanded polystyrene lightweight concrete. <i>Magazine of Concrete Research</i> , 2015, 67, 954-962.	2.0	30
36	Influence of flexural fatigue on chloride threshold value for the corrosion of steels in Ca(OH) ₂ solutions. <i>Materials Chemistry and Physics</i> , 2015, 164, 23-28.	4.0	10

#	ARTICLE	IF	CITATIONS
37	Influence of compression fatigue on chloride threshold value for the corrosion of steels in simulated concrete pore. <i>Construction and Building Materials</i> , 2014, 73, 699-704.	7.2	14
38	Influence of carbonation on chloride-induced reinforcement corrosion in simulated concrete pore solutions. <i>Construction and Building Materials</i> , 2014, 56, 16-20.	7.2	113
39	Electrochemical Characterization of a Solid Embeddable Ag/AgCl Reference Electrode for Corrosion Monitoring in Reinforced Concrete. <i>Electrochemistry</i> , 2014, 82, 1040-1046.	1.4	31
40	Releases of bound chlorides from chloride-admixed plain and blended cement pastes subjected to sulfate attacks. <i>Construction and Building Materials</i> , 2013, 45, 53-59.	7.2	54
41	Influence of chloride salt type on critical chloride content of reinforcement corrosion in concrete. <i>Magazine of Concrete Research</i> , 2013, 65, 319-331.	2.0	8
42	Influence of chloride salt type on threshold level of reinforcement corrosion in simulated concrete pore solutions. <i>Construction and Building Materials</i> , 2012, 30, 516-521.	7.2	56
43	Chloride threshold value for reinforcement corrosion in concrete with additions of silica fume or fly ash. <i>Magazine of Concrete Research</i> , 2011, 63, 905-913.	2.0	17
44	Electrochemical behavior of steel bar in electrolytes: Influence of pH value and cations. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2011, 26, 1133-1136.	1.0	2
45	Influence of CaCl ₂ and NaCl from different sources on chloride threshold value for the corrosion of steel reinforcement in concrete. <i>Construction and Building Materials</i> , 2011, 25, 663-669.	7.2	55
46	Influence of detection methods on chloride threshold value for the corrosion of steel reinforcement. <i>Construction and Building Materials</i> , 2009, 23, 1902-1908.	7.2	73
47	Structural and magnetic properties of Co and Co ₇₁ Ni ₂₉ nanowire arrays prepared by template electrodeposition. <i>Journal of Materials Science</i> , 2008, 43, 4163-4166.	3.7	6
48	Fabrication and photoluminescence property of CdS nanowire array by template electrodeposition. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008, 23, 118-120.	1.0	0
49	Structural and magnetic properties of electrodeposited Ni ₇₀ Fe ₃₀ nanowire array. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2008, 23, 472-474.	1.0	1
50	Pulsed electrodeposition of monocrystalline Ni nanowire array and its magnetic properties. <i>Applied Surface Science</i> , 2008, 254, 6623-6627.	6.1	15
51	Pulsed electrodeposition of monocrystalline Ni nanowire array by intermittent symmetric square wave. <i>Materials Letters</i> , 2008, 62, 1491-1494.	2.6	2
52	Fabrication and magnetic property of binary Co-Ni nanowire array by alternating current electrodeposition. <i>Applied Surface Science</i> , 2007, 253, 7203-7206.	6.1	14
53	Fabrication of amorphous Co and Co-P nanometer array with different shapes in alumina template by AC electrodeposition. <i>Materials Letters</i> , 2006, 60, 2069-2072.	2.6	10
54	Fabrication and magnetic property of monocrystalline cobalt nanowire array by direct current electrodeposition. <i>Materials Letters</i> , 2005, 59, 981-984.	2.6	40

#	ARTICLE	IF	CITATIONS
55	Study on the structures and magnetic properties of Ni, Co-Al ₂ O ₃ electrodeposited nanowire arrays. Materials Research Bulletin, 2004, 39, 811-818.	5.2	21