

# Yeongjoo Oh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9562427/publications.pdf>

Version: 2024-02-01

16  
papers

78  
citations

1684188

5  
h-index

1588992

8  
g-index

18  
all docs

18  
docs citations

18  
times ranked

79  
citing authors

#	ARTICLE	IF	CITATIONS
1	Digital Dermatopathology and Its Application to Mohs Micrographic Surgery. <i>Yonsei Medical Journal</i> , 2022, 63, S112.	2.2	3
2	Implication of COPB2 Expression on Cutaneous Squamous Cell Carcinoma Pathogenesis. <i>Cancers</i> , 2022, 14, 2038.	3.7	2
3	Checkmark rotation flap for nasal tip reconstruction in Asian patients. <i>Journal of Dermatological Treatment</i> , 2021, 32, 84-89.	2.2	1
4	Application of secondary intention for the restoration of the apical triangle after Mohs micrographic surgery. <i>Journal of Dermatological Treatment</i> , 2021, 32, 418-423.	2.2	0
5	Slow Mohs Micrographic Surgery for Acral Melanoma Treatment in Korean Patients. <i>Dermatologic Surgery</i> , 2021, 47, e42-e46.	0.8	8
6	Hypopigmentation in Extramammary Paget Disease Is an Important Prognostic Factor for High Recurrence Rate and Poor Surgical Outcome. <i>Dermatologic Surgery</i> , 2021, 47, 613-617.	0.8	4
7	Non- $\text{L}$ angerhans cell histiocytosis xanthogranuloma patient with varying histopathology leading to progressive nodular histiocytosis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021, 19, 282-285.	0.8	1
8	Initial topical monotherapy may increase the risk of recurrence in patients with extramammary Paget's disease. <i>Journal of Dermatology</i> , 2021, 48, 585-591.	1.2	3
9	Male sex and Breslow thickness are important risk factors for recurrence of localized melanoma in Korean populations. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1071-1079.	1.2	10
10	Risk factors for recurrence in cutaneous squamous cell carcinoma after Mohs micrographic surgery: A retrospective review of 237 Asian patients. <i>Journal of Dermatology</i> , 2020, 47, 72-77.	1.2	10
11	AXIN2 and SNAIL expression predict the risk of recurrence in cutaneous squamous cell carcinoma after Mohs micrographic surgery. <i>Oncology Letters</i> , 2020, 19, 2133-2140.	1.8	8
12	Long-term outcomes of laser treatment for congenital melanocytic nevi. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 523-531.e12.	1.2	9
13	Comparison of treatment options for small to medium congenital melanocytic nevi: A retrospective review of 119 cases. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 62-67.	2.1	4
14	Mohs micrographic surgery for dermatofibrosarcoma protuberans: comparison of frozen and paraffin techniques. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 2171-2177.	2.4	12
15	Palmar melanoma: a tertiary centre experience. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e493-e496.	2.4	0
16	Primary Eccrine Adenocarcinoma of the Skin: A Single-centre Experience of 10 Years. <i>Acta Dermato-Venereologica</i> , 2017, 97, 268-269.	1.3	3