

Hance A Clarke

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9563092/publications.pdf>

Version: 2024-02-01

125
papers

5,047
citations

126708

33
h-index

98622

67
g-index

146
all docs

146
docs citations

146
times ranked

5324
citing authors

#	ARTICLE	IF	CITATIONS
1	The Association between Recent Cannabis Use and Suicidal Ideation in Adults: A Population-based Analysis of the NHANES from 2005 to 2018. <i>Canadian Journal of Psychiatry</i> , 2022, 67, 260-268.	0.9	17
2	Presurgical distress about bodily sensations predicts chronic postsurgical pain intensity and disability 6 months after cardiothoracic surgery. <i>Pain</i> , 2022, 163, 159-169.	2.0	2
3	Opioid safety recommendations in adult palliative medicine: a North American Delphi expert consensus. <i>BMJ Supportive and Palliative Care</i> , 2022, 12, 81-90.	0.8	3
4	Association of postoperative complications with persistent post-surgical pain: a multicentre prospective cohort study. <i>British Journal of Anaesthesia</i> , 2022, 128, 311-320.	1.5	16
5	The relationship between cannabis use and legalization frameworks: A cross-sectional analysis using a nationally representative survey. <i>Preventive Medicine</i> , 2022, 156, 106978.	1.6	2
6	Autobiographical memory predicts postsurgical pain up to 12 months after major surgery. <i>Pain</i> , 2022, Publish Ahead of Print, .	2.0	3
7	Recent cannabis use and nightly sleep duration in adults: a population analysis of the NHANES from 2005 to 2018. <i>Regional Anesthesia and Pain Medicine</i> , 2022, 47, 100-104.	1.1	12
8	Effect of intravenous acetaminophen on postoperative outcomes in hip fracture patients: a systematic review and narrative synthesis. <i>Canadian Journal of Anaesthesia</i> , 2022, , 1.	0.7	4
9	Le rôle des anesthésiologistes dans la réduction des préjudices liés aux opioïdes. <i>Canadian Journal of Anaesthesia</i> , 2022, 69, 917-922.	0.7	3
10	Perioperative Pain and Addiction Interdisciplinary Network (PAIN): consensus recommendations for perioperative management of cannabis and cannabinoid-based medicine users by a modified Delphi process. <i>British Journal of Anaesthesia</i> , 2021, 126, 304-318.	1.5	31
11	Association between supportive interventions and healthcare utilization and outcomes in patients on long-term prescribed opioid therapy presenting to acute healthcare settings: a systematic review and meta-analysis. <i>BMC Emergency Medicine</i> , 2021, 21, 17.	0.7	0
12	A review of respiratory manifestations and their management in Ehlers-Danlos syndromes and hypermobility spectrum disorders. <i>Chronic Respiratory Disease</i> , 2021, 18, 147997312110253.	1.0	22
13	Important considerations with respect to reducing the transition from acute to persistent postoperative pain. <i>Expert Opinion on Pharmacotherapy</i> , 2021, 22, 779-782.	0.9	1
14	A Pragmatic Non-Randomized Trial of Prehabilitation Prior to Cancer Surgery: Study Protocol and COVID-19-Related Adaptations. <i>Frontiers in Oncology</i> , 2021, 11, 629207.	1.3	10
15	User Engagement and Clinical Impact of the Manage My Pain App in Patients With Chronic Pain: A Real-World, Multi-site Trial. <i>JMIR MHealth and UHealth</i> , 2021, 9, e26528.	1.8	35
16	State of the science: cannabis and cannabinoids in palliative medicine—the potential. <i>BMJ Supportive and Palliative Care</i> , 2021, 11, 299-302.	0.8	2
17	Predictors of one year chronic post-surgical pain trajectories following thoracic surgery. <i>Journal of Anesthesia</i> , 2021, 35, 505-514.	0.7	17
18	Concerns about Recommendations for Perioperative Cannabis Use. <i>JAMA Surgery</i> , 2021, 156, 987-988.	2.2	1

#	ARTICLE	IF	CITATIONS
19	Consensus recommendations on dosing and administration of medical cannabis to treat chronic pain: results of a modified Delphi process. <i>Journal of Cannabis Research</i> , 2021, 3, 22.	1.5	68
20	The GoodHope Ehlers Danlos Syndrome Clinic: development and implementation of the first interdisciplinary program for multi-system issues in connective tissue disorders at the Toronto General Hospital. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 357.	1.2	12
21	In reply: Comment on: Patient-reported outcomes in those consuming medical cannabis: a prospective longitudinal observational study in patients with chronic pain. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1709-1710.	0.7	0
22	Recent cannabis use and myocardial infarction in young adults: a cross-sectional study. <i>Cmaj</i> , 2021, 193, E1377-E1384.	0.9	23
23	The association between prescription opioid dispensing and opioid-related morbidity and mortality in Ontario, Canada: an ecological study of public health units. <i>Drug and Alcohol Dependence</i> , 2021, 227, 108989.	1.6	7
24	The intersection of harm reduction and postoperative care for an illicit fentanyl consumer after major surgery: A case report. <i>Canadian Journal of Pain</i> , 2021, 5, 166-171.	0.6	1
25	Patient-reported outcomes in those consuming medical cannabis: a prospective longitudinal observational study in chronic pain patients. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 633-644.	0.7	25
26	An Analysis of the #CovidPain Tweet Chat During the First Wave of the COVID-19 Pandemic in 2020. <i>Cureus</i> , 2021, 13, e18871.	0.2	0
27	Response to the Comment on "Postoperative Opioid Prescribing and Pain". <i>Annals of Surgery</i> , 2020, 271, e125-e126.	2.1	1
28	Effect of intravenous dexamethasone on the anaesthetic characteristics of peripheral nerve block: a double-blind, randomised controlled, dose-response volunteer study. <i>British Journal of Anaesthesia</i> , 2020, 124, 92-100.	1.5	11
29	Utilization of the 2017 diagnostic criteria for hEDS by the Toronto GoodHope Ehlers-Danlos syndrome clinic: A retrospective review. <i>American Journal of Medical Genetics, Part A</i> , 2020, 182, 484-492.	0.7	19
30	A Systematic Review of Behavioral Interventions to Decrease Opioid Prescribing After Surgery. <i>Annals of Surgery</i> , 2020, 271, 266-278.	2.1	26
31	Cannabis Use Disorder and Perioperative Outcomes in Major Elective Surgeries. <i>Anesthesiology</i> , 2020, 132, 625-635.	1.3	69
32	Treating Persistent Pain After Breast Cancer Surgery. <i>Drugs</i> , 2020, 80, 23-31.	4.9	24
33	A Systematic Review of the Relative Frequency and Risk Factors for Prolonged Opioid Prescription Following Surgery and Trauma Among Adults. <i>Annals of Surgery</i> , 2020, 271, 845-854.	2.1	47
34	The Levels of Insulin-Like Growth Factor in Patients with Myofascial Pain Syndrome and in Healthy Controls. <i>PM and R</i> , 2020, 13, 1104-1110.	0.9	1
35	Consensus-based recommendations for titrating cannabinoids and tapering opioids for chronic pain control. <i>International Journal of Clinical Practice</i> , 2020, 75, e13871.	0.8	26
36	Bioactive Chemical Composition of Cannabis Extracts and Cannabinoid Receptors. <i>Molecules</i> , 2020, 25, 3466.	1.7	7

#	ARTICLE	IF	CITATIONS
37	Review of the Transitional Pain Service as a method of postoperative opioid weaning and a service aimed at minimizing the risk of chronic post-surgical pain. <i>Anaesthesiology Intensive Therapy</i> , 2020, 52, 148-153.	0.4	19
38	Remote buprenorphine-naloxone initiation as an essential service for people with chronic pain and opioid dependence during the COVID-19 pandemic: Case reports, clinical pathways, and implications for the future. <i>Canadian Journal of Pain</i> , 2020, 4, 224-235.	0.6	6
39	Perioperative pain and addiction interdisciplinary network (PAIN): protocol for the perioperative management of cannabis and cannabinoid-based medicines using a modified Delphi process. <i>BMJ Open</i> , 2020, 10, e036472.	0.8	3
40	Daring discourse “yes: practical considerations for cannabis use in the perioperative setting. <i>Regional Anesthesia and Pain Medicine</i> , 2020, 45, 524-527.	1.1	2
41	Postoperative opioid-prescribing patterns among surgeons and residents at university-affiliated hospitals: a survey study. <i>Canadian Journal of Surgery</i> , 2020, 63, E1-E8.	0.5	7
42	Understanding the Medical Chemistry of the Cannabis Plant is Critical to Guiding Real World Clinical Evidence. <i>Molecules</i> , 2020, 25, 4042.	1.7	20
43	Engagement with Manage My Pain mobile health application among patients at the Transitional Pain Service. <i>Digital Health</i> , 2020, 6, 205520762096229.	0.9	10
44	The association between patient-reported pain scores and physical activity in the postoperative period: A prospective observational study. <i>Journal of Clinical Anesthesia</i> , 2020, 66, 109916.	0.7	1
45	Consensus Statement for the Prescription of Pain Medication at Discharge after Elective Adult Surgery. <i>Canadian Journal of Pain</i> , 2020, 4, 67-85.	0.6	24
46	Cannabis and cannabinoids in cancer pain management. <i>Current Opinion in Supportive and Palliative Care</i> , 2020, 14, 87-93.	0.5	26
47	Toward a phenomic analysis of chronic postsurgical pain following cardiac surgery. <i>Canadian Journal of Pain</i> , 2019, 3, 58-69.	0.6	6
48	Perioperative Pain and Addiction Interdisciplinary Network (PAIN): protocol of a practice advisory for the perioperative management of buprenorphine using a modified Delphi process. <i>BMJ Open</i> , 2019, 9, e027374.	0.8	5
49	Perioperative Pain and Addiction Interdisciplinary Network (PAIN) clinical practice advisory for perioperative management of buprenorphine: results of a modified Delphi process. <i>British Journal of Anaesthesia</i> , 2019, 123, e333-e342.	1.5	39
50	Time for accountability and change: institutional gaps in pain care during the opioid crisis. <i>British Journal of Anaesthesia</i> , 2019, 122, e90-e93.	1.5	6
51	Perioperative Pregabalin and Intraoperative Lidocaine Infusion to Reduce Persistent Neuropathic Pain After Breast Cancer Surgery: A Multicenter, Factorial, Randomized, Controlled Pilot Trial. <i>Journal of Pain</i> , 2019, 20, 980-993.	0.7	28
52	The impact of comorbid pain and depression in the United States: results from a nationally representative survey. <i>Scandinavian Journal of Pain</i> , 2019, 19, 319-325.	0.5	23
53	Association between harm reduction strategies and healthcare utilization in patients on long-term prescribed opioid therapy presenting to acute healthcare settings: a protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2019, 8, 88.	2.5	1
54	Chronic postsurgical pain: From risk factor identification to multidisciplinary management at the Toronto General Hospital Transitional Pain Service. <i>Canadian Journal of Pain</i> , 2019, 3, 49-58.	0.6	41

#	ARTICLE	IF	CITATIONS
55	19â€¦A tale of ill-managed pain and the opioid epidemic. , 2019, , .		0
56	Predictive factors for sleep apnoea in patients on opioids for chronic pain. <i>BMJ Open Respiratory Research</i> , 2019, 6, e000523.	1.2	23
57	The Impact of Perioperative Cannabis Use: A Narrative Scoping Review. <i>Cannabis and Cannabinoid Research</i> , 2019, 4, 219-230.	1.5	16
58	The perioperative patient on buprenorphine: a systematic review of perioperative management strategies and patient outcomes. <i>Canadian Journal of Anaesthesia</i> , 2019, 66, 201-217.	0.7	42
59	Inâ€¦hospital opioid consumption, but not pain intensity scores, predicts 6â€¦month levels of pain catastrophizing following hepatic resection: A trajectory analysis. <i>European Journal of Pain</i> , 2019, 23, 503-514.	1.4	11
60	Interpretability and Class Imbalance in Prediction Models for Pain Volatility in Manage My Pain App Users: Analysis Using Feature Selection and Majority Voting Methods. <i>JMIR Medical Informatics</i> , 2019, 7, e15601.	1.3	12
61	Manage My Pain. , 2019, , 642-667.		1
62	Canada's hidden opioid crisis: the health care system's inability to manage high-dose opioid patients: Fallout from the 2017 Canadian opioid guidelines. <i>Canadian Family Physician</i> , 2019, 65, 612-614.	0.1	9
63	Response. <i>Canadian Family Physician</i> , 2019, 65, 860-862.	0.1	0
64	Medial Open Transversus Abdominis Plane (MOTAP) Catheters Reduce Opioid Requirements and Improve Pain Control Following Open Liver Resection. <i>Annals of Surgery</i> , 2018, 268, 233-240.	2.1	19
65	The 2017 Canadian opioid guideline: already time for an overhaul. <i>Cmaj</i> , 2018, 190, E300-E300.	0.9	7
66	Smoking, Pain Intensity, and Opioid Consumption 1â€“3 Months After Major Surgery: A Retrospective Study in a Hospital-Based Transitional Pain Service. <i>Nicotine and Tobacco Research</i> , 2018, 20, 1144-1151.	1.4	19
67	Confounding pain and function: the WOMAC's failure to accurately predict lower extremity function. <i>Arthroplasty Today</i> , 2018, 4, 488-492.	0.8	9
68	Opioid weaning and pain management in postsurgical patients at the Toronto General Hospital Transitional Pain Service. <i>Canadian Journal of Pain</i> , 2018, 2, 236-247.	0.6	45
69	Overlaps in pharmacology for the treatment of chronic pain and mental health disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 87, 290-297.	2.5	23
70	Prehabilitation for radical prostatectomy: A multicentre randomized controlled trial. <i>Surgical Oncology</i> , 2018, 27, 289-298.	0.8	83
71	Psychological treatments for the management of postsurgical pain: a systematic review of randomized controlled trials. <i>Patient Related Outcome Measures</i> , 2018, Volume 9, 49-64.	0.7	46
72	Relative frequency and risk factors for long-term opioid therapy following surgery and trauma among adults: a systematic review protocol. <i>Systematic Reviews</i> , 2018, 7, 97.	2.5	12

#	ARTICLE	IF	CITATIONS
73	Perioperative pregabalin and delirium following total hip arthroplasty: a post hoc analysis of a double-blind randomized placebo-controlled trial. <i>Canadian Journal of Anaesthesia</i> , 2018, 65, 1269-1270.	0.7	7
74	Defining and Predicting Pain Volatility in Users of the Manage My Pain App: Analysis Using Data Mining and Machine Learning Methods. <i>Journal of Medical Internet Research</i> , 2018, 20, e12001.	2.1	27
75	Manage My Pain. <i>Advances in Healthcare Information Systems and Administration Book Series</i> , 2018, , 93-126.	0.2	1
76	Persistent Opioid Use After Major Surgeryâ€”Reply. <i>JAMA Surgery</i> , 2017, 152, 412.	2.2	0
77	Chronic Postsurgical Pain Outcomes in Breast Reconstruction Patients Receiving Perioperative Transversus Abdominis Plane Catheters at the Donor Site: A Prospective Cohort Follow-up Study. <i>Pain Practice</i> , 2017, 17, 999-1007.	0.9	12
78	A Review of Adjunctive CNS Medications Used for the Treatment of Post-Surgical Pain. <i>CNS Drugs</i> , 2017, 31, 605-615.	2.7	8
79	Preoperative pregabalin or gabapentin for acute and chronic postoperative pain among patients undergoing breast cancer surgery: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2017, 70, 1317-1328.	0.5	73
80	Chemical Profiling of Medical Cannabis Extracts. <i>ACS Omega</i> , 2017, 2, 6091-6103.	1.6	76
81	Acceptance and Commitment Therapy to manage pain and opioid use after major surgery: Preliminary outcomes from the Toronto General Hospital Transitional Pain Service. <i>Canadian Journal of Pain</i> , 2017, 1, 37-49.	0.6	59
82	<i>Cannabis sativa</i> (Hemp) Seeds, δ^9 -Tetrahydrocannabinol, and Potential Overdose. <i>Cannabis and Cannabinoid Research</i> , 2017, 2, 274-281.	1.5	32
83	The psychology of chronic post-surgical pain: new frontiers in risk factor identification, prevention and management. <i>British Journal of Pain</i> , 2017, 11, 169-177.	0.7	96
84	Clinicians' perspective of the current diagnostic criteria for myofascial pain syndrome. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2017, 30, 509-514.	0.4	6
85	A case report on the treatment of complex chronic pain and opioid dependence by a multidisciplinary transitional pain service using the ACT Matrix and buprenorphine/naloxone. <i>Journal of Pain Research</i> , 2017, Volume 10, 747-755.	0.8	23
86	Sensitivity to Pain Traumatization Scale: development, validation, and preliminary findings. <i>Journal of Pain Research</i> , 2017, Volume 10, 1297-1316.	0.8	24
87	Patterns of User Engagement With the Mobile App, Manage My Pain: Results of a Data Mining Investigation. <i>JMIR MHealth and UHealth</i> , 2017, 5, e96.	1.8	47
88	Pharmacologic management of chronic neuropathic pain: Review of the Canadian Pain Society consensus statement. <i>Canadian Family Physician</i> , 2017, 63, 844-852.	0.1	65
89	Successful Treatment of Lower Limb Complex Regional Pain Syndrome following Three Weeks of Hyperbaric Oxygen Therapy. <i>Pain Research and Management</i> , 2016, 2016, 1-4.	0.7	13
90	Hyperbaric Oxygen Therapy: A New Treatment for Chronic Pain?. <i>Pain Practice</i> , 2016, 16, 620-628.	0.9	37

#	ARTICLE	IF	CITATIONS
91	The Transplant Palliative Care Clinic: An early palliative care model for patients in a transplant program. <i>Clinical Transplantation</i> , 2016, 30, 1591-1596.	0.8	22
92	Transitional Pain Medicine: novel pharmacological treatments for the management of moderate to severe postsurgical pain. <i>Expert Review of Clinical Pharmacology</i> , 2016, 9, 345-349.	1.3	27
93	Chronic postsurgical pain and persistent opioid use following surgery: the need for a transitional pain service. <i>Pain Management</i> , 2016, 6, 435-443.	0.7	83
94	Risks of Developing Persistent Opioid Use After Major Surgery. <i>JAMA Surgery</i> , 2016, 151, 1083.	2.2	101
95	The prescription of medical cannabis by a transitional pain service to wean a patient with complex pain from opioid use following liver transplantation: a case report. <i>Canadian Journal of Anaesthesia</i> , 2016, 63, 307-310.	0.7	28
96	Acute pain trajectories and the persistence of post-surgical pain: a longitudinal study after total hip arthroplasty. <i>Journal of Anesthesia</i> , 2016, 30, 568-577.	0.7	39
97	Determinants of increased acute postoperative pain after autologous breast reconstruction within an enhanced recovery after surgery protocol: A prospective cohort study. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2016, 69, 1157-1160.	0.5	12
98	Reply. <i>Liver Transplantation</i> , 2015, 21, 1110-1111.	1.3	0
99	Pain catastrophizing as a risk factor for chronic pain after total knee arthroplasty: a systematic review. <i>Journal of Pain Research</i> , 2015, 8, 21.	0.8	159
100	The Toronto General Hospital Transitional Pain Service: development and implementation of a multidisciplinary program to prevent chronic postsurgical pain. <i>Journal of Pain Research</i> , 2015, 8, 695.	0.8	214
101	Preventive Analgesia and Novel Strategies for the Prevention of Chronic Post-Surgical Pain. <i>Drugs</i> , 2015, 75, 339-351.	4.9	71
102	Distinguishing problematic from nonproblematic postsurgical pain. <i>Pain</i> , 2015, 156, 460-468.	2.0	73
103	Ensuring safe prescribing of controlled substances for pain following surgery by developing a transitional pain service. <i>Pain Management</i> , 2015, 5, 97-105.	0.7	34
104	Genetics of chronic post-surgical pain: a crucial step toward personal pain medicine. <i>Canadian Journal of Anaesthesia</i> , 2015, 62, 294-303.	0.7	59
105	Pharmacological Management of Chronic Neuropathic Pain: Revised Consensus Statement from the Canadian Pain Society. <i>Pain Research and Management</i> , 2014, 19, 328-335.	0.7	397
106	Perioperative management of a patient undergoing Clagett window closure stabilized on Suboxone® for chronic pain: a case report. <i>Canadian Journal of Anaesthesia</i> , 2014, 61, 826-831.	0.7	26
107	Rates and risk factors for prolonged opioid use after major surgery: population based cohort study. <i>BMJ, The</i> , 2014, 348, g1251-g1251.	3.0	739
108	Acute and chronic postsurgical pain after living liver donation: Incidence and predictors. <i>Liver Transplantation</i> , 2014, 20, 1336-1346.	1.3	45

#	ARTICLE	IF	CITATIONS
109	Transversus Abdominis Plane Block Reduces Morphine Consumption in the Early Postoperative Period following Microsurgical Abdominal Tissue Breast Reconstruction. <i>Plastic and Reconstructive Surgery</i> , 2014, 134, 870-878.	0.7	51
110	Medial open transversus abdominis plane (MOTAP) catheters for analgesia following open liver resection: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 241.	0.7	7
111	Gabapentin reduces preoperative anxiety and pain catastrophizing in highly anxious patients prior to major surgery: a blinded randomized placebo-controlled trial. <i>Canadian Journal of Anaesthesia</i> , 2013, 60, 432-443.	0.7	46
112	Transversus abdominis plane (TAP) catheters inserted under direct vision in the donor site following free DIEP and MS-TRAM breast reconstruction: A prospective cohort study of 45 patients. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2013, 66, 329-336.	0.5	45
113	In Response. <i>Anesthesia and Analgesia</i> , 2013, 116, 508-509.	1.1	6
114	An Intensive Perioperative Regimen of Pregabalin and Celecoxib Reduces Pain and Improves Physical Function Scores Six Weeks after Total Hip Arthroplasty: A Prospective Randomized Controlled Trial. <i>Pain Research and Management</i> , 2013, 18, 127-132.	0.7	34
115	The Prevention of Chronic Postsurgical Pain Using Gabapentin and Pregabalin. <i>Anesthesia and Analgesia</i> , 2012, 115, 428-442.	1.1	433
116	Sensitivity to Pain Traumatization: A Higher-Order Factor Underlying Pain-Related Anxiety, Pain Catastrophizing and Anxiety Sensitivity among Patients Scheduled for Major Surgery. <i>Pain Research and Management</i> , 2011, 16, 169-177.	0.7	65
117	Preventive Analgesia. <i>Anesthesia and Analgesia</i> , 2011, 113, 1242-1253.	1.1	219
118	Strategies Aimed at Preventing Chronic Post-surgical Pain: Comprehensive Perioperative Pain Management after Total Joint Replacement Surgery. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011, 63, 289-304.	0.3	29
119	Epidural analgesia provides better pain management after live liver donation: A retrospective study. <i>Liver Transplantation</i> , 2011, 17, 315-323.	1.3	42
120	Acute pain after total hip arthroplasty does not predict the development of chronic postsurgical pain 6 months later. <i>Journal of Anesthesia</i> , 2010, 24, 537-543.	0.7	25
121	Gabapentin Does Not Reduce Preoperative Anxiety When Given Prior to Total Hip Arthroplasty. <i>Pain Medicine</i> , 2010, 11, 966-971.	0.9	13
122	Only a small reduction in morphine use with adding NSAIDs, paracetamol or COX-2 inhibitors to patient controlled morphine in the 24 h after major surgery. <i>Evidence-based Nursing</i> , 2010, 14, 24-25.	0.1	0
123	Gabapentin Decreases Morphine Consumption and Improves Functional Recovery following Total Knee Arthroplasty. <i>Pain Research and Management</i> , 2009, 14, 217-222.	0.7	98
124	Saddle block analgesia for high-dose-rate brachytherapy: A prospective study. <i>Brachytherapy</i> , 2009, 8, 335-338.	0.2	3
125	Gabapentin & multimodal analgesia post hip arthroplasty under spinal. <i>Canadian Journal of Anaesthesia</i> , 2007, 54, 44485-44485.	0.7	0