

Dongqing Wu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9563210/dongqing-wu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

8,178
citations

43
h-index

90
g-index

108
ext. papers

9,314
ext. citations

10.1
avg. IF

6.2
L-index

#	Paper	IF	Citations
106	Heteroatom-Embedded Approach to Vinylene-Linked Covalent Organic Frameworks with Isoelectronic Structures for Photoredox Catalysis. <i>Angewandte Chemie</i> , 2022 , 134, e202111627	3.6	1
105	Calcium Based All-Organic Dual-Ion Batteries with Stable Low Temperature Operability.. <i>Small</i> , 2022 , e2200049	11	0
104	Covalent Organic Frameworks with trans-Dimensionally Vinylene-linked π Conjugated Motifs. <i>Chemical Research in Chinese Universities</i> , 2022 , 38, 382-395	2.2	1
103	Heteroatom-Embedded Approach to Vinylene-Linked Covalent Organic Frameworks with Isoelectronic Structures for Photoredox Catalysis. <i>Angewandte Chemie - International Edition</i> , 2021 ,	16.4	9
102	Synthesis of Ionic Vinylene-Linked Covalent Organic Frameworks through Quaternization-Activated Knoevenagel Condensation. <i>Angewandte Chemie</i> , 2021 , 133, 13726-13732	3.6	3
101	Synthesis of Ionic Vinylene-Linked Covalent Organic Frameworks through Quaternization-Activated Knoevenagel Condensation. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 13614-13620	16.4	18
100	Solution-processed perylene diimide-ethylene diamine cathodes for aqueous zinc ion batteries. <i>Journal of Colloid and Interface Science</i> , 2021 , 598, 36-44	9.3	0
99	Vinylene-Bridged Two-Dimensional Covalent Organic Frameworks via Knoevenagel Condensation of Tricyanomesitylene. <i>Journal of the American Chemical Society</i> , 2020 , 142, 11893-11900	16.4	78
98	An acid-assisted vacuum filtration approach towards flexible PDI/SWCNT cathodes for highly stable organic lithium ion batteries. <i>Electrochimica Acta</i> , 2020 , 338, 135771	6.7	7
97	A monomer-assembly template-directed synthesis of conjugated porous polymer microtubular bundles. <i>Materials Horizons</i> , 2020 , 7, 551-558	14.4	3
96	π Extended -Symmetric Double NBN-Heterohelicenes with Exceptional Luminescent Properties. <i>Organic Letters</i> , 2020 , 22, 209-213	6.2	31
95	Carbonized silk fabric-based flexible organic electrochemical transistors for highly sensitive and selective dopamine detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127414	8.5	22
94	Vinylene-Linked Covalent Organic Frameworks (COFs) with Symmetry-Tuned Polarity and Photocatalytic Activity. <i>Angewandte Chemie</i> , 2020 , 132, 24053-24061	3.6	11
93	Vinylene-Linked Covalent Organic Frameworks (COFs) with Symmetry-Tuned Polarity and Photocatalytic Activity. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 23845-23853	16.4	64
92	Manipulating the Sensitivity and Selectivity of OECT-Based Biosensors via the Surface Engineering of Carbon Cloth Gate Electrodes. <i>Advanced Functional Materials</i> , 2020 , 30, 1905361	15.6	21
91	Hierarchically ordered carbon tube-sheet superstructure via template-directed self-assembly of polyimide. <i>Chemical Engineering Journal</i> , 2019 , 364, 201-207	14.7	10
90	An Olefin-Linked Covalent Organic Framework as a Flexible Thin-Film Electrode for a High-Performance Micro-Supercapacitor. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 12065-12069	16.4	111

89	Two-dimensional semiconducting covalent organic frameworks via condensation at arylmethyl carbon atoms. <i>Nature Communications</i> , 2019 , 10, 2467	17.4	218
88	Successive Annulation to Fully Zigzag-Edged Polycyclic Heteroaromatic Hydrocarbons with Strong Blue-Green Electroluminescence. <i>Organic Letters</i> , 2019 , 21, 4575-4579	6.2	26
87	Side-chain-tuned Extended porous polymers for visible light-activated hydrogen evolution. <i>Polymer Chemistry</i> , 2019 , 10, 3758-3763	4.9	19
86	Concisely modularized assembling of graphene-based thin films with promising electrode performance. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1462-1470	7.8	6
85	Ordered mesoporous carbon-covered carbonized silk fabrics for flexible electrochemical dopamine detection. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 2145-2150	7.3	12
84	Ordered mesoporous carbon sphere-based solid-contact ion-selective electrodes. <i>Journal of Materials Science</i> , 2019 , 54, 13674-13684	4.3	8
83	Semiconducting 2D Triazine-Cored Covalent Organic Frameworks with Unsubstituted Olefin Linkages. <i>Journal of the American Chemical Society</i> , 2019 , 141, 14272-14279	16.4	177
82	Solution-processed organic PDI/CB/TPU cathodes for flexible lithium ion batteries. <i>Electrochimica Acta</i> , 2019 , 319, 201-209	6.7	8
81	An Olefin-Linked Covalent Organic Framework as a Flexible Thin-Film Electrode for a High-Performance Micro-Supercapacitor. <i>Angewandte Chemie</i> , 2019 , 131, 12193-12197	3.6	44
80	An acid-pasting approach towards perylenetetracarboxylic diimide based lithium/sodium ion battery cathodes with high rate performances. <i>Journal of Colloid and Interface Science</i> , 2019 , 538, 597-604	9.3	18
79	Supramolecular Nanostructures of Structurally Defined Graphene Nanoribbons in the Aqueous Phase. <i>Angewandte Chemie</i> , 2018 , 130, 3424-3429	3.6	8
78	Supramolecular Nanostructures of Structurally Defined Graphene Nanoribbons in the Aqueous Phase. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 3366-3371	16.4	34
77	Pore-size-tunable nitrogen-doped polymeric frameworks for high performance sodium ion storage and supercapacitors. <i>Journal of Porous Materials</i> , 2018 , 25, 1407-1416	2.4	3
76	A facile in-situ polymerization strategy towards polyimide/carbon black composites as high performance lithium ion battery cathodes. <i>Electrochimica Acta</i> , 2018 , 260, 598-605	6.7	22
75	Highly Uniform Carbon Sheets with Orientation-Adjustable Ordered Mesopores. <i>ACS Nano</i> , 2018 , 12, 5436-5444	16.7	68
74	A hit-and-run strategy towards perylene diimide/reduced graphene oxide as high performance sodium ion battery cathode. <i>Chemical Engineering Journal</i> , 2018 , 349, 66-71	14.7	26
73	Magnesium ion based organic secondary batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 17297-17302	3	45
72	Molybdenum carbide nanoparticle decorated hierarchical tubular carbon superstructures with vertical nanosheet arrays for efficient hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 18833-18838	13	10

71	Perylene diimide-diamine/carbon black composites as high performance lithium/sodium ion battery cathodes. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13613-13618	13	22
70	Bottom-up fabrication of nitrogen-doped mesoporous carbon nanosheets as high performance oxygen reduction catalysts. <i>Journal of Colloid and Interface Science</i> , 2017 , 492, 8-14	9.3	10
69	Hierarchically porous cobalt aluminum layered double hydroxide flowers with enhanced capacitance performances. <i>Journal of Materials Science</i> , 2017 , 52, 6081-6092	4.3	13
68	A Lyotropic Liquid-Crystal-Based Assembly Avenue toward Highly Oriented Vanadium Pentoxide/Graphene Films for Flexible Energy Storage. <i>Advanced Functional Materials</i> , 2017 , 27, 1606269	15.6	15
67	Bipolar nitrogen-doped graphene frameworks as high-performance cathodes for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 1588-1594	13	17
66	Highly Crumpled Hybrids of Nitrogen/Sulfur Dual-Doped Graphene and CoS Nanoplates as Efficient Bifunctional Oxygen Electrocatalysts. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12340-12347	9.5	87
65	Ionothermally synthesized hierarchical porous Schiff-base-type polymeric networks with ultrahigh specific surface area for supercapacitors. <i>RSC Advances</i> , 2017 , 7, 19934-19939	3.7	4
64	Energy Storage: A Lyotropic Liquid-Crystal-Based Assembly Avenue toward Highly Oriented Vanadium Pentoxide/Graphene Films for Flexible Energy Storage (Adv. Funct. Mater. 12/2017). <i>Advanced Functional Materials</i> , 2017 , 27,	15.6	3
63	Sacrificial Templating Fabrication of Hierarchically Porous Nitrogen-Doped Carbon Nanosheets as Superior Oxygen Reduction Electrocatalysts. <i>ChemNanoMat</i> , 2017 , 3, 130-134	3.5	1
62	Leaf-like hybrid of bismuth subcarbonate nanotubes/graphene sheet with highly efficient photocatalytic activities. <i>Journal of Colloid and Interface Science</i> , 2017 , 491, 273-278	9.3	4
61	Hierarchically porous nitrogen-doped graphene aerogels as efficient metal-free oxygen reduction catalysts. <i>Journal of Colloid and Interface Science</i> , 2017 , 488, 317-321	9.3	20
60	Substantial Cyano-Substituted Fully sp ² -Carbon-Linked Framework: Metal-Free Approach and Visible-Light-Driven Hydrogen Evolution. <i>Advanced Functional Materials</i> , 2017 , 27, 1703146	15.6	109
59	Nitrogen-doped Carbon Microfiber with Wrinkled Surface for High Performance Supercapacitors. <i>Scientific Reports</i> , 2016 , 6, 21750	4.9	22
58	Three-dimensional Carbon Nitride/Graphene Framework as a High-Performance Cathode for Lithium-Ion Batteries. <i>Chemistry - an Asian Journal</i> , 2016 , 11, 1194-8	4.5	4
57	Nitrogen-Doped Porous Carbon Superstructures Derived from Hierarchical Assembly of Polyimide Nanosheets. <i>Advanced Materials</i> , 2016 , 28, 1981-7	24	313
56	A hybrid-assembly approach towards nitrogen-doped graphene aerogel supported cobalt nanoparticles as high performance oxygen reduction electrocatalysts. <i>Journal of Colloid and Interface Science</i> , 2016 , 464, 83-8	9.3	24
55	Highly photoluminescent nitrogen-rich carbon dots from melamine and citric acid for the selective detection of iron(III) ion. <i>RSC Advances</i> , 2016 , 6, 31884-31888	3.7	48
54	Surfactant-Assisted Hydrothermal Synthesis of Cobalt Oxide/Nitrogen-Doped Graphene Framework for Enhanced Anodic Performance in Lithium Ion Batteries. <i>Electrochimica Acta</i> , 2016 , 194, 310-316	6.7	32

53	A facile self-assembly strategy towards naphthalene diimide/graphene hybrids as high performance organic cathodes for lithium-ion batteries. <i>RSC Advances</i> , 2016 , 6, 13666-13669	3.7	13
52	Graphene frameworks supported cobalt oxide with tunable morphologies for enhanced lithium storage behaviors. <i>Journal of Materials Science</i> , 2016 , 51, 4856-4863	4.3	4
51	Anion-induced self-assembly of positively charged polycyclic aromatic hydrocarbons towards nanostructures with controllable two-dimensional morphologies. <i>CrystEngComm</i> , 2016 , 18, 877-880	3.3	0
50	Graphene-directed two-dimensional porous carbon frameworks for high-performance lithium-sulfur battery cathodes. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 314-320	13	72
49	A facile biomass based approach towards hierarchically porous nitrogen-doped carbon aerogels. <i>RSC Advances</i> , 2016 , 6, 83613-83618	3.7	16
48	Anionic porous polymers with tunable structures and catalytic properties. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 15162-15168	13	19
47	Poly(ethylene oxide) Functionalized Graphene Nanoribbons with Excellent Solution Processability. <i>Journal of the American Chemical Society</i> , 2016 , 138, 10136-9	16.4	63
46	Strongly coupled polyaniline/graphene hybrids with much enhanced capacitance performance. <i>Journal of Colloid and Interface Science</i> , 2016 , 483, 34-40	9.3	12
45	Supercapacitors: An Interface-Induced Co-Assembly Approach Towards Ordered Mesoporous Carbon/Graphene Aerogel for High-Performance Supercapacitors (Adv. Funct. Mater. 4/2015). <i>Advanced Functional Materials</i> , 2015 , 25, 651-651	15.6	5
44	An ionic liquid promoted microwave-hydrothermal route towards highly photoluminescent carbon dots for sensitive and selective detection of iron(III). <i>RSC Advances</i> , 2015 , 5, 24205-24209	3.7	37
43	Nitrogen-doped carbon-encapsulated SnO ₂ /SnS/graphene sheets with improved anodic performance in lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 24148-24154	13	58
42	Carbonized polyaniline coupled molybdenum disulfide/graphene nanosheets for high performance lithium ion battery anodes. <i>RSC Advances</i> , 2015 , 5, 96660-96664	3.7	16
41	Carbon encapsulated Fe ₃ O ₄ /graphene framework with oriented macropores for lithium ion battery anode with enhanced cycling stability. <i>RSC Advances</i> , 2015 , 5, 98399-98403	3.7	10
40	A facile microwave-hydrothermal approach towards highly photoluminescent carbon dots from goose feathers. <i>RSC Advances</i> , 2015 , 5, 4428-4433	3.7	64
39	Compact coupled graphene and porous polyaryltriazine-derived frameworks as high performance cathodes for lithium-ion batteries. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 1812-6	16.4	125
38	A facile hydrothermal approach towards photoluminescent carbon dots from amino acids. <i>Journal of Colloid and Interface Science</i> , 2015 , 439, 129-33	9.3	66
37	An Interface-Induced Co-Assembly Approach Towards Ordered Mesoporous Carbon/Graphene Aerogel for High-Performance Supercapacitors. <i>Advanced Functional Materials</i> , 2015 , 25, 526-533	15.6	198
36	Nitrogen-enriched hierarchically porous carbon materials fabricated by graphene aerogel templated Schiff-base chemistry for high performance electrochemical capacitors. <i>Polymer Chemistry</i> , 2015 , 6, 1088-1095	4.9	46

35	Ternary MoS ₂ /SiO ₂ /graphene hybrids for high-performance lithium storage. <i>Carbon</i> , 2015 , 81, 203-209	10.4	50
34	Two-dimensional soft nanomaterials: a fascinating world of materials. <i>Advanced Materials</i> , 2015 , 27, 403-247		374
33	Bottom-up Fabrication of Graphene on Silicon/Silica Substrate via a Facile Soft-hard Template Approach. <i>Scientific Reports</i> , 2015 , 5, 13480	4.9	41
32	Patterning two-dimensional free-standing surfaces with mesoporous conducting polymers. <i>Nature Communications</i> , 2015 , 6, 8817	17.4	151
31	An evaporation-induced tri-constituent assembly approach to fabricate an ordered mesoporous carbon/graphene aerogel for high-performance supercapacitors. <i>RSC Advances</i> , 2015 , 5, 16765-16768	3.7	9
30	Compact Coupled Graphene and Porous Polyaryltriazine-Derived Frameworks as High Performance Cathodes for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2015 , 127, 1832-1836	3.6	29
29	Low-voltage blue-phase liquid crystals with polyaniline-functionalized graphene nanosheets. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1730	7.1	26
28	Graphene coupled Schiff-base porous polymers: towards nitrogen-enriched porous carbon nanosheets with ultrahigh electrochemical capacity. <i>Advanced Materials</i> , 2014 , 26, 3081-6	24	207
27	A two-dimensional hybrid with molybdenum disulfide nanocrystals strongly coupled on nitrogen-enriched graphene via mild temperature pyrolysis for high performance lithium storage. <i>Nanoscale</i> , 2014 , 6, 14679-85	7.7	59
26	An ionic self-assembly approach towards sandwich-like graphene/SnO ₂ /graphene nanosheets for enhanced lithium storage. <i>RSC Advances</i> , 2014 , 4, 57869-57874	3.7	8
25	2D polyacrylonitrile brush derived nitrogen-doped carbon nanosheets for high-performance electrocatalysts in oxygen reduction reaction. <i>Polymer Chemistry</i> , 2014 , 5, 2057-2064	4.9	49
24	Graphene aerogel supported Fe ₅ (PO ₄) ₄ (OH)·3H ₂ O microspheres as high performance cathode for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6174-6179	13	43
23	Metal-nitrogen doping of mesoporous carbon/graphene nanosheets by self-templating for oxygen reduction electrocatalysts. <i>ChemSusChem</i> , 2014 , 7, 3002-6	8.3	49
22	Amphiphilic polymer promoted assembly of macroporous graphene/SnO ₂ frameworks with tunable porosity for high-performance lithium storage. <i>Small</i> , 2014 , 10, 2226-32	11	68
21	Heteroatom doped mesoporous carbon/graphene nanosheets as highly efficient electrocatalysts for oxygen reduction. <i>Journal of Colloid and Interface Science</i> , 2014 , 421, 160-4	9.3	23
20	Highly conductive and uniform graphene oxide modified PEDOT:PSS electrodes for ITO-Free organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 4044-4050	7.1	75
19	Highly reversible and ultra-fast lithium storage in mesoporous graphene-based TiO ₂ /SnO ₂ hybrid nanosheets. <i>Energy and Environmental Science</i> , 2013 , 6, 2447	35.4	153
18	Polyaniline-coupled multifunctional 2D metal oxide/hydroxide graphene nanohybrids. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 12105-9	16.4	105

17	Bottom-up fabrication of photoluminescent carbon dots with uniform morphology via a soft-hard template approach. <i>Chemical Communications</i> , 2013 , 49, 4920-2	5.8	102
16	One-step preparation of novel conjugated porous polymer with tubular structure. <i>Science China Chemistry</i> , 2013 , 56, 1112-1118	7.9	1
15	Polyaniline-Coupled Multifunctional 2D Metal Oxide/Hydroxide Graphene Nanohybrids. <i>Angewandte Chemie</i> , 2013 , 125, 12327-12331	3.6	44
14	Boron-Nitrogen-based conjugated porous polymers with multi-functions. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 13878	13	48
13	Synthesis and Physical Properties of Benzopyridazine-Based Conjugated Molecules. <i>Chinese Journal of Chemistry</i> , 2013 , 31, 1397-1403	4.9	1
12	Two-Dimensional Sandwich-Type, Graphene-Based Conjugated Microporous Polymers. <i>Angewandte Chemie</i> , 2013 , 125, 9850-9854	3.6	43
11	Rücktitelbild: Two-Dimensional Sandwich-Type, Graphene-Based Conjugated Microporous Polymers (Angew. Chem. 37/2013). <i>Angewandte Chemie</i> , 2013 , 125, 10044-10044	3.6	
10	Two-dimensional carbon-coated graphene/metal oxide hybrids for enhanced lithium storage. <i>ACS Nano</i> , 2012 , 6, 8349-56	16.7	378
9	Nanocomposites and macroscopic materials: assembly of chemically modified graphene sheets. <i>Chemical Society Reviews</i> , 2012 , 41, 6160-77	58.5	262
8	Thiophene-based conjugated oligomers for organic solar cells. <i>Journal of Materials Chemistry</i> , 2011 , 21, 17590		172
7	Bottom-up fabrication of photoluminescent graphene quantum dots with uniform morphology. <i>Journal of the American Chemical Society</i> , 2011 , 133, 15221-3	16.4	700
6	Two-Dimensional Nanostructures from Positively Charged Polycyclic Aromatic Hydrocarbons. <i>Angewandte Chemie</i> , 2011 , 123, 2843-2846	3.6	23
5	Two-dimensional nanocomposites based on chemically modified graphene. <i>Chemistry - A European Journal</i> , 2011 , 17, 10804-12	4.8	61
4	Photoluminescent Carbon Dots as Biocompatible Nanoprobes for Targeting Cancer Cells in Vitro. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 12062-12068	3.8	285
3	Nitrogen-doped ordered mesoporous graphitic arrays with high electrocatalytic activity for oxygen reduction. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 2565-9	16.4	1134
2	An aqueous route to multicolor photoluminescent carbon dots using silica spheres as carriers. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 4598-601	16.4	679
1	Batch-producible fibrous microelectrodes for enzyme-free electrochemical detection of glucose. <i>Journal of Materials Science: Materials in Electronics</i> , 1	2.1	0