

Ana Paula Fortuna-Perez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9564075/publications.pdf>

Version: 2024-02-01

48
papers

1,043
citations

1307366

7
h-index

454834

30
g-index

49
all docs

49
docs citations

49
times ranked

1398
citing authors

#	ARTICLE	IF	CITATIONS
1	A new subfamily classification of the Leguminosae based on a taxonomically comprehensive phylogeny: The Legume Phylogeny Working Group (LPWG). <i>Taxon</i> , 2017, 66, 44-77.	0.4	803
2	Leaflet secretory structures of five taxa of the genus <i>Zornia</i> J.F. Gmel. (Leguminosae, Papilionoideae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.3	26
3	Phylogeny and biogeography of the genus <i>Zornia</i> (Leguminosae: Papilionoideae: Dalbergieae). <i>Taxon</i> , 2013, 62, 723-732.	0.4	21
4	Ultrastructure and secretion of glandular trichomes in species of subtribe Cajaninae Benth (Leguminosae, Phaseoleae). <i>Protoplasma</i> , 2019, 256, 431-445.	1.0	16
5	Revisiting the Leaflet Secretory Structures in Subtribe Cajaninae Benth. (Leguminosae, Phaseoleae). <i>International Journal of Plant Sciences</i> , 2018, 179, 697-711.	0.6	13
6	Secretory structures of the <i>Adesmia</i> clade (Leguminosae): Implications for evolutionary adaptation in dry environments. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2021, 48, 125588.	1.1	12
7	Leaf anatomical features of the <i>Eriosema campestre</i> Benth. (Leguminosae, Papilionoideae, Phaseoleae) complex and potential taxonomic implications. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2019, 253, 107-115.	0.6	10
8	Leaflet anatomy of <i>Poiretia</i> Vent. (Leguminosae, Papilionoideae, Dalbergieae) with emphasis on internal secretory structures in support of taxonomy. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2019, 260, 151484.	0.6	9
9	Fruit as diagnostic characteristic to recognize Brazilian species of <i>Zornia</i> (Leguminosae.) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50</i>	0.1	8
10	A New Infrageneric Classification of <i>Mucuna</i> (Leguminosae-Papilionoideae): Supported by Morphology, Molecular Phylogeny and Biogeography. <i>Systematic Botany</i> , 2016, 41, 606-616.	0.2	8
11	A New Species of <i>Eriosema</i> (Leguminosae, Papilionoideae, Phaseoleae) from Mato Grosso do Sul, Brazil, with a Secretory Structure Novel to the Genus. <i>Phytotaxa</i> , 2016, 263, 122.	0.1	8
12	A New Circumscription of <i>Nissolia</i> (Leguminosae-Papilionoideae-Dalbergieae), with <i>Chaetocalyx</i> a New Generic Synonym. <i>Novon</i> , 2018, 26, 193-213.	0.3	8
13	A New Species of <i>Eriosema</i> (Leguminosae, Papilionoideae, Phaseoleae) from Minas Gerais, Brazil. <i>Phytotaxa</i> , 2014, 178, 229.	0.1	7
14	Leaf and stem anatomy of the <i>Stylosanthes guianensis</i> complex (Aubl.) Sw. (Leguminosae.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 T</i> Functional Ecology of Plants, 2022, 287, 151992.	0.6	7
15	<i>Zornia subsessilis</i> (Leguminosae: Papilionoideae: Dalbergieae), a new species from Serra do Cabral, Minas Gerais, Brazil. <i>Brittonia</i> , 2008, 60, 271-273.	0.8	6
16	Nomenclatural Changes for <i>Zornia</i> (Leguminosae, Papilionoideae, Dalbergieae) in Brazil. <i>Novon</i> , 2011, 21, 331-337.	0.3	6
17	<i>Eriosema hatschbachii</i> (Leguminosae, Papilionoideae), a new species from Minas Gerais, Brazil. <i>Kew Bulletin</i> , 2013, 68, 641-645.	0.4	6
18	<i>Eriosema elegans</i> (Leguminosae, Papilionoideae): A new species from the Highlands of Goiás State, Brazil. <i>Phytotaxa</i> , 2017, 296, 81.	0.1	6

#	ARTICLE	IF	CITATIONS
19	A Noteworthy New Species of <i>Eriosema</i> (Leguminosae, Papilionoideae, Phaseoleae) from Goiás State, Brazil, Including an Identification Key. <i>Systematic Botany</i> , 2018, 43, 198-205.	0.2	5
20	<p>Taxonomic Synopsis of Eriosema (Leguminosae: Papilionoideae, Phaseoleae) in Brazil</p>. <i>Phytotaxa</i> , 2019, 416, 91-137.	0.1	5
21	Characteristics of the exine and aperture of pollen grains of <i>Eriosema</i> and <i>Rhynchosia</i> (Leguminosae – Papilionoideae – Phaseoleae). <i>Grana</i> , 2019, 58, 292-307.	0.4	5
22	Chromosome number evolution in dalbergioid legumes (Papilionoideae, Leguminosae). <i>Revista Brasileira De Botanica</i> , 2020, 43, 575-587.	0.5	5
23	Pollen morphology, ultrasculpture and ultrastructure of <i>Poiretia</i> Vent. (Leguminosae – “ Tj ETQq1 1 0.784314 rgBT /Qverlock	0.4	5
24	<l>Zornia melanocarpa</l> (Leguminosae, Papilionoideae, Dalbergieae), a New Species from Serra do Espinhaço, Brazil, and its Phylogenetic Position in the Genus. <i>Systematic Botany</i> , 2016, 41, 298-306.	0.2	3
25	<i>Zornia latifolia</i> : a smart drug being adulterated by <i>Stylosanthes guianensis</i> . <i>International Journal of Legal Medicine</i> , 2018, 132, 1321-1331.	1.2	3
26	Molecular phylogenetic insights into the evolution of <i>Eriosema</i> (Fabaceae): a recent tropical savanna-adapted genus. <i>Botanical Journal of the Linnean Society</i> , 2020, 194, 439-459.	0.8	3
27	Variations in the architecture and histochemistry of the gelatinous fibers in <i>Eriosema</i> (DC.) Desv. (Leguminosae) species from the Brazilian Cerrado. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2020, 268, 151624.	0.6	3
28	Os gêneros <i>Eriosema</i> e <i>Rhynchosia</i> (Leguminosae - Papilionoideae - Phaseoleae) no nordeste brasileiro. <i>Rodriguesia</i> , 2018, 69, 1825-1850.	0.9	3
29	A New Species of <i>Zornia</i> (Leguminosae, Papilionoideae) from Northeastern Brazil. <i>Novon</i> , 2010, 20, 35-37.	0.3	2
30	A new species of <i>Rhynchosia</i> (Leguminosae, Papilionoideae) from Bahia State, Brazil. <i>Phytotaxa</i> , 2019, 406, 84-90.	0.1	2
31	<i>Rhynchosia mineira</i> (Leguminosae: Papilionoideae), a new and critically endangered species from Minas Gerais, Brazil. <i>Kew Bulletin</i> , 2019, 74, 1.	0.4	2
32	A new glandular <i>Mimosa</i> species from Southern Brazil and insights about its glandular trichomes micromorphology. <i>Acta Botanica Brasilica</i> , 2019, 33, 716-723.	0.8	2
33	<i>Eriosema</i> (Leguminosae-Papilionoideae) no Sudeste do Brasil. <i>Rodriguesia</i> , 2014, 65, 885-916.	0.9	2
34	O gênero <i>Chamaecrista</i> (Leguminosae: Caesalpinioideae) no Parque Estadual do Rio Preto, São Gonçalo do Rio Preto, Minas Gerais, Brasil. <i>Rodriguesia</i> , 0, 70, .	0.9	2
35	O gênero <i>Rhynchosia</i> (Leguminosae, Papilionoideae, Phaseoleae) no Brasil. <i>Rodriguesia</i> , 0, 70, .	0.9	2
36	<p>Two new species of Stylosanthes Sw. (Leguminosae – Papilionoideae) endemic to Bahia State, Brazil</p>. <i>Phytotaxa</i> , 2020, 456, 157-165.	0.1	2

#	ARTICLE	IF	CITATIONS
37	Cannabis-like activity of <i>Zornia latifolia</i> Sm. detected <i>in vitro</i> on rat cortical neurons: major role of the flavone syzalterin. <i>Drug and Chemical Toxicology</i> , 2022, 45, 919-931.	1.2	1
38	A new species of <i>Nissolia</i> Jacq. (Leguminosae, Papilionoideae) from Northern Brazil, recording a new gland type for the genus. <i>Phytotaxa</i> , 2021, 482, 80-86.	0.1	1
39	Characteristics of the Fruits of Brazilian Species of <i>Stylosanthes</i> Sw. (Leguminosae) and Their Taxonomic Value. <i>International Journal of Plant Sciences</i> , 2021, 182, 133-150.	0.6	1
40	A New Critically Endangered Species of <i>Nissolia</i> (Leguminosae, Papilionoideae, Dalbergieae) from Brazil and a New Combination in the Genus. <i>Systematic Botany</i> , 2021, 46, 75-81.	0.2	1
41	Novelties in <i>Mimosa</i> sect. <i>Mimosa</i> ser. <i>Mimosa</i> subser. <i>Polycephalae</i> : a new species, new status, and new synonyms. <i>Phytotaxa</i> , 2021, 505, 121-138.	0.1	1
42	A tribo Dalbergieae (Leguminosae - Papilionoideae) em um trecho de Floresta Estacional Semidecidual das Terras Baixas, João Pessoa, Estado da Paraíba, Brasil. <i>Hoehnea (revista)</i> , 2019, 46, .	0.2	1
43	A new species of <i>Chamaecrista</i> sect. <i>Absus</i> (Leguminosae, Caesalpinioideae) from Minas Gerais, Brazil, with Notes on Leaf Anatomy. <i>Phytotaxa</i> , 2022, 536, 252-260.	0.1	1
44	<i>Zornia decussata</i> (Leguminosae: Papilionoideae: Dalbergieae), a new species from the Amazon region of Venezuela. <i>Kew Bulletin</i> , 2009, 64, 719-721.	0.4	0
45	Silva, I.C.C., Moura, T.M., Gissi, D.S. & Fortuna-Perez, A.P. (2021) A new species of <i>Nissolia</i> Jacq. (Leguminosae, Papilionoideae) from Northern Brazil, recording a new gland type for the genus. <i>Phytotaxa</i> 482 (1): 80–86.. <i>Phytotaxa</i> , 2021, 489, 240-240.	0.1	0
46	<i>Adesmia subtropicalis</i> (Leguminosae, Papilionoideae, Dalbergieae), a new endangered species from the Brazilian Pampas. <i>Phytotaxa</i> , 2021, 521, 219-226.	0.1	0
47	A New Species of <i>Adesmia</i> (Leguminosae, Papilionoideae, Dalbergieae) from Southern Brazil, with Notes on Leaf Anatomy. <i>Phytotaxa</i> , 2021, 521, 48-56.	0.1	0
48	O g–nero <i>Zornia</i> (Fabaceae - Papilionoideae) no estado da Paraíba, Brasil. <i>Rodriguesia</i> , 0, 71, .	0.9	0