

# Rostislav Turecek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9564723/publications.pdf>

Version: 2024-02-01

27  
papers

1,899  
citations

394286

19  
h-index

526166

27  
g-index

27  
all docs

27  
docs citations

27  
times ranked

2109  
citing authors

#	ARTICLE	IF	CITATIONS
1	Complex formation of APP with GABAB receptors links axonal trafficking to amyloidogenic processing. <i>Nature Communications</i> , 2019, 10, 1331.	5.8	92
2	Cochlear ablation in neonatal rats disrupts inhibitory transmission in the medial nucleus of the trapezoid body. <i>Neuroscience Letters</i> , 2019, 699, 145-150.	1.0	4
3	Rimonabant, a potent CB1 cannabinoid receptor antagonist, is a G $\beta$ i/o protein inhibitor. <i>Neuropharmacology</i> , 2018, 133, 107-120.	2.0	21
4	KCTD Hetero-oligomers Confer Unique Kinetic Properties on Hippocampal GABA <sub>B</sub> Receptor-Induced K <sup>+</sup> Currents. <i>Journal of Neuroscience</i> , 2017, 37, 1162-1175.	1.7	41
5	Mechanisms of Fast Desensitization of GABAB Receptor-Gated Currents. <i>Advances in Pharmacology</i> , 2015, 73, 145-165.	1.2	5
6	Distribution of glycine receptors on the surface of the mature calyx of Held nerve terminal. <i>Frontiers in Neural Circuits</i> , 2014, 8, 120.	1.4	8
7	GABAB receptor phosphorylation regulates KCTD12-induced K <sup>+</sup> current desensitization. <i>Biochemical Pharmacology</i> , 2014, 91, 369-379.	2.0	27
8	Auxiliary GABAB Receptor Subunits Uncouple G Protein $\beta\gamma$ Subunits from Effector Channels to Induce Desensitization. <i>Neuron</i> , 2014, 82, 1032-1044.	3.8	92
9	Modulation of synaptic depression of the calyx of Held synapse by GABA <sub>B</sub> receptors and spontaneous activity. <i>Journal of Physiology</i> , 2013, 591, 4877-4894.	1.3	18
10	Up-regulation of GABAB Receptor Signaling by Constitutive Assembly with the K <sup>+</sup> Channel Tetramerization Domain-containing Protein 12 (KCTD12). <i>Journal of Biological Chemistry</i> , 2013, 288, 24848-24856.	1.6	33
11	Differential Distribution of Glycine Receptor Subtypes at the Rat Calyx of Held Synapse. <i>Journal of Neuroscience</i> , 2012, 32, 17012-17024.	1.7	22
12	Molecular organization and dynamics of the melatonin MT1 receptor/RGS20/Gi protein complex reveal asymmetry of receptor dimers for RGS and Gi coupling. <i>EMBO Journal</i> , 2010, 29, 3646-3659.	3.5	61
13	Native GABAB receptors are heteromultimers with a family of auxiliary subunits. <i>Nature</i> , 2010, 465, 231-235.	13.7	286
14	NMDA receptor-dependent GABA <sub>B</sub> receptor internalization via CaMKII phosphorylation of serine 867 in GABA <sub>B1</sub> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13924-13929.	3.3	98
15	The GABA <sub>B1a</sub> Isoform Mediates Heterosynaptic Depression at Hippocampal Mossy Fiber Synapses. <i>Journal of Neuroscience</i> , 2009, 29, 1414-1423.	1.7	54
16	Development of Chloride-Mediated Inhibition in Neurons of the Anteroventral Cochlear Nucleus of Gerbil ( <i>Meriones unguiculatus</i> ). <i>Journal of Neurophysiology</i> , 2007, 98, 1634-1644.	0.9	28
17	Differential Compartmentalization and Distinct Functions of GABAB Receptor Variants. <i>Neuron</i> , 2006, 50, 589-601.	3.8	289
18	Staggered Development of GABAergic and Glycinergic Transmission in the MNTB. <i>Journal of Neurophysiology</i> , 2005, 93, 819-828.	0.9	126

#	ARTICLE	IF	CITATIONS
19	Inhibitory Control at a Synaptic Relay. <i>Journal of Neuroscience</i> , 2004, 24, 2643-2647.	1.7	74
20	Intracellular spermine decreases open probability of N-methyl-D-aspartate receptor channels. <i>Neuroscience</i> , 2004, 125, 879-887.	1.1	31
21	Reciprocal developmental regulation of presynaptic ionotropic receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 13884-13889.	3.3	104
22	Presynaptic glycine receptors enhance transmitter release at a mammalian central synapse. <i>Nature</i> , 2001, 411, 587-590.	13.7	280
23	Control of Synaptic Depression by Glutamate Transporters. <i>Journal of Neuroscience</i> , 2000, 20, 2054-2063.	1.7	67
24	Spontaneous Openings of NMDA Receptor Channels in Cultured Rat Hippocampal Neurons. <i>European Journal of Neuroscience</i> , 1997, 9, 1999-2008.	1.2	20
25	Cisplatin-induced changes in the number of argyrophilic nucleolar granules in cultured chick dorsal root ganglion neurons. <i>Neuroscience Research Communications</i> , 1996, 18, 185-193.	0.2	2
26	G-Protein Modulation of Glycine-resistant NMDA Receptor Desensitization in Rat Cultured Hippocampal Neurons. <i>European Journal of Neuroscience</i> , 1995, 7, 1826-1830.	1.2	6
27	Organotypic cultures of chick dorsal root ganglia in a semi-solid medium: A model for neurotoxicity testing. <i>Toxicology in Vitro</i> , 1994, 8, 81-90.	1.1	10