Pasqual Barretti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9565071/publications.pdf

Version: 2024-02-01

129 papers	2,108 citations	26 h-index	39 g-index
138	138	138	2293
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	High volume peritoneal dialysis vs daily hemodialysis: A randomized, controlled trial in patients with acute kidney injury. Kidney International, 2008, 73, S87-S93.	2.6	186
2	High Volume Peritoneal Dialysis for Acute Renal Failure. Peritoneal Dialysis International, 2007, 27, 277-282.	1.1	95
3	Geographic and Educational Factors and Risk of the First Peritonitis Episode in Brazilian Peritoneal Dialysis Study (BRAZPD) Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 1944-1951.	2.2	78
4	Enzyme replacement therapy for Anderson-Fabry disease. The Cochrane Library, 2017, 2017, CD006663.	1.5	71
5	Impact of patient training patterns on peritonitis rates in a large national cohort study. Nephrology Dialysis Transplantation, 2015, 30, 137-142.	0.4	57
6	Characterization of the Brazpd ii Cohort and Description of Trends in Peritoneal Dialysis Outcome across Time Periods. Peritoneal Dialysis International, 2014, 34, 714-723.	1.1	54
7	Peritoneal Dialysis in Acute Renal Failure. Renal Failure, 2006, 28, 451-456.	0.8	50
8	The effects of oral nutritional supplements in patients with maintenance dialysis therapy: A systematic review and meta-analysis of randomized clinical trials. PLoS ONE, 2018, 13, e0203706.	1.1	46
9	Low Serum Potassium Levels Increase the Infectious-Caused Mortality in Peritoneal Dialysis Patients: A Propensity-Matched Score Study. PLoS ONE, 2015, 10, e0127453.	1.1	45
10	Effect of dietary sodium restriction on body water, blood pressure, and inflammation in hemodialysis patients: a prospective randomized controlled study. International Urology and Nephrology, 2014, 46, 91-97.	0.6	43
11	Continuous Peritoneal Dialysis Compared with Daily Hemodialysis in Patients with Acute Kidney Injury. Peritoneal Dialysis International, 2009, 29, 62-71.	1.1	42
12	The role of virulence factors in the outcome of staphylococcal peritonitis in CAPD patients. BMC Infectious Diseases, 2009, 9, 212.	1.3	40
13	Efficacy of antibiotic therapy for peritoneal dialysis-associated peritonitis: a proportional meta-analysis. BMC Infectious Diseases, 2014, 14, 445.	1.3	38
14	High volume peritoneal dialysis for acute renal failure. Peritoneal Dialysis International, 2007, 27, 277-82.	1.1	38
15	Improving adherence to Standard Precautions for the control of health care-associated infections. The Cochrane Library, 2018, 2018, CD010768.	1.5	36
16	Acute kidney injury in cats and dogs: A proportional meta-analysis of case series studies. PLoS ONE, 2018, 13, e0190772.	1.1	36
17	Urgent-Start Peritoneal Dialysis: The First Year of Brazilian Experience. Blood Purification, 2017, 44, 283-287.	0.9	35
18	Acute Renal Failure: Clinical Outcome and Causes of Death. Renal Failure, 1997, 19, 253-257.	0.8	34

#	Article	IF	Citations
19	Peritoneal Dialysis–Related Peritonitis due to Coagulase-Negative Staphylococcus. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1074-1081.	2.2	32
20	Peritonitis in recent years: clinical findings and predictors of treatment response of 170 episodes at a single Brazilian center. International Urology and Nephrology, 2012, 44, 1529-1537.	0.6	30
21	Approach to prophylactic measures for central venous catheterâ€related infections in hemodialysis: A critical review. Hemodialysis International, 2014, 18, 15-23.	0.4	30
22	Spironolactone is secure and reduces left ventricular hypertrophy in hemodialysis patients. Therapeutic Advances in Cardiovascular Disease, 2015, 9, 158-167.	1.0	30
23	Severe acute renal failure after massive attack of Africanized bees. Nephrology Dialysis Transplantation, 2004, 19, 2680-2680.	0.4	29
24	Most consumed processed foods by patients on hemodialysis: Alert for phosphate-containing additives and the phosphate-to-protein ratio. Clinical Nutrition ESPEN, 2016, 14, 37-41.	0.5	29
25	Associations between nutritional markers and inflammation in hemodialysis patients. International Urology and Nephrology, 2009, 41, 1003-1009.	0.6	27
26	Peritoneal Dialysis in Acute Kidney Injury: Brazilian Experience. Peritoneal Dialysis International, 2012, 32, 242-246.	1.1	27
27	Peritonitis in Latin America. Peritoneal Dialysis International, 2007, 27, 332-339.	1.1	26
28	Validity of malnutrition scores for predicting mortality in chronic hemodialysis patients. International Urology and Nephrology, 2013, 45, 1747-1752.	0.6	26
29	Effect of Dialysate Sodium Reduction on Body Water Volume, Blood Pressure, and Inflammatory Markers in Hemodialysis Patients — A Prospective Randomized Controlled Study. Renal Failure, 2013, 35, 742-747.	0.8	25
30	Fungal peritonitis in patients undergoing peritoneal dialysis (PD) in Brazil: molecular identification, biofilm production and antifungal susceptibility of the agents. Medical Mycology, 2016, 54, 725-732.	0.3	25
31	Peritoneal Dialysis-Related Peritonitis Due to Staphylococcus aureus: A Single-Center Experience over 15 Years. PLoS ONE, 2012, 7, e31780.	1.1	25
32	Influence of protein intake and muscle mass on survival in chronic dialysis patients. Renal Failure, 2010, 32, 1055-1059.	0.8	24
33	Automated Peritoneal Dialysis Is Associated with Better Survival Rates Compared to Continuous Ambulatory Peritoneal Dialysis: A Propensity Score Matching Analysis. PLoS ONE, 2015, 10, e0134047.	1.1	24
34	Peritoneal dialysis can be an option for unplanned chronic dialysis: initial results from a developing country. International Urology and Nephrology, 2016, 48, 901-906.	0.6	24
35	Physical inactivity and protein energy wasting play independent roles in muscle weakness in maintenance haemodialysis patients. PLoS ONE, 2018, 13, e0200061.	1.1	24
36	Peritonitis as a risk factor for longâ€ŧerm cardiovascular mortality in peritoneal dialysis patients: The case of a friendly fire?. Nephrology, 2018, 23, 253-258.	0.7	23

#	Article	IF	Citations
37	Novel Predictors of Peritonitis-Related Outcomes in the BRAZPD Cohort. Peritoneal Dialysis International, 2014, 34, 179-187.	1.1	22
38	Influence of Intradialytic Aerobic Training in Cerebral Blood Flow and Cognitive Function in Patients with Chronic Kidney Disease: A Pilot Randomized Controlled Trial. Nephron, 2018, 140, 9-17.	0.9	22
39	Clinical Significance of the Edema Index in Incident Peritoneal Dialysis Patients. PLoS ONE, 2016, 11, e0147070.	1.1	21
40	Factors Contributing to the Differences in Peritonitis Rates between Centers and Regions. Peritoneal Dialysis International, 2007, 27, 281-285.	1.1	18
41	Aerobic Exercise Training and Nontraditional Cardiovascular Risk Factors in Hemodialysis Patients: Results from a Prospective Randomized Trial. CardioRenal Medicine, 2019, 9, 391-399.	0.7	18
42	Associations between bioelectrical impedance parameters and cardiovascular events in chronic dialysis patients. International Urology and Nephrology, 2013, 45, 1397-1403.	0.6	17
43	The Diagnostic Value of Gram Stain for Initial Identification of the Etiologic Agent of Peritonitis in Capd Patients. Peritoneal Dialysis International, 1997, 17, 269-272.	1.1	16
44	Different outcomes of peritoneal catheter percutaneous placement by nephrologists using a trocar versus the Seldinger technique: the experience of two Brazilian centers. International Urology and Nephrology, 2014, 46, 2029-2034.	0.6	16
45	Influence of Fluid Volume Variations on the Calculated Value of the Left Ventricular Mass Measured by Echocardiogram in Patients Submitted to Hemodialysis. Renal Failure, 2003, 25, 43-53.	0.8	15
46	Metabolic Syndrome Criteria As Predictors of Insulin Resistance, Inflammation and Mortality in Chronic Hemodialysis Patients. Metabolic Syndrome and Related Disorders, 2014, 12, 443-449.	0.5	15
47	Peritonitis in Latin America. Peritoneal Dialysis International, 2007, 27, 332-9.	1.1	15
48	Peritonitis in Children on Chronic Peritoneal Dialysis: The Experience of a Large National Pediatric Cohort. Blood Purification, 2018, 45, 118-125.	0.9	14
49	Blink reflex in end-stage-renal disease patients undergoing hemodialysis. Journal of Electromyography and Kinesiology, 2002, 12, 159-163.	0.7	13
50	Inflammation, Diabetes, and Chronic Kidney Disease: Role of Aerobic Capacity. Experimental Diabetes Research, 2012, 2012, 1-6.	3.8	13
51	Effective Use of Alteplase for Occluded Tunneled Venous Catheter in Hemodialysis Patients. Artificial Organs, 2014, 38, 399-403.	1.0	13
52	Could albumin level explain the higher mortality in hemodialysis patients with pulmonary hypertension?. BMC Nephrology, 2012, 13, 80.	0.8	12
53	Evidence-based medicine: An update on treatments for peritoneal dialysis-related peritonitis. World Journal of Nephrology, 2015, 4, 287.	0.8	12
54	Evolution of Gram-Negative Bacilli Susceptibility in Peritoneal Dialysis-Related Peritonitis in Brazil: A Single Center's Experience over Nine Years. Peritoneal Dialysis International, 2009, 29, 230-233.	1.1	11

#	Article	IF	CITATIONS
55	Impact of Pre-Dialysis Care on Clinical Outcomes in Peritoneal Dialysis Patients. American Journal of Nephrology, 2016, 43, 104-111.	1.4	11
56	Prognosis and determinants of serum PTH changes over time in 1-5 CKD stage patients followed in tertiary care. PLoS ONE, 2018, 13, e0202417.	1.1	11
57	Association of Pulmonary Hypertension With Inflammation and Fluid Overload in Hemodialysis Patients. Iranian Journal of Kidney Diseases, 2017, 11, 303-308.	0.1	11
58	Dialysis encephalopathy secondary to aluminum toxicity, diagnosed by bone biopsy. Nephrology Dialysis Transplantation, 2005, 20, 2581-2582.	0.4	10
59	Inflammation and Overweight in Peritoneal Dialysis: Is There an Association?. Renal Failure, 2009, 31, 549-554.	0.8	10
60	Impact of Renin-Angiotensin Aldosterone System Inhibition on Serum Potassium Levels among Peritoneal Dialysis Patients. American Journal of Nephrology, 2017, 46, 150-155.	1.4	10
61	Influence of the intra-peritoneal segment of the swan neck peritoneal catheter on infectious and mechanical complications and technique survival. Clinical and Experimental Nephrology, 2019, 23, 135-141.	0.7	10
62	Characterization of Escherichia coli obtained from patients undergoing peritoneal dialysis and diagnosed with peritonitis in a Brazilian centre. Journal of Medical Microbiology, 2019, 68, 1330-1340.	0.7	10
63	Is 44-Hour Better than 24-Hour Ambulatory Blood Pressure Monitoring in Hemodialysis?. Kidney and Blood Pressure Research, 2006, 29, 273-279.	0.9	9
64	Comparison between types of dressing following catheter insertion and early exitâ€site infection in peritoneal dialysis. Journal of Clinical Nursing, 2017, 26, 3658-3663.	1.4	9
65	Factors contributing to the differences in peritonitis rates between centers and regions. Peritoneal Dialysis International, 2007, 27 Suppl 2, S281-5.	1.1	9
66	Significance of Slime as Virulence Factor in Coagulase-Negative Staphylococcus Peritonitis in CAPD. Peritoneal Dialysis International, 2004, 24, 191-193.	1.1	8
67	High Serum Phosphorus Level Is Associated with Left Ventricular Diastolic Dysfunction in Peritoneal Dialysis Patients. PLoS ONE, 2016, 11, e0163659.	1.1	8
68	Evolution of gram-negative bacilli susceptibility in peritoneal dialysis-related peritonitis in Brazil: a single center's experience over nine years. Peritoneal Dialysis International, 2009, 29, 230-3.	1.1	8
69	Aldosterone is associated with left ventricular hypertrophy in hemodialysis patients. Therapeutic Advances in Cardiovascular Disease, 2016, 10, 304-313.	1.0	7
70	Attention to Food Phosphate and Nutrition Labeling. , 2018, 28, e29-e31.		7
71	Rates of Intentional and Unintentional Nonadherence to Peritoneal Dialysis Regimes and Associated Factors. PLoS ONE, 2016, 11, e0149784.	1.1	7
72	Hipertrofia ventricular e mortalidade cardiovascular em pacientes de hemodiálise de baixo nÃvel educacional. Arquivos Brasileiros De Cardiologia, 2012, 98, 52-61.	0.3	6

#	Article	IF	Citations
73	Piperacillin/tazobactamâ€induced neurotoxicity in a hemodialysis patient: A case report. Hemodialysis International, 2015, 19, 143-145.	0.4	6
74	Public health investments and mortality risk in Brazilian peritoneal dialysis patients. CKJ: Clinical Kidney Journal, 2020, 13, 1012-1016.	1.4	6
75	Prolactin and Zinc in Dialysis Patients. Biological Trace Element Research, 2002, 88, 01-08.	1.9	5
76	Dietary Intervention in Phosphatemia Control–Nutritional Traffic Light Labeling. , 2018, 28, e45-e47.		5
77	Incidence and characteristics of methicillin-resistant coagulase-negative Staphylococcus aureus in peritoneal dialysis-associated peritonitis in a single center using molecular methods. International Urology and Nephrology, 2021, 53, 373-380.	0.6	5
78	Pharmacokinetics of Intraperitoneal Vancomycin and Amikacin in Automated Peritoneal Dialysis Patients With Peritonitis. Frontiers in Pharmacology, 2021, 12, 658014.	1.6	5
79	Is Kauppila method able to detect the progression of vascular calcification and predict cardiovascular events in patients undergoing hemodialysis?. Clinical Nephrology, 2016, 85 (2016), 84-91.	0.4	5
80	Total Body Water and Failure to Control Blood Pressure by Medication in Hemodialysis Patients. Nephron Extra, 2014, 4, 95-100.	1.1	4
81	Systemic lupus erythematous and clinical outcomes in peritoneal dialysis. Lupus, 2015, 24, 290-298.	0.8	4
82	Racial and social disparities in the access to automated peritoneal dialysis - results of a national PD cohort. Scientific Reports, 2017, 7, 5214.	1.6	4
83	Association between vitamin D levels and mortality in hemodialysis patients: a cohort study. Renal Failure, 2020, 42, 225-233.	0.8	4
84	Clinical utility of a traditional score system for the evaluation of the peritoneal dialysis exit-site infection in a national multicentric cohort study. Peritoneal Dialysis International, 2021, 41, 292-297.	1.1	4
85	Clinical and microbiological factors predicting outcomes of nonfermenting gram-negative bacilli peritonitis in peritoneal dialysis. Scientific Reports, 2021, 11, 12248.	1.6	4
86	Approach to thrombotic occlusion related to long-term catheters of hemodialysis patients: a narrative review. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2015, 37, 221-7.	0.4	4
87	Left ventricular mass behaviour in hemodialysis patients during 17 years. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2015, 37, 341-8.	0.4	4
88	Causes of Resistant Hypertension Detected by a Standardized Algorithm. International Journal of Hypertension, 2012, 2012, 1-5.	0.5	3
89	Peritoneal Dialysis as an option for unplanned initiation of chronic dialysis. Hemodialysis International, 2016, 20, 631-633.	0.4	3
90	Impact of Glucose Exposure on Outcomes of a Nation-Wide Peritoneal Dialysis Cohort – Results of the BRAZPD II Cohort. Frontiers in Physiology, 2019, 10, 150.	1.3	3

#	Article	IF	Citations
91	Agreement of Single-Frequency Electrical Bioimpedance in the Evaluation of Fat Free Mass and Fat Mass in Peritoneal Dialysis Patients. Frontiers in Nutrition, 2021, 8, 686513.	1.6	3
92	The silent period in patients with chronic renal failure undergoing hemodialysis. Electromyography and Clinical Neurophysiology, 2002, 42, 275-9.	0.2	3
93	Significance of slime as virulence factor in coagulase-negative staphylococcus peritonitis in CAPD. Peritoneal Dialysis International, 2004, 24, 191-3.	1.1	3
94	Importance of Early and Continuous Use of Protein Restriction on the Progression of Adriamycin Nephropathy. Renal Failure, 1999, 21, 603-613.	0.8	2
95	Interventions to improve adherence to guidelines on 'Standard Precautions' for the control of healthcare-associated infections. The Cochrane Library, 0, , .	1.5	2
96	Frequency and antimicrobial susceptibility of bacterial agents causing peritoneal dialysis-peritonitis in a Brazilian single center over 20 Åyears. Cogent Medicine, 2016, 3, 1242246.	0.7	2
97	A combination of corticosteroid, sirolimus, and intradialytic parenteral nutrition in encapsulating peritoneal sclerosis: Case report and literature review. Hemodialysis International, 2017, 21, 307-311.	0.4	2
98	Randomized controlled clinical trial of ketoanalogues supplementation in dogs with chronic kidney disease. Pesquisa Veterinaria Brasileira, 2018, 38, 489-495.	0.5	2
99	Peritoneal dialysis modality transition and impact on phosphate and potassium serum levels. PLoS ONE, 2021, 16, e0257140.	1.1	2
100	Effect of renal revascularization on the development of renal dysfunction in atherosclerotic ischemic nephropathy. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2014, 36, 535-41.	0.4	2
101	Fatigue in incident peritoneal dialysis and mortality: A real-world side-by-side study in Brazil and the United States. PLoS ONE, 2022, 17, e0270214.	1.1	2
102	Renal artery clipping attenuates the progression of adriamycin nephropathy. American Journal of Hypertension, 1998, 11, 1124-1128.	1.0	1
103	Tratamento da doença arterial coronariana em renais crônicos em diálise do Hospital das ClÃnicas da Faculdade de Medicina de Botucatu - UNESP. Arquivos Brasileiros De Cardiologia, 2007, 88, 525-530.	0.3	1
104	Markers of uremia and pericardial effusion in peritoneal dialysis. International Urology and Nephrology, 2012, 44, 923-927.	0.6	1
105	The role of intradialytic aerobic training in improved functional capacity and cognitive function in patients with chronic kidney disease on hemodialysis. European Heart Journal, 2013, 34, P3398-P3398.	1.0	1
106	FP779MUSCLE FUNCTION AS PREDICTOR OF MORTALITY IN MAINTENANCE HEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2015, 30, iii338-iii338.	0.4	1
107	Attenuation of Renal Functional Decline Following Angioplasty and Stenting in Atherosclerotic Renovascular Disease. Nephron, 2017, 135, 15-22.	0.9	1
108	Intermittent hemodialysis in dogs with chronic kidney disease stage III. Ciencia Rural, 2017, 47, .	0.3	1

#	Article	IF	CITATIONS
109	Whiteâ€coat and masked hypertension diagnoses in chronic kidney disease patients. Journal of Clinical Hypertension, 2020, 22, 1202-1207.	1.0	1
110	Nutritional Parameters in Early and Late Kidney Transplantation. Transplantation Proceedings, 2021, 53, 2162-2167.	0.3	1
111	Influência da escolaridade na hipertrofia miocárdica de pacientes em hemodiálise. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2010, 32, 71-76.	0.4	1
112	Relevância do estado de hidratação na interpretação de parâmetros nutricionais em diálise peritoneal. Revista De Nutricao, 2011, 24, 99-107.	0.4	1
113	Intradialytic Complications in Dogs with Acute Renal Failure Submitted to Intermittent Hemodialysis. Asian Journal of Animal and Veterinary Advances, 2017, 12, 288-293.	0.3	1
114	Acesso vascular para hemodiálise com cateter temporário de duplo lúmen em cães com insuficiência renal aguda. Ciencia Rural, 2008, 38, 1010-1016.	0.3	1
115	Desenvolvimento de um modelo experimental de hemodiálise em cães. Pesquisa Veterinaria Brasileira, 2010, 30, 861-867.	0.5	1
116	Transfusion. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2014, 36, .	0.4	1
117	Star fruit intoxication in chronic kidney disease patients: from the first clinical description to caramboxin. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2015, 37, 429-30.	0.4	1
118	Reversal of acute kidney injury after peritoneal dialysis in a dog: a case report. Veterinarni Medicina, 2016, 61, 399-403.	0.2	1
119	Phenotypic and Molecular Characterization of Nonfermenting Gram-Negative Bacilli Causing Peritonitis in Peritoneal Dialysis Patients. Pathogens, 2022, 11, 218.	1.2	1
120	Launching a CDMO in Brazil aiming to develop biopharmaceuticals for clinical trials. Journal of Venomous Animals and Toxins Including Tropical Diseases, 0, 28, .	0.8	1
121	Acute Renal Failure in Renal Allograft Recipients and Patients with Native Kidneys. Renal Failure, 1997, 19, 259-265.	0.8	O
122	Risk of peritonitis during peritoneal dialysis in carriers of Staphylococcus aureus and coagulase-negative staphylococci. Journal of Venomous Animals and Toxins Including Tropical Diseases, 2006, 12, 578.	0.8	0
123	Effect of Fractional Urea Clearance on Survival of Hemodialysis Patients in Relation to Gender. Renal Failure, 2008, 30, 257-260.	0.8	O
124	PS 08-31 PHYSICAL FITNESS IMPROVES ENDOTHELIUM FUNCTION, CEREBRAL BLOOD FLOW, INFLAMMATION AND CONSEQUENTLY COGNITIVE FUNCTION IN PATIENTS WITH CHRONIC KIDNEY DISEASE IN HEMODIALYSIS. Journal of Hypertension, 2016, 34, e301.	0.3	0
125	Lower Hemoglobin (HB) Levels Negatively Impact Quality Of Life (QOL) Among Peritoneal Dialysis (PD) Patients: Results From A National Representative Cohort Study In Brazil (BRAZPD). Value in Health, 2017, 20, A896.	0.1	O
126	Temporal Trends and Factors Associated with Medication Prescription Patterns in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2018, 38, 293-301.	1.1	0

#	Article	IF	CITATIONS
127	Avalia \tilde{A} § \tilde{A} £o da biocompatibilidade da membrana do dialisador em c \tilde{A} £es com insufici \tilde{A} ªncia renal aguda induzida por gentamicina tratados por hemodi \tilde{A}_i lise. Research, Society and Development, 2021, 10, e15410312361.	0.0	O
128	Sepsis in a dog with chronic kidney disease submitted to peritoneal dialysis. Veterinaria E Zootecnia, 2017, 24, 499-503.	0.0	0
129	Reduction of proteinuria in patients with diabetes kidney disease and dysautonomia through measures aimed at controlling supine hypertension. Chronobiology International, $0, 1-6$.	0.9	0