

Pasqual Barretti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9565071/pasqual-barretti-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

1,524
citations

22
h-index

32
g-index

138
ext. papers

1,798
ext. citations

2.9
avg, IF

4.42
L-index

#	Paper	IF	Citations
116	High volume peritoneal dialysis vs daily hemodialysis: a randomized, controlled trial in patients with acute kidney injury. <i>Kidney International</i> , 2008 , S87-93	9.9	141
115	High Volume Peritoneal Dialysis for Acute Renal Failure. <i>Peritoneal Dialysis International</i> , 2007 , 27, 277-288		75
114	Geographic and educational factors and risk of the first peritonitis episode in Brazilian Peritoneal Dialysis study (BRAZPD) patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1944-51	6.9	63
113	Characterization of the BRAZPD II cohort and description of trends in peritoneal dialysis outcome across time periods. <i>Peritoneal Dialysis International</i> , 2014 , 34, 714-23	2.8	44
112	Peritoneal dialysis in acute renal failure. <i>Renal Failure</i> , 2006 , 28, 451-6	2.9	44
111	Impact of patient training patterns on peritonitis rates in a large national cohort study. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 137-42	4.3	38
110	Enzyme replacement therapy for Anderson-Fabry disease. <i>The Cochrane Library</i> , 2016 , 7, CD006663	5.2	37
109	Effect of dietary sodium restriction on body water, blood pressure, and inflammation in hemodialysis patients: a prospective randomized controlled study. <i>International Urology and Nephrology</i> , 2014 , 46, 91-7	2.3	36
108	Continuous Peritoneal Dialysis Compared with Daily Hemodialysis in Patients with Acute Kidney Injury. <i>Peritoneal Dialysis International</i> , 2009 , 29, 62-71	2.8	34
107	The role of virulence factors in the outcome of staphylococcal peritonitis in CAPD patients. <i>BMC Infectious Diseases</i> , 2009 , 9, 212	4	32
106	The effects of oral nutritional supplements in patients with maintenance dialysis therapy: A systematic review and meta-analysis of randomized clinical trials. <i>PLoS ONE</i> , 2018 , 13, e0203706	3.7	29
105	Efficacy of antibiotic therapy for peritoneal dialysis-associated peritonitis: a proportional meta-analysis. <i>BMC Infectious Diseases</i> , 2014 , 14, 445	4	28
104	Approach to prophylactic measures for central venous catheter-related infections in hemodialysis: a critical review. <i>Hemodialysis International</i> , 2014 , 18, 15-23	1.7	27
103	Low Serum Potassium Levels Increase the Infectious-Caused Mortality in Peritoneal Dialysis Patients: A Propensity-Matched Score Study. <i>PLoS ONE</i> , 2015 , 10, e0127453	3.7	27
102	Acute renal failure: clinical outcome and causes of death. <i>Renal Failure</i> , 1997 , 19, 253-7	2.9	26
101	Peritonitis in recent years: clinical findings and predictors of treatment response of 170 episodes at a single Brazilian center. <i>International Urology and Nephrology</i> , 2012 , 44, 1529-37	2.3	25
100	Spironolactone is secure and reduces left ventricular hypertrophy in hemodialysis patients. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015 , 9, 158-67	3.4	24

99	Peritoneal dialysis-related peritonitis due to coagulase-negative Staphylococcus: a review of 115 cases in a Brazilian center. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1074-81	6.9	24
98	Peritoneal dialysis in acute kidney injury: Brazilian experience. <i>Peritoneal Dialysis International</i> , 2012 , 32, 242-6	2.8	24
97	High volume peritoneal dialysis for acute renal failure. <i>Peritoneal Dialysis International</i> , 2007 , 27, 277-82	2.8	24
96	Urgent-Start Peritoneal Dialysis: The First Year of Brazilian Experience. <i>Blood Purification</i> , 2017 , 44, 283-287	3.7	23
95	Severe acute renal failure after massive attack of Africanized bees. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2680	4.3	23
94	Influence of protein intake and muscle mass on survival in chronic dialysis patients. <i>Renal Failure</i> , 2010 , 32, 1055-9	2.9	22
93	Associations between nutritional markers and inflammation in hemodialysis patients. <i>International Urology and Nephrology</i> , 2009 , 41, 1003-9	2.3	22
92	Peritoneal dialysis-related peritonitis due to Staphylococcus aureus: a single-center experience over 15 years. <i>PLoS ONE</i> , 2012 , 7, e31780	3.7	22
91	Peritoneal dialysis can be an option for unplanned chronic dialysis: initial results from a developing country. <i>International Urology and Nephrology</i> , 2016 , 48, 901-6	2.3	21
90	Most consumed processed foods by patients on hemodialysis: Alert for phosphate-containing additives and the phosphate-to-protein ratio. <i>Clinical Nutrition ESPEN</i> , 2016 , 14, 37-41	1.3	20
89	Effect of dialysate sodium reduction on body water volume, blood pressure, and inflammatory markers in hemodialysis patients--a prospective randomized controlled study. <i>Renal Failure</i> , 2013 , 35, 742-7	2.9	19
88	Peritonitis in Latin America. <i>Peritoneal Dialysis International</i> , 2007 , 27, 332-339	2.8	19
87	Automated Peritoneal Dialysis Is Associated with Better Survival Rates Compared to Continuous Ambulatory Peritoneal Dialysis: A Propensity Score Matching Analysis. <i>PLoS ONE</i> , 2015 , 10, e0134047	3.7	18
86	Novel predictors of peritonitis-related outcomes in the BRAZPD cohort. <i>Peritoneal Dialysis International</i> , 2014 , 34, 179-87	2.8	18
85	Acute kidney injury in cats and dogs: A proportional meta-analysis of case series studies. <i>PLoS ONE</i> , 2018 , 13, e0190772	3.7	16
84	Validity of malnutrition scores for predicting mortality in chronic hemodialysis patients. <i>International Urology and Nephrology</i> , 2013 , 45, 1747-52	2.3	16
83	Fungal peritonitis in patients undergoing peritoneal dialysis (PD) in Brazil: molecular identification, biofilm production and antifungal susceptibility of the agents. <i>Medical Mycology</i> , 2016 , 54, 725-732	3.9	16
82	Peritonitis as a risk factor for long-term cardiovascular mortality in peritoneal dialysis patients: The case of a friendly fire?. <i>Nephrology</i> , 2018 , 23, 253-258	2.2	15

81	Physical inactivity and protein energy wasting play independent roles in muscle weakness in maintenance haemodialysis patients. <i>PLoS ONE</i> , 2018 , 13, e0200061	3.7	15
80	Clinical Significance of the Edema Index in Incident Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2016 , 11, e0147070	3.7	15
79	Metabolic syndrome criteria as predictors of insulin resistance, inflammation and mortality in chronic hemodialysis patients. <i>Metabolic Syndrome and Related Disorders</i> , 2014 , 12, 443-9	2.6	14
78	Factors Contributing to the Differences in Peritonitis Rates between Centers and Regions. <i>Peritoneal Dialysis International</i> , 2007 , 27, 281-285	2.8	14
77	Influence of fluid volume variations on the calculated value of the left ventricular mass measured by echocardiogram in patients submitted to hemodialysis. <i>Renal Failure</i> , 2003 , 25, 43-53	2.9	14
76	Associations between bioelectrical impedance parameters and cardiovascular events in chronic dialysis patients. <i>International Urology and Nephrology</i> , 2013 , 45, 1397-403	2.3	13
75	Improving adherence to Standard Precautions for the control of health care-associated infections. <i>The Cochrane Library</i> , 2018 , 2, CD010768	5.2	12
74	Different outcomes of peritoneal catheter percutaneous placement by nephrologists using a trocar versus the Seldinger technique: the experience of two Brazilian centers. <i>International Urology and Nephrology</i> , 2014 , 46, 2029-34	2.3	12
73	The Diagnostic Value of Gram Stain for Initial Identification of the Etiologic Agent of Peritonitis in Capd Patients. <i>Peritoneal Dialysis International</i> , 1997 , 17, 269-272	2.8	12
72	Effective use of alteplase for occluded tunneled venous catheter in hemodialysis patients. <i>Artificial Organs</i> , 2014 , 38, 399-403	2.6	11
71	Could albumin level explain the higher mortality in hemodialysis patients with pulmonary hypertension?. <i>BMC Nephrology</i> , 2012 , 13, 80	2.7	11
70	Inflammation, diabetes, and chronic kidney disease: role of aerobic capacity. <i>Experimental Diabetes Research</i> , 2012 , 2012, 750286		11
69	Peritonitis in Latin America. <i>Peritoneal Dialysis International</i> , 2007 , 27, 332-9	2.8	11
68	Influence of Intradialytic Aerobic Training in Cerebral Blood Flow and Cognitive Function in Patients with Chronic Kidney Disease: A Pilot Randomized Controlled Trial. <i>Nephron</i> , 2018 , 140, 9-17	3.3	10
67	Evidence-based medicine: An update on treatments for peritoneal dialysis-related peritonitis. <i>World Journal of Nephrology</i> , 2015 , 4, 287-94	3.6	10
66	Evolution of Gram-Negative Bacilli Susceptibility in Peritoneal Dialysis-Related Peritonitis in Brazil: A Single Center's Experience over Nine Years. <i>Peritoneal Dialysis International</i> , 2009 , 29, 230-233	2.8	10
65	Dialysis encephalopathy secondary to aluminum toxicity, diagnosed by bone biopsy. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2581-2	4.3	10
64	Aerobic Exercise Training and Nontraditional Cardiovascular Risk Factors in Hemodialysis Patients: Results from a Prospective Randomized Trial. <i>CardioRenal Medicine</i> , 2019 , 9, 391-399	2.8	9

63	Inflammation and overweight in peritoneal dialysis: is there an association?. <i>Renal Failure</i> , 2009 , 31, 549-54		9
62	Blink reflex in end-stage-renal disease patients undergoing hemodialysis. <i>Journal of Electromyography and Kinesiology</i> , 2002 , 12, 159-63	2.5	9
61	Peritonitis in Children on Chronic Peritoneal Dialysis: The Experience of a Large National Pediatric Cohort. <i>Blood Purification</i> , 2018 , 45, 118-125	3.1	9
60	Impact of Pre-Dialysis Care on Clinical Outcomes in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2016 , 43, 104-11	4.6	8
59	Factors contributing to the differences in peritonitis rates between centers and regions. <i>Peritoneal Dialysis International</i> , 2007 , 27 Suppl 2, S281-5	2.8	8
58	Comparison between types of dressing following catheter insertion and early exit-site infection in peritoneal dialysis. <i>Journal of Clinical Nursing</i> , 2017 , 26, 3658-3663	3.2	7
57	Prognosis and determinants of serum PTH changes over time in 1-5 CKD stage patients followed in tertiary care. <i>PLoS ONE</i> , 2018 , 13, e0202417	3.7	7
56	Impact of Renin-Angiotensin Aldosterone System Inhibition on Serum Potassium Levels among Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2017 , 46, 150-155	4.6	7
55	Is 44-hour better than 24-hour ambulatory blood pressure monitoring in hemodialysis?. <i>Kidney and Blood Pressure Research</i> , 2006 , 29, 273-9	3.1	7
54	Evolution of gram-negative bacilli susceptibility in peritoneal dialysis-related peritonitis in Brazil: a single center's experience over nine years. <i>Peritoneal Dialysis International</i> , 2009 , 29, 230-3	2.8	7
53	Association of Pulmonary Hypertension With Inflammation and Fluid Overload in Hemodialysis Patients. <i>Iranian Journal of Kidney Diseases</i> , 2017 , 11, 303-308	0.9	7
52	Attention to Food Phosphate and Nutrition Labeling. <i>Journal of Renal Nutrition</i> , 2018 , 28, e29-e31	3	6
51	Significance of Slime as Virulence Factor in Coagulase-Negative Staphylococcus Peritonitis in CAPD. <i>Peritoneal Dialysis International</i> , 2004 , 24, 191-193	2.8	6
50	Rates of Intentional and Unintentional Nonadherence to Peritoneal Dialysis Regimes and Associated Factors. <i>PLoS ONE</i> , 2016 , 11, e0149784	3.7	6
49	Influence of the intra-peritoneal segment of the swan neck peritoneal catheter on infectious and mechanical complications and technique survival. <i>Clinical and Experimental Nephrology</i> , 2019 , 23, 135-141	2.5	5
48	Characterization of obtained from patients undergoing peritoneal dialysis and diagnosed with peritonitis in a Brazilian centre. <i>Journal of Medical Microbiology</i> , 2019 , 68, 1330-1340	3.2	5
47	High Serum Phosphorus Level Is Associated with Left Ventricular Diastolic Dysfunction in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2016 , 11, e0163659	3.7	5
46	Aldosterone is associated with left ventricular hypertrophy in hemodialysis patients. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2016 , 10, 304-13	3.4	5

45	Racial and social disparities in the access to automated peritoneal dialysis - results of a national PD cohort. <i>Scientific Reports</i> , 2017 , 7, 5214	4.9	4
44	Ventricular hypertrophy and cardiovascular mortality in hemodialysis patients with low educational level. <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 98, 52-61	1.2	4
43	Prolactin and zinc in dialysis patients. <i>Biological Trace Element Research</i> , 2002 , 88, 1-7	4.5	4
42	Systemic lupus erythematosus and clinical outcomes in peritoneal dialysis. <i>Lupus</i> , 2015 , 24, 290-8	2.6	3
41	Piperacillin/tazobactam-induced neurotoxicity in a hemodialysis patient: a case report. <i>Hemodialysis International</i> , 2015 , 19, 143-5	1.7	3
40	Dietary Intervention in Phosphatemia Control-Nutritional Traffic Light Labeling. <i>Journal of Renal Nutrition</i> , 2018 , 28, e45-e47	3	3
39	Causes of resistant hypertension detected by a standardized algorithm. <i>International Journal of Hypertension</i> , 2012 , 2012, 392657	2.4	3
38	Left ventricular mass behaviour in hemodialysis patients during 17 years. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2015 , 37, 341-8	1.5	3
37	Peritoneal Dialysis as an option for unplanned initiation of chronic dialysis. <i>Hemodialysis International</i> , 2016 , 20, 631-633	1.7	3
36	The silent period in patients with chronic renal failure undergoing hemodialysis. <i>Electromyography and Clinical Neurophysiology</i> , 2002 , 42, 275-9		3
35	Significance of slime as virulence factor in coagulase-negative staphylococcus peritonitis in CAPD. <i>Peritoneal Dialysis International</i> , 2004 , 24, 191-3	2.8	3
34	Association between vitamin D levels and mortality in hemodialysis patients: a cohort study. <i>Renal Failure</i> , 2020 , 42, 225-233	2.9	2
33	Total body water and failure to control blood pressure by medication in hemodialysis patients. <i>Nephron Extra</i> , 2014 , 4, 95-100		2
32	Interventions to improve adherence to guidelines on Standard Precautions for the control of healthcare-associated infections. <i>The Cochrane Library</i> , 2013 ,	5.2	2
31	Importance of early and continuous use of protein restriction on the progression of adriamycin nephropathy. <i>Renal Failure</i> , 1999 , 21, 603-13	2.9	2
30	Approach to thrombotic occlusion related to long-term catheters of hemodialysis patients: a narrative review. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2015 , 37, 221-7	1.5	2
29	Public health investments and mortality risk in Brazilian peritoneal dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 1012-1016	4.5	2
28	Pharmacokinetics of Intraperitoneal Vancomycin and Amikacin in Automated Peritoneal Dialysis Patients With Peritonitis. <i>Frontiers in Pharmacology</i> , 2021 , 12, 658014	5.6	2

27	Incidence and characteristics of methicillin-resistant coagulase-negative <i>Staphylococcus aureus</i> in peritoneal dialysis-associated peritonitis in a single center using molecular methods. <i>International Urology and Nephrology</i> , 2021 , 53, 373-380	2.3	2
26	Impact of Glucose Exposure on Outcomes of a Nation-Wide Peritoneal Dialysis Cohort - Results of the BRAZPD II Cohort. <i>Frontiers in Physiology</i> , 2019 , 10, 150	4.6	1
25	White-coat and masked hypertension diagnoses in chronic kidney disease patients. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1202-1207	2.3	1
24	Attenuation of Renal Functional Decline Following Angioplasty and Stenting in Atherosclerotic Renovascular Disease. <i>Nephron</i> , 2017 , 135, 15-22	3.3	1
23	A combination of corticosteroid, sirolimus, and intradialytic parenteral nutrition in encapsulating peritoneal sclerosis: Case report and literature review. <i>Hemodialysis International</i> , 2017 , 21, 307-311	1.7	1
22	The role of intradialytic aerobic training in improved functional capacity and cognitive function in patients with chronic kidney disease on hemodialysis. <i>European Heart Journal</i> , 2013 , 34, P3398-P3398	9.5	1
21	Renal artery clipping attenuates the progression of adriamycin nephropathy. <i>American Journal of Hypertension</i> , 1998 , 11, 1124-8	2.3	1
20	Coronary artery disease treatment in dialysis patients at the Hospital das Clínicas da Faculdade de Medicina de Botucatu--UNESP. <i>Arquivos Brasileiros De Cardiologia</i> , 2007 , 88, 525-30	1.2	1
19	Relevância do estado de hidratação na interpretação de parâmetros nutricionais em diálise peritoneal. <i>Revista De Nutricao</i> , 2011 , 24, 99-107	1.8	1
18	Intradialytic Complications in Dogs with Acute Renal Failure Submitted to Intermittent Hemodialysis. <i>Asian Journal of Animal and Veterinary Advances</i> , 2017 , 12, 288-293	0.1	1
17	Is Kauppila method able to detect the progression of vascular calcification and predict cardiovascular events in patients undergoing hemodialysis?. <i>Clinical Nephrology</i> , 2016 , 85, 84-91	2.1	1
16	Desenvolvimento de um modelo experimental de hemodiálise em cães. <i>Pesquisa Veterinaria Brasileira</i> , 2010 , 30, 861-867	0.4	1
15	Agreement of Single-Frequency Electrical Bioimpedance in the Evaluation of Fat Free Mass and Fat Mass in Peritoneal Dialysis Patients. <i>Frontiers in Nutrition</i> , 2021 , 8, 686513	6.2	1
14	Clinical and microbiological factors predicting outcomes of nonfermenting gram-negative bacilli peritonitis in peritoneal dialysis. <i>Scientific Reports</i> , 2021 , 11, 12248	4.9	1
13	Clinical utility of a traditional score system for the evaluation of the peritoneal dialysis exit-site infection in a national multicentric cohort study. <i>Peritoneal Dialysis International</i> , 2021 , 41, 292-297	2.8	1
12	Randomized controlled clinical trial of ketoanalogues supplementation in dogs with chronic kidney disease. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 489-495	0.4	1
11	Frequency and antimicrobial susceptibility of bacterial agents causing peritoneal dialysis-peritonitis in a Brazilian single center over 20 years. <i>Cogent Medicine</i> , 2016 , 3, 1242246	1.4	0
10	FP779MUSCLE FUNCTION AS PREDICTOR OF MORTALITY IN MAINTENANCE HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii338-iii338	4.3	0

9	Effect of renal revascularization on the development of renal dysfunction in atherosclerotic ischemic nephropathy. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2014 , 36, 535-41	1.5	o
8	Nutritional Parameters in Early and Late Kidney Transplantation. <i>Transplantation Proceedings</i> , 2021 , 53, 2162-2167	1.1	o
7	Temporal Trends and Factors Associated with Medication Prescription Patterns in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2018 , 38, 293-301	2.8	
6	Markers of uremia and pericardial effusion in peritoneal dialysis. <i>International Urology and Nephrology</i> , 2012 , 44, 923-7	2.3	
5	Acute renal failure in renal allograft recipients and patients with native kidneys. <i>Renal Failure</i> , 1997 , 19, 259-65	2.9	
4	Effect of fractional urea clearance on survival of hemodialysis patients in relation to gender. <i>Renal Failure</i> , 2008 , 30, 257-60	2.9	
3	Risk of peritonitis during peritoneal dialysis in carriers of Staphylococcus aureus and coagulase-negative staphylococci. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2006 , 12, 578	2.2	
2	Peritoneal dialysis modality transition and impact on phosphate and potassium serum levels. <i>PLoS ONE</i> , 2021 , 16, e0257140	3.7	
1	Acesso vascular para hemodiálise com cateter temporário de duplo lúmen em cães com insuficiência renal aguda. <i>Ciencia Rural</i> , 2008 , 38, 1010-1016	1.3	