

Pasqual Barretti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9565071/pasqual-barretti-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

1,524
citations

22
h-index

32
g-index

138
ext. papers

1,798
ext. citations

2.9
avg, IF

4.42
L-index

#	Paper	IF	Citations
116	Peritoneal dialysis modality transition and impact on phosphate and potassium serum levels. <i>PLoS ONE</i> , 2021 , 16, e0257140	3.7	
115	Agreement of Single-Frequency Electrical Bioimpedance in the Evaluation of Fat Free Mass and Fat Mass in Peritoneal Dialysis Patients. <i>Frontiers in Nutrition</i> , 2021 , 8, 686513	6.2	1
114	Pharmacokinetics of Intraperitoneal Vancomycin and Amikacin in Automated Peritoneal Dialysis Patients With Peritonitis. <i>Frontiers in Pharmacology</i> , 2021 , 12, 658014	5.6	2
113	Clinical and microbiological factors predicting outcomes of nonfermenting gram-negative bacilli peritonitis in peritoneal dialysis. <i>Scientific Reports</i> , 2021 , 11, 12248	4.9	1
112	Incidence and characteristics of methicillin-resistant coagulase-negative Staphylococcus aureus in peritoneal dialysis-associated peritonitis in a single center using molecular methods. <i>International Urology and Nephrology</i> , 2021 , 53, 373-380	2.3	2
111	Clinical utility of a traditional score system for the evaluation of the peritoneal dialysis exit-site infection in a national multicentric cohort study. <i>Peritoneal Dialysis International</i> , 2021 , 41, 292-297	2.8	1
110	Nutritional Parameters in Early and Late Kidney Transplantation. <i>Transplantation Proceedings</i> , 2021 , 53, 2162-2167	1.1	0
109	Association between vitamin D levels and mortality in hemodialysis patients: a cohort study. <i>Renal Failure</i> , 2020 , 42, 225-233	2.9	2
108	White-coat and masked hypertension diagnoses in chronic kidney disease patients. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1202-1207	2.3	1
107	Public health investments and mortality risk in Brazilian peritoneal dialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2020 , 13, 1012-1016	4.5	2
106	Impact of Glucose Exposure on Outcomes of a Nation-Wide Peritoneal Dialysis Cohort - Results of the BRAZPD II Cohort. <i>Frontiers in Physiology</i> , 2019 , 10, 150	4.6	1
105	Influence of the intra-peritoneal segment of the swan neck peritoneal catheter on infectious and mechanical complications and technique survival. <i>Clinical and Experimental Nephrology</i> , 2019 , 23, 135-141	2.5	5
104	Aerobic Exercise Training and Nontraditional Cardiovascular Risk Factors in Hemodialysis Patients: Results from a Prospective Randomized Trial. <i>CardioRenal Medicine</i> , 2019 , 9, 391-399	2.8	9
103	Characterization of obtained from patients undergoing peritoneal dialysis and diagnosed with peritonitis in a Brazilian centre. <i>Journal of Medical Microbiology</i> , 2019 , 68, 1330-1340	3.2	5
102	Improving adherence to Standard Precautions for the control of health care-associated infections. <i>The Cochrane Library</i> , 2018 , 2, CD010768	5.2	12
101	Attention to Food Phosphate and Nutrition Labeling. <i>Journal of Renal Nutrition</i> , 2018 , 28, e29-e31	3	6
100	Peritonitis as a risk factor for long-term cardiovascular mortality in peritoneal dialysis patients: The case of a friendly fire?. <i>Nephrology</i> , 2018 , 23, 253-258	2.2	15

99	Physical inactivity and protein energy wasting play independent roles in muscle weakness in maintenance haemodialysis patients. <i>PLoS ONE</i> , 2018 , 13, e0200061	3.7	15
98	Dietary Intervention in Phosphatemia Control-Nutritional Traffic Light Labeling. <i>Journal of Renal Nutrition</i> , 2018 , 28, e45-e47	3	3
97	Prognosis and determinants of serum PTH changes over time in 1-5 CKD stage patients followed in tertiary care. <i>PLoS ONE</i> , 2018 , 13, e0202417	3.7	7
96	Influence of Intradialytic Aerobic Training in Cerebral Blood Flow and Cognitive Function in Patients with Chronic Kidney Disease: A Pilot Randomized Controlled Trial. <i>Nephron</i> , 2018 , 140, 9-17	3.3	10
95	Temporal Trends and Factors Associated with Medication Prescription Patterns in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2018 , 38, 293-301	2.8	
94	Acute kidney injury in cats and dogs: A proportional meta-analysis of case series studies. <i>PLoS ONE</i> , 2018 , 13, e0190772	3.7	16
93	Peritonitis in Children on Chronic Peritoneal Dialysis: The Experience of a Large National Pediatric Cohort. <i>Blood Purification</i> , 2018 , 45, 118-125	3.1	9
92	The effects of oral nutritional supplements in patients with maintenance dialysis therapy: A systematic review and meta-analysis of randomized clinical trials. <i>PLoS ONE</i> , 2018 , 13, e0203706	3.7	29
91	Randomized controlled clinical trial of ketoanalogues supplementation in dogs with chronic kidney disease. <i>Pesquisa Veterinaria Brasileira</i> , 2018 , 38, 489-495	0.4	1
90	Comparison between types of dressing following catheter insertion and early exit-site infection in peritoneal dialysis. <i>Journal of Clinical Nursing</i> , 2017 , 26, 3658-3663	3.2	7
89	Urgent-Start Peritoneal Dialysis: The First Year of Brazilian Experience. <i>Blood Purification</i> , 2017 , 44, 283-287	3.87	23
88	Impact of Renin-Angiotensin Aldosterone System Inhibition on Serum Potassium Levels among Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2017 , 46, 150-155	4.6	7
87	Racial and social disparities in the access to automated peritoneal dialysis - results of a national PD cohort. <i>Scientific Reports</i> , 2017 , 7, 5214	4.9	4
86	Attenuation of Renal Functional Decline Following Angioplasty and Stenting in Atherosclerotic Renovascular Disease. <i>Nephron</i> , 2017 , 135, 15-22	3.3	1
85	A combination of corticosteroid, sirolimus, and intradialytic parenteral nutrition in encapsulating peritoneal sclerosis: Case report and literature review. <i>Hemodialysis International</i> , 2017 , 21, 307-311	1.7	1
84	Intradialytic Complications in Dogs with Acute Renal Failure Submitted to Intermittent Hemodialysis. <i>Asian Journal of Animal and Veterinary Advances</i> , 2017 , 12, 288-293	0.1	1
83	Association of Pulmonary Hypertension With Inflammation and Fluid Overload in Hemodialysis Patients. <i>Iranian Journal of Kidney Diseases</i> , 2017 , 11, 303-308	0.9	7
82	Enzyme replacement therapy for Anderson-Fabry disease. <i>The Cochrane Library</i> , 2016 , 7, CD006663	5.2	37

81	Impact of Pre-Dialysis Care on Clinical Outcomes in Peritoneal Dialysis Patients. <i>American Journal of Nephrology</i> , 2016 , 43, 104-11	4.6	8
80	Frequency and antimicrobial susceptibility of bacterial agents causing peritoneal dialysis-peritonitis in a Brazilian single center over 20 years. <i>Cogent Medicine</i> , 2016 , 3, 1242246	1.4	0
79	Most consumed processed foods by patients on hemodialysis: Alert for phosphate-containing additives and the phosphate-to-protein ratio. <i>Clinical Nutrition ESPEN</i> , 2016 , 14, 37-41	1.3	20
78	Peritoneal dialysis can be an option for unplanned chronic dialysis: initial results from a developing country. <i>International Urology and Nephrology</i> , 2016 , 48, 901-6	2.3	21
77	Rates of Intentional and Unintentional Nonadherence to Peritoneal Dialysis Regimes and Associated Factors. <i>PLoS ONE</i> , 2016 , 11, e0149784	3.7	6
76	Is Kauppila method able to detect the progression of vascular calcification and predict cardiovascular events in patients undergoing hemodialysis?. <i>Clinical Nephrology</i> , 2016 , 85, 84-91	2.1	1
75	Clinical Significance of the Edema Index in Incident Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2016 , 11, e0147070	3.7	15
74	High Serum Phosphorus Level Is Associated with Left Ventricular Diastolic Dysfunction in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2016 , 11, e0163659	3.7	5
73	Peritoneal Dialysis as an option for unplanned initiation of chronic dialysis. <i>Hemodialysis International</i> , 2016 , 20, 631-633	1.7	3
72	Aldosterone is associated with left ventricular hypertrophy in hemodialysis patients. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2016 , 10, 304-13	3.4	5
71	Fungal peritonitis in patients undergoing peritoneal dialysis (PD) in Brazil: molecular identification, biofilm production and antifungal susceptibility of the agents. <i>Medical Mycology</i> , 2016 , 54, 725-732	3.9	16
70	Impact of patient training patterns on peritonitis rates in a large national cohort study. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 137-42	4.3	38
69	Spirolactone is secure and reduces left ventricular hypertrophy in hemodialysis patients. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015 , 9, 158-67	3.4	24
68	Systemic lupus erythematosus and clinical outcomes in peritoneal dialysis. <i>Lupus</i> , 2015 , 24, 290-8	2.6	3
67	Piperacillin/tazobactam-induced neurotoxicity in a hemodialysis patient: a case report. <i>Hemodialysis International</i> , 2015 , 19, 143-5	1.7	3
66	Evidence-based medicine: An update on treatments for peritoneal dialysis-related peritonitis. <i>World Journal of Nephrology</i> , 2015 , 4, 287-94	3.6	10
65	Automated Peritoneal Dialysis Is Associated with Better Survival Rates Compared to Continuous Ambulatory Peritoneal Dialysis: A Propensity Score Matching Analysis. <i>PLoS ONE</i> , 2015 , 10, e0134047	3.7	18
64	FP779MUSCLE FUNCTION AS PREDICTOR OF MORTALITY IN MAINTENANCE HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, iii338-iii338	4.3	0

63	Low Serum Potassium Levels Increase the Infectious-Caused Mortality in Peritoneal Dialysis Patients: A Propensity-Matched Score Study. <i>PLoS ONE</i> , 2015 , 10, e0127453	3.7	27
62	Approach to thrombotic occlusion related to long-term catheters of hemodialysis patients: a narrative review. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2015 , 37, 221-7	1.5	2
61	Left ventricular mass behaviour in hemodialysis patients during 17 years. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2015 , 37, 341-8	1.5	3
60	Peritoneal dialysis-related peritonitis due to coagulase-negative Staphylococcus: a review of 115 cases in a Brazilian center. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014 , 9, 1074-81 ^{6.9}	6.9	24
59	Metabolic syndrome criteria as predictors of insulin resistance, inflammation and mortality in chronic hemodialysis patients. <i>Metabolic Syndrome and Related Disorders</i> , 2014 , 12, 443-9	2.6	14
58	Different outcomes of peritoneal catheter percutaneous placement by nephrologists using a trocar versus the Seldinger technique: the experience of two Brazilian centers. <i>International Urology and Nephrology</i> , 2014 , 46, 2029-34	2.3	12
57	Approach to prophylactic measures for central venous catheter-related infections in hemodialysis: a critical review. <i>Hemodialysis International</i> , 2014 , 18, 15-23	1.7	27
56	Total body water and failure to control blood pressure by medication in hemodialysis patients. <i>Nephron Extra</i> , 2014 , 4, 95-100		2
55	Characterization of the BRAZPD II cohort and description of trends in peritoneal dialysis outcome across time periods. <i>Peritoneal Dialysis International</i> , 2014 , 34, 714-23	2.8	44
54	Effective use of alteplase for occluded tunneled venous catheter in hemodialysis patients. <i>Artificial Organs</i> , 2014 , 38, 399-403	2.6	11
53	Novel predictors of peritonitis-related outcomes in the BRAZPD cohort. <i>Peritoneal Dialysis International</i> , 2014 , 34, 179-87	2.8	18
52	Efficacy of antibiotic therapy for peritoneal dialysis-associated peritonitis: a proportional meta-analysis. <i>BMC Infectious Diseases</i> , 2014 , 14, 445	4	28
51	Effect of dietary sodium restriction on body water, blood pressure, and inflammation in hemodialysis patients: a prospective randomized controlled study. <i>International Urology and Nephrology</i> , 2014 , 46, 91-7	2.3	36
50	Effect of renal revascularization on the development of renal dysfunction in atherosclerotic ischemic nephropathy. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2014 , 36, 535-41	1.5	0
49	Validity of malnutrition scores for predicting mortality in chronic hemodialysis patients. <i>International Urology and Nephrology</i> , 2013 , 45, 1747-52	2.3	16
48	Associations between bioelectrical impedance parameters and cardiovascular events in chronic dialysis patients. <i>International Urology and Nephrology</i> , 2013 , 45, 1397-403	2.3	13
47	Effect of dialysate sodium reduction on body water volume, blood pressure, and inflammatory markers in hemodialysis patients--a prospective randomized controlled study. <i>Renal Failure</i> , 2013 , 35, 742-7	2.9	19
46	The role of intradialytic aerobic training in improved functional capacity and cognitive function in patients with chronic kidney disease on hemodialysis. <i>European Heart Journal</i> , 2013 , 34, P3398-P3398	9.5	1

45	Interventions to improve adherence to guidelines on Standard Precautions for the control of healthcare-associated infections. <i>The Cochrane Library</i> , 2013 ,	5.2	2
44	Peritonitis in recent years: clinical findings and predictors of treatment response of 170 episodes at a single Brazilian center. <i>International Urology and Nephrology</i> , 2012 , 44, 1529-37	2.3	25
43	Could albumin level explain the higher mortality in hemodialysis patients with pulmonary hypertension?. <i>BMC Nephrology</i> , 2012 , 13, 80	2.7	11
42	Ventricular hypertrophy and cardiovascular mortality in hemodialysis patients with low educational level. <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 98, 52-61	1.2	4
41	Markers of uremia and pericardial effusion in peritoneal dialysis. <i>International Urology and Nephrology</i> , 2012 , 44, 923-7	2.3	
40	Causes of resistant hypertension detected by a standardized algorithm. <i>International Journal of Hypertension</i> , 2012 , 2012, 392657	2.4	3
39	Peritoneal dialysis in acute kidney injury: Brazilian experience. <i>Peritoneal Dialysis International</i> , 2012 , 32, 242-6	2.8	24
38	Inflammation, diabetes, and chronic kidney disease: role of aerobic capacity. <i>Experimental Diabetes Research</i> , 2012 , 2012, 750286		11
37	Peritoneal dialysis-related peritonitis due to Staphylococcus aureus: a single-center experience over 15 years. <i>PLoS ONE</i> , 2012 , 7, e31780	3.7	22
36	Geographic and educational factors and risk of the first peritonitis episode in Brazilian Peritoneal Dialysis study (BRAZPD) patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011 , 6, 1944-51	6.9	63
35	Relevância do estado de hidratação na interpretação de parâmetros nutricionais em diálise peritoneal. <i>Revista De Nutricao</i> , 2011 , 24, 99-107	1.8	1
34	Influence of protein intake and muscle mass on survival in chronic dialysis patients. <i>Renal Failure</i> , 2010 , 32, 1055-9	2.9	22
33	Desenvolvimento de um modelo experimental de hemodiálise em cães. <i>Pesquisa Veterinaria Brasileira</i> , 2010 , 30, 861-867	0.4	1
32	Inflammation and overweight in peritoneal dialysis: is there an association?. <i>Renal Failure</i> , 2009 , 31, 549-549		9
31	Associations between nutritional markers and inflammation in hemodialysis patients. <i>International Urology and Nephrology</i> , 2009 , 41, 1003-9	2.3	22
30	The role of virulence factors in the outcome of staphylococcal peritonitis in CAPD patients. <i>BMC Infectious Diseases</i> , 2009 , 9, 212	4	32
29	Evolution of Gram-Negative Bacilli Susceptibility in Peritoneal Dialysis-Related Peritonitis in Brazil: A Single Center Experience over Nine Years. <i>Peritoneal Dialysis International</i> , 2009 , 29, 230-233	2.8	10
28	Continuous Peritoneal Dialysis Compared with Daily Hemodialysis in Patients with Acute Kidney Injury. <i>Peritoneal Dialysis International</i> , 2009 , 29, 62-71	2.8	34

27	Evolution of gram-negative bacilli susceptibility in peritoneal dialysis-related peritonitis in Brazil: a single center's experience over nine years. <i>Peritoneal Dialysis International</i> , 2009 , 29, 230-3	2.8	7
26	Effect of fractional urea clearance on survival of hemodialysis patients in relation to gender. <i>Renal Failure</i> , 2008 , 30, 257-60	2.9	
25	High volume peritoneal dialysis vs daily hemodialysis: a randomized, controlled trial in patients with acute kidney injury. <i>Kidney International</i> , 2008 , S87-93	9.9	141
24	Acesso vascular para hemodiálise com cateter temporário de duplo lúmen em cães com insuficiência renal aguda. <i>Ciência Rural</i> , 2008 , 38, 1010-1016	1.3	
23	High Volume Peritoneal Dialysis for Acute Renal Failure. <i>Peritoneal Dialysis International</i> , 2007 , 27, 277-288		75
22	Peritonitis in Latin America. <i>Peritoneal Dialysis International</i> , 2007 , 27, 332-339	2.8	19
21	Coronary artery disease treatment in dialysis patients at the Hospital das Clínicas da Faculdade de Medicina de Botucatu--UNESP. <i>Arquivos Brasileiros De Cardiologia</i> , 2007 , 88, 525-30	1.2	1
20	Factors Contributing to the Differences in Peritonitis Rates between Centers and Regions. <i>Peritoneal Dialysis International</i> , 2007 , 27, 281-285	2.8	14
19	High volume peritoneal dialysis for acute renal failure. <i>Peritoneal Dialysis International</i> , 2007 , 27, 277-82	2.8	24
18	Peritonitis in Latin America. <i>Peritoneal Dialysis International</i> , 2007 , 27, 332-9	2.8	11
17	Factors contributing to the differences in peritonitis rates between centers and regions. <i>Peritoneal Dialysis International</i> , 2007 , 27 Suppl 2, S281-5	2.8	8
16	Peritoneal dialysis in acute renal failure. <i>Renal Failure</i> , 2006 , 28, 451-6	2.9	44
15	Is 44-hour better than 24-hour ambulatory blood pressure monitoring in hemodialysis?. <i>Kidney and Blood Pressure Research</i> , 2006 , 29, 273-9	3.1	7
14	Risk of peritonitis during peritoneal dialysis in carriers of Staphylococcus aureus and coagulase-negative staphylococci. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2006 , 12, 578	2.2	
13	Dialysis encephalopathy secondary to aluminum toxicity, diagnosed by bone biopsy. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2581-2	4.3	10
12	Significance of Slime as Virulence Factor in Coagulase-Negative Staphylococcus Peritonitis in CAPD. <i>Peritoneal Dialysis International</i> , 2004 , 24, 191-193	2.8	6
11	Severe acute renal failure after massive attack of Africanized bees. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2680	4.3	23
10	Significance of slime as virulence factor in coagulase-negative staphylococcus peritonitis in CAPD. <i>Peritoneal Dialysis International</i> , 2004 , 24, 191-3	2.8	3

9	Influence of fluid volume variations on the calculated value of the left ventricular mass measured by echocardiogram in patients submitted to hemodialysis. <i>Renal Failure</i> , 2003 , 25, 43-53	2.9	14
8	Prolactin and zinc in dialysis patients. <i>Biological Trace Element Research</i> , 2002 , 88, 1-7	4.5	4
7	Blink reflex in end-stage-renal disease patients undergoing hemodialysis. <i>Journal of Electromyography and Kinesiology</i> , 2002 , 12, 159-63	2.5	9
6	The silent period in patients with chronic renal failure undergoing hemodialysis. <i>Electromyography and Clinical Neurophysiology</i> , 2002 , 42, 275-9		3
5	Importance of early and continuous use of protein restriction on the progression of adriamycin nephropathy. <i>Renal Failure</i> , 1999 , 21, 603-13	2.9	2
4	Renal artery clipping attenuates the progression of adriamycin nephropathy. <i>American Journal of Hypertension</i> , 1998 , 11, 1124-8	2.3	1
3	Acute renal failure: clinical outcome and causes of death. <i>Renal Failure</i> , 1997 , 19, 253-7	2.9	26
2	Acute renal failure in renal allograft recipients and patients with native kidneys. <i>Renal Failure</i> , 1997 , 19, 259-65	2.9	
1	The Diagnostic Value of Gram Stain for Initial Identification of the Etiologic Agent of Peritonitis in Capd Patients. <i>Peritoneal Dialysis International</i> , 1997 , 17, 269-272	2.8	12