Ivana Sestak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/956628/publications.pdf

Version: 2024-02-01

81351 125106 7,961 86 35 76 h-index citations g-index papers

87 87 87 8619 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparison of StemPrintER with Oncotype DX Recurrence Score for predicting risk of breast cancer distant recurrence after endocrine therapy. European Journal of Cancer, 2022, 164, 52-61.	1.3	O
2	Clinical validity of clinical treatment score 5 (CTS5) for estimating risk of late recurrence in unselected, non-trial patients with early oestrogen receptor-positive breast cancer. Breast Cancer Research and Treatment, 2021, 186, 115-123.	1.1	12
3	Calibration of CTS5 in Women With Early Estrogen Receptor–Positive Breast Cancer. Journal of Clinical Oncology, 2021, 39, 338-339.	0.8	3
4	Molecular Drivers of Onco <i>type</i> DX, Prosigna, EndoPredict, and the Breast Cancer Index: A TransATAC Study. Journal of Clinical Oncology, 2021, 39, 126-135.	0.8	69
5	Off-treatment bone mineral density changes in postmenopausal women receiving anastrozole for 5 years: 7-year results from the IBIS-II prevention trial. British Journal of Cancer, 2021, 124, 1373-1378.	2.9	3
6	Abstract PS18-10: Intratumoural heterogeneity in PgR expression: Molecular and prognostic significance. , $2021, , .$		0
7	Development and validation for research assessment of Oncotype DX® Breast Recurrence Score, EndoPredict® and Prosigna®. Npj Breast Cancer, 2021, 7, 15.	2.3	11
8	The impact of body mass index on breast cancer incidence among women at increased risk: an observational study from the International Breast Intervention Studies. Breast Cancer Research and Treatment, 2021, 188, 215-223.	1.1	10
9	A Novel Automated Immunoassay Platform to Evaluate the Association of Adiponectin and Leptin Levels with Breast Cancer Risk. Cancers, 2021, 13, 3303.	1.7	8
10	Validation of the OncoMasTR Risk Score in Estrogen Receptor–Positive/HER2-Negative Patients: A TransATAC study. Clinical Cancer Research, 2020, 26, 623-631.	3.2	10
11	Use of anastrozole for breast cancer prevention (IBIS-II): long-term results of a randomised controlled trial. Lancet, The, 2020, 395, 117-122.	6.3	128
12	Tamoxifen related side effects and their impact on breast cancer incidence: A retrospective analysis of the randomised IBIS-I trial. Breast, 2020, 54, 216-221.	0.9	12
13	Prognostic Value of EndoPredict in Women with Hormone Receptor–Positive, HER2-Negative Invasive Lobular Breast Cancer. Clinical Cancer Research, 2020, 26, 4682-4687.	3.2	22
14	Prediction of chemotherapy benefit by EndoPredict in patients with breast cancer who received adjuvant endocrine therapy plus chemotherapy or endocrine therapy alone. Breast Cancer Research and Treatment, 2019, 176, 377-386.	1.1	61
15	Comparison of risedronate versus placebo in preventing anastrozole-induced bone loss in women at high risk of developing breast cancer with osteopenia. Bone, 2019, 124, 83-88.	1.4	9
16	Risk stratification in early breast cancer in premenopausal and postmenopausal women: integrating genomic assays with clinicopathological features. Current Opinion in Oncology, 2019, 31, 29-34.	1.1	14
17	Breast Cancer Index and risk stratification in luminal subtypes: A trans-ATAC study Journal of Clinical Oncology, 2019, 37, 534-534.	0.8	0
18	Comparison of the Performance of 6 Prognostic Signatures for Estrogen Receptor–Positive Breast Cancer. JAMA Oncology, 2018, 4, 545.	3.4	246

#	Article	IF	CITATIONS
19	Early participant-reported symptoms as predictors of adherence to anastrozole in the International Breast Cancer Intervention Studies II. Annals of Oncology, 2018, 29, 504-509.	0.6	21
20	Relevance of Spatial Heterogeneity of Immune Infiltration for Predicting Risk of Recurrence After Endocrine Therapy of ER+ Breast Cancer. Journal of the National Cancer Institute, 2018, 110, 166-175.	3.0	122
21	Integration of Clinical Variables for the Prediction of Late Distant Recurrence in Patients With Estrogen Receptor–Positive Breast Cancer Treated With 5 Years of Endocrine Therapy: CTS5. Journal of Clinical Oncology, 2018, 36, 1941-1948.	0.8	116
22	Diffuse reflectance spectroscopy for field scale assessment of winter wheat yield. Environmental Earth Sciences, 2018, 77, 1.	1.3	5
23	Novel 18-gene signature for predicting relapse in ER-positive, HER2-negative breast cancer. Breast Cancer Research, 2018, 20, 103.	2.2	7
24	Evaluation of the OncoMasTR prognostic signature in postmenopausal women with primary ER-positive breast cancer Journal of Clinical Oncology, 2018, 36, 553-553.	0.8	2
25	Overweight and breast cancer risk in the International Breast Cancer Intervention studies I and II Journal of Clinical Oncology, 2018, 36, 1560-1560.	0.8	0
26	Residual risk assessment with the Breast Cancer Index (BCI) for prediction of late distant recurrence (DR) in patients from the TransATAC study Journal of Clinical Oncology, 2018, 36, 529-529.	0.8	1
27	Impact of a Panel of 88 Single Nucleotide Polymorphisms on the Risk of Breast Cancer in High-Risk Women: Results From Two Randomized Tamoxifen Prevention Trials. Journal of Clinical Oncology, 2017, 35, 743-750.	0.8	58
28	HER2 status predicts for upfront AI benefit: AÂTRANS-AIOG meta-analysis of 12,129 patients fromÂATAC, BIG 1-98 and TEAM with centrally determined HER2. European Journal of Cancer, 2017, 79, 129-138.	1.3	21
29	Radioactivity of Selected Agricultural Soils in Croatia: Effects of Soil Properties, Soil Management, and Geological Parameters. Water, Air, and Soil Pollution, 2017, 228, 1.	1.1	7
30	Identifying Biomarkers to Select Patients with Early Breast Cancer Suitable for Extended Adjuvant Endocrine Therapy. Breast Care, 2017, 12, 146-151.	0.8	8
31	Participant-Reported Symptoms and Their Effect on Long-Term Adherence in the International Breast Cancer Intervention Study I (IBIS I). Journal of Clinical Oncology, 2017, 35, 2666-2673.	0.8	40
32	IHC4 score plus clinical treatment score predicts locoregional recurrence in early breast cancer. Breast, 2016, 29, 147-152.	0.9	18
33	Endometrial cancer risk in postmenopausal breast cancer patients treated with tamoxifen or aromatase inhibitors. Expert Review of Endocrinology and Metabolism, 2016, 11, 425-432.	1.2	1
34	Cross-Stratification and Differential Risk by Breast Cancer Index and Recurrence Score in Women with Hormone Receptor–Positive Lymph Node–Negative Early-Stage Breast Cancer. Clinical Cancer Research, 2016, 22, 5043-5048.	3.2	18
35	Benefit of lowâ€dose tamoxifen in a large observational cohort of high risk ER positive breast DCIS. International Journal of Cancer, 2016, 139, 2127-2134.	2.3	30
36	Relationship of ZNF423 and CTSO with breast cancer risk in two randomised tamoxifen prevention trials. Breast Cancer Research and Treatment, 2016, 158, 591-596.	1.1	5

#	Article	IF	CITATIONS
37	Comparison of EndoPredict and EPclin With Oncotype DX Recurrence Score for Prediction of Risk of Distant Recurrence After Endocrine Therapy. Journal of the National Cancer Institute, 2016, 108, djw149.	3.0	165
38	Retrospective analysis of molecular scores for the prediction of distant recurrence according to baseline risk factors. Breast Cancer Research and Treatment, 2016, 159, 71-78.	1.1	11
39	Anastrozole versus tamoxifen for the prevention of locoregional and contralateral breast cancer in postmenopausal women with locally excised ductal carcinoma in situ (IBIS-II DCIS): a double-blind, randomised controlled trial. Lancet, The, 2016, 387, 866-873.	6.3	149
40	Anastrozole-Induced Carpal Tunnel Syndrome: Results From the International Breast Cancer Intervention Study II Prevention Trial. Journal of Clinical Oncology, 2016, 34, 139-143.	0.8	30
41	Improved use of clinical variables for prognosis of distant recurrence in patients with ER+ breast cancer treated with 5 years endocrine therapy Journal of Clinical Oncology, 2016, 34, 566-566.	0.8	4
42	Abstract 1788: Benefit of low-dose tamoxifen in a large, single-institution cohort of high-risk ER-positive DCIS. , 2016, , .		0
43	Impact of preventive therapy on the risk of breast cancer among women with benign breast disease. Breast, 2015, 24, S51-S55.	0.9	31
44	Estrogen Receptor Expression in 21-Gene Recurrence Score Predicts Increased Late Recurrence for Estrogen-Positive/HER2-Negative Breast Cancer. Clinical Cancer Research, 2015, 21, 2763-2770.	3.2	36
45	Tamoxifen for prevention of breast cancer: extended long-term follow-up of the IBIS-I breast cancer prevention trial. Lancet Oncology, The, 2015, 16, 67-75.	5.1	349
46	Markers for the identification of late breast cancer recurrence. Breast Cancer Research, 2015, 17, 10.	2.2	60
47	Progesterone receptor A predominance is a discriminator of benefit from endocrine therapy in the ATAC trial. Breast Cancer Research and Treatment, 2015, 151, 309-318.	1.1	37
48	Update on breast cancer risk prediction and prevention. Current Opinion in Obstetrics and Gynecology, 2015, 27, 92-97.	0.9	27
49	Development and verification of the PAM50-based Prosigna breast cancer gene signature assay. BMC Medical Genomics, 2015, 8, 54.	0.7	352
50	Prediction of Late Distant Recurrence After 5 Years of Endocrine Treatment: A Combined Analysis of Patients From the Austrian Breast and Colorectal Cancer Study Group 8 and Arimidex, Tamoxifen Alone or in Combination Randomized Trials Using the PAM50 Risk of Recurrence Score. Journal of Clinical Oncology, 2015, 33, 916-922.	0.8	189
51	Abstract PD4-1: Timing, severity and risk factors for arthralgia in the IBIS-II trial: A retrospective and exploratory analysis., 2015,,.		0
52	Abstract S3-07: 16 year long-term follow-up of the IBIS-I breast cancer prevention trial., 2015,,.		0
53	Abstract P3-06-01: Nuclear \hat{l}^2 -catenin negativity predicts for late relapse in ER+, tamoxifen-treated breast cancer. , 2015, , .		0
54	Abstract P4-11-19: Integration of breast cancer index (BCI) with clinicopathological factors for prediction of distant recurrence in ER+ breast cancer., 2015 ,,.		0

#	Article	IF	CITATIONS
55	Correlation of Breast Cancer Index HOXB13/IL17BR (H/I), ER, PR and HER2 and prediction of relative endocrine benefit from tamoxifen and anastrozole in HR+ breast cancer: A TransATAC study Journal of Clinical Oncology, 2015, 33, 526-526.	0.8	1
56	Preventative therapies for healthy women at high risk of breast cancer. Cancer Management and Research, 2014, 6, 423.	0.9	21
57	Changes in bone mineral density at 3 years in postmenopausal women receiving anastrozole and risedronate in the IBIS-II bone substudy: an international, double-blind, randomised, placebo-controlled trial. Lancet Oncology, The, 2014, 15, 1460-1468.	5.1	56
58	Altered Microenvironment Promotes Progression of Preinvasive Breast Cancer: Myoepithelial Expression of $\hat{l}\pm\nu\hat{l}^2$ 6 Integrin in DCIS Identifies High-risk Patients and Predicts Recurrence. Clinical Cancer Research, 2014, 20, 344-357.	3.2	77
59	Anastrozole for prevention of breast cancer in high-risk postmenopausal women (IBIS-II): an international, double-blind, randomised placebo-controlled trial. Lancet, The, 2014, 383, 1041-1048.	6.3	504
60	Soil Carbon Variability in Some Hungarian and Croatian Soils. , 2014, , 419-426.		2
61	Use of a SNP panel to refine risk estimates in women at high risk of breast cancer: Results from two randomized tamoxifen prevention trials Journal of Clinical Oncology, 2014, 32, 1519-1519.	0.8	1
62	Clinical impact of differential risk stratification by breast cancer index (BCI) versus recurrence score (RS) in HR+ early-stage breast cancer: A TransATAC study Journal of Clinical Oncology, 2014, 32, 532-532.	0.8	0
63	Prediction of late distant recurrence in patients with oestrogen-receptor-positive breast cancer: a prospective comparison of the breast-cancer index (BCI) assay, 21-gene recurrence score, and IHC4 in the TransATAC study population. Lancet Oncology, The, 2013, 14, 1067-1076.	5.1	332
64	Comparison of PAM50 Risk of Recurrence Score With Onco (i>type (li> DX and IHC4 for Predicting Risk of Distant Recurrence After Endocrine Therapy. Journal of Clinical Oncology, 2013, 31, 2783-2790.	0.8	557
65	Immunohistochemical BAG1 expression improves the estimation of residual risk by IHC4 in postmenopausal patients treated with anastrazole or tamoxifen: a TransATAC study. Breast Cancer Research and Treatment, 2013, 140, 253-262.	1.1	13
66	The effect of behavioural risk factors on osteoporosis in Irish women. Irish Journal of Medical Science, 2013, 182, 97-105.	0.8	5
67	Selective oestrogen receptor modulators in prevention of breast cancer: an updated meta-analysis of individual participant data. Lancet, The, 2013, 381, 1827-1834.	6.3	391
68	Factors Predicting Late Recurrence for Estrogen Receptor–Positive Breast Cancer. Journal of the National Cancer Institute, 2013, 105, 1504-1511.	3.0	200
69	CYP2D6 and UGT2B7 Genotype and Risk of Recurrence in Tamoxifen-Treated Breast Cancer Patients. Journal of the National Cancer Institute, 2012, 104, 452-460.	3.0	247
70	Sulphur cycling between terrestrial agroecosystem and atmosphere. Arhiv Za Higijenu Rada I Toksikologiju, 2012, 63, 301-310.	0.4	3
71	ER and HER2 expression are positively correlated in HER2 non-overexpressing breast cancer. Breast Cancer Research, 2012, 14, R46.	2.2	46
72	Preventive Therapy for Breast Cancer. Current Oncology Reports, 2012, 14, 568-573.	1.8	5

#	Article	IF	CITATIONS
73	Endometrial cancer and venous thromboembolism in women under age 50 who take tamoxifen for prevention of breast cancer: A systematic review. Cancer Treatment Reviews, 2012, 38, 318-328.	3.4	77
74	Relationships between CYP2D6 phenotype, breast cancer and hot flushes in women at high risk of breast cancer receiving prophylactic tamoxifen: results from the IBIS-I trial. British Journal of Cancer, 2012, 107, 230-233.	2.9	18
75	Weight change associated with anastrozole and tamoxifen treatment in postmenopausal women with or at high risk of developing breast cancer. Breast Cancer Research and Treatment, 2012, 134, 727-734.	1.1	47
76	Effect of tamoxifen and radiotherapy in women with locally excised ductal carcinoma in situ: long-term results from the UK/ANZ DCIS trial. Lancet Oncology, The, 2011, 12, 21-29.	5.1	476
77	10-year analysis of the ATAC trial: wrong conclusion? – Authors' reply. Lancet Oncology, The, 2011, 12, 217.	5.1	2
78	Influence of Comorbidities and Age on Risk of Death Without Recurrence: A Retrospective Analysis of the Arimidex, Tamoxifen Alone or in Combination Trial. Journal of Clinical Oncology, 2011, 29, 4266-4272.	0.8	61
79	Effect of Body Mass Index on Recurrences in Tamoxifen and Anastrozole Treated Women: An Exploratory Analysis From the ATAC Trial. Journal of Clinical Oncology, 2010, 28, 3411-3415.	0.8	271
80	Effect of anastrozole and tamoxifen as adjuvant treatment for early-stage breast cancer: 10-year analysis of the ATAC trial. Lancet Oncology, The, 2010, 11, 1135-1141.	5.1	1,017
81	Aromatase Inhibitor–Induced Carpal Tunnel Syndrome: Results From the ATAC Trial. Journal of Clinical Oncology, 2009, 27, 4961-4965.	0.8	75
82	Breast cancer chemoprevention. Oncology Reviews, 2008, 2, 223-228.	0.8	6
83	Risk factors for joint symptoms in patients enrolled in the ATAC trial: a retrospective, exploratory analysis. Lancet Oncology, The, 2008, 9, 866-872.	5.1	186
84	Treatment-emergent endocrine symptoms and the risk of breast cancer recurrence: a retrospective analysis of the ATAC trial. Lancet Oncology, The, 2008, 9, 1143-1148.	5.1	171
85	Long-Term Results of Tamoxifen Prophylaxis for Breast Cancer96-Month Follow-up of the Randomized IBIS-I Trial. Journal of the National Cancer Institute, 2007, 99, 272-282.	3.0	510
86	Influence of Hormone Replacement Therapy on Tamoxifen-Induced Vasomotor Symptoms. Journal of Clinical Oncology, 2006, 24, 3991-3996.	0.8	42