Alice G Vassiliou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9567264/publications.pdf

Version: 2024-02-01

471061 552369 69 952 17 26 citations h-index g-index papers 70 70 70 1285 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Testosterone, free, bioavailable and total, in patients with COVID-19. Minerva Endocrinology, 2022, 47, .	0.6	5
2	Post-Intensive Care Syndrome in Survivors from Critical Illness including COVID-19 Patients: A Narrative Review. Life, 2022, 12, 107.	1.1	30
3	Lactate and Lactate-to-Pyruvate Ratio in Critically Ill COVID-19 Patients: A Pilot Study. Journal of Personalized Medicine, 2022, 12, 171.	1.1	2
4	Skeletal muscle alterations and exercise intolerance in heart failure with preserved ejection fraction patients: ultrasonography assessment of diaphragm and quadriceps. European Journal of Heart Failure, 2022, 24, 729-731.	2.9	5
5	Comparison of the Mortality Prediction Value of Soluble Urokinase Plasminogen Activator Receptor (suPAR) in COVID-19 and Sepsis. Diagnostics, 2022, 12, 1261.	1.3	1
6	Increase of HO-1 Expression in Critically Ill COVID-19 Patients Is Associated with Poor Prognosis and Outcome. Antioxidants, 2022, 11, 1300.	2.2	7
7	Autotaxin Has a Negative Role in Systemic Inflammation. International Journal of Molecular Sciences, 2022, 23, 7920.	1.8	5
8	Vitamin D deficiency correlates with a reduced number of natural killer cells in intensive care unit (ICU) and non-ICU patients with COVID-19 pneumonia. Hellenic Journal of Cardiology, 2021, 62, 381-383.	0.4	21
9	Decreased bone morphogenetic protein type II receptor and BMP-related signalling molecules' expression in aquaporin 1-silenced human pulmonary microvascular endothelial cells. Hellenic Journal of Cardiology, 2021, 62, 84-86.	0.4	1
10	Serum Coenzyme Q10 Levels are Decreased in Critically-Ill Septic Patients: Results From a Preliminary Study. Biological Research for Nursing, 2021, 23, 198-207.	1.0	4
11	Post-Traumatic Stress Disorder and Burnout in Healthcare Professionals During the SARS-CoV-2 Pandemic: A Cross-Sectional Study. The Journal of Critical Care Medicine, 2021, 7, 14-20.	0.3	6
12	ICU Admission Levels of Endothelial Biomarkers as Predictors of Mortality in Critically Ill COVID-19 Patients. Cells, 2021, 10, 186.	1.8	81
13	Selection of the Appropriate Control Group Is Essential in Evaluating the Cytokine Storm in COVID-19. In Vivo, 2021, 35, 1295-1298.	0.6	2
14	Prognostic Value of Bone Formation and Resorption Proteins in Heterotopic Ossification in Critically-III Patients. A Single-Centre Study. The Journal of Critical Care Medicine, 2021, 7, 37-45.	0.3	0
15	Could Soluble Endothelial Protein C Receptor Levels Recognize SARS-CoV2-Positive Patients Requiring Hospitalization?. Shock, 2021, 56, 733-736.	1.0	6
16	Increased Glucocorticoid Receptor Alpha Expression and Signaling in Critically Ill Coronavirus Disease 2019 Patients*. Critical Care Medicine, 2021, 49, 2131-2136.	0.4	10
17	Alteration of L-Dopa decarboxylase expression in SARS-CoV-2 infection and its association with the interferon-inducible ACE2 isoform. PLoS ONE, 2021, 16, e0253458.	1.1	30
18	Covid-19 and Growth Hormone/Insulin-Like Growth Factor 1: Study in Critically and Non-Critically Ill Patients. Frontiers in Endocrinology, 2021, 12, 644055.	1.5	20

#	Article	IF	CITATIONS
19	Thyroid hormone alterations in critically and non-critically ill patients with SARS-CoV-2 infection. Endocrine Connections, 2021, 10, 646-655.	0.8	19
20	Quality of Life, Depression, and Anxiety in Survivors of Critical Illness from a Greek ICU. A Prospective Observational Study. Healthcare (Switzerland), 2021, 9, 849.	1.0	2
21	Endothelial, Immunothrombotic, and Inflammatory Biomarkers in the Risk of Mortality in Critically Ill COVID-19 Patients: The Role of Dexamethasone. Diagnostics, 2021, 11, 1249.	1.3	18
22	Glucocorticoid and mineralocorticoid receptor expression in critical illness: A narrative review. World Journal of Critical Care Medicine, 2021, 10, 102-111.	0.8	5
23	Soluble Angiotensin Converting Enzyme 2 (ACE2) Is Upregulated and Soluble Endothelial Nitric Oxide Synthase (eNOS) Is Downregulated in COVID-19-induced Acute Respiratory Distress Syndrome (ARDS). Pharmaceuticals, 2021, 14, 695.	1.7	29
24	Evaluating the Role of the Interleukin-23/17 Axis in Critically III COVID-19 Patients. Journal of Personalized Medicine, 2021, 11, 891.	1.1	5
25	Vitamin D in infectious complications in critically ill patients with or without COVID-19. Metabolism Open, 2021, 11, 100106.	1.4	6
26	Increased Autotaxin Levels in Severe COVID-19, Correlating with IL-6 Levels, Endothelial Dysfunction Biomarkers, and Impaired Functions of Dendritic Cells. International Journal of Molecular Sciences, 2021, 22, 10006.	1.8	15
27	Glycemia, Beta-Cell Function and Sensitivity to Insulin in Mildly to Critically Ill Covid-19 Patients. Medicina (Lithuania), 2021, 57, 68.	0.8	29
28	Pituitary–Adrenal Responses and Glucocorticoid Receptor Expression in Critically III Patients with COVID-19. International Journal of Molecular Sciences, 2021, 22, 11473.	1.8	8
29	Association of Hepatitis C Virus Replication with the Catecholamine Biosynthetic Pathway. Viruses, 2021, 13, 2139.	1.5	6
30	Low Admission Immunoglobulin G Levels Predict Poor Outcome in Patients with Mild-to-Critical COVID-19: A Prospective, Single-Center Study. Journal of Epidemiology and Global Health, 2021, 11, 338-343.	1.1	1
31	Serum Neutrophil Gelatinase-Associated Lipocalin (NGAL) Could Provide Better Accuracy Than Creatinine in Predicting Acute Kidney Injury Development in Critically III Patients. Journal of Clinical Medicine, 2021, 10, 5379.	1.0	9
32	Low Admission Immunoglobulin G Levels Predict Poor Outcome in Patients with Mild-to-Critical COVID-19: A Prospective, Single-Center Study. Journal of Epidemiology and Global Health, 2021, 11, 338-343.	1.1	1
33	Ghrelin alterations during experimental and human sepsis. Cytokine, 2020, 127, 154937.	1.4	15
34	Longitudinal evaluation of glucocorticoid receptor alpha/beta expression and signalling, adrenocortical function and cytokines in critically ill steroid-free patients. Molecular and Cellular Endocrinology, 2020, 501, 110656.	1.6	13
35	Lactate Kinetics Reflect Organ Dysfunction and Are Associated with Adverse Outcomes in Intensive Care Unit Patients with COVID-19 Pneumonia: Preliminary Results from a GREEK Single-Centre Study. Metabolites, 2020, 10, 386.	1.3	26
36	Human L-Dopa decarboxylase interaction with annexin ν and expression during apoptosis. Biochimie, 2020, 177, 78-86.	1.3	10

#	Article	IF	Citations
37	Endothelial Damage in Acute Respiratory Distress Syndrome. International Journal of Molecular Sciences, 2020, 21, 8793.	1.8	110
38	Knockdown of bone morphogenetic protein type II receptor leads to decreased aquaporin 1 expression and function in human pulmonary microvascular endothelial cells. Canadian Journal of Physiology and Pharmacology, 2020, 98, 834-839.	0.7	4
39	Clinical Study of Hyperglycemia and SARS-CoV-2 Infection in Intensive Care Unit Patients. In Vivo, 2020, 34, 3029-3032.	0.6	20
40	Low 25-Hydroxyvitamin D Levels on Admission to the Intensive Care Unit May Predispose COVID-19 Pneumonia Patients to a Higher 28-Day Mortality Risk: A Pilot Study on a Greek ICU Cohort. Nutrients, 2020, 12, 3773.	1.7	41
41	Health in All Policy Making Utilizing Big Data. Acta Informatica Medica, 2020, 28, 65.	0.5	9
42	Study of inflammatory biomarkers in COPD and asthma exacerbations. Advances in Respiratory Medicine, 2020, 88, 558-566.	0.5	9
43	Glucocorticoid receptors in critically ill patients. Journal of Translational Science, 2020, 6, .	0.2	0
44	Decreased glucocorticoid receptor expression during critical illness. European Journal of Clinical Investigation, 2019, 49, e13073.	1.7	17
45	L-Dopa decarboxylase interaction with the major signaling regulator $\hat{l}_i\hat{l}^{1}$ 3 \hat{l}_i 4 \hat{l}_i 5 \hat{l}_i 6 \hat{l}_i 8 \hat{l}_i 8 \hat{l}_i 9 \hat{l}_i 1 \hat{l}_i	1.3	11
46	Implication of aquaporin-1 in the stress response of human pulmonary microvascular endothelial cells. , $2019,$, .		0
47	Yeast Biofilm as a Bridge Between Medical and Environmental Microbiology Across Different Detection Techniques. Infectious Diseases and Therapy, 2018, 7, 27-34.	1.8	11
48	Serum Admission 25-Hydroxyvitamin D Levels and Outcomes in Initially Non-Septic Critically Ill Patients. Shock, 2018, 50, 511-518.	1.0	8
49	The H3 Haplotype of the EPCR Gene Determines High sEPCR Levels in Critically III Septic Patients. Infectious Diseases and Therapy, 2018, 7, 3-14.	1.8	3
50	Activated Protein C has No Effect on Pulmonary Capillary Endothelial Function in Septic Patients with Acute Respiratory Distress Syndrome: Association of Endothelial Dysfunction with Mortality. Infectious Diseases and Therapy, 2018, 7, 15-25.	1.8	4
51	Differential Expression of Aquaporins in Experimental Models of Acute Lung Injury. In Vivo, 2018, 31, 885-894.	0.6	19
52	Microdialysis-Assessed Adipose Tissue Metabolism, Circulating Cytokines and Outcome in Critical Illness. Metabolites, 2018, 8, 62.	1.3	6
53	The role of ghrelin in critically-ill patients with sepsis. , 2017, , .		1
54	Low vitamin D levels at ICU admission in initially non-septic patients and outcomes. , 2017, , .		0

#	Article	IF	Citations
55	Aquaporin levels in murine lung injury. , 2016, , .		O
56	Does serum lactate combined with soluble endothelial selectins at ICU admission predict sepsis development?. In Vivo, 2015, 29, 305-8.	0.6	6
57	Elevated biomarkers of endothelial dysfunction/activation at ICU admission are associated with sepsis development. Cytokine, 2014, 69, 240-247.	1.4	42
58	Endothelial protein C receptor polymorphisms and risk of severe sepsis in critically ill patients. Intensive Care Medicine, 2013, 39, 1752-1759.	3.9	9
59	Induced expression and functional effects of aquaporin-1 in human leukocytes in sepsis. Critical Care, 2013, 17, R199.	2.5	35
60	Caveolar Uptake and Endothelial-Protective Effects of Nanostructured Lipid Carriers in Acid Aspiration Murine Acute Lung Injury. Pharmaceutical Research, 2013, 30, 1836-1847.	1.7	19
61	Acid-Induced Acute Lung Injury in Mice is Associated With p44/42 and c-Jun N-Terminal Kinase Activation and Requires the Function of Tumor Necrosis Factor $\hat{l}\pm$ Receptor I. Shock, 2012, 38, 381-386.	1.0	15
62	Detection Of Aquaporin-1 In Neutrophils And Its Role In The Innate Immune Response Of Sepsis., 2012,,.		0
63	Acute lung injury in mice associates with p44/42 and c-Jun N-terminal kinase activation and requires the function of TNF \hat{l} ± receptor I. Critical Care, 2012, 16, .	2.5	0
64	Detection, Purification and Identification of An Endogenous Inhibitor of I-Dopa Decarboxylase Activity from Human Placenta. Neurochemical Research, 2009, 34, 1089-1100.	1.6	17
65	Purification of an Endogenous Inhibitor of L-Dopa Decarboxylase Activity from Human Serum. Neurochemical Research, 2005, 30, 641-649.	1.6	11
66	Identification and Characterization of a Novel Form of the Human L-Dopa Decarboxylase mRNA. Neurochemical Research, 2004, 29, 1817-1823.	1.6	32
67	Purification and mass spectrometry-assisted sequencing of basic antifungal proteins from seeds of pumpkin (Cucurbita maxima). Plant Science, 1998, 134, 141-162.	1.7	21
68	Glucocorticoid receptor alpha and betaexpression, serum cortisol and cytokine levels in critical illness. Endocrine Abstracts, 0, , .	0.0	0
69	Mechanistic Understanding of Lung Inflammation: Recent Advances and Emerging Techniques. Journal of Inflammation Research, 0, Volume 15, 3501-3546.	1.6	14