

# Eiji Yuba

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9567345/publications.pdf>

Version: 2024-02-01

101  
papers

3,038  
citations

147726

31  
h-index

175177

52  
g-index

106  
all docs

106  
docs citations

106  
times ranked

3958  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plant lectins and their usage in preparing targeted nanovaccines for cancer immunotherapy. <i>Seminars in Cancer Biology</i> , 2022, 80, 87-106.	4.3	36
2	Potent adjuvant effect elicited for tumor immunotherapy by a liposome conjugated pH-sensitive polymer and dendritic cell-targeting Toll-like-receptor ligand. <i>Vaccine</i> , 2022, 40, 1448-1457.	1.7	7
3	Cross-presentation-based nanovaccine for cancer immunotherapy. , 2022, , 349-396.		1
4	Prolonged residence of an albumin-IL-4 fusion protein in secondary lymphoid organs ameliorates experimental autoimmune encephalomyelitis. <i>Nature Biomedical Engineering</i> , 2021, 5, 387-398.	11.6	20
5	Suppression of Rheumatoid Arthritis by Enhanced Lymph Node Trafficking of Engineered Interleukin-10 in Murine Models. <i>Arthritis and Rheumatology</i> , 2021, 73, 769-778.	2.9	14
6	Carboxylated polyamidoamine dendron-bearing lipid-based assemblies for precise control of intracellular fate of cargo and induction of antigen-specific immune responses. <i>Biomaterials Science</i> , 2021, 9, 3076-3089.	2.6	8
7	Environmental pH stress influences cellular secretion and uptake of extracellular vesicles. <i>FEBS Open Bio</i> , 2021, 11, 753-767.	1.0	23
8	Hydrophilic Hyperbranched Polymer-Coated siRNA/Polyamidoamine Dendron-Bearing Lipid Complexes Preparation for High Colloidal Stability and Efficient RNAi. <i>Bioconjugate Chemistry</i> , 2021, 32, 563-571.	1.8	2
9	Multifunctional Traceable Liposomes with Temperature-Triggered Drug Release and Neovasculature-Targeting Properties for Improved Cancer Chemotherapy. <i>Molecular Pharmaceutics</i> , 2021, 18, 3342-3351.	2.3	16
10	Macropinocytosis-Inducible Extracellular Vesicles Modified with Antimicrobial Protein CAP18-Derived Cell-Penetrating Peptides for Efficient Intracellular Delivery. <i>Molecular Pharmaceutics</i> , 2021, 18, 3290-3301.	2.3	15
11	pH-Sensitive branched $\beta$ -glucan-modified liposomes for activation of antigen presenting cells and induction of antitumor immunity. <i>Journal of Materials Chemistry B</i> , 2021, 9, 7713-7724.	2.9	10
12	Fabrication of gold nanohybrids modified with antibody and functional dendrimers for targeted photothermal theranostics. <i>Nano Select</i> , 2021, 2, 779-790.	1.9	4
13	Development of functional liposomes by modification of stimuli-responsive materials and their biomedical applications. <i>Journal of Materials Chemistry B</i> , 2020, 8, 1093-1107.	2.9	79
14	Development of Mannose-Modified Carboxylated Curdlan-Coated Liposomes for Antigen Presenting Cell Targeted Antigen Delivery. <i>Pharmaceutics</i> , 2020, 12, 754.	2.0	12
15	Temperature-Responsive Molecular Assemblies Using Oligo(Ethylene Glycol)-Attached Polyamidoamine Dendron Lipids and their Functions as Drug Carriers. <i>Journal of Functional Biomaterials</i> , 2020, 11, 16.	1.8	3
16	Light-Activatable Transfection System Using Hybrid Vectors Composed of Thermosensitive Dendron Lipids and Gold Nanorods. <i>Pharmaceutics</i> , 2020, 12, 239.	2.0	1
17	Manipulation of the tumor microenvironment by cytokine gene transfection enhances dendritic cell-based immunotherapy. <i>FASEB BioAdvances</i> , 2020, 2, 5-17.	1.3	4
18	Preparation of photothermal-chemotherapy nanohybrids by complexation of gold nanorods with polyamidoamine dendrimers having poly(ethylene glycol) and hydrophobic chains. <i>Journal of Materials Chemistry B</i> , 2020, 8, 2826-2833.	2.9	8

#	ARTICLE	IF	CITATIONS
19	Development of pH-sensitive polymer- and liposome-based immunity-inducing systems: 12 <sup>th</sup> Young Scientist Award, Japan Society of DDS. <i>Drug Delivery System</i> , 2020, 35, 426-433.	0.0	0
20	Targeting inflammatory sites through collagen affinity enhances the therapeutic efficacy of anti-inflammatory antibodies. <i>Science Advances</i> , 2019, 5, eaay1971.	4.7	48
21	Development of pH-Responsive Hyaluronic Acid-Based Antigen Carriers for Induction of Antigen-Specific Cellular Immune Responses. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 5790-5797.	2.6	28
22	Synthesis, Characterization, and Biomedical Applications of an Alkylated Quercetin-Gadolinium Complex. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 1215-1227.	2.6	6
23	Stimuli-responsive polymer-modified liposomes and their application to DDS. , 2019, , 305-319.		4
24	Gene Expression of Aspect Ratio-Controlled Polyplexes Based on the Effect of Multi-Arm Poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.6	5
25	Chondroitin Sulfate-Based pH-Sensitive Polymer-Modified Liposomes for Intracellular Antigen Delivery and Induction of Cancer Immunity. <i>Bioconjugate Chemistry</i> , 2019, 30, 1518-1529.	1.8	28
26	Emerging paradigms in nanotechnology for imaging and treatment of cerebral ischemia. <i>Journal of Controlled Release</i> , 2019, 300, 22-45.	4.8	47
27	Sonodynamic Therapeutic Effects of Sonosensitizers with Different Intracellular Distribution Delivered by Hollow Nanocapsules Exhibiting Cytosol Specific Release. <i>Macromolecular Bioscience</i> , 2019, 19, e1800365.	2.1	23
28	Conferring extracellular matrix affinity enhances local therapeutic efficacy of anti-TNF- $\alpha$ antibody in a murine model of rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 298.	1.6	9
29	Effects of Lyophilization of Arginine-rich Cell-penetrating Peptide-modified Extracellular Vesicles on Intracellular Delivery. <i>Anticancer Research</i> , 2019, 39, 6701-6709.	0.5	17
30	Engineering anti-cancer nanovaccine based on antigen cross-presentation. <i>Bioscience Reports</i> , 2019, 39, .	1.1	47
31	Design of pH-sensitive polymer-based immunity-inducing systems. <i>Drug Delivery System</i> , 2019, 34, 163-172.	0.0	0
32	Bladder cancer-associated cancer-testis antigen-derived long peptides encompassing both CTL and promiscuous HLA class II-restricted Th cell epitopes induced CD4 <sup>+</sup> T cells expressing converged T-cell receptor genes <i>in vitro</i> . <i>Oncolmunology</i> , 2018, 7, e1415687.	2.1	12
33	Designing immunostimulatory double stranded messenger RNA with maintained translational activity through hybridization with poly A sequences for effective vaccination. <i>Biomaterials</i> , 2018, 150, 162-170.	5.7	41
34	Carboxylated phytosterol derivative-introduced liposomes for skin environment-responsive transdermal drug delivery system. <i>Journal of Liposome Research</i> , 2018, 28, 275-284.	1.5	7
35	Hyaluronic Acid-Based pH-Sensitive Polymer-Modified Liposomes for Cell-Specific Intracellular Drug Delivery Systems. <i>Bioconjugate Chemistry</i> , 2018, 29, 44-55.	1.8	85
36	Liposome-based immunity-inducing systems for cancer immunotherapy. <i>Molecular Immunology</i> , 2018, 98, 8-12.	1.0	53

#	ARTICLE	IF	CITATIONS
37	Solubilization of a Hydrophobic Prodrug and the Ultrasound Irradiation Effect to TiO <sub>2</sub> Nanoparticles-Incorporated Polyion Complex Micelles. <i>Kobunshi Ronbunshu</i> , 2018, 75, 42-47.	0.2	1
38	Development of Immunity-Inducing Systems Using pH-Responsive Polysaccharides and Liposomes. <i>Kobunshi Ronbunshu</i> , 2018, 75, 433-443.	0.2	0
39	Evaluation of pH-sensitive fusogenic polymer-modified liposomes co-loaded with antigen and $\beta$ -galactosylceramide as an anti-tumor vaccine. <i>Journal of Veterinary Medical Science</i> , 2018, 80, 197-204.	0.3	17
40	Bleomycin-Loaded pH-Sensitive Polymer-Lipid-Incorporated Liposomes for Cancer Chemotherapy. <i>Polymers</i> , 2018, 10, 74.	2.0	30
41	Design of Cell-Specific Liposomal DDS by Surface Modification of Functional Polymers. <i>Journal of the Society of Powder Technology, Japan</i> , 2018, 55, 389-396.	0.0	0
42	Dual-stimuli responsive liposomes using pH- and temperature-sensitive polymers for controlled transdermal delivery. <i>Polymer Chemistry</i> , 2017, 8, 1507-1518.	1.9	41
43	Preparation of dual-stimuli-responsive liposomes using methacrylate-based copolymers with pH and temperature sensitivities for precisely controlled release. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017, 155, 449-458.	2.5	13
44	Effect of the side chain spacer structure on the pH-responsive properties of polycarboxylates. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2017, 28, 1025-1035.	1.9	10
45	Evaluation of a combination tumor treatment using thermo-triggered liposomal drug delivery and carbon ion irradiation. <i>Translational Research</i> , 2017, 185, 24-33.	2.2	9
46	Bioactive polysaccharide-based pH-sensitive polymers for cytoplasmic delivery of antigen and activation of antigen-specific immunity. <i>Biomaterials</i> , 2017, 120, 32-45.	5.7	83
47	pH-sensitive polymer-modified liposome-based immunity-inducing system: Effects of inclusion of cationic lipid and CpG-DNA. <i>Biomaterials</i> , 2017, 141, 272-283.	5.7	73
48	Development of pH-sensitive Dextran Derivatives with Strong Adjuvant Function and Their Application to Antigen Delivery. <i>Membranes</i> , 2017, 7, 41.	1.4	19
49	In Vitro Sonodynamic Therapeutic Effect of Polyion Complex Micelles Incorporating Titanium Dioxide Nanoparticles. <i>Nanomaterials</i> , 2017, 7, 268.	1.9	12
50	Doxorubicin Delivery Using pH and Redox Dual-Responsive Hollow Nanocapsules with a Cationic Electrostatic Barrier. <i>Pharmaceutics</i> , 2017, 9, 4.	2.0	13
51	pH-Responsive Micelle-Based Cytoplasmic Delivery System for Induction of Cellular Immunity. <i>Vaccines</i> , 2017, 5, 41.	2.1	15
52	Induction of antibody response in the oral cavity of dogs following intraocular (eye drop) immunization with <i>Porphyromonas gingivalis</i> cell lysate incorporated in pH-sensitive fusogenic polymer-modified liposomes. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 290-298.	0.3	8
53	Potential of cancer immunity-inducing effect by pH-sensitive polysaccharide-modified liposomes with combination of TGF- $\beta$ 2 type I receptor inhibitor-embedded liposomes. <i>Medical Research Archives</i> , 2017, 5, .	0.1	9
54	Improvement of Peptide-Based Tumor Immunotherapy Using pH-Sensitive Fusogenic Polymer-Modified Liposomes. <i>Molecules</i> , 2016, 21, 1284.	1.7	38

#	ARTICLE	IF	CITATIONS
55	Magnetically and Near-Infrared Light-Powered Supramolecular Nanotransporters for the Remote Control of Enzymatic Reactions. <i>Angewandte Chemie</i> , 2016, 128, 6586-6591.	1.6	8
56	A Cyclized Helix-Loop-Helix Peptide as a Molecular Scaffold for the Design of Inhibitors of Intracellular Protein-Protein Interactions by Epitope and Arginine Grafting. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10612-10615.	7.2	38
57	A Cyclized Helix-Loop-Helix Peptide as a Molecular Scaffold for the Design of Inhibitors of Intracellular Protein-Protein Interactions by Epitope and Arginine Grafting. <i>Angewandte Chemie</i> , 2016, 128, 10770-10773.	1.6	6
58	Magnetically and Near-Infrared Light-Powered Supramolecular Nanotransporters for the Remote Control of Enzymatic Reactions. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 6476-6481.	7.2	26
59	Design of pH-sensitive polymer-modified liposomes for antigen delivery and their application in cancer immunotherapy. <i>Polymer Journal</i> , 2016, 48, 761-771.	1.3	22
60	An oncofetal antigen, IMP-3-derived long peptides induce immune responses of both helper T cells and CTLs. <i>Onc Immunology</i> , 2016, 5, e1123368.	2.1	18
61	Identification of glypican-3-derived long peptides activating both CD8 <sup>+</sup> and CD4 <sup>+</sup> T cells; prolonged overall survival in cancer patients with Th cell response. <i>Onc Immunology</i> , 2016, 5, e1062209.	2.1	36
62	Hyaluronic acid derivative-modified liposomes as pH-sensitive anticancer drug delivery system. <i>Journal of Controlled Release</i> , 2015, 213, e73-e74.	4.8	10
63	In Vivo Remote Control of Reactions in <i>Caenorhabditis elegans</i> by Using Supramolecular Nanohybrids of Carbon Nanotubes and Liposomes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9903-9906.	7.2	17
64	Design of pH-sensitive polymer-based antigen delivery systems for cancer immunotherapy. <i>Drug Delivery System</i> , 2015, 30, 160-161.	0.0	0
65	pH-sensitive polysaccharide derivatives-modified liposomes as antigen delivery vehicles for cancer immunotherapy. <i>Journal of Controlled Release</i> , 2015, 213, e30.	4.8	2
66	Effect of molecular adjuvant inclusion in pH-sensitive polymer-modified liposomes on their performance as antigen delivery carriers for cancer immunotherapy. <i>Journal of Controlled Release</i> , 2015, 213, e143.	4.8	3
67	Multifunctional liposomes having target specificity, temperature-triggered release, and near-infrared fluorescence imaging for tumor-specific chemotherapy. <i>Journal of Controlled Release</i> , 2015, 216, 69-77.	4.8	70
68	Effective Condensation of Multivalent Anions into Polyion Complex Micelles Prepared from TiO <sub>2</sub> Nanoparticles and Polyallylamine Bearing Poly(ethylene glycol) Grafts. <i>Langmuir</i> , 2015, 31, 8583-8588.	1.6	9
69	pH-sensitive polymer-liposome-based antigen delivery systems potentiated with interferon- $\beta$ gene lipoplex for efficient cancer immunotherapy. <i>Biomaterials</i> , 2015, 67, 214-224.	5.7	83
70	PAMAM Dendron Lipid Assemblies That Undergo Structural Transition in Response to Weakly Acidic pH and Their Cytoplasmic Delivery Capability. <i>Langmuir</i> , 2015, 31, 5105-5114.	1.6	16
71	Evaluation of thermo-triggered drug release in intramuscular-transplanted tumors using thermosensitive polymer-modified liposomes and MRI. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2015, 11, 229-238.	1.7	41
72	Nasal Delivery of Biopharmaceuticals. , 2014, , 197-220.		5

#	ARTICLE	IF	CITATIONS
73	Enhancement of anti-tumor immune responses by transfection of IFN $\gamma$ gene into tumor using a novel type synthetic vector. <i>Veterinary Immunology and Immunopathology</i> , 2014, 162, 59-64.	0.5	5
74	PEGylated PAMAM dendrimer-doxorubicin conjugate-hybridized gold nanorod for combined photothermal-chemotherapy. <i>Biomaterials</i> , 2014, 35, 6576-6584.	5.7	176
75	Synthesis of oligo(ethylene glycol)-modified hyperbranched poly(glycidol)s for dual sensitization of liposomes to pH and temperature. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2014, 45, 3054-3061.	2.7	11
76	Potential of pH-sensitive polymer-modified liposomes with cationic lipid inclusion as antigen delivery carriers for cancer immunotherapy. <i>Biomaterials</i> , 2014, 35, 8186-8196.	5.7	111
77	Nanofiber Polyplex Formation Based on the Morphology Elongation by the Intrapolyplex PEG Crowding Effect. <i>ACS Macro Letters</i> , 2014, 3, 333-336.	2.3	12
78	Dually functionalized dendrimers by temperature-sensitive surface modification and gold nanoparticle loading for biomedical application. <i>RSC Advances</i> , 2014, 4, 27811-27819.	1.7	6
79	Dextran derivative-based pH-sensitive liposomes for cancer immunotherapy. <i>Biomaterials</i> , 2014, 35, 3091-3101.	5.7	121
80	Application of pH-sensitive fusogenic polymer-modified liposomes for development of mucosal vaccines. <i>Veterinary Immunology and Immunopathology</i> , 2014, 158, 62-72.	0.5	24
81	A liposome-based antigen delivery system using pH-sensitive fusogenic polymers for cancer immunotherapy. <i>Biomaterials</i> , 2013, 34, 3042-3052.	5.7	172
82	The application of pH-sensitive polymer-lipids to antigen delivery for cancer immunotherapy. <i>Biomaterials</i> , 2013, 34, 5711-5721.	5.7	49
83	PAMAM Dendrimers with an Oxyethylene Unit-Enriched Surface as Biocompatible Temperature-Sensitive Dendrimers. <i>Bioconjugate Chemistry</i> , 2013, 24, 282-290.	1.8	27
84	Titanium dioxide nanoparticle-entrapped polyion complex micelles generate singlet oxygen in the cells by ultrasound irradiation for sonodynamic therapy. <i>Biomaterials Science</i> , 2013, 1, 65-73.	2.6	76
85	Intracellular Environment-Responsive Stabilization of Polymer Vesicles Formed from Head-Tail Type Polycations Composed of a Polyamidoamine Dendron and Poly(L-lysine). <i>Molecules</i> , 2013, 18, 12168-12179.	1.7	15
86	Efficiency of pH-Sensitive Fusogenic Polymer-Modified Liposomes as a Vaccine Carrier. <i>Scientific World Journal</i> , The, 2013, 2013, 1-7.	0.8	21
87	Antigen delivery using pH-sensitive polymer-modified liposomes and their application to cancer immunotherapy. <i>Major Histocompatibility Complex</i> , 2013, 20, 181-189.	0.2	2
88	The pH-Sensitive Fusogenic 3-Methyl-Glutarylated Hyperbranched Poly(Glycidol)-Conjugated Liposome Induces Antigen-Specific Cellular and Humoral Immunity. <i>Vaccine Journal</i> , 2012, 19, 1492-1498.	3.2	18
89	Polyamidoamine Dendron-Bearing Lipids as a Nonviral Vector: Influence of Dendron Generation. <i>Bioconjugate Chemistry</i> , 2012, 23, 871-879.	1.8	42
90	Carbon nanotube-liposome supramolecular nanotrains for intelligent molecular-transport systems. <i>Nature Communications</i> , 2012, 3, 1226.	5.8	68

#	ARTICLE	IF	CITATIONS
91	Effect of unsaturated alkyl chains on transfection activity of poly(amidoamine) dendron-bearing lipids. <i>Journal of Controlled Release</i> , 2012, 160, 552-560.	4.8	47
92	Dual Signal-Responsive Liposomes for Temperature-Controlled Cytoplasmic Delivery. <i>Bioconjugate Chemistry</i> , 2011, 22, 1909-1915.	1.8	32
93	Hollow nanocapsules prepared through stabilization of polymer vesicles formed from head-tail type polycations by introducing cross-linkages. <i>Soft Matter</i> , 2011, 7, 4629.	1.2	11
94	Carboxylated hyperbranched poly(glycidol)s for preparation of pH-sensitive liposomes. <i>Journal of Controlled Release</i> , 2011, 149, 72-80.	4.8	108
95	Thermosensitive Molecular Assemblies from Poly(amidoamine) Dendron-Based Lipids. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 6332-6336.	7.2	39
96	Multi-functional liposomes having temperature-triggered release and magnetic resonance imaging for tumor-specific chemotherapy. <i>Biomaterials</i> , 2011, 32, 1387-1395.	5.7	113
97	Design of Functional Liposomes Based on Surface Modification with Polymers. <i>Membrane</i> , 2011, 36, 183-190.	0.0	0
98	pH-Sensitive fusogenic polymer-modified liposomes as a carrier of antigenic proteins for activation of cellular immunity. <i>Biomaterials</i> , 2010, 31, 943-951.	5.7	111
99	Synthesis of a polyamidoamine dendron-bearing lipid having sugar moieties and its use for preparation of nonviral gene vectors. <i>Research on Chemical Intermediates</i> , 2009, 35, 1005-1014.	1.3	8
100	Modification of liposome surface with pH-responsive polyampholytes for the controlled-release of drugs. <i>Research on Chemical Intermediates</i> , 2009, 35, 1015-1025.	1.3	14
101	Gene delivery to dendritic cells mediated by complexes of lipoplexes and pH-sensitive fusogenic polymer-modified liposomes. <i>Journal of Controlled Release</i> , 2008, 130, 77-83.	4.8	61