

# Ming-Hua Zheng

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9567375/ming-hua-zheng-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260  
papers

6,892  
citations

42  
h-index

73  
g-index

311  
ext. papers

10,124  
ext. citations

5  
avg. IF

6.33  
L-index

#	Paper	IF	Citations
260	A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 202-209	13.4	764
259	COVID-19 and Liver Dysfunction: Current Insights and Emergent Therapeutic Strategies. <i>Journal of Clinical and Translational Hepatology</i> , <b>2020</b> , 8, 18-24	5.2	231
258	Letter to the Editor: Obesity as a risk factor for greater severity of COVID-19 in patients with metabolic associated fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , <b>2020</b> , 108, 154244	12.7	205
257	Obesity Is a Risk Factor for Greater COVID-19 Severity. <i>Diabetes Care</i> , <b>2020</b> , 43, e72-e74	14.6	199
256	FibroScan-AST (FAST) score for the non-invasive identification of patients with non-alcoholic steatohepatitis with significant activity and fibrosis: a prospective derivation and global validation study. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2020</b> , 5, 362-373	18.8	151
255	Outcomes following SARS-CoV-2 infection in patients with chronic liver disease: An international registry study. <i>Journal of Hepatology</i> , <b>2021</b> , 74, 567-577	13.4	151
254	Fatty Liver Disease Caused by High-Alcohol-Producing <i>Klebsiella pneumoniae</i> . <i>Cell Metabolism</i> , <b>2019</b> , 30, 675-688.e7	24.6	148
253	Transient elastography: a meta-analysis of diagnostic accuracy in evaluation of portal hypertension in chronic liver disease. <i>Liver International</i> , <b>2013</b> , 33, 62-71	7.9	140
252	Diabetes as a risk factor for greater COVID-19 severity and in-hospital death: A meta-analysis of observational studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 1236-1248	4.5	126
251	BMSCs-derived miR-223-containing exosomes contribute to liver protection in experimental autoimmune hepatitis. <i>Molecular Immunology</i> , <b>2018</b> , 93, 38-46	4.3	123
250	Transjugular intrahepatic portosystemic shunt versus endoscopic therapy in the secondary prophylaxis of variceal rebleeding in cirrhotic patients: meta-analysis update. <i>Journal of Clinical Gastroenterology</i> , <b>2008</b> , 42, 507-16	3	112
249	Pre-existing liver disease is associated with poor outcome in patients with SARS CoV2 infection; The APCOLIS Study (APASL COVID-19 Liver Injury Spectrum Study). <i>Hepatology International</i> , <b>2020</b> , 14, 690-700	8.8	108
248	Risk of severe illness from COVID-19 in patients with metabolic dysfunction-associated fatty liver disease and increased fibrosis scores. <i>Gut</i> , <b>2020</b> , 69, 1545-1547	19.2	93
247	Patients with diabetes are at higher risk for severe illness from COVID-19. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 335-337	5.4	84
246	Hepatocellular carcinoma associated microRNA expression signature: integrated bioinformatics analysis, experimental validation and clinical significance. <i>Oncotarget</i> , <b>2015</b> , 6, 25093-108	3.3	81
245	Rifaximin versus nonabsorbable disaccharides in the management of hepatic encephalopathy: a meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2008</b> , 20, 1064-70	2.2	81
244	Nucleoside analogue can improve the long-term prognosis of patients with hepatitis B virus infection-associated acute on chronic liver failure. <i>Digestive Diseases and Sciences</i> , <b>2010</b> , 55, 2373-80	4	75

243	Younger patients with MAFLD are at increased risk of severe COVID-19 illness: A multicenter preliminary analysis. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 719-721	13.4	68
242	Predictive value of thymidylate synthase expression in advanced colorectal cancer patients receiving fluoropyrimidine-based chemotherapy: evidence from 24 studies. <i>International Journal of Cancer</i> , <b>2008</b> , 123, 2384-9	7.5	68
241	Prediction of the prognosis of patients with acute-on-chronic hepatitis B liver failure using the model for end-stage liver disease scoring system and a novel logistic regression model. <i>Journal of Viral Hepatitis</i> , <b>2009</b> , 16, 464-70	3.4	66
240	Fatal outcome in a liver transplant recipient with COVID-19. <i>American Journal of Transplantation</i> , <b>2020</b> , 20, 1907-1910	8.7	64
239	Extrapulmonary complications of COVID-19: A multisystem disease?. <i>Journal of Medical Virology</i> , <b>2021</b> , 93, 323-335	19.7	63
238	A model to determine 3-month mortality risk in patients with acute-on-chronic hepatitis B liver failure. <i>Clinical Gastroenterology and Hepatology</i> , <b>2011</b> , 9, 351-356.e3	6.9	59
237	Traditional Chinese medicines benefit to nonalcoholic fatty liver disease: a systematic review and meta-analysis. <i>Molecular Biology Reports</i> , <b>2012</b> , 39, 9715-22	2.8	58
236	Systematic review with network meta-analysis: the comparative effectiveness and safety of interventions in patients with overt hepatic encephalopathy. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2015</b> , 41, 624-35	6.1	57
235	ATG16L1 T300A polymorphism and Crohn's disease susceptibility: evidence from 13,022 cases and 17,532 controls. <i>Human Genetics</i> , <b>2009</b> , 125, 627-31	6.3	57
234	Systematic review with network meta-analysis: statins and risk of hepatocellular carcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 21753-62	3.3	55
233	MAFLD and risk of CKD. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 115, 154433	12.7	55
232	COVID-19 in a patient with chronic lymphocytic leukaemia. <i>Lancet Haematology</i> , <b>2020</b> , 7, e351-e352	14.6	54
231	Nonalcoholic fatty liver disease contributes to subclinical atherosclerosis: A systematic review and meta-analysis. <i>Hepatology Communications</i> , <b>2018</b> , 2, 376-392	6	53
230	Metabolic associated fatty liver disease increases coronavirus disease 2019 disease severity in nondiabetic patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 204-207	4	53
229	L-Ornithine-l-aspartate in the management of hepatic encephalopathy: a meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2009</b> , 24, 9-14	4	52
228	Clinical course and risk factors for mortality of COVID-19 patients with pre-existing cirrhosis: a multicentre cohort study. <i>Gut</i> , <b>2021</b> , 70, 433-436	19.2	49
227	Usefulness of albumin-bilirubin grade for evaluation of long-term prognosis for hepatitis B-related cirrhosis. <i>Journal of Viral Hepatitis</i> , <b>2017</b> , 24, 238-245	3.4	48
226	Metabolic-associated fatty liver disease is associated with severity of COVID-19. <i>Liver International</i> , <b>2020</b> , 40, 2160-2163	7.9	47

225	Increased risk of colorectal malignant neoplasm in patients with nonalcoholic fatty liver disease: a large study. <i>Molecular Biology Reports</i> , <b>2014</b> , 41, 2989-97	2.8	46
224	PNPLA3 rs738409 is associated with renal glomerular and tubular injury in NAFLD patients with persistently normal ALT levels. <i>Liver International</i> , <b>2020</b> , 40, 107-119	7.9	46
223	Development and Validation of Hepamet Fibrosis Scoring System-A Simple, Noninvasive Test to Identify Patients With Nonalcoholic Fatty Liver Disease With Advanced Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , <b>2020</b> , 18, 216-225.e5	6.9	46
222	From NAFLD to MAFLD: a "redefining" moment for fatty liver disease. <i>Chinese Medical Journal</i> , <b>2020</b> , 133, 2271-2273	2.9	44
221	Preoperative platelet to lymphocyte ratio is a valuable prognostic biomarker in patients with colorectal cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 25516-27	3.3	43
220	High fiber dietary and sodium butyrate attenuate experimental autoimmune hepatitis through regulation of immune regulatory cells and intestinal barrier. <i>Cellular Immunology</i> , <b>2018</b> , 328, 24-32	4.4	42
219	Association between sex-specific serum uric acid and non-alcoholic fatty liver disease in Chinese adults: a large population-based study. <i>Medicine (United States)</i> , <b>2015</b> , 94, e802	1.8	40
218	Systematic review with network meta-analysis: Comparative efficacy of oral nucleos(t)ide analogues for the prevention of chemotherapy-induced hepatitis B virus reactivation. <i>Oncotarget</i> , <b>2016</b> , 7, 30642-58	3.3	40
217	N-Methyladenosine Reader Protein YT521-B Homology Domain-Containing 2 Suppresses Liver Steatosis by Regulation of mRNA Stability of Lipogenic Genes. <i>Hepatology</i> , <b>2021</b> , 73, 91-103	11.2	40
216	Prognostic value of platelet-to-lymphocyte ratios among critically ill patients with acute kidney injury. <i>Critical Care</i> , <b>2017</b> , 21, 238	10.8	39
215	Fibroblast growth factor 21 deficiency exacerbates chronic alcohol-induced hepatic steatosis and injury. <i>Scientific Reports</i> , <b>2016</b> , 6, 31026	4.9	39
214	Systematic Review with Network Meta-Analysis: Antidiabetic Medication and Risk of Hepatocellular Carcinoma. <i>Scientific Reports</i> , <b>2016</b> , 6, 33743	4.9	38
213	Synergistic increase in cardiovascular risk in diabetes mellitus with nonalcoholic fatty liver disease: a meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2018</b> , 30, 631-636	2.2	37
212	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , <b>2021</b> ,	24.2	37
211	A Case Series of Recurrent Viral RNA Positivity in Recovered COVID-19 Chinese Patients. <i>Journal of General Internal Medicine</i> , <b>2020</b> , 35, 2205-2206	4	37
210	Retrospective analysis of nosocomial infections in the intensive care unit of a tertiary hospital in China during 2003 and 2007. <i>BMC Infectious Diseases</i> , <b>2009</b> , 9, 115	4	34
209	MTHFR C677T polymorphism contributes to prostate cancer risk among Caucasians: A meta-analysis of 3511 cases and 2762 controls. <i>European Journal of Cancer</i> , <b>2009</b> , 45, 1443-9	7.5	34
208	A model to predict 3-month mortality risk of acute-on-chronic hepatitis B liver failure using artificial neural network. <i>Journal of Viral Hepatitis</i> , <b>2013</b> , 20, 248-55	3.4	33

207	Optimal adjuvant therapy for resected hepatocellular carcinoma: a systematic review with network meta-analysis. <i>Oncotarget</i> , <b>2015</b> , 6, 18151-61	3.3	33
206	Gabexate in the prophylaxis of post-ERCP pancreatitis: a meta-analysis of randomized controlled trials. <i>BMC Gastroenterology</i> , <b>2007</b> , 7, 6	3	33
205	Meta-analysis of prophylactic corticosteroid use in post-ERCP pancreatitis. <i>BMC Gastroenterology</i> , <b>2008</b> , 8, 6	3	32
204	Metabolic syndrome contributes to an increased recurrence risk of non-metastatic colorectal cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 19880-90	3.3	32
203	Myeloid-Cell-Specific IL-6 Signaling Promotes MicroRNA-223-Enriched Exosome Production to Attenuate NAFLD-Associated Fibrosis. <i>Hepatology</i> , <b>2021</b> , 74, 116-132	11.2	30
202	Targeting endoplasmic reticulum stress in liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2016</b> , 10, 1041-52	4.2	29
201	Increased delayed mortality in patients with acute-on-chronic liver failure who have prior decompensation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2015</b> , 30, 712-8	4	28
200	Oral Acetyl-L-Carnitine treatment in hepatic encephalopathy: view of evidence-based medicine. <i>Annals of Hepatology</i> , <b>2013</b> , 12, 803-809	3.1	27
199	A systematic review and a dose-response meta-analysis of coffee dose and nonalcoholic fatty liver disease. <i>Clinical Nutrition</i> , <b>2019</b> , 38, 2552-2557	5.9	27
198	Systematic review with network meta-analysis: adjuvant therapy for resected biliary tract cancer. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2014</b> , 40, 759-70	6.1	26
197	Multifocal skeletal tuberculosis: experience in diagnosis and treatment. <i>Medicine Et Maladies Infectieuses</i> , <b>2010</b> , 40, 6-11	4	26
196	Traditional Chinese medicine plus transcatheter arterial chemoembolization for unresectable hepatocellular carcinoma. <i>Journal of Alternative and Complementary Medicine</i> , <b>2008</b> , 14, 1027-42	2.4	26
195	Association of low-density lipoprotein cholesterol within the normal range and NAFLD in the non-obese Chinese population: a cross-sectional and longitudinal study. <i>BMJ Open</i> , <b>2016</b> , 6, e013781	3	26
194	Wet beriberi with multiple organ failure remarkably reversed by thiamine administration: A case report and literature review. <i>Medicine (United States)</i> , <b>2018</b> , 97, e0010	1.8	25
193	The E-cadherin (CDH1)--160 C/A polymorphism and prostate cancer risk: a meta-analysis. <i>European Journal of Human Genetics</i> , <b>2009</b> , 17, 244-9	5.3	25
192	Meta-analysis of prophylactic allopurinol use in post-endoscopic retrograde cholangiopancreatography pancreatitis. <i>Pancreas</i> , <b>2008</b> , 37, 247-53	2.6	25
191	Increased levels of low-density lipoprotein cholesterol within the normal range as a risk factor for nonalcoholic fatty liver disease. <i>Oncotarget</i> , <b>2016</b> , 7, 5728-37	3.3	25
190	Global epidemiology of lean non-alcoholic fatty liver disease: A systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2020</b> , 35, 2041-2050	4	24

189	Sarcopenia Contributes to the Progression of Nonalcoholic Fatty Liver Disease- Related Fibrosis: A Meta-Analysis. <i>Digestive Diseases</i> , <b>2018</b> , 36, 427-436	3.2	24
188	A new strategy for treatment of liver fibrosis: letting MicroRNAs do the job. <i>BioDrugs</i> , <b>2013</b> , 27, 25-34	7.9	24
187	ApoE-deficient promotes blood-brain barrier disruption in experimental autoimmune encephalomyelitis via alteration of MMP-9. <i>Journal of Molecular Neuroscience</i> , <b>2014</b> , 54, 282-90	3.3	23
186	Association between the presence of H pylori in the liver and hepatocellular carcinoma: a meta-analysis. <i>World Journal of Gastroenterology</i> , <b>2008</b> , 14, 307-12	5.6	23
185	Lifestyle interventions for patients with nonalcoholic fatty liver disease: a network meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2018</b> , 30, 747-755	2.2	22
184	Increased levels of systolic blood pressure within the normal range are associated with significantly elevated risks of nonalcoholic fatty liver disease. <i>Medicine (United States)</i> , <b>2015</b> , 94, e842	1.8	22
183	Activation of peroxisome proliferator-activated receptor-gamma inhibits transforming growth factor-beta1 induction of connective tissue growth factor and extracellular matrix in hypertrophic scar fibroblasts in vitro. <i>Archives of Dermatological Research</i> , <b>2009</b> , 301, 515-22	3.3	22
182	Upper limits of normal for serum alanine aminotransferase levels in Chinese Han population. <i>PLoS ONE</i> , <b>2012</b> , 7, e43736	3.7	22
181	Systematic Review and Network Meta-Analysis of Randomized Controlled Trials: Comparative Effectiveness and Safety of Direct-Acting Antiviral Agents for Treatment-Naive Hepatitis C Genotype 1. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3004	1.8	22
180	Safety and immunogenicity of COVID-19 vaccination in patients with non-alcoholic fatty liver disease (CHES2101): A multicenter study. <i>Journal of Hepatology</i> , <b>2021</b> , 75, 439-441	13.4	22
179	The role of fibroblast growth factor 21 in the pathogenesis of liver disease: a novel predictor and therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , <b>2014</b> , 18, 1305-13	6.4	21
178	Peroxisome proliferator-activated receptor-gamma (PPAR-gamma) agonist inhibits transforming growth factor-beta1 and matrix production in human dermal fibroblasts. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , <b>2010</b> , 63, 1209-16	1.7	21
177	Interleukin-18: a pro-inflammatory cytokine that plays an important role in acute pancreatitis. <i>Expert Opinion on Therapeutic Targets</i> , <b>2007</b> , 11, 1261-71	6.4	21
176	Perceptions of Chinese Biomedical Researchers Towards Academic Misconduct: A Comparison Between 2015 and 2010. <i>Science and Engineering Ethics</i> , <b>2018</b> , 24, 629-645	3.1	20
175	Letter to the Editor: Obesity hypoventilation syndrome and severe COVID-19. <i>Metabolism: Clinical and Experimental</i> , <b>2020</b> , 108, 154249	12.7	20
174	The tumour necrosis factor- $\beta$ 38A allele increases the risk of chronic HBV infection in European populations. <i>Journal of Viral Hepatitis</i> , <b>2012</b> , 19, e11-7	3.4	20
173	A network meta-analysis of the efficacy and side effects of UDCA-based therapies for primary sclerosing cholangitis. <i>Oncotarget</i> , <b>2015</b> , 6, 26757-69	3.3	20
172	Detrimental effects of metabolic dysfunction-associated fatty liver disease and increased neutrophil-to-lymphocyte ratio on severity of COVID-19. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 505-507	5.4	19



171	Sodium butyrate ameliorates S100/FCA-induced autoimmune hepatitis through regulation of intestinal tight junction and toll-like receptor 4 signaling pathway. <i>Immunology Letters</i> , <b>2017</b> , 190, 169-176	4.1	19
170	Targeting fibroblast growth factor 19 in liver disease: a potential biomarker and therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , <b>2015</b> , 19, 675-85	6.4	19
169	A 24-week, parallel-group, open-label, randomized clinical trial comparing the early antiviral efficacy of telbivudine and entecavir in the treatment of hepatitis B e antigen-positive chronic hepatitis B virus infection in adult Chinese patients. <i>Clinical Therapeutics</i> , <b>2010</b> , 32, 649-58	3.5	19
168	Secondary prophylaxis of variceal bleeding for cirrhotic patients: a multiple-treatments meta-analysis. <i>European Journal of Clinical Investigation</i> , <b>2013</b> , 43, 844-54	4.6	18
167	Effect of PNPLA3 polymorphism on diagnostic performance of various noninvasive markers for diagnosing and staging nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2020</b> , 35, 1057-1064	4	18
166	Severe Acute Respiratory Syndrome Coronavirus-2 Infection in Children With Liver Transplant and Native Liver Disease: An International Observational Registry Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2021</b> , 72, 807-814	2.8	18
165	Global multi-stakeholder endorsement of the MAFLD definition.. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2022</b> ,	18.8	18
164	T-helper 17 cell: A distinctive cell in liver diseases. <i>Hepatology Research</i> , <b>2011</b> , 41, 22-9	5.1	17
163	Tumor necrosis factor-alpha-308A allele may have a protective effect for chronic hepatitis B virus infection in Mongoloid populations. <i>International Journal of Infectious Diseases</i> , <b>2010</b> , 14, e580-5	10.5	17
162	Clinical utility of the MAFLD definition. <i>Journal of Hepatology</i> , <b>2021</b> , 74, 989-991	13.4	17
161	Serum uric acid: a new therapeutic target for nonalcoholic fatty liver disease. <i>Expert Opinion on Therapeutic Targets</i> , <b>2016</b> , 20, 375-87	6.4	16
160	Decellularization technology in CNS tissue repair. <i>Expert Review of Neurotherapeutics</i> , <b>2015</b> , 15, 493-500	4.3	16
159	Network meta-analysis of randomized controlled trials: efficacy and safety of UDCA-based therapies in primary biliary cirrhosis. <i>Medicine (United States)</i> , <b>2015</b> , 94, e609	1.8	16
158	The role of lncRNAs in hepatocellular carcinoma: opportunities as novel targets for pharmacological intervention. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2016</b> , 10, 331-40	4.2	16
157	Interleukin-28B rs12979860C/T and rs8099917T/G contribute to spontaneous clearance of hepatitis C virus in Caucasians. <i>Gene</i> , <b>2013</b> , 518, 479-82	3.8	16
156	Activating Adenosine Monophosphate-Activated Protein Kinase Mediates Fibroblast Growth Factor 1 Protection From Nonalcoholic Fatty Liver Disease in Mice. <i>Hepatology</i> , <b>2021</b> , 73, 2206-2222	11.2	16
155	Platelet-to-Lymphocyte Ratio: A Novel Prognostic Factor for Prediction of 90-day Outcomes in Critically Ill Patients With Diabetic Ketoacidosis. <i>Medicine (United States)</i> , <b>2016</b> , 95, e2596	1.8	16
154	Nonalcoholic fatty liver disease: a negative risk factor for colorectal cancer prognosis. <i>Medicine (United States)</i> , <b>2015</b> , 94, e479	1.8	15

153	COVID-19 and liver transplantation: Lessons learned from three reported cases. <i>Transplant Infectious Disease</i> , <b>2020</b> , 22, e13335	2.7	15
152	Establishment and validation of ALPH-Q score to predict mortality risk in patients with acute-on-chronic hepatitis B liver failure: a prospective cohort study. <i>Medicine (United States)</i> , <b>2015</b> , 94, e403	1.8	15
151	Invasive fungal infection in patients with systemic lupus erythematosus: experience from a single institute of Northern China. <i>Gene</i> , <b>2012</b> , 506, 184-7	3.8	15
150	Tumour necrosis factor- $\beta$ 57T allele reduces the risk of hepatitis B virus infection in an Asian population. <i>Journal of Viral Hepatitis</i> , <b>2012</b> , 19, e66-72	3.4	15
149	FAS -1,377 G/A polymorphism is associated with cancer susceptibility: evidence from 10,564 cases and 12,075 controls. <i>Human Genetics</i> , <b>2009</b> , 125, 431-5	6.3	15
148	Stratified neutrophil-to-lymphocyte ratio accurately predict mortality risk in hepatocellular carcinoma patients following curative liver resection. <i>Oncotarget</i> , <b>2016</b> , 7, 5429-39	3.3	15
147	Methimazole-induced cholestatic hepatitis: two cases report and literature review. <i>Oncotarget</i> , <b>2016</b> , 7, 5088-91	3.3	15
146	Nucleos(t)ide analogues for preventing HBV reactivation in immunosuppressed patients with hematological malignancies: a network meta-analysis. <i>Expert Review of Anti-Infective Therapy</i> , <b>2017</b> , 15, 503-513	5.5	14
145	Association between age and overall survival of patients with hepatocellular carcinoma after hepatic resection. <i>Journal of Surgical Oncology</i> , <b>2016</b> , 114, 966-970	2.8	14
144	Kidney bioengineering in regenerative medicine: An emerging therapy for kidney disease. <i>Cytotherapy</i> , <b>2016</b> , 18, 186-97	4.8	14
143	Interleukin-28B polymorphisms on the SVR in the treatment of naïve chronic hepatitis C with pegylated interferon- $\beta$ plus ribavirin: a meta-analysis. <i>Gene</i> , <b>2012</b> , 507, 27-35	3.8	14
142	Omega-3 polyunsaturated fatty acids: a specific liver drug for non-alcoholic fatty liver disease (NAFLD). <i>Medical Hypotheses</i> , <b>2008</b> , 71, 820-1	3.8	14
141	Recombinant human hepatocyte growth factor for liver failure. <i>Contemporary Clinical Trials</i> , <b>2008</b> , 29, 696-704	2.3	14
140	Ratio of Conjugated Chenodeoxycholic to Muricholic Acids is Associated with Severity of Nonalcoholic Steatohepatitis. <i>Obesity</i> , <b>2019</b> , 27, 2055-2066	8	13
139	Individualized risk prediction of significant fibrosis in non-alcoholic fatty liver disease using a novel nomogram. <i>United European Gastroenterology Journal</i> , <b>2019</b> , 7, 1124-1134	5.3	13
138	Classification and regression tree analysis of acute-on-chronic hepatitis B liver failure: Seeing the forest for the trees. <i>Journal of Viral Hepatitis</i> , <b>2017</b> , 24, 132-140	3.4	13
137	The quality of randomized controlled trials on DanShen in the treatment of ischemic vascular disease. <i>Journal of Alternative and Complementary Medicine</i> , <b>2009</b> , 15, 557-65	2.4	13
136	C-reactive protein-to-albumin ratio is a predictor of hepatitis B virus related decompensated cirrhosis: time-dependent receiver operating characteristics and decision curve analysis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, 472-480	2.2	12



135	Subclinical Acute Kidney Injury in COVID-19 Patients: A Retrospective Cohort Study. <i>Nephron</i> , <b>2020</b> , 144, 347-350	3.3	12
134	Toll-like receptors in hepatocellular carcinoma: potential novel targets for pharmacological intervention. <i>Expert Opinion on Therapeutic Targets</i> , <b>2016</b> , 20, 1127-35	6.4	12
133	Scoring systems predict the prognosis of acute-on-chronic hepatitis B liver failure: an evidence-based review. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2014</b> , 8, 623-32	4.2	12
132	Risk stratification of spontaneous bacterial peritonitis in cirrhosis with ascites based on classification and regression tree analysis. <i>Molecular Biology Reports</i> , <b>2012</b> , 39, 6161-9	2.8	12
131	Conditional survival estimate of acute-on-chronic hepatitis B liver failure: a dynamic prediction based on a multicenter cohort. <i>Oncotarget</i> , <b>2015</b> , 6, 23261-71	3.3	12
130	Serum lactate level accurately predicts mortality in critically ill patients with cirrhosis with acute kidney injury. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2018</b> , 30, 1361-1367	2.2	12
129	Combined and sequential non-invasive approach to diagnosing non-alcoholic steatohepatitis in patients with non-alcoholic fatty liver disease and persistently normal alanine aminotransferase levels. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	11
128	Hepatic resection for elderly patients with hepatocellular carcinoma: a systematic review of more than 17,000 patients. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2018</b> , 12, 1059-1068	4.2	11
127	Impact of platelet to lymphocyte ratio and metabolic syndrome on the prognosis of colorectal cancer patients. <i>OncoTargets and Therapy</i> , <b>2017</b> , 10, 2199-2208	4.4	11
126	Mixed microencapsulation of rat primary hepatocytes and Sertoli cells improves the metabolic function in a D-galactosamine and lipopolysaccharide-induced rat model of acute liver failure. <i>Cytotherapy</i> , <b>2009</b> , 11, 326-9	4.8	11
125	Effects of vasoactive intestinal peptide on phenotypic and functional maturation of dendritic cells. <i>International Immunopharmacology</i> , <b>2008</b> , 8, 1449-54	5.8	11
124	Comparative efficacy of oral nucleotide analogues for the prophylaxis of hepatitis B virus recurrence after liver transplantation: a network meta-analysis. <i>Expert Review of Anti-Infective Therapy</i> , <b>2016</b> , 14, 979-87	5.5	11
123	Immunosuppressive Agents for the Treatment of Primary Sclerosing Cholangitis: A Systematic Review and Meta-Analysis. <i>Digestive Diseases</i> , <b>2017</b> , 35, 478-485	3.2	10
122	Association between oxytocin and receptor genetic polymorphisms and aggression in a northern Chinese Han population with alcohol dependence. <i>Neuroscience Letters</i> , <b>2017</b> , 636, 140-144	3.3	10
121	Cerebral hemorrhage due to tuberculosis meningitis: a rare case report and literature review. <i>Oncotarget</i> , <b>2015</b> , 6, 45005-9	3.3	10
120	Establishment and Validation of SSCLIP Scoring System to Estimate Survival in Hepatocellular Carcinoma Patients Who Received Curative Liver Resection. <i>PLoS ONE</i> , <b>2015</b> , 10, e0129000	3.7	10
119	Liver tissue engineering: promises and prospects of new technology. <i>Cytotherapy</i> , <b>2010</b> , 12, 349-60	4.8	10
118	Fever of unknown origin in elderly people: a retrospective study of 87 patients in China. <i>Journal of the American Geriatrics Society</i> , <b>2008</b> , 56, 182-4	5.6	10

117	Hepatitis B virus X protein disrupts DNA interstrand crosslinking agent mitomycin C induced ATR dependent intra-S-phase checkpoint. <i>European Journal of Cancer</i> , <b>2008</b> , 44, 1596-602	7.5	10
116	Optimal drug regimens for primary biliary cirrhosis: a systematic review and network meta-analysis. <i>Oncotarget</i> , <b>2015</b> , 6, 24533-49	3.3	10
115	Radiomics-based model for accurately distinguishing between severe acute respiratory syndrome associated coronavirus 2 (SARS-CoV-2) and influenza A infected pneumonia. <i>MedComm</i> , <b>2020</b> , 1, 240	2.2	10
114	Association and Interaction Between Serum Interleukin-6 Levels and Metabolic Dysfunction-Associated Fatty Liver Disease in Patients With Severe Coronavirus Disease 2019. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 604100	5.7	10
113	Higher liver stiffness scores are associated with early kidney dysfunction in patients with histologically proven non-cirrhotic NAFLD. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 288-295	5.4	9
112	Data sharing during COVID-19 pandemic: what to take away. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2020</b> , 14, 1125-1130	4.2	9
111	A Global Survey of Physicians Knowledge About Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> ,	6.9	9
110	Emerging Role of Interleukin 22 in Hepatitis B Virus Infection: a Double-edged Sword. <i>Journal of Clinical and Translational Hepatology</i> , <b>2013</b> , 1, 103-8	5.2	9
109	Serum alkaline phosphatase, a risk factor for non-alcoholic fatty liver, but only for women in their 30s and 40s: evidence from a large cohort study. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2017</b> , 11, 269-276	4.2	8
108	Systematic review with network meta-analysis: adjuvant chemotherapy for resected colorectal liver metastases. <i>Medicine (United States)</i> , <b>2015</b> , 94, e379	1.8	8
107	Autophagy in ethanol-exposed liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2015</b> , 9, 1031-7	4.2	8
106	Association between NAFLD and risk of prevalent chronic kidney disease: why there is a difference between east and west?. <i>BMC Gastroenterology</i> , <b>2020</b> , 20, 139	3	8
105	Haptoglobin Genotype and Vitamin E Versus Placebo for the Treatment of Nondiabetic Patients with Nonalcoholic Steatohepatitis in China: A Multicenter, Randomized, Placebo-Controlled Trial Design. <i>Advances in Therapy</i> , <b>2018</b> , 35, 218-231	4.1	8
104	Comparative efficacy of vasoconstrictor therapies for type 1 hepatorenal syndrome: a network meta-analysis. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2017</b> , 11, 1009-1018	4.2	8
103	Searching additional databases except PubMed are necessary for a systematic review. <i>Stroke</i> , <b>2008</b> , 39, e139; author reply e140	6.7	8
102	Abnormal liver enzymes in children and infants with COVID-19: A narrative review of case-series studies. <i>Pediatric Obesity</i> , <b>2020</b> , 15, e12723	4.6	8
101	Establishment and Validation of GV-SAPS II Scoring System for Non-Diabetic Critically Ill Patients. <i>PLoS ONE</i> , <b>2016</b> , 11, e0166085	3.7	8
100	Development and Validation of a Radiomic-Based Model for Prediction of Intrahepatic Cholangiocarcinoma in Patients With Intrahepatic Lithiasis Complicated by Imagingologically Diagnosed Mass. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 598253	5.3	8

99	Quick chronic liver failure-sequential organ failure assessment: an easy-to-use scoring model for predicting mortality risk in critically ill cirrhosis patients. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, 698-705	2.2	7
98	AKI-CLIF-SOFA: a novel prognostic score for critically ill cirrhotic patients with acute kidney injury. <i>Aging</i> , <b>2017</b> , 9, 286-296	5.6	7
97	Artificial neural network accurately predicts hepatitis B surface antigen seroclearance. <i>PLoS ONE</i> , <b>2014</b> , 9, e99422	3.7	7
96	National incidence of autoimmune liver diseases and its relationship with the human development index. <i>Oncotarget</i> , <b>2016</b> , 7, 46273-46282	3.3	7
95	ACE2: A Linkage for the Interplay Between COVID-19 and Decompensated Cirrhosis. <i>American Journal of Gastroenterology</i> , <b>2020</b> , 115, 1544	0.7	7
94	The global NAFLD policy review and preparedness index: Are countries ready to address this silent public health challenge?. <i>Journal of Hepatology</i> , <b>2021</b> ,	13.4	7
93	New advances in liver decellularization and recellularization: innovative and critical technologies. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2015</b> , 9, 1183-91	4.2	6
92	Successful Treatment of Scrub Typhus-Associated Hemophagocytic Lymphohistiocytosis With Chloramphenicol: Report of 3 Pediatric Cases and Literature Review. <i>Medicine (United States)</i> , <b>2016</b> , 95, e2928	1.8	6
91	Disparate profiles of dys-regulated miRNAs in activated hepatic stellate cells. <i>Hepatology</i> , <b>2013</b> , 57, 1285-62	5.6	6
90	Development of a prognostic nomogram for cirrhotic patients with upper gastrointestinal bleeding. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, 1166-1173	2.2	6
89	Effectiveness and tolerability of NSAIDs in the prophylaxis of pancreatitis after endoscopic retrograde cholangiopancreatography: A systematic review and meta-analysis. <i>Current Therapeutic Research</i> , <b>2009</b> , 70, 323-34	2.4	6
88	Gabexate mesylate in the prevention of post-endoscopic retrograde cholangiopancreatography pancreatitis: A systematic review and meta-analysis update. <i>Current Therapeutic Research</i> , <b>2008</b> , 69, 288-304	3.4	6
87	Serum lipocalin-2 is a potential biomarker for the clinical diagnosis of nonalcoholic steatohepatitis. <i>Clinical and Molecular Hepatology</i> , <b>2021</b> , 27, 329-345	6.9	6
86	The S100 calcium-binding protein A11 promotes hepatic steatosis through RAGE-mediated AKT-mTOR signaling. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 117, 154725	12.7	6
85	Screening for compensated advanced chronic liver disease using refined Baveno VI elastography cutoffs in Asian patients with nonalcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 54, 470-480	6.1	6
84	NAFL screening score: A basic score identifying ultrasound-diagnosed non-alcoholic fatty liver. <i>Clinica Chimica Acta</i> , <b>2017</b> , 475, 44-50	6.2	5
83	Lower levels of plasma NT-proBNP are associated with higher prevalence of NASH in patients with biopsy-proven NAFLD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2020</b> , 30, 1820-1825	4.5	5
82	Thrombin generation and platelet activation in cytoreductive surgery combined with hyperthermic intraperitoneal chemotherapy - A prospective cohort study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193657	3.7	5

81	Elevation of plateletcrit increasing the risk of non-alcoholic fatty liver disease development in female adults: A large population-based study. <i>Clinica Chimica Acta</i> , <b>2017</b> , 474, 28-33	6.2	5
80	Association of metabolic dysfunction-associated fatty liver disease with kidney disease.. <i>Nature Reviews Nephrology</i> , <b>2022</b> ,	14.9	5
79	Perioperative entecavir for patients with HBV-related hepatocellular carcinoma and low levels of viral DNA: analysis using propensity score matching. <i>Oncotarget</i> , <b>2017</b> , 8, 51810-51816	3.3	5
78	Parabolic relationship between sex-specific serum high sensitive C reactive protein and non-alcoholic fatty liver disease in Chinese adults: a large population-based study. <i>Oncotarget</i> , <b>2016</b> , 7, 14241-50	3.3	5
77	Sparcl1 promotes nonalcoholic steatohepatitis progression in mice through upregulation of CCL2. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	5
76	Homeostatic model assessment of insulin resistance closely related to lobular inflammation in nonalcoholic fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2020</b> , 32, 80-86	2.2	5
75	polymorphism influences the association between sarcopenia and liver fibrosis in adults with biopsy-proven non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , <b>2021</b> , 126, 813-824	3.6	5
74	MetS Risk Score: A Clear Scoring Model to Predict a 3-Year Risk for Metabolic Syndrome. <i>Hormone and Metabolic Research</i> , <b>2018</b> , 50, 683-689	3.1	5
73	Development and validation of a novel non-invasive test for diagnosing fibrotic non-alcoholic steatohepatitis in patients with biopsy-proven non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2020</b> , 35, 1804-1812	4	4
72	Non-alcoholic fatty liver disease and risk of in-stent restenosis after bare metal stenting in native coronary arteries. <i>Molecular Biology Reports</i> , <b>2014</b> , 41, 4713-20	2.8	4
71	Fever of unknown origin in the elderly: nine years experience in China. <i>Tropical Doctor</i> , <b>2008</b> , 38, 221-2	0.9	4
70	Metabolic Acidosis in Critically Ill Cirrhotic Patients with Acute Kidney Injury. <i>Journal of Clinical and Translational Hepatology</i> , <b>2019</b> , 7, 112-121	5.2	4
69	Non-invasive fibrosis assessment in non-alcoholic fatty liver disease. <i>Chinese Medical Journal</i> , <b>2020</b> , 133, 2743-2745	2.9	4
68	Machine learning algorithm outperforms fibrosis markers in predicting significant fibrosis in biopsy-confirmed NAFLD. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2021</b> , 28, 593-603	2.8	4
67	Sex influences the association between appendicular skeletal muscle mass to visceral fat area ratio and non-alcoholic steatohepatitis in patients with biopsy-proven non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , <b>2021</b> , 1-8	3.6	4
66	Nasal NK/T cell lymphoma presents with long-term nasal blockage and fever: a rare case report and literature review. <i>Oncotarget</i> , <b>2016</b> , 7, 9613-7	3.3	4
65	Association between non-alcoholic fatty liver disease and myocardial glucose uptake measured by F-fluorodeoxyglucose positron emission tomography. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 1679-1688	2.1	4
64	Skin lesion in a critically ill man. <i>BMJ, The</i> , <b>2015</b> , 351, h4570	5.9	3

63	PNPLA3 polymorphism influences the association between high-normal TSH level and NASH in euthyroid adults with biopsy-proven NAFLD. <i>Diabetes and Metabolism</i> , <b>2020</b> , 46, 496-503	5.4	3
62	Stratified alpha-fetoprotein pattern accurately predicts mortality in patients with acute-on-chronic hepatitis B liver failure. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2018</b> , 12, 295-302	4.2	3
61	Factors associated with efficacy of pegylated interferon- $\beta$ plus ribavirin for chronic hepatitis C after renal transplantation. <i>Gene</i> , <b>2014</b> , 544, 101-6	3.8	3
60	Remodeling the model for end-stage liver disease for predicting mortality risk in critically ill patients with cirrhosis and acute kidney injury. <i>Hepatology Communications</i> , <b>2017</b> , 1, 748-756	6	3
59	Recent advances in re-engineered liver: de-cellularization and re-cellularization techniques. <i>Cytotherapy</i> , <b>2015</b> , 17, 1015-24	4.8	3
58	Methodological quality assessment for traditional Chinese medicine: CONSORT is better. <i>Hepatology</i> , <b>2011</b> , 53, 2148-9	11.2	3
57	Stratified Platelet-to-lymphocyte Ratio: A Novel Target for Prognostic Prediction of Hepatocellular Carcinoma after Curative Liver Resection. <i>Journal of Clinical and Translational Hepatology</i> , <b>2017</b> , 5, 35-42	5.2	3
56	Metabolic-associated fatty liver disease and major adverse cardiac events in patients with chronic coronary syndrome: a matched case-control study. <i>Hepatology International</i> , <b>2021</b> , 15, 1337-1346	8.8	3
55	Optimal thresholds for ultrasound attenuation parameter in the evaluation of hepatic steatosis severity: evidence from a cohort of patients with biopsy-proven fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2021</b> , 33, 430-435	2.2	3
54	A simpler diagnostic formula for screening nonalcoholic fatty liver disease. <i>Clinical Biochemistry</i> , <b>2019</b> , 64, 18-23	3.5	3
53	Non-invasive diagnosis of non-alcoholic steatohepatitis and liver fibrosis. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2021</b> , 6, 9-10	18.8	3
52	The NAFL Risk Score: A simple scoring model to predict 4-y risk for non-alcoholic fatty liver. <i>Clinica Chimica Acta</i> , <b>2017</b> , 468, 17-24	6.2	2
51	Acute circulatory failure-chronic liver failure-sequential organ failure assessment score: a novel scoring model for mortality risk prediction in critically ill cirrhotic patients with acute circulatory failure. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2017</b> , 29, 464-471	2.2	2
50	Scoring model to predict outcome in critically ill cirrhotic patients with acute respiratory failure: comparison with MELD scoring models and CLIF-SOFA score. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2017</b> , 11, 857-864	4.2	2
49	Normalization methods in time series of platelet function assays: A SQUIRE compliant study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e4188	1.8	2
48	Long-term pegylated interferon- $\alpha$ 2a treatment for chronic hepatitis C in an elderly renal transplant recipient: case report and literature review. <i>Medicine (United States)</i> , <b>2015</b> , 94, e390	1.8	2
47	Combined AFP-CRUT with microvascular invasion accurately predicts mortality risk in patients with hepatocellular carcinoma following curative liver resection. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2015</b> , 9, 1127-38	4.2	2
46	Meta-analysis using individual participant data is the gold standard for diagnostic studies. <i>Hepatology</i> , <b>2011</b> , 53, 1062; author reply 1062-3	11.2	2



45	More statistical analysis is needed for the meta-analysis of genetic association studies. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2009</b> , 29, 143-4; author reply 144	6.1	2
44	J-shaped relationship between serum zinc levels and the severity of hepatic necro-inflammation in patients with MAFLD.. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2022</b> ,	4.5	2
43	Is an elevated hemoglobin concentration a novel risk factor for metabolic syndrome in the Chinese population? a large-scale study. <i>Oncotarget</i> , <b>2016</b> ,	3.3	2
42	Non-alcoholic steatohepatitis and risk of hepatocellular carcinoma. <i>Chinese Medical Journal</i> , <b>2021</b> ,	2.9	2
41	Metabolic Dysfunction-associated Fatty Liver Disease is Associated with Greater Impairment of Lung Function than Nonalcoholic Fatty Liver Disease.. <i>Journal of Clinical and Translational Hepatology</i> , <b>2022</b> , 10, 230-237	5.2	2
40	Non-obese non-alcoholic fatty liver disease (NAFLD) in Asia: an international registry study. <i>Metabolism: Clinical and Experimental</i> , <b>2022</b> , 126, 154911	12.7	2
39	COVID-19 Cross-Infection and Pressured Ulceration Among Healthcare Workers: Are We Really Protected by Respirators?. <i>Frontiers in Medicine</i> , <b>2020</b> , 7, 571493	4.9	2
38	Validation of Baveno VI and expanded Baveno VI criteria to identify high-risk varices in patients with MAFLD-related compensated cirrhosis. <i>Journal of Hepatology</i> , <b>2020</b> , 73, 1571-1573	13.4	2
37	The HSD17B13 rs72613567 variant is associated with lower levels of albuminuria in patients with biopsy-proven nonalcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 1822-1831	4.5	2
36	Association between positivity of serum autoantibodies and liver disease severity in patients with biopsy-proven NAFLD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2021</b> , 31, 552-560	4.5	2
35	acNASH index to diagnose nonalcoholic steatohepatitis: a prospective derivation and global validation study. <i>EClinicalMedicine</i> , <b>2021</b> , 41, 101145	11.3	2
34	Three dimensional reconstruction of a CT angiogram of the left upper arm vessels. <i>BMJ, The</i> , <b>2014</b> , 348, g3949	5.9	1
33	Radiomics based on fluoro-deoxyglucose positron emission tomography predicts liver fibrosis in biopsy-proven MAFLD: a pilot study. <i>International Journal of Medical Sciences</i> , <b>2021</b> , 18, 3624-3630	3.7	1
32	One not like the other: The weakness of the blood sugar-MAFLD analogy. <i>Journal of Hepatology</i> , <b>2021</b> ,	13.4	1
31	Telomerase: a key player in the pathogenesis of non-alcoholic fatty liver disease?. <i>Expert Review of Gastroenterology and Hepatology</i> , <b>2021</b> , 15, 811-819	4.2	1
30	TA allele of rs2070673 in the CYP2E1 gene is associated with lobular inflammation and nonalcoholic steatohepatitis in patients with biopsy-proven nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2021</b> , 36, 2925-2934	4	1
29	Spirolactone Improves the All-Cause Mortality and Re-Hospitalization Rates in Acute Myocardial Infarction with Chronic Kidney Disease Patients. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 632978	5.6	1
28	Associations of Hydroxysteroid 17-beta Dehydrogenase 13 Variants with Liver Histology in Chinese Patients with Metabolic-associated Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , <b>2021</b> , 9, 194-202	5.2	1



27	Fecal Fungi Dysbiosis in Nonalcoholic Fatty Liver Disease. <i>Obesity</i> , <b>2021</b> , 29, 350-358	8	1
26	Leukemia inhibitory factor protects against liver steatosis in non-alcoholic fatty liver disease patients and obese mice.. <i>Journal of Biological Chemistry</i> , <b>2022</b> , 101946	5.4	1
25	Non-alcoholic Fatty Liver Disease: Current Global Burden. <i>Seminars in Liver Disease</i> ,	7.3	1
24	Among simple non-invasive scores, Pro-C3 and ADAPT best exclude advanced fibrosis in Asian patients with MAFLD.. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 128, 154958	12.7	0
23	Individualized Polygenic Risk Score Identifies NASH in the Eastern Asia Region: A Derivation and Validation Study. <i>Clinical and Translational Gastroenterology</i> , <b>2021</b> , 12, e00321	4.2	0
22	LC-MS-based lipidomic analysis in distinguishing patients with nonalcoholic steatohepatitis from nonalcoholic fatty liver. <i>Hepatobiliary and Pancreatic Diseases International</i> , <b>2021</b> , 20, 452-459	2.1	0
21	External Validation of the Nonalcoholic Steatohepatitis Scoring System in Patients With Biopsy-Proven Nonalcoholic Fatty Liver Disease in China. <i>Clinical Gastroenterology and Hepatology</i> , <b>2021</b> , 19, 412-413	6.9	0
20	A novel radiomics signature based on T2-weighted imaging accurately predicts hepatic inflammation in individuals with biopsy-proven nonalcoholic fatty liver disease: a derivation and independent validation study.. <i>Hepatobiliary Surgery and Nutrition</i> , <b>2022</b> , 11, 212-226	2.1	0
19	Interaction of , and Increases Susceptibility to Nonalcoholic Steatohepatitis.. <i>Journal of Clinical and Translational Hepatology</i> , <b>2022</b> , 10, 219-229	5.2	0
18	Potential Blood DNA Methylation Biomarker Genes for Diagnosis of Liver Fibrosis in Patients With Biopsy-Proven Non-alcoholic Fatty Liver Disease.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 864570	4.9	0
17	Lifestyle Interventions for Non-Obese Patients Both with, and at Risk, of Non-Alcoholic Fatty Liver Disease. <i>Diabetes and Metabolism Journal</i> , <b>2022</b> , 46, 391-401	5	0
16	Abnormality in a fetus on ultrasound. <i>BMJ, The</i> , <b>2017</b> , 356, j688	5.9	
15	A painful wrist after a fall. <i>BMJ, The</i> , <b>2017</b> , 357, j1642	5.9	
14	Prognostic value of hematocrit levels among critically ill patients with acute kidney injury. <i>European Journal of Inflammation</i> , <b>2019</b> , 17, 205873921984682	0.3	
13	A girl with an abnormal gait. <i>BMJ, The</i> , <b>2016</b> , 355, i5216	5.9	
12	Axial T2 weighted magnetic resonance imaging of the male pelvis. <i>BMJ, The</i> , <b>2014</b> , 349, g4910	5.9	
11	Aquaporin, a kind of membrane channel protein, maybe a new promising therapeutic target for non-alcoholic fatty liver disease. <i>Bioscience Hypotheses</i> , <b>2009</b> , 2, 111-112		
10	Test for hepatitis B virus infection with radical immunoassay and real-time PCR: which method is the gold standard?. <i>Journal of Hepatology</i> , <b>2009</b> , 50, 211-2; author reply 213	13.4	

9	Re: Recombinant human hepatocyte growth factor for liver failure. <i>Contemporary Clinical Trials</i> , <b>2008</b> , 29, 919	2.3
8	PNPLA3 rs738409 C>G Variant Influences the Association Between Visceral Fat and Significant Fibrosis in Biopsy-proven Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , <b>2021</b> , 000, 000-000	5.2
7	A Novel Use of Model for End-Stage Liver Disease (MELD) Score in Guiding Therapeutic Antibiotics Choice for Critically Ill Cirrhotic Patients. <i>Medical Science Monitor</i> , <b>2019</b> , 25, 5005-5014	3.2
6	A boy with a sac-like protrusion at the occipital region. <i>BMJ, The</i> , <b>2016</b> , 353, i2073	5.9
5	A girl with left wrist deformity. <i>BMJ, The</i> , <b>2016</b> , 355, i4925	5.9
4	A neonate with dyspnoea. <i>BMJ, The</i> , <b>2016</b> , 353, i2361	5.9
3	A young man with recurrent limb shaking. <i>BMJ, The</i> , <b>2016</b> , 354, i4502	5.9
2	Letter: Hepatitis B and MAFLD - a consilience of risk factors for hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , <b>2021</b> , 54, 736-737	6.1
1	Histological Characteristics of Non-alcoholic Steatohepatitis in NAFLD Patients With Low Degree of Hepatocyte Apoptosis. <i>Turkish Journal of Gastroenterology</i> , <b>2021</b> , 32, 758-764	1