

Ming-Hua Zheng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9567375/ming-hua-zheng-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260
papers

6,892
citations

42
h-index

73
g-index

311
ext. papers

10,124
ext. citations

5
avg. IF

6.33
L-index

#	Paper	IF	Citations
260	Association of metabolic dysfunction-associated fatty liver disease with kidney disease.. <i>Nature Reviews Nephrology</i> , 2022 ,	14.9	5
259	J-shaped relationship between serum zinc levels and the severity of hepatic necro-inflammation in patients with MAFLD.. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022 ,	4.5	2
258	Metabolic Dysfunction-associated Fatty Liver Disease is Associated with Greater Impairment of Lung Function than Nonalcoholic Fatty Liver Disease.. <i>Journal of Clinical and Translational Hepatology</i> , 2022 , 10, 230-237	5.2	2
257	Non-obese non-alcoholic fatty liver disease (NAFLD) in Asia: an international registry study. <i>Metabolism: Clinical and Experimental</i> , 2022 , 126, 154911	12.7	2
256	A novel radiomics signature based on T2-weighted imaging accurately predicts hepatic inflammation in individuals with biopsy-proven nonalcoholic fatty liver disease: a derivation and independent validation study.. <i>Hepatobiliary Surgery and Nutrition</i> , 2022 , 11, 212-226	2.1	0
255	Interaction of , and Increases Susceptibility to Nonalcoholic Steatohepatitis.. <i>Journal of Clinical and Translational Hepatology</i> , 2022 , 10, 219-229	5.2	0
254	Potential Blood DNA Methylation Biomarker Genes for Diagnosis of Liver Fibrosis in Patients With Biopsy-Proven Non-alcoholic Fatty Liver Disease.. <i>Frontiers in Medicine</i> , 2022 , 9, 864570	4.9	0
253	Global multi-stakeholder endorsement of the MAFLD definition.. <i>The Lancet Gastroenterology and Hepatology</i> , 2022 ,	18.8	18
252	Leukemia inhibitory factor protects against liver steatosis in non-alcoholic fatty liver disease patients and obese mice.. <i>Journal of Biological Chemistry</i> , 2022 , 101946	5.4	1
251	Lifestyle Interventions for Non-Obese Patients Both with, and at Risk, of Non-Alcoholic Fatty Liver Disease. <i>Diabetes and Metabolism Journal</i> , 2022 , 46, 391-401	5	0
250	Clinical course and risk factors for mortality of COVID-19 patients with pre-existing cirrhosis: a multicentre cohort study. <i>Gut</i> , 2021 , 70, 433-436	19.2	49
249	Non-alcoholic steatohepatitis and risk of hepatocellular carcinoma. <i>Chinese Medical Journal</i> , 2021 ,	2.9	2
248	Among simple non-invasive scores, Pro-C3 and ADAPT best exclude advanced fibrosis in Asian patients with MAFLD.. <i>Metabolism: Clinical and Experimental</i> , 2021 , 128, 154958	12.7	0
247	Radiomics based on fluoro-deoxyglucose positron emission tomography predicts liver fibrosis in biopsy-proven MAFLD: a pilot study. <i>International Journal of Medical Sciences</i> , 2021 , 18, 3624-3630	3.7	1
246	Sparcl1 promotes nonalcoholic steatohepatitis progression in mice through upregulation of CCL2. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	5
245	One not like the other: The weakness of the blood sugar-MAFLD analogy. <i>Journal of Hepatology</i> , 2021 ,	13.4	1
244	PNPLA3 rs738409 C>G Variant Influences the Association Between Visceral Fat and Significant Fibrosis in Biopsy-proven Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , 2021 , 000, 000-000	5.2	

243	Metabolic-associated fatty liver disease and major adverse cardiac events in patients with chronic coronary syndrome: a matched case-control study. <i>Hepatology International</i> , 2021 , 15, 1337-1346	8.8	3
242	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 ,	24.2	37
241	Optimal thresholds for ultrasound attenuation parameter in the evaluation of hepatic steatosis severity: evidence from a cohort of patients with biopsy-proven fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 33, 430-435	2.2	3
240	polymorphism influences the association between sarcopenia and liver fibrosis in adults with biopsy-proven non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , 2021 , 126, 813-824	3.6	5
239	Activating Adenosine Monophosphate-Activated Protein Kinase Mediates Fibroblast Growth Factor 1 Protection From Nonalcoholic Fatty Liver Disease in Mice. <i>Hepatology</i> , 2021 , 73, 2206-2222	11.2	16
238	Association and Interaction Between Serum Interleukin-6 Levels and Metabolic Dysfunction-Associated Fatty Liver Disease in Patients With Severe Coronavirus Disease 2019. <i>Frontiers in Endocrinology</i> , 2021 , 12, 604100	5.7	10
237	Telomerase: a key player in the pathogenesis of non-alcoholic fatty liver disease?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021 , 15, 811-819	4.2	1
236	Individualized Polygenic Risk Score Identifies NASH in the Eastern Asia Region: A Derivation and Validation Study. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00321	4.2	0
235	Serum lipocalin-2 is a potential biomarker for the clinical diagnosis of nonalcoholic steatohepatitis. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 329-345	6.9	6
234	The S100 calcium-binding protein A11 promotes hepatic steatosis through RAGE-mediated AKT-mTOR signaling. <i>Metabolism: Clinical and Experimental</i> , 2021 , 117, 154725	12.7	6
233	Clinical utility of the MAFLD definition. <i>Journal of Hepatology</i> , 2021 , 74, 989-991	13.4	17
232	TA allele of rs2070673 in the CYP2E1 gene is associated with lobular inflammation and nonalcoholic steatohepatitis in patients with biopsy-proven nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2925-2934	4	1
231	Machine learning algorithm outperforms fibrosis markers in predicting significant fibrosis in biopsy-confirmed NAFLD. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 , 28, 593-603	2.8	4
230	Spirolactone Improves the All-Cause Mortality and Re-Hospitalization Rates in Acute Myocardial Infarction with Chronic Kidney Disease Patients. <i>Frontiers in Pharmacology</i> , 2021 , 12, 632978	5.6	1
229	LC-MS-based lipidomic analysis in distinguishing patients with nonalcoholic steatohepatitis from nonalcoholic fatty liver. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2021 , 20, 452-459	2.1	0
228	Sex influences the association between appendicular skeletal muscle mass to visceral fat area ratio and non-alcoholic steatohepatitis in patients with biopsy-proven non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , 2021 , 1-8	3.6	4
227	Screening for compensated advanced chronic liver disease using refined Baveno VI elastography cutoffs in Asian patients with nonalcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 470-480	6.1	6
226	The HSD17B13 rs72613567 variant is associated with lower levels of albuminuria in patients with biopsy-proven nonalcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1822-1831	4.5	2

225	A Global Survey of Physicians Knowledge About Nonalcoholic Fatty Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	9
224	N-Methyladenosine Reader Protein YT521-B Homology Domain-Containing 2 Suppresses Liver Steatosis by Regulation of mRNA Stability of Lipogenic Genes. <i>Hepatology</i> , 2021 , 73, 91-103	11.2	40
223	Metabolic associated fatty liver disease increases coronavirus disease 2019 disease severity in nondiabetic patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 204-207	4	53
222	Extrapulmonary complications of COVID-19: A multisystem disease?. <i>Journal of Medical Virology</i> , 2021 , 93, 323-335	19.7	63
221	Outcomes following SARS-CoV-2 infection in patients with chronic liver disease: An international registry study. <i>Journal of Hepatology</i> , 2021 , 74, 567-577	13.4	151
220	Association between positivity of serum autoantibodies and liver disease severity in patients with biopsy-proven NAFLD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 552-560	4.5	2
219	MAFLD and risk of CKD. <i>Metabolism: Clinical and Experimental</i> , 2021 , 115, 154433	12.7	55
218	External Validation of the Nonalcoholic Steatohepatitis Scoring System in Patients With Biopsy-Proven Nonalcoholic Fatty Liver Disease in China. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 412-413	6.9	0
217	Myeloid-Cell-Specific IL-6 Signaling Promotes MicroRNA-223-Enriched Exosome Production to Attenuate NAFLD-Associated Fibrosis. <i>Hepatology</i> , 2021 , 74, 116-132	11.2	30
216	Non-invasive diagnosis of non-alcoholic steatohepatitis and liver fibrosis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021 , 6, 9-10	18.8	3
215	Associations of Hydroxysteroid 17-beta Dehydrogenase 13 Variants with Liver Histology in Chinese Patients with Metabolic-associated Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , 2021 , 9, 194-202	5.2	1
214	Severe Acute Respiratory Syndrome Coronavirus-2 Infection in Children With Liver Transplant and Native Liver Disease: An International Observational Registry Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021 , 72, 807-814	2.8	18
213	Safety and immunogenicity of COVID-19 vaccination in patients with non-alcoholic fatty liver disease (CHESS2101): A multicenter study. <i>Journal of Hepatology</i> , 2021 , 75, 439-441	13.4	22
212	Letter: Hepatitis B and MAFLD - a consilience of risk factors for hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 736-737	6.1	
211	Histological Characteristics of Non-alcoholic Steatohepatitis in NAFLD Patients With Low Degree of Hepatocyte Apoptosis. <i>Turkish Journal of Gastroenterology</i> , 2021 , 32, 758-764	1	
210	acNASH index to diagnose nonalcoholic steatohepatitis: a prospective derivation and global validation study. <i>EClinicalMedicine</i> , 2021 , 41, 101145	11.3	2
209	Fecal Fungi Dysbiosis in Nonalcoholic Fatty Liver Disease. <i>Obesity</i> , 2021 , 29, 350-358	8	1
208	The global NAFLD policy review and preparedness index: Are countries ready to address this silent public health challenge?. <i>Journal of Hepatology</i> , 2021 ,	13.4	7

207	Younger patients with MAFLD are at increased risk of severe COVID-19 illness: A multicenter preliminary analysis. <i>Journal of Hepatology</i> , 2020 , 73, 719-721	13.4	68
206	Risk of severe illness from COVID-19 in patients with metabolic dysfunction-associated fatty liver disease and increased fibrosis scores. <i>Gut</i> , 2020 , 69, 1545-1547	19.2	93
205	Association between NAFLD and risk of prevalent chronic kidney disease: why there is a difference between east and west?. <i>BMC Gastroenterology</i> , 2020 , 20, 139	3	8
204	Patients with diabetes are at higher risk for severe illness from COVID-19. <i>Diabetes and Metabolism</i> , 2020 , 46, 335-337	5.4	84
203	Obesity Is a Risk Factor for Greater COVID-19 Severity. <i>Diabetes Care</i> , 2020 , 43, e72-e74	14.6	199
202	Subclinical Acute Kidney Injury in COVID-19 Patients: A Retrospective Cohort Study. <i>Nephron</i> , 2020 , 144, 347-350	3.3	12
201	COVID-19 and liver transplantation: Lessons learned from three reported cases. <i>Transplant Infectious Disease</i> , 2020 , 22, e13335	2.7	15
200	Diabetes as a risk factor for greater COVID-19 severity and in-hospital death: A meta-analysis of observational studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1236-1248	4.5	126
199	Detrimental effects of metabolic dysfunction-associated fatty liver disease and increased neutrophil-to-lymphocyte ratio on severity of COVID-19. <i>Diabetes and Metabolism</i> , 2020 , 46, 505-507	5.4	19
198	COVID-19 in a patient with chronic lymphocytic leukaemia. <i>Lancet Haematology</i> , 2020 , 7, e351-e352	14.6	54
197	Global epidemiology of lean non-alcoholic fatty liver disease: A systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 2041-2050	4	24
196	Metabolic-associated fatty liver disease is associated with severity of COVID-19. <i>Liver International</i> , 2020 , 40, 2160-2163	7.9	47
195	Lower levels of plasma NT-proBNP are associated with higher prevalence of NASH in patients with biopsy-proven NAFLD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1820-1825	4.5	5
194	Pre-existing liver disease is associated with poor outcome in patients with SARS CoV2 infection; The APCOLIS Study (APASL COVID-19 Liver Injury Spectrum Study). <i>Hepatology International</i> , 2020 , 14, 690-700	8.8	108
193	PNPLA3 polymorphism influences the association between high-normal TSH level and NASH in euthyroid adults with biopsy-proven NAFLD. <i>Diabetes and Metabolism</i> , 2020 , 46, 496-503	5.4	3
192	FibroScan-AST (FAST) score for the non-invasive identification of patients with non-alcoholic steatohepatitis with significant activity and fibrosis: a prospective derivation and global validation study. <i>The Lancet Gastroenterology and Hepatology</i> , 2020 , 5, 362-373	18.8	151
191	Fatal outcome in a liver transplant recipient with COVID-19. <i>American Journal of Transplantation</i> , 2020 , 20, 1907-1910	8.7	64
190	A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. <i>Journal of Hepatology</i> , 2020 , 73, 202-209	13.4	764

189	Development and validation of a novel non-invasive test for diagnosing fibrotic non-alcoholic steatohepatitis in patients with biopsy-proven non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1804-1812	4	4
188	Combined and sequential non-invasive approach to diagnosing non-alcoholic steatohepatitis in patients with non-alcoholic fatty liver disease and persistently normal alanine aminotransferase levels. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	11
187	Letter to the Editor: Obesity as a risk factor for greater severity of COVID-19 in patients with metabolic associated fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2020 , 108, 154244	12.7	205
186	Letter to the Editor: Obesity hypoventilation syndrome and severe COVID-19. <i>Metabolism: Clinical and Experimental</i> , 2020 , 108, 154249	12.7	20
185	COVID-19 and Liver Dysfunction: Current Insights and Emergent Therapeutic Strategies. <i>Journal of Clinical and Translational Hepatology</i> , 2020 , 8, 18-24	5.2	231
184	Effect of PNPLA3 polymorphism on diagnostic performance of various noninvasive markers for diagnosing and staging nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1057-1064	4	18
183	PNPLA3 rs738409 is associated with renal glomerular and tubular injury in NAFLD patients with persistently normal ALT levels. <i>Liver International</i> , 2020 , 40, 107-119	7.9	46
182	Homeostatic model assessment of insulin resistance closely related to lobular inflammation in nonalcoholic fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 80-86	2.2	5
181	Higher liver stiffness scores are associated with early kidney dysfunction in patients with histologically proven non-cirrhotic NAFLD. <i>Diabetes and Metabolism</i> , 2020 , 46, 288-295	5.4	9
180	From NAFLD to MAFLD: a "redefining" moment for fatty liver disease. <i>Chinese Medical Journal</i> , 2020 , 133, 2271-2273	2.9	44
179	COVID-19 Cross-Infection and Pressured Ulceration Among Healthcare Workers: Are We Really Protected by Respirators?. <i>Frontiers in Medicine</i> , 2020 , 7, 571493	4.9	2
178	Validation of Baveno VI and expanded Baveno VI criteria to identify high-risk varices in patients with MAFLD-related compensated cirrhosis. <i>Journal of Hepatology</i> , 2020 , 73, 1571-1573	13.4	2
177	Non-invasive fibrosis assessment in non-alcoholic fatty liver disease. <i>Chinese Medical Journal</i> , 2020 , 133, 2743-2745	2.9	4
176	Abnormal liver enzymes in children and infants with COVID-19: A narrative review of case-series studies. <i>Pediatric Obesity</i> , 2020 , 15, e12723	4.6	8
175	Data sharing during COVID-19 pandemic: what to take away. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020 , 14, 1125-1130	4.2	9
174	Radiomics-based model for accurately distinguishing between severe acute respiratory syndrome associated coronavirus 2 (SARS-CoV-2) and influenza A infected pneumonia. <i>MedComm</i> , 2020 , 1, 240	2.2	10
173	ACE2: A Linkage for the Interplay Between COVID-19 and Decompensated Cirrhosis. <i>American Journal of Gastroenterology</i> , 2020 , 115, 1544	0.7	7
172	Association between non-alcoholic fatty liver disease and myocardial glucose uptake measured by F-fluorodeoxyglucose positron emission tomography. <i>Journal of Nuclear Cardiology</i> , 2020 , 27, 1679-1688 ^{2.1}		4

171	Development and Validation of Hepamet Fibrosis Scoring System-A Simple, Noninvasive Test to Identify Patients With Nonalcoholic Fatty Liver Disease With Advanced Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 216-225.e5	6.9	46
170	A Case Series of Recurrent Viral RNA Positivity in Recovered COVID-19 Chinese Patients. <i>Journal of General Internal Medicine</i> , 2020 , 35, 2205-2206	4	37
169	Development and Validation of a Radiomic-Based Model for Prediction of Intrahepatic Cholangiocarcinoma in Patients With Intrahepatic Lithiasis Complicated by Imagologically Diagnosed Mass. <i>Frontiers in Oncology</i> , 2020 , 10, 598253	5.3	8
168	Ratio of Conjugated Chenodeoxycholic to Muricholic Acids is Associated with Severity of Nonalcoholic Steatohepatitis. <i>Obesity</i> , 2019 , 27, 2055-2066	8	13
167	Fatty Liver Disease Caused by High-Alcohol-Producing <i>Klebsiella pneumoniae</i> . <i>Cell Metabolism</i> , 2019 , 30, 675-688.e7	24.6	148
166	Prognostic value of hematocrit levels among critically ill patients with acute kidney injury. <i>European Journal of Inflammation</i> , 2019 , 17, 205873921984682	0.3	
165	Individualized risk prediction of significant fibrosis in non-alcoholic fatty liver disease using a novel nomogram. <i>United European Gastroenterology Journal</i> , 2019 , 7, 1124-1134	5.3	13
164	Metabolic Acidosis in Critically Ill Cirrhotic Patients with Acute Kidney Injury. <i>Journal of Clinical and Translational Hepatology</i> , 2019 , 7, 112-121	5.2	4
163	A Novel Use of Model for End-Stage Liver Disease (MELD) Score in Guiding Therapeutic Antibiotics Choice for Critically Ill Cirrhotic Patients. <i>Medical Science Monitor</i> , 2019 , 25, 5005-5014	3.2	
162	A systematic review and a dose-response meta-analysis of coffee dose and nonalcoholic fatty liver disease. <i>Clinical Nutrition</i> , 2019 , 38, 2552-2557	5.9	27
161	A simpler diagnostic formula for screening nonalcoholic fatty liver disease. <i>Clinical Biochemistry</i> , 2019 , 64, 18-23	3.5	3
160	Perceptions of Chinese Biomedical Researchers Towards Academic Misconduct: A Comparison Between 2015 and 2010. <i>Science and Engineering Ethics</i> , 2018 , 24, 629-645	3.1	20
159	Wet beriberi with multiple organ failure remarkably reversed by thiamine administration: A case report and literature review. <i>Medicine (United States)</i> , 2018 , 97, e0010	1.8	25
158	Lifestyle interventions for patients with nonalcoholic fatty liver disease: a network meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 747-755	2.2	22
157	Nonalcoholic fatty liver disease contributes to subclinical atherosclerosis: A systematic review and meta-analysis. <i>Hepatology Communications</i> , 2018 , 2, 376-392	6	53
156	High fiber dietary and sodium butyrate attenuate experimental autoimmune hepatitis through regulation of immune regulatory cells and intestinal barrier. <i>Cellular Immunology</i> , 2018 , 328, 24-32	4.4	42
155	Haptoglobin Genotype and Vitamin E Versus Placebo for the Treatment of Nondiabetic Patients with Nonalcoholic Steatohepatitis in China: A Multicenter, Randomized, Placebo-Controlled Trial Design. <i>Advances in Therapy</i> , 2018 , 35, 218-231	4.1	8
154	Synergistic increase in cardiovascular risk in diabetes mellitus with nonalcoholic fatty liver disease: a meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 631-636	2.2	37

153	Stratified alpha-fetoprotein pattern accurately predicts mortality in patients with acute-on-chronic hepatitis B liver failure. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018 , 12, 295-302	4.2	3
152	Thrombin generation and platelet activation in cytoreductive surgery combined with hyperthermic intraperitoneal chemotherapy - A prospective cohort study. <i>PLoS ONE</i> , 2018 , 13, e0193657	3.7	5
151	Sarcopenia Contributes to the Progression of Nonalcoholic Fatty Liver Disease- Related Fibrosis: A Meta-Analysis. <i>Digestive Diseases</i> , 2018 , 36, 427-436	3.2	24
150	Hepatic resection for elderly patients with hepatocellular carcinoma: a systematic review of more than 17,000 patients. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018 , 12, 1059-1068	4.2	11
149	BMSCs-derived miR-223-containing exosomes contribute to liver protection in experimental autoimmune hepatitis. <i>Molecular Immunology</i> , 2018 , 93, 38-46	4.3	123
148	Serum lactate level accurately predicts mortality in critically ill patients with cirrhosis with acute kidney injury. <i>European Journal of Gastroenterology and Hepatology</i> , 2018 , 30, 1361-1367	2.2	12
147	MetS Risk Score: A Clear Scoring Model to Predict a 3-Year Risk for Metabolic Syndrome. <i>Hormone and Metabolic Research</i> , 2018 , 50, 683-689	3.1	5
146	Serum alkaline phosphatase, a risk factor for non-alcoholic fatty liver, but only for women in their 30s and 40s: evidence from a large cohort study. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 269-276	4.2	8
145	The NAFL Risk Score: A simple scoring model to predict 4-y risk for non-alcoholic fatty liver. <i>Clinica Chimica Acta</i> , 2017 , 468, 17-24	6.2	2
144	Abnormality in a fetus on ultrasound. <i>BMJ, The</i> , 2017 , 356, j688	5.9	
143	Quick chronic liver failure-sequential organ failure assessment: an easy-to-use scoring model for predicting mortality risk in critically ill cirrhosis patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 698-705	2.2	7
142	Immunosuppressive Agents for the Treatment of Primary Sclerosing Cholangitis: A Systematic Review and Meta-Analysis. <i>Digestive Diseases</i> , 2017 , 35, 478-485	3.2	10
141	A painful wrist after a fall. <i>BMJ, The</i> , 2017 , 357, j1642	5.9	
140	Acute circulatory failure-chronic liver failure-sequential organ failure assessment score: a novel scoring model for mortality risk prediction in critically ill cirrhotic patients with acute circulatory failure. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 464-471	2.2	2
139	Scoring model to predict outcome in critically ill cirrhotic patients with acute respiratory failure: comparison with MELD scoring models and CLIF-SOFA score. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 857-864	4.2	2
138	C-reactive protein-to-albumin ratio is a predictor of hepatitis B virus related decompensated cirrhosis: time-dependent receiver operating characteristics and decision curve analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 472-480	2.2	12
137	Nucleos(t)ide analogues for preventing HBV reactivation in immunosuppressed patients with hematological malignancies: a network meta-analysis. <i>Expert Review of Anti-Infective Therapy</i> , 2017 , 15, 503-513	5.5	14
136	NAFL screening score: A basic score identifying ultrasound-diagnosed non-alcoholic fatty liver. <i>Clinica Chimica Acta</i> , 2017 , 475, 44-50	6.2	5

135	Prognostic value of platelet-to-lymphocyte ratios among critically ill patients with acute kidney injury. <i>Critical Care</i> , 2017 , 21, 238	10.8	39
134	Elevation of plateletcrit increasing the risk of non-alcoholic fatty liver disease development in female adults: A large population-based study. <i>Clinica Chimica Acta</i> , 2017 , 474, 28-33	6.2	5
133	Comparative efficacy of vasoconstrictor therapies for type 1 hepatorenal syndrome: a network meta-analysis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2017 , 11, 1009-1018	4.2	8
132	Development of a prognostic nomogram for cirrhotic patients with upper gastrointestinal bleeding. <i>European Journal of Gastroenterology and Hepatology</i> , 2017 , 29, 1166-1173	2.2	6
131	Sodium butyrate ameliorates S100/FCA-induced autoimmune hepatitis through regulation of intestinal tight junction and toll-like receptor 4 signaling pathway. <i>Immunology Letters</i> , 2017 , 190, 169-176	4.1	19
130	Remodeling the model for end-stage liver disease for predicting mortality risk in critically ill patients with cirrhosis and acute kidney injury. <i>Hepatology Communications</i> , 2017 , 1, 748-756	6	3
129	Association between oxytocin and receptor genetic polymorphisms and aggression in a northern Chinese Han population with alcohol dependence. <i>Neuroscience Letters</i> , 2017 , 636, 140-144	3.3	10
128	Usefulness of albumin-bilirubin grade for evaluation of long-term prognosis for hepatitis B-related cirrhosis. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 238-245	3.4	48
127	Classification and regression tree analysis of acute-on-chronic hepatitis B liver failure: Seeing the forest for the trees. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 132-140	3.4	13
126	AKI-CLIF-SOFA: a novel prognostic score for critically ill cirrhotic patients with acute kidney injury. <i>Aging</i> , 2017 , 9, 286-296	5.6	7
125	Impact of platelet to lymphocyte ratio and metabolic syndrome on the prognosis of colorectal cancer patients. <i>OncoTargets and Therapy</i> , 2017 , 10, 2199-2208	4.4	11
124	Stratified Platelet-to-lymphocyte Ratio: A Novel Target for Prognostic Prediction of Hepatocellular Carcinoma after Curative Liver Resection. <i>Journal of Clinical and Translational Hepatology</i> , 2017 , 5, 35-42	5.2	3
123	Perioperative entecavir for patients with HBV-related hepatocellular carcinoma and low levels of viral DNA: analysis using propensity score matching. <i>Oncotarget</i> , 2017 , 8, 51810-51816	3.3	5
122	Serum uric acid: a new therapeutic target for nonalcoholic fatty liver disease. <i>Expert Opinion on Therapeutic Targets</i> , 2016 , 20, 375-87	6.4	16
121	Association between age and overall survival of patients with hepatocellular carcinoma after hepatic resection. <i>Journal of Surgical Oncology</i> , 2016 , 114, 966-970	2.8	14
120	A girl with an abnormal gait. <i>BMJ, The</i> , 2016 , 355, i5216	5.9	
119	Fibroblast growth factor 21 deficiency exacerbates chronic alcohol-induced hepatic steatosis and injury. <i>Scientific Reports</i> , 2016 , 6, 31026	4.9	39
118	Systematic Review with Network Meta-Analysis: Antidiabetic Medication and Risk of Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2016 , 6, 33743	4.9	38

117	Normalization methods in time series of platelet function assays: A SQUIRE compliant study. <i>Medicine (United States)</i> , 2016 , 95, e4188	1.8	2
116	Successful Treatment of Scrub Typhus-Associated Hemophagocytic Lymphohistiocytosis With Chloramphenicol: Report of 3 Pediatric Cases and Literature Review. <i>Medicine (United States)</i> , 2016 , 95, e2928	1.8	6
115	Toll-like receptors in hepatocellular carcinoma: potential novel targets for pharmacological intervention. <i>Expert Opinion on Therapeutic Targets</i> , 2016 , 20, 1127-35	6.4	12
114	The role of lncRNAs in hepatocellular carcinoma: opportunities as novel targets for pharmacological intervention. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 331-40	4.2	16
113	Kidney bioengineering in regenerative medicine: An emerging therapy for kidney disease. <i>Cytotherapy</i> , 2016 , 18, 186-97	4.8	14
112	National incidence of autoimmune liver diseases and its relationship with the human development index. <i>Oncotarget</i> , 2016 , 7, 46273-46282	3.3	7
111	Is an elevated hemoglobin concentration a novel risk factor for metabolic syndrome in the Chinese population? a large-scale study. <i>Oncotarget</i> , 2016 ,	3.3	2
110	Stratified neutrophil-to-lymphocyte ratio accurately predict mortality risk in hepatocellular carcinoma patients following curative liver resection. <i>Oncotarget</i> , 2016 , 7, 5429-39	3.3	15
109	Increased levels of low-density lipoprotein cholesterol within the normal range as a risk factor for nonalcoholic fatty liver disease. <i>Oncotarget</i> , 2016 , 7, 5728-37	3.3	25
108	Parabolic relationship between sex-specific serum high sensitive C reactive protein and non-alcoholic fatty liver disease in Chinese adults: a large population-based study. <i>Oncotarget</i> , 2016 , 7, 14241-50	3.3	5
107	Preoperative platelet to lymphocyte ratio is a valuable prognostic biomarker in patients with colorectal cancer. <i>Oncotarget</i> , 2016 , 7, 25516-27	3.3	43
106	Systematic review with network meta-analysis: statins and risk of hepatocellular carcinoma. <i>Oncotarget</i> , 2016 , 7, 21753-62	3.3	55
105	Systematic review with network meta-analysis: Comparative efficacy of oral nucleos(t)ide analogues for the prevention of chemotherapy-induced hepatitis B virus reactivation. <i>Oncotarget</i> , 2016 , 7, 30642-58	3.3	40
104	Establishment and Validation of GV-SAPS II Scoring System for Non-Diabetic Critically Ill Patients. <i>PLoS ONE</i> , 2016 , 11, e0166085	3.7	8
103	Nasal NK/T cell lymphoma presents with long-term nasal blockage and fever: a rare case report and literature review. <i>Oncotarget</i> , 2016 , 7, 9613-7	3.3	4
102	Methimazole-induced cholestatic hepatitis: two cases report and literature review. <i>Oncotarget</i> , 2016 , 7, 5088-91	3.3	15
101	Systematic Review and Network Meta-Analysis of Randomized Controlled Trials: Comparative Effectiveness and Safety of Direct-Acting Antiviral Agents for Treatment-Naive Hepatitis C Genotype 1. <i>Medicine (United States)</i> , 2016 , 95, e3004	1.8	22
100	A boy with a sac-like protrusion at the occipital region. <i>BMJ, The</i> , 2016 , 353, i2073	5.9	

99	Platelet-to-Lymphocyte Ratio: A Novel Prognostic Factor for Prediction of 90-day Outcomes in Critically Ill Patients With Diabetic Ketoacidosis. <i>Medicine (United States)</i> , 2016 , 95, e2596	1.8	16
98	Association of low-density lipoprotein cholesterol within the normal range and NAFLD in the non-obese Chinese population: a cross-sectional and longitudinal study. <i>BMJ Open</i> , 2016 , 6, e013781	3	26
97	A girl with left wrist deformity. <i>BMJ, The</i> , 2016 , 355, i4925	5.9	
96	Targeting endoplasmic reticulum stress in liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016 , 10, 1041-52	4.2	29
95	A neonate with dyspnoea. <i>BMJ, The</i> , 2016 , 353, i2361	5.9	
94	A young man with recurrent limb shaking. <i>BMJ, The</i> , 2016 , 354, i4502	5.9	
93	Comparative efficacy of oral nucleotide analogues for the prophylaxis of hepatitis B virus recurrence after liver transplantation: a network meta-analysis. <i>Expert Review of Anti-Infective Therapy</i> , 2016 , 14, 979-87	5.5	11
92	Systematic review with network meta-analysis: the comparative effectiveness and safety of interventions in patients with overt hepatic encephalopathy. <i>Alimentary Pharmacology and Therapeutics</i> , 2015 , 41, 624-35	6.1	57
91	Decellularization technology in CNS tissue repair. <i>Expert Review of Neurotherapeutics</i> , 2015 , 15, 493-500	4.3	16
90	Network meta-analysis of randomized controlled trials: efficacy and safety of UDCA-based therapies in primary biliary cirrhosis. <i>Medicine (United States)</i> , 2015 , 94, e609	1.8	16
89	Nonalcoholic fatty liver disease: a negative risk factor for colorectal cancer prognosis. <i>Medicine (United States)</i> , 2015 , 94, e479	1.8	15
88	Systematic review with network meta-analysis: adjuvant chemotherapy for resected colorectal liver metastases. <i>Medicine (United States)</i> , 2015 , 94, e379	1.8	8
87	New advances in liver decellularization and recellularization: innovative and critical technologies. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 1183-91	4.2	6
86	Autophagy in ethanol-exposed liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 1031-7	4.2	8
85	Skin lesion in a critically ill man. <i>BMJ, The</i> , 2015 , 351, h4570	5.9	3
84	Increased delayed mortality in patients with acute-on-chronic liver failure who have prior decompensation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 712-8	4	28
83	Increased levels of systolic blood pressure within the normal range are associated with significantly elevated risks of nonalcoholic fatty liver disease. <i>Medicine (United States)</i> , 2015 , 94, e842	1.8	22
82	Long-term pegylated interferon- α treatment for chronic hepatitis C in an elderly renal transplant recipient: case report and literature review. <i>Medicine (United States)</i> , 2015 , 94, e390	1.8	2

81	Cerebral hemorrhage due to tuberculosis meningitis: a rare case report and literature review. <i>Oncotarget</i> , 2015 , 6, 45005-9	3.3	10
80	Optimal adjuvant therapy for resected hepatocellular carcinoma: a systematic review with network meta-analysis. <i>Oncotarget</i> , 2015 , 6, 18151-61	3.3	33
79	Establishment and Validation of SSCLIP Scoring System to Estimate Survival in Hepatocellular Carcinoma Patients Who Received Curative Liver Resection. <i>PLoS ONE</i> , 2015 , 10, e0129000	3.7	10
78	Hepatocellular carcinoma associated microRNA expression signature: integrated bioinformatics analysis, experimental validation and clinical significance. <i>Oncotarget</i> , 2015 , 6, 25093-108	3.3	81
77	Recent advances in re-engineered liver: de-cellularization and re-cellularization techniques. <i>Cytotherapy</i> , 2015 , 17, 1015-24	4.8	3
76	Establishment and validation of ALPH-Q score to predict mortality risk in patients with acute-on-chronic hepatitis B liver failure: a prospective cohort study. <i>Medicine (United States)</i> , 2015 , 94, e403	1.8	15
75	Association between sex-specific serum uric acid and non-alcoholic fatty liver disease in Chinese adults: a large population-based study. <i>Medicine (United States)</i> , 2015 , 94, e802	1.8	40
74	Combined AFP-CRUT with microvascular invasion accurately predicts mortality risk in patients with hepatocellular carcinoma following curative liver resection. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9, 1127-38	4.2	2
73	Targeting fibroblast growth factor 19 in liver disease: a potential biomarker and therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 675-85	6.4	19
72	Metabolic syndrome contributes to an increased recurrence risk of non-metastatic colorectal cancer. <i>Oncotarget</i> , 2015 , 6, 19880-90	3.3	32
71	Optimal drug regimens for primary biliary cirrhosis: a systematic review and network meta-analysis. <i>Oncotarget</i> , 2015 , 6, 24533-49	3.3	10
70	Conditional survival estimate of acute-on-chronic hepatitis B liver failure: a dynamic prediction based on a multicenter cohort. <i>Oncotarget</i> , 2015 , 6, 23261-71	3.3	12
69	A network meta-analysis of the efficacy and side effects of UDCA-based therapies for primary sclerosing cholangitis. <i>Oncotarget</i> , 2015 , 6, 26757-69	3.3	20
68	Systematic review with network meta-analysis: adjuvant therapy for resected biliary tract cancer. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 40, 759-70	6.1	26
67	Increased risk of colorectal malignant neoplasm in patients with nonalcoholic fatty liver disease: a large study. <i>Molecular Biology Reports</i> , 2014 , 41, 2989-97	2.8	46
66	Non-alcoholic fatty liver disease and risk of in-stent restenosis after bare metal stenting in native coronary arteries. <i>Molecular Biology Reports</i> , 2014 , 41, 4713-20	2.8	4
65	ApoE-deficient promotes blood-brain barrier disruption in experimental autoimmune encephalomyelitis via alteration of MMP-9. <i>Journal of Molecular Neuroscience</i> , 2014 , 54, 282-90	3.3	23
64	Factors associated with efficacy of pegylated interferon- β plus ribavirin for chronic hepatitis C after renal transplantation. <i>Gene</i> , 2014 , 544, 101-6	3.8	3

63	Three dimensional reconstruction of a CT angiogram of the left upper arm vessels. <i>BMJ, The</i> , 2014 , 348, g3949	5.9	1
62	Axial T2 weighted magnetic resonance imaging of the male pelvis. <i>BMJ, The</i> , 2014 , 349, g4910	5.9	
61	The role of fibroblast growth factor 21 in the pathogenesis of liver disease: a novel predictor and therapeutic target. <i>Expert Opinion on Therapeutic Targets</i> , 2014 , 18, 1305-13	6.4	21
60	Scoring systems predict the prognosis of acute-on-chronic hepatitis B liver failure: an evidence-based review. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014 , 8, 623-32	4.2	12
59	Artificial neural network accurately predicts hepatitis B surface antigen seroclearance. <i>PLoS ONE</i> , 2014 , 9, e99422	3.7	7
58	A new strategy for treatment of liver fibrosis: letting MicroRNAs do the job. <i>BioDrugs</i> , 2013 , 27, 25-34	7.9	24
57	Disparate profiles of dys-regulated miRNAs in activated hepatic stellate cells. <i>Hepatology</i> , 2013 , 57, 1285-62	6	
56	Transient elastography: a meta-analysis of diagnostic accuracy in evaluation of portal hypertension in chronic liver disease. <i>Liver International</i> , 2013 , 33, 62-71	7.9	140
55	A model to predict 3-month mortality risk of acute-on-chronic hepatitis B liver failure using artificial neural network. <i>Journal of Viral Hepatitis</i> , 2013 , 20, 248-55	3.4	33
54	Interleukin-28B rs12979860C/T and rs8099917T/G contribute to spontaneous clearance of hepatitis C virus in Caucasians. <i>Gene</i> , 2013 , 518, 479-82	3.8	16
53	Secondary prophylaxis of variceal bleeding for cirrhotic patients: a multiple-treatments meta-analysis. <i>European Journal of Clinical Investigation</i> , 2013 , 43, 844-54	4.6	18
52	Oral Acetyl-L-Carnitine treatment in hepatic encephalopathy: view of evidence-based medicine. <i>Annals of Hepatology</i> , 2013 , 12, 803-809	3.1	27
51	Emerging Role of Interleukin 22 in Hepatitis B Virus Infection: a Double-edged Sword. <i>Journal of Clinical and Translational Hepatology</i> , 2013 , 1, 103-8	5.2	9
50	Invasive fungal infection in patients with systemic lupus erythematosus: experience from a single institute of Northern China. <i>Gene</i> , 2012 , 506, 184-7	3.8	15
49	Interleukin-28B polymorphisms on the SVR in the treatment of naïve chronic hepatitis C with pegylated interferon- α plus ribavirin: a meta-analysis. <i>Gene</i> , 2012 , 507, 27-35	3.8	14
48	Traditional Chinese medicines benefit to nonalcoholic fatty liver disease: a systematic review and meta-analysis. <i>Molecular Biology Reports</i> , 2012 , 39, 9715-22	2.8	58
47	Risk stratification of spontaneous bacterial peritonitis in cirrhosis with ascites based on classification and regression tree analysis. <i>Molecular Biology Reports</i> , 2012 , 39, 6161-9	2.8	12
46	The tumour necrosis factor- β 38A allele increases the risk of chronic HBV infection in European populations. <i>Journal of Viral Hepatitis</i> , 2012 , 19, e11-7	3.4	20

45	Tumour necrosis factor- β 57T allele reduces the risk of hepatitis B virus infection in an Asian population. <i>Journal of Viral Hepatitis</i> , 2012 , 19, e66-72	3.4	15
44	Upper limits of normal for serum alanine aminotransferase levels in Chinese Han population. <i>PLoS ONE</i> , 2012 , 7, e43736	3.7	22
43	A model to determine 3-month mortality risk in patients with acute-on-chronic hepatitis B liver failure. <i>Clinical Gastroenterology and Hepatology</i> , 2011 , 9, 351-356.e3	6.9	59
42	T-helper 17 cell: A distinctive cell in liver diseases. <i>Hepatology Research</i> , 2011 , 41, 22-9	5.1	17
41	Methodological quality assessment for traditional Chinese medicine: CONSORT is better. <i>Hepatology</i> , 2011 , 53, 2148-9	11.2	3
40	Meta-analysis using individual participant data is the gold standard for diagnostic studies. <i>Hepatology</i> , 2011 , 53, 1062; author reply 1062-3	11.2	2
39	Liver tissue engineering: promises and prospects of new technology. <i>Cytotherapy</i> , 2010 , 12, 349-60	4.8	10
38	Peroxisome proliferator-activated receptor-gamma (PPAR-gamma) agonist inhibits transforming growth factor-beta1 and matrix production in human dermal fibroblasts. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2010 , 63, 1209-16	1.7	21
37	Multifocal skeletal tuberculosis: experience in diagnosis and treatment. <i>Medicine Et Maladies Infectieuses</i> , 2010 , 40, 6-11	4	26
36	Tumor necrosis factor-alpha-308A allele may have a protective effect for chronic hepatitis B virus infection in Mongoloid populations. <i>International Journal of Infectious Diseases</i> , 2010 , 14, e580-5	10.5	17
35	Nucleoside analogue can improve the long-term prognosis of patients with hepatitis B virus infection-associated acute on chronic liver failure. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 2373-80	4	75
34	A 24-week, parallel-group, open-label, randomized clinical trial comparing the early antiviral efficacy of telbivudine and entecavir in the treatment of hepatitis B e antigen-positive chronic hepatitis B virus infection in adult Chinese patients. <i>Clinical Therapeutics</i> , 2010 , 32, 649-58	3.5	19
33	The quality of randomized controlled trials on DanShen in the treatment of ischemic vascular disease. <i>Journal of Alternative and Complementary Medicine</i> , 2009 , 15, 557-65	2.4	13
32	FAS -1,377 G/A polymorphism is associated with cancer susceptibility: evidence from 10,564 cases and 12,075 controls. <i>Human Genetics</i> , 2009 , 125, 431-5	6.3	15
31	ATG16L1 T300A polymorphism and Crohn's disease susceptibility: evidence from 13,022 cases and 17,532 controls. <i>Human Genetics</i> , 2009 , 125, 627-31	6.3	57
30	Activation of peroxisome proliferator-activated receptor-gamma inhibits transforming growth factor-beta1 induction of connective tissue growth factor and extracellular matrix in hypertrophic scar fibroblasts in vitro. <i>Archives of Dermatological Research</i> , 2009 , 301, 515-22	3.3	22
29	Retrospective analysis of nosocomial infections in the intensive care unit of a tertiary hospital in China during 2003 and 2007. <i>BMC Infectious Diseases</i> , 2009 , 9, 115	4	34
28	More statistical analysis is needed for the meta-analysis of genetic association studies. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 143-4; author reply 144	6.1	2

27	Prediction of the prognosis of patients with acute-on-chronic hepatitis B liver failure using the model for end-stage liver disease scoring system and a novel logistic regression model. <i>Journal of Viral Hepatitis</i> , 2009 , 16, 464-70	3.4	66
26	The E-cadherin (CDH1)--160 C/A polymorphism and prostate cancer risk: a meta-analysis. <i>European Journal of Human Genetics</i> , 2009 , 17, 244-9	5.3	25
25	L-Ornithine-l-aspartate in the management of hepatic encephalopathy: a meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 9-14	4	52
24	Effectiveness and tolerability of NSAIDs in the prophylaxis of pancreatitis after endoscopic retrograde cholangiopancreatography: A systematic review and meta-analysis. <i>Current Therapeutic Research</i> , 2009 , 70, 323-34	2.4	6
23	MTHFR C677T polymorphism contributes to prostate cancer risk among Caucasians: A meta-analysis of 3511 cases and 2762 controls. <i>European Journal of Cancer</i> , 2009 , 45, 1443-9	7.5	34
22	Aquaporin, a kind of membrane channel protein, maybe a new promising therapeutic target for non-alcoholic fatty liver disease. <i>Bioscience Hypotheses</i> , 2009 , 2, 111-112		
21	Test for hepatitis B virus infection with radical immunoassay and real-time PCR: which method is the gold standard?. <i>Journal of Hepatology</i> , 2009 , 50, 211-2; author reply 213	13.4	
20	Mixed microencapsulation of rat primary hepatocytes and Sertoli cells improves the metabolic function in a D-galactosamine and lipopolysaccharide-induced rat model of acute liver failure. <i>Cytotherapy</i> , 2009 , 11, 326-9	4.8	11
19	Fever of unknown origin in elderly people: a retrospective study of 87 patients in China. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 182-4	5.6	10
18	Omega-3 polyunsaturated fatty acids: a specific liver drug for non-alcoholic fatty liver disease (NAFLD). <i>Medical Hypotheses</i> , 2008 , 71, 820-1	3.8	14
17	Effects of vasoactive intestinal peptide on phenotypic and functional maturation of dendritic cells. <i>International Immunopharmacology</i> , 2008 , 8, 1449-54	5.8	11
16	Hepatitis B virus X protein disrupts DNA interstrand crosslinking agent mitomycin C induced ATR dependent intra-S-phase checkpoint. <i>European Journal of Cancer</i> , 2008 , 44, 1596-602	7.5	10
15	Recombinant human hepatocyte growth factor for liver failure. <i>Contemporary Clinical Trials</i> , 2008 , 29, 696-704	2.3	14
14	Re: Recombinant human hepatocyte growth factor for liver failure. <i>Contemporary Clinical Trials</i> , 2008 , 29, 919	2.3	
13	Gabexate mesylate in the prevention of post-endoscopic retrograde cholangiopancreatography pancreatitis: A systematic review and meta-analysis update. <i>Current Therapeutic Research</i> , 2008 , 69, 288-304	2.4	6
12	Searching additional databases except PubMed are necessary for a systematic review. <i>Stroke</i> , 2008 , 39, e139; author reply e140	6.7	8
11	Fever of unknown origin in the elderly: nine years experience in China. <i>Tropical Doctor</i> , 2008 , 38, 221-2	0.9	4
10	Traditional Chinese medicine plus transcatheter arterial chemoembolization for unresectable hepatocellular carcinoma. <i>Journal of Alternative and Complementary Medicine</i> , 2008 , 14, 1027-42	2.4	26

9	Transjugular intrahepatic portosystemic shunt versus endoscopic therapy in the secondary prophylaxis of variceal rebleeding in cirrhotic patients: meta-analysis update. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 507-16	3	112
8	Rifaximin versus nonabsorbable disaccharides in the management of hepatic encephalopathy: a meta-analysis. <i>European Journal of Gastroenterology and Hepatology</i> , 2008 , 20, 1064-70	2.2	81
7	Meta-analysis of prophylactic allopurinol use in post-endoscopic retrograde cholangiopancreatography pancreatitis. <i>Pancreas</i> , 2008 , 37, 247-53	2.6	25
6	Meta-analysis of prophylactic corticosteroid use in post-ERCP pancreatitis. <i>BMC Gastroenterology</i> , 2008 , 8, 6	3	32
5	Predictive value of thymidylate synthase expression in advanced colorectal cancer patients receiving fluoropyrimidine-based chemotherapy: evidence from 24 studies. <i>International Journal of Cancer</i> , 2008 , 123, 2384-9	7.5	68
4	Association between the presence of H pylori in the liver and hepatocellular carcinoma: a meta-analysis. <i>World Journal of Gastroenterology</i> , 2008 , 14, 307-12	5.6	23
3	Gabexate in the prophylaxis of post-ERCP pancreatitis: a meta-analysis of randomized controlled trials. <i>BMC Gastroenterology</i> , 2007 , 7, 6	3	33
2	Interleukin-18: a pro-inflammatory cytokine that plays an important role in acute pancreatitis. <i>Expert Opinion on Therapeutic Targets</i> , 2007 , 11, 1261-71	6.4	21
1	Non-alcoholic Fatty Liver Disease: Current Global Burden. <i>Seminars in Liver Disease</i> ,	7.3	1