

Ruth A Stockey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9567726/publications.pdf>

Version: 2024-02-01

195
papers

5,250
citations

101384

36
h-index

174990

52
g-index

198
all docs

198
docs citations

198
times ranked

1987
citing authors

#	ARTICLE	IF	CITATIONS
1	Fossil ectomycorrhizae from the Middle Eocene. <i>American Journal of Botany</i> , 1997, 84, 410-412.	0.8	157
2	The Araucariaceae: An evolutionary perspective. <i>Review of Palaeobotany and Palynology</i> , 1982, 37, 133-154.	0.8	133
3	Mesozoic Araucariaceae: Morphology and systematic relationships. <i>Journal of Plant Research</i> , 1994, 107, 493-502.	1.2	110
4	Is the anthophyte hypothesis alive and well? New evidence from the reproductive structures of Bennettitales. <i>American Journal of Botany</i> , 2009, 96, 296-322.	0.8	101
5	The fossil monocot <i>Limnobiophyllum scutatum</i> : Resolving the Phylogeny of Lemnaceae. <i>American Journal of Botany</i> , 1997, 84, 355-368.	0.8	92
6	Cuticle Micromorphology of <i>Araucaria de Jussieu</i> . <i>Botanical Gazette</i> , 1986, 147, 508-548.	0.6	84
7	Anatomically Preserved <i>Williamsonia</i> (Williamsoniaceae): Evidence for Bennettitalean Reproduction in the Late Cretaceous of Western North America. <i>International Journal of Plant Sciences</i> , 2003, 164, 251-262.	0.6	78
8	Cretaceous and Eocene poroid hymenophores from Vancouver Island, British Columbia. <i>Mycologia</i> , 2004, 96, 180-186.	0.8	75
9	Growth and reproductive biology of <i>Joffrea speirsii</i> gen. et sp. nov., a <i>Cercidiphyllum</i> -like plant from the Late Paleocene of Alberta, Canada. <i>Canadian Journal of Botany</i> , 1985, 63, 340-364.	1.2	69
10	<i>Onoclea sensibilis</i> in the Paleocene of North America, a dramatic example of structural and ecological stasis. <i>Review of Palaeobotany and Palynology</i> , 1991, 70, 113-124.	0.8	66
11	The seed cone <i>Eathiestrobus</i> gen. nov.: Fossil evidence for a Jurassic origin of Pinaceae. <i>American Journal of Botany</i> , 2012, 99, 708-720.	0.8	65
12	Anatomically preserved <i>Cycadeoidea</i> (Cycadeoidaceae), with a reevaluation of systematic characters for the seed cones of Bennettitales. <i>American Journal of Botany</i> , 2002, 89, 1447-1458.	0.8	62
13	SEEDS AND EMBRYOS OF <i>ARAUCARIA MIRABILIS</i> . <i>American Journal of Botany</i> , 1975, 62, 856-868.	0.8	59
14	REPRODUCTIVE BIOLOGY OF THE CERRO CUADRADO (JURASSIC) FOSSIL CONIFERS: <i>PARARAUCARIA PATAGONICA</i> . <i>American Journal of Botany</i> , 1977, 64, 733-744.	0.8	55
15	The role of <i>Hydropteris pinnata</i> gen. et sp. nov. in reconstructing the cladistics of heterosporous ferns. <i>American Journal of Botany</i> , 1994, 81, 479-492.	0.8	55
16	The Princeton chert: Evidence for in situ aquatic plants. <i>Review of Palaeobotany and Palynology</i> , 1991, 70, 173-185.	0.8	54
17	Middle Eocene <i>Pinus</i> Remains from British Columbia. <i>Botanical Gazette</i> , 1984, 145, 262-274.	0.6	53
18	Structure and relationships of the Jurassic conifer seed cone <i>Hughmillerites juddii</i> gen. et comb. nov.: Implications for the origin and evolution of Cupressaceae. <i>Review of Palaeobotany and Palynology</i> , 2011, 164, 45-59.	0.8	53

#	ARTICLE	IF	CITATIONS
19	FOSSIL OPHIOGLOSSALES IN THE PALEOCENE OF WESTERN NORTH AMERICA. <i>American Journal of Botany</i> , 1989, 76, 637-644.	0.8	52
20	Seed cone anatomy of Cheirolepidiaceae (Coniferales): Reinterpreting <i>Pararaucaria patagonica</i> Wieland. <i>American Journal of Botany</i> , 2012, 99, 1058-1068.	0.8	52
21	Vegetative Growth of <i>Decodon allenbyensis</i> (Lythraceae) from the Middle Eocene Princeton Chert with Anatomical Comparisons to <i>Decodon verticillatus</i> . <i>International Journal of Plant Sciences</i> , 2003, 164, 453-469.	0.6	51
22	<i>Paleomyrtinaea</i> , a new genus of permineralized myrtaceous fruits and seeds from the Eocene of British Columbia and Paleocene of North Dakota. <i>Canadian Journal of Botany</i> , 1993, 71, 1-9.	1.2	49
23	Permineralized Pine Cones from the Cretaceous of Vancouver Island, British Columbia. <i>International Journal of Plant Sciences</i> , 2002, 163, 185-196.	0.6	49
24	Molecular phylogenetic relationships among Lemnaceae and Araceae using the chloroplast trnL-trnF intergenic spacer. <i>Molecular Phylogenetics and Evolution</i> , 2004, 30, 378-385.	1.2	48
25	Reconsidering Relationships among Stem and Crown Group Pinaceae: Oldest Record of the Genus <i>Pinus</i> from the Early Cretaceous of Yorkshire, United Kingdom. <i>International Journal of Plant Sciences</i> , 2012, 173, 917-932.	0.6	47
26	Relationships among Fossil and Living Dipteridaceae: Anatomically Preserved <i>Hausmannia</i> from the Lower Cretaceous of Vancouver Island. <i>International Journal of Plant Sciences</i> , 2006, 167, 649-663.	0.6	46
27	Platanaceous plants from the Paleocene of Alberta, Canada. <i>Review of Palaeobotany and Palynology</i> , 1991, 70, 125-146.	0.8	45
28	A Lower Cretaceous (Valanginian) seed cone provides the earliest fossil record for <i>Picea</i> (Pinaceae). <i>American Journal of Botany</i> , 2012, 99, 1069-1082.	0.8	44
29	Permineralized fruits and Seeds from the Princeton chert (Middle Eocene) of British Columbia: Lythraceae. <i>Canadian Journal of Botany</i> , 1988, 66, 303-312.	1.2	43
30	A New Species of <i>Pityostrobus</i> from the Lower Cretaceous of California and Its Bearing on the Evolution of Pinaceae. <i>International Journal of Plant Sciences</i> , 2001, 162, 669-681.	0.6	42
31	<i>Cobbania corrugata</i> gen. et comb. nov. (Araceae): a floating aquatic monocot from the Upper Cretaceous of western North America. <i>American Journal of Botany</i> , 2007, 94, 609-624.	0.8	42
32	Cuticle Micromorphology of <i>Agathis</i> Salisbury. <i>International Journal of Plant Sciences</i> , 1993, 154, 187-224.	0.6	42
33	<i>Conantiopteris schuchmanii</i> , gen. et sp. nov., and the Role of Fossils in Resolving the Phylogeny of Cyatheaceae s.l.. <i>Journal of Plant Research</i> , 1999, 112, 361-381.	1.2	41
34	Permineralized Fruits and Seeds from the Princeton Chert (Middle Eocene) of British Columbia: Nymphaeaceae. <i>Botanical Gazette</i> , 1989, 150, 207-217.	0.6	41
35	<i>Betula</i> leaves and reproductive structures from the Middle Eocene of British Columbia, Canada. <i>Canadian Journal of Botany</i> , 1987, 65, 2490-2500.	1.2	39
36	Distinguishing angiosperms from the earliest angiosperms: A Lower Cretaceous (Valanginian-Hauterivian) fruit-like reproductive structure. <i>American Journal of Botany</i> , 2009, 96, 323-335.	0.8	37

#	ARTICLE	IF	CITATIONS
37	Permineralized monocotyledons from the Middle Eocene Princeton chert (Allenby Formation) of British Columbia: Alismataceae. <i>Canadian Journal of Botany</i> , 1989, 67, 2636-2645.	1.2	36
38	Growth Architecture of <i>Thucydia mahoningensis</i> , a Model for Primitive Walchian Conifer Plants. <i>International Journal of Plant Sciences</i> , 2003, 164, 443-452.	0.6	36
39	Establishing a fossil record for the perianthless Piperales: <i>Saururus tuckerae</i> sp. nov. (Saururaceae) from the Middle Eocene Princeton Chert. <i>American Journal of Botany</i> , 2007, 94, 1642-1657.	0.8	36
40	Cuticle Micromorphology of Some New Caledonian Podocarps. <i>Botanical Gazette</i> , 1988, 149, 240-252.	0.6	36
41	Seeds and Embryos of <i>Araucaria mirabilis</i> . <i>American Journal of Botany</i> , 1975, 62, 856.	0.8	35
42	<i>Honeggeriella complexa</i> gen. et sp. nov., a heteromerous lichen from the Lower Cretaceous of Vancouver Island (British Columbia, Canada). <i>American Journal of Botany</i> , 2013, 100, 450-459.	0.8	35
43	Evolution and Phylogeny of Gnetophytes: Evidence from the Anatomically Preserved Seed Cone <i>Protoephedrites eamesii</i> gen. et sp. nov. and the Seeds of Several Bennettitalean Species. <i>International Journal of Plant Sciences</i> , 2013, 174, 511-529.	0.6	35
44	Resolving the overall pattern of marattialean fern phylogeny. <i>American Journal of Botany</i> , 2018, 105, 1304-1314.	0.8	35
45	The Fossil Fungi of the Princeton Chert. <i>International Journal of Plant Sciences</i> , 1994, 155, 828-836.	0.6	34
46	<i>Cyathea cranhamii</i> sp. nov. (Cyatheaceae), anatomically preserved tree fern sori from the Lower Cretaceous of Vancouver Island, British Columbia. <i>American Journal of Botany</i> , 2003, 90, 755-760.	0.8	34
47	<i>Todea</i> from the Lower Cretaceous of western North America: implications for the phylogeny, systematics, and evolution of modern Osmundaceae. <i>American Journal of Botany</i> , 2008, 95, 330-339.	0.8	34
48	Cuticular Features and Epidermal Patterns in the Genus <i>Araucaria</i> de Jussieu. <i>Botanical Gazette</i> , 1978, 139, 490-498.	0.6	34
49	Anatomy and Morphology of <i>Araucaria sphaerocarpa</i> Carruthers from the Jurassic Inferior Oolite of Bruton, Somerset. <i>Botanical Gazette</i> , 1980, 141, 116-124.	0.6	33
50	Morphology and Development of Pistillate Inflorescences in Extant and Fossil <i>Cercidiphyllaceae</i> . <i>Annals of the Missouri Botanical Garden</i> , 1986, 73, 382.	1.3	33
51	Antarctic and Gondwana Conifers. , 1990, , 179-191.		33
52	Diversity among Taxodioid Conifers: <i>Metasequoia foxii</i> sp. nov. from the Paleocene of Central Alberta, Canada. <i>International Journal of Plant Sciences</i> , 2001, 162, 221-234.	0.6	33
53	Anatomically Preserved Staminate Inflorescences of <i>Gynoplatananthus oysterbayensis</i> gen. et sp. nov. (Platanaceae) and Associated Pistillate Fructifications from the Eocene of Vancouver Island, British Columbia. <i>International Journal of Plant Sciences</i> , 2006, 167, 591-600.	0.6	33
54	Phylogenetic diversification of <i>Equisetum</i> (Equisetales) as inferred from Lower Cretaceous species of British Columbia, Canada. <i>American Journal of Botany</i> , 2009, 96, 1289-1299.	0.8	33

#	ARTICLE	IF	CITATIONS
55	Reconstructing <i>Emporia lockardii</i> (Voltziales: Emporiaceae) and Initial Thoughts on Paleozoic Conifer Ecology. <i>International Journal of Plant Sciences</i> , 2009, 170, 1056-1074.	0.6	33
56	<i>Hubbardiastrobus cunninghamioides</i> gen. et sp. nov., Evidence for a Lower Cretaceous Diversification of Cunninghamioid Cupressaceae. <i>International Journal of Plant Sciences</i> , 2014, 175, 256-269.	0.6	33
57	Silicified monocotyledons from the Middle Eocene Princeton chert (Allenby Formation) of British Columbia, Canada. <i>Review of Palaeobotany and Palynology</i> , 1991, 70, 147-162.	0.8	32
58	Reconstruction of the Pennsylvanian-age walchian conifer <i>Emporia cryptica</i> sp. nov. (Emporiaceae). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.8	32
59	The Role of <i>Hydropteris pinnata</i> gen. et. sp. nov. In Reconstructing the cladistics of Heterosporous Ferns. <i>American Journal of Botany</i> , 1994, 81, 479.	0.8	31
60	Mycorrhizal association of the extinct conifer <i>Metasequoia milleri</i> . <i>Mycological Research</i> , 2001, 105, 202-205.	2.5	31
61	REPRODUCTIVE BIOLOGY OF THE CERRO CUADRADO (JURASSIC) FOSSIL CONIFERS: PARARAUCARIA PATAGONICA. , 1977, 64, 733.		31
62	On the structure and evolutionary relationships of the Cerro Cuadrado fossil conifer seedlings*. <i>Botanical Journal of the Linnean Society</i> , 1978, 76, 161-176.	0.8	30
63	Permineralized Ferns from the Middle Eocene Princeton Chert. I. <i>Makotopteris princetonensis</i> Gen. et Sp. Nov. (Athyriaceae). <i>International Journal of Plant Sciences</i> , 1999, 160, 1047-1055.	0.6	30
64	<i>Pararaucaria delfueyoi</i> sp. nov. from the Late Jurassic Cañadón Calcáreo Formation, Chubut, Argentina: Insights into the Evolution of the Cheirolepidiaceae. <i>International Journal of Plant Sciences</i> , 2013, 174, 458-470.	0.6	30
65	Cuticle Micromorphology of <i>Prumnopitys Philippi</i> (Podocarpaceae). <i>International Journal of Plant Sciences</i> , 1997, 158, 198-221.	0.6	30
66	Cretaceous origin of dogwoods: an anatomically preserved <i>Cornus</i> (Cornaceae) fruit from the Campanian of Vancouver Island. <i>PeerJ</i> , 2016, 4, e2808.	0.9	30
67	A Morphological Investigation of the Unusual Cryptogeal Germination Strategy of Bunya Pine (<i>Araucaria bidwillii</i>)-An Australian Rain Forest Conifer. <i>International Journal of Plant Sciences</i> , 1992, 153, 503-512.	0.6	29
68	Aroid Seeds from the Middle Eocene Princeton Chert (<i>Keratosperma allenbyense</i> , Araceae): Comparisons with Extant Lasioidae. <i>International Journal of Plant Sciences</i> , 2003, 164, 239-250.	0.6	28
69	Phylogenetic diversification of Early Cretaceous seed plants: The compound seed cone of <i>Doylea tetrahedrasperma</i> . <i>American Journal of Botany</i> , 2016, 103, 923-937.	0.8	28
70	Permineralized fruits of <i>Diplopanax</i> (Cornaceae, Mastixioideae) from the middle Eocene Princeton chert of British Columbia. <i>Review of Palaeobotany and Palynology</i> , 1998, 103, 223-234.	0.8	27
71	Cretaceous and Eocene Poroid Hymenophores from Vancouver Island, British Columbia. <i>Mycologia</i> , 2004, 96, 180.	0.8	27
72	<i>Osmunda vancouverensis</i> sp. nov. (Osmundaceae), Permineralized Fertile Frond Segments from the Lower Cretaceous of British Columbia, Canada. <i>International Journal of Plant Sciences</i> , 2006, 167, 631-637.	0.6	27

#	ARTICLE	IF	CITATIONS
73	The First Organismal Concept for an Extinct Species of Pinaceae: <i>Pinus arnoldii</i> Miller. International Journal of Plant Sciences, 2011, 172, 294-313.	0.6	27
74	Upper cretaceous araucarian cones from Hokkaido: <i>Araucaria nihongii</i> sp. nov.. Review of Palaeobotany and Palynology, 1992, 72, 27-40.	0.8	26
75	Sporophytes, megaspores, and massulae of <i>Azolla stanleyi</i> from the Paleocene Joffre Bridge locality, Alberta. Canadian Journal of Botany, 1994, 72, 301-308.	1.2	26
76	A New Species of <i>Millerocaulis</i> (Osmundaceae) from the Lower Cretaceous of California. International Journal of Plant Sciences, 2000, 161, 159-166.	0.6	26
77	A new species of <i>Pityostrobus</i> (Pinaceae) from the Cretaceous of California: moving towards understanding the Cretaceous radiation of Pinaceae. Journal of Systematic Palaeontology, 2017, 15, 69-81.	0.6	26
78	Flowers and fruits of <i>Princetonia allenbyensis</i> (Magnoliopsida; family indet.) from the Middle Eocene Princeton chert of British Columbia. Review of Palaeobotany and Palynology, 1991, 70, 163-172.	0.8	25
79	Geological setting and paleobotany of the Joffre Bridge Roadcut fossil locality (Late Paleocene), Red Deer Valley, Alberta. Canadian Journal of Earth Sciences, 1999, 36, 2073-2084.	0.6	25
80	<i>Cascadiacarpa spinosa</i> gen. et sp. nov. (Fagaceae): castaneoid fruits from the Eocene of Vancouver Island, Canada. American Journal of Botany, 2007, 94, 351-361.	0.8	25
81	Fruits of Icacinaceae from the Eocene Apian Way Locality of Vancouver Island, British Columbia. International Journal of Plant Sciences, 2008, 169, 305-314.	0.6	25
82	A New Voltzialean Conifer <i>Emporia royalii</i> sp. nov. (Emporiaceae) from the Hamilton Quarry, Kansas. International Journal of Plant Sciences, 2009, 170, 1201-1227.	0.6	25
83	A Perithecial Sordariomycete (Ascomycota, Diaporthales) from the Lower Cretaceous of Vancouver Island, British Columbia, Canada. International Journal of Plant Sciences, 2013, 174, 278-292.	0.6	25
84	<i>Hughmillerites vancouverensis</i> sp. nov. and the Cretaceous diversification of Cupressaceae. American Journal of Botany, 2014, 101, 2136-2147.	0.8	25
85	<i>Pinus Driftwoodensis</i> Sp.n. from the Early Tertiary of British Columbia. Botanical Gazette, 1983, 144, 148-156.	0.6	24
86	Cuticle Micromorphology of <i>Dacrydium</i> (Podocarpaceae) from New Caledonia. Botanical Gazette, 1990, 151, 138-149.	0.6	24
87	The Aquatic Angiosperm <i>Trapago angulata</i> from the Upper Cretaceous (Maastrichtian) St. Mary River Formation of Southern Alberta. International Journal of Plant Sciences, 1997, 158, 83-94.	0.6	24
88	<i>Beardia vancouverensis</i> gen. et sp. nov. (Juglandaceae): permineralized fruits from the Eocene of British Columbia. American Journal of Botany, 2006, 93, 557-565.	0.8	24
89	Exploring the fossil history of pleurocarpous mosses: <i>Tricostaceae</i> fam. nov. from the Cretaceous of Vancouver Island, Canada. American Journal of Botany, 2015, 102, 1883-1900.	0.8	24
90	Cuticle Micromorphology of <i>Falcatifolium de Laubenfels</i> (Podocarpaceae). International Journal of Plant Sciences, 1992, 153, 589-601.	0.6	24

#	ARTICLE	IF	CITATIONS
91	Fruits and Seeds from the Princeton Chert (Middle Eocene) of British Columbia: Rosaceae (Prunoideae). <i>Botanical Gazette</i> , 1991, 152, 369-379.	0.6	23
92	A New Species of <i>Palaeocarpinus</i> (Betulaceae) Based on Infructescences, Fruits, and Associated Staminate Inflorescences and Leaves from the Paleocene of Alberta, Canada. <i>International Journal of Plant Sciences</i> , 1992, 153, 136-146.	0.6	23
93	Insect fossils in middle Eocene deposits from British Columbia and Washington State: faunal diversity and geological range extensions. <i>Canadian Journal of Zoology</i> , 1996, 74, 1140-1157.	0.4	23
94	Some comments on the origin and evolution of conifers. <i>Canadian Journal of Botany</i> , 1981, 59, 1932-1940.	1.2	22
95	Taxodiaceous pollen cones from the Upper Cretaceous (Horseshoe Canyon Formation) of Drumheller, Alberta, Canada. <i>Review of Palaeobotany and Palynology</i> , 1991, 70, 67-76.	0.8	22
96	Cuticle Micromorphology of <i>Podocarpus</i> , Subgenus <i>Podocarpus</i> , Section <i>Scytopodium</i> (Podocarpaceae) of Madagascar and South Africa. <i>International Journal of Plant Sciences</i> , 1998, 159, 923-940.	0.6	22
97	Cretaceous tree ferns of western North America: <i>Rickwoodopteris hirsuta</i> gen. et sp. nov. (Cyatheaceae s.l.). <i>Review of Palaeobotany and Palynology</i> , 2004, 132, 103-114.	0.8	22
98	<i>Anemia quatsinoensis</i> sp. nov. (Schizaeaceae), a Permineralized Fern from the Lower Cretaceous of Vancouver Island. <i>International Journal of Plant Sciences</i> , 2006, 167, 665-674.	0.6	22
99	<i>Cunninghamia hornbyensis</i> sp. nov.: Permineralized twigs and leaves from the Upper Cretaceous of Hornby Island, British Columbia, Canada. <i>Review of Palaeobotany and Palynology</i> , 2009, 155, 89-98.	0.8	22
100	PALEOZOIC SEED FERNS: <i>HETERANGIUM KENTUCKYENSIS</i> SP. NOV., FROM THE UPPER CARBONIFEROUS OF NORTH AMERICA. <i>American Journal of Botany</i> , 1987, 74, 1184-1204.	0.8	21
101	A fossil flower with <i>in situ</i> <i>Pistillipollenites</i> from the Eocene of British Columbia. <i>Canadian Journal of Botany</i> , 1988, 66, 313-318.	1.2	21
102	Cuticle Micromorphology of <i>Parasitaxus de Laubenfels</i> (Podocarpaceae). <i>International Journal of Plant Sciences</i> , 1995, 156, 723-730.	0.6	21
103	Taxodiaceous Pollen Cones from the Early Tertiary of British Columbia, Canada. <i>International Journal of Plant Sciences</i> , 2005, 166, 339-346.	0.6	21
104	Combining Characters of Pteridaceae and Tree Ferns: <i>Pterisorus radiata</i> gen. et sp. nov., a Permineralized Lower Cretaceous Filicalean with Radial Sori. <i>International Journal of Plant Sciences</i> , 2006, 167, 695-701.	0.6	21
105	<i>Margaretbarromyces dictyosporus</i> gen. sp. nov.: a permineralized corticolous ascomycete from the Eocene of Vancouver Island, British Columbia. <i>Mycological Research</i> , 2007, 111, 680-684.	2.5	21
106	Plant-Arthropod Interactions in <i>Acanthostrobus edenensis</i> (Cupressaceae), a New Conifer from the Upper Cretaceous of Vancouver Island, British Columbia. <i>International Journal of Plant Sciences</i> , 2015, 176, 378-392.	0.6	21
107	Phylogenetics of extant and fossil Pinaceae: methods for increasing topological stability. <i>Botany</i> , 2016, 94, 863-884.	0.5	21
108	A PERMINERALIZED FLOWER FROM THE MIDDLE EOCENE OF BRITISH COLUMBIA. <i>American Journal of Botany</i> , 1987, 74, 1878-1887.	0.8	20

#	ARTICLE	IF	CITATIONS
109	<i>Paralygodium vancouverensis</i> sp. nov. (Schizaeaceae): Additional Evidence for Filiclean Diversity in the Paleogene of North America. <i>International Journal of Plant Sciences</i> , 2006, 167, 675-681.	0.6	20
110	In Situ <i>Cercidiphyllum</i> -like Seedlings from the Paleocene of Alberta, Canada. <i>American Journal of Botany</i> , 1983, 70, 1564.	0.8	19
111	Further observations on <i>Paleorosa similkameenensis</i> (Rosaceae) from the Middle Eocene Princeton chert of British Columbia, Canada. <i>Review of Palaeobotany and Palynology</i> , 1993, 78, 277-291.	0.8	19
112	<i>Gleichenia appianensis</i> sp. nov. (Gleicheniaceae): A Permineralized Rhizome and Associated Vegetative Remains from the Eocene of Vancouver Island, British Columbia. <i>International Journal of Plant Sciences</i> , 2006, 167, 639-647.	0.6	19
113	Anatomy and development of fruits of Lauraceae from the Middle Eocene Princeton Chert. <i>American Journal of Botany</i> , 2009, 96, 637-651.	0.8	19
114	Extending the fossil record of Polytrichaceae: Early Cretaceous <i>Meantoinia alophosioides</i> gen. et sp. nov., permineralized gametophytes with gemma cups from Vancouver Island. <i>American Journal of Botany</i> , 2017, 104, 584-597.	0.8	19
115	Cretaceous and Eocene poroid hymenophores from Vancouver Island, British Columbia. <i>Mycologia</i> , 2004, 96, 180-6.	0.8	19
116	A fossil smut fungus from the anthers of an Eocene angiosperm. <i>Nature</i> , 1991, 350, 698-699.	13.7	18
117	A New Species of <i>Pinus</i> Subgenus <i>Pinus</i> Subsection <i>Contortae</i> from Pliocene Sediments of Ch'ijee's Bluff, Yukon Territory, Canada. <i>International Journal of Plant Sciences</i> , 2002, 163, 687-697.	0.6	18
118	<i>Cardstonia tolmanii</i> gen. et sp. nov. (Limnocharitaceae) from the Upper Cretaceous of Alberta, Canada. <i>International Journal of Plant Sciences</i> , 2004, 165, 897-916.	0.6	18
119	Evidence for Sympodial Vascular Architecture in a Filiclean Fern Rhizome: <i>Dickwhitea allenbyensis</i> gen. et sp. nov. (Athyriaceae). <i>International Journal of Plant Sciences</i> , 2006, 167, 721-727.	0.6	18
120	Phylogeny and evolution of ferns: a paleontological perspective. , 2008, , 332-366.		18
121	STUDIES OF PALEOZOIC SEED FERNS: ANATOMY AND MORPHOLOGY OF <i>MICROSPERMopteris aphyllum</i> . <i>American Journal of Botany</i> , 1976, 63, 1302-1310.	0.8	17
122	IN SITU <i>CERCIDIPHYLLUM</i> -LIKE SEEDLINGS FROM THE PALEOCENE OF ALBERTA, CANADA. <i>American Journal of Botany</i> , 1983, 70, 1564-1568.	0.8	17
123	Upper Cretaceous Araucarian Cones from Hokkaido and Saghalien: <i>Araucaria nipponensis</i> Sp. Nov.. <i>International Journal of Plant Sciences</i> , 1994, 155, 806-815.	0.6	17
124	Lower Cretaceous conifers from Apple Bay, Vancouver Island: <i>Picea</i> -like leaves, <i>Midoriphyllum piceoides</i> gen. et sp. nov. (Pinaceae) This paper is one of a selection of papers published on the Special Issue on Systematics Research.. <i>Botany</i> , 2008, 86, 649-657.	0.5	17
125	A new family of leafy liverworts from the middle Eocene of Vancouver Island, British Columbia, Canada. <i>American Journal of Botany</i> , 2011, 98, 998-1006.	0.8	17
126	A Permineralized Flower From the Middle Eocene of British Columbia. <i>American Journal of Botany</i> , 1987, 74, 1878.	0.8	16

#	ARTICLE	IF	CITATIONS
127	Permineralized Fruits and Seeds from the Princeton Chert (Middle Eocene) of British Columbia: Araceae. <i>American Journal of Botany</i> , 1988, 75, 1099.	0.8	16
128	<i>Duabanga</i> -like leaves from the Middle Eocene Princeton chert and comparative leaf histology of Lythraceae sensu lato. <i>American Journal of Botany</i> , 2004, 91, 1126-1139.	0.8	16
129	<i>Trawetsia princetonensis</i> gen. et sp. nov. (Blechnaceae): A Permineralized Fern from the Middle Eocene Princeton Chert. <i>International Journal of Plant Sciences</i> , 2006, 167, 711-719.	0.6	16
130	Pollen morphology and ultrastructure of Saururaceae. <i>Grana</i> , 2007, 46, 250-267.	0.4	16
131	Fossil Ophioglossales in the Paleocene of Western North America. <i>American Journal of Botany</i> , 1989, 76, 637.	0.8	15
132	Permineralized fruits and seeds from the Princeton chert (Middle Eocene) of British Columbia: Vitaceae. <i>Canadian Journal of Botany</i> , 1990, 68, 288-295.	1.2	15
133	An Eocene Tar Spot on a Fossil Palm and Its Fungal Hyperparasite. <i>Mycologia</i> , 1998, 90, 667.	0.8	15
134	In situ fossil seedlings of a <i>Metasequoia</i> -like taxodiaceous conifer from Paleocene river floodplain deposits of central Alberta, Canada. <i>American Journal of Botany</i> , 1999, 86, 900-902.	0.8	15
135	Anatomically preserved fossil cornalean fruits from the Upper Cretaceous of Hokkaido: <i>Eydeia hokkaidoensis</i> gen. et sp. nov.. <i>American Journal of Botany</i> , 2016, 103, 1642-1656.	0.8	15
136	The Early Phylogenetic Diversification of Cornales: Permineralized Cornalean Fruits from the Campanian (Upper Cretaceous) of Western North America. <i>International Journal of Plant Sciences</i> , 2017, 178, 556-566.	0.6	15
137	Tracking the Initial Diversification of Asterids: Anatomically Preserved Cornalean Fruits from the Early Coniacian (Late Cretaceous) of Western North America. <i>International Journal of Plant Sciences</i> , 2018, 179, 21-35.	0.6	15
138	<i>Pityostrobus mcmurrayensis</i> sp.nov., a permineralized pinaceous cone from the Cretaceous of Alberta. <i>Canadian Journal of Botany</i> , 1981, 59, 75-82.	1.2	14
139	Paleozoic Seed Ferns: <i>Heterangium kentuckyensis</i> sp. nov., from the Upper Carboniferous of North America. <i>American Journal of Botany</i> , 1987, 74, 1184.	0.8	14
140	PERMINERALIZED FRUITS AND SEEDS FROM THE PRINCETON CHERT (MIDDLE EOCENE) OF BRITISH COLUMBIA: ARACEAE. <i>American Journal of Botany</i> , 1988, 75, 1099-1113.	0.8	14
141	Vegetative remains of the Magnoliaceae from the Princeton chert (Middle Eocene) of British Columbia. <i>Canadian Journal of Botany</i> , 1990, 68, 1327-1339.	1.2	14
142	Greater palaeobiodiversity in conifer seed cones in the Upper Jurassic Morrison Formation of Utah, USA. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2014, 94, 363-375.	0.6	14
143	Grimmiaceae in the Early Cretaceous: <i>Tricarinnella crassiphylla</i> gen. et sp. nov. and the value of anatomically preserved bryophytes. <i>Annals of Botany</i> , 2018, 121, 1275-1286.	1.4	14
144	<i>Speirseopteris orbiculata</i> gen. et sp. nov. (Thelypteridaceae), a Derived Fossil Filicalean from the Paleocene of Western North America. <i>International Journal of Plant Sciences</i> , 2006, 167, 729-736.	0.6	13

#	ARTICLE	IF	CITATIONS
145	<i>Paralygodium meckertii</i> sp. nov. (Schizaeaceae) from the Upper Cretaceous (Coniacian) of Vancouver Island, British Columbia, Canada. <i>Review of Palaeobotany and Palynology</i> , 2008, 149, 163-173.	0.8	13
146	Evaluating Relationships among Floating Aquatic Monocots: A New Species of <i>Cobbania</i> (Araceae) from the Upper Maastrichtian of South Dakota. <i>International Journal of Plant Sciences</i> , 2016, 177, 706-725.	0.6	13
147	Angiosperm wood from the Upper Cretaceous (Coniacian) of British Columbia, Canada. <i>IAWA Journal</i> , 2017, 38, 141-161.	2.7	13
148	<i>Soleredera rhizomorpha</i> gen. et sp. nov., a Permineralized Monocotyledon from the Middle Eocene Princeton Chert of British Columbia, Canada. <i>Botanical Gazette</i> , 1991, 152, 231-247.	0.6	12
149	Morphology and paleoecology of <i>Riccioopsis speirsae</i> sp. nov. (Ricciaceae), a fossil liverwort from the Paleocene Joffre Bridge locality, Alberta, Canada. <i>Canadian Journal of Botany</i> , 1997, 75, 1375-1381.	1.2	12
150	<i>Pararaucaria carrii</i> sp. nov., Anatomically Preserved Evidence for the Conifer Family Cheirolepidiaceae in the Northern Hemisphere. <i>International Journal of Plant Sciences</i> , 2013, 174, 445-457.	0.6	12
151	Lauraceous Flowers from the Eocene of Vancouver Island: <i>Tinaflora beardiae</i> gen. et sp. nov. (Lauraceae). <i>International Journal of Plant Sciences</i> , 2015, 176, 567-585.	0.6	12
152	<i>Krassiloviella limbelloides</i> gen. et sp. nov.: Additional Diversity in the Hypnanaean Moss Family Tricostaceae (Valanginian, Vancouver Island, British Columbia). <i>International Journal of Plant Sciences</i> , 2016, 177, 792-808.	0.6	12
153	PERMINERALIZED PINACEOUS LEAVES FROM THE UPPER CRETACEOUS OF HOKKAIDO. <i>American Journal of Botany</i> , 1986, 73, 1157-1162.	0.8	11
154	Studies of Paleozoic Seed Ferns: Additional Studies of <i>Microspermopteris aphyllum</i> Baxter. <i>Botanical Gazette</i> , 1986, 147, 126-136.	0.6	11
155	<i>Stramineopteris aureopilosus</i> gen. et sp. nov.: Reevaluating the Role of Vegetative Anatomy in the Resolution of Leptosporangiate Fern Phylogeny. <i>International Journal of Plant Sciences</i> , 2006, 167, 683-694.	0.6	11
156	A Ranunculalean Liana Stem from the Cretaceous of British Columbia, Canada: <i>Atli morinii</i> gen. et sp. nov.. <i>International Journal of Plant Sciences</i> , 2013, 174, 818-831.	0.6	11
157	The Developmental Anatomy of Cryptogeal Germination in Bunya Pine (<i>Araucaria bidwillii</i>). <i>International Journal of Plant Sciences</i> , 1994, 155, 519-537.	0.6	11
158	Interspecific parasitism in the Gymnosperms: unpublished data on two endemic New Caledonian <i>Podocarpaceae</i> using scanning electron microscopy. <i>Acta Botanica Gallica</i> , 1994, 141, 731-746.	0.9	10
159	<i>Solenostelopteris skogjae</i> sp. nov. from the Lower Cretaceous of Vancouver Island. <i>Journal of Plant Research</i> , 2006, 119, 525-532.	1.2	10
160	Morphogenesis of the Specialized Peridermal Tissues in <i>Decodon Allenbyensis</i> from the Middle Eocene Princeton Chert. <i>IAWA Journal</i> , 2006, 27, 73-87.	2.7	10
161	Bisexual Flowers from the Coniacian (Late Cretaceous) of Vancouver Island, Canada: <i>Ambiplatanus washingtonensis</i> gen. et sp. nov. (Platanaceae). <i>International Journal of Plant Sciences</i> , 2014, 175, 651-662.	0.6	10
162	A novel cupulate seed plant, <i>Xadzigacalix quatsinoensis</i> gen. et sp. nov., provides new insight into the Mesozoic radiation of gymnosperms. <i>American Journal of Botany</i> , 2022, 109, 966-985.	0.8	10

#	ARTICLE	IF	CITATIONS
163	Vegetative Remains of the Rosaceae from the Princeton Chert (Middle Eocene) of British Columbia. IAWA Journal, 1990, 11, 261-280.	2.7	9
164	A new epiphyllous fly-speck fungus from the Early Cretaceous Potomac Group of Virginia (125–112 Ma): <i>Protographum luttrellii</i> , gen. et sp. nov.. Mycologia, 2020, 112, 504-518.	0.8	9
165	Pinus Pollen Cones from the Middle Eocene Princeton Chert (Allenby Formation) of British Columbia, Canada. International Journal of Plant Sciences, 1995, 156, 117-124.	0.6	9
166	Structure and Diversity of the Woody Conifer Seedling-Like Structures from the Upper Cretaceous of Hokkaido, Japan. Botanical Gazette, 1990, 151, 252-262.	0.6	9
167	Studies of Paleozoic Seed Ferns: Anatomy and Morphology of Morphology of <i>Microspermopteris aphyllum</i> . American Journal of Botany, 1976, 63, 1302.	0.8	8
168	Permineralized Pinaceous Leaves from the Upper Cretaceous of Hokkaido. American Journal of Botany, 1986, 73, 1157.	0.8	8
169	<i>Cunninghamia beardii</i> sp. nov. (Cupressaceae: Cunninghamioideae), Anatomically Preserved Pollen Cones from the Eocene of Vancouver Island, British Columbia, Canada. International Journal of Plant Sciences, 2016, 177, 103-114.	0.6	8
170	Revisiting the Late Cretaceous <i>Parataxodium wigginsii</i> flora from the North Slope of Alaska, a high-latitude temperate forest. Cretaceous Research, 2020, 116, 104592.	0.6	8
171	Diversification of crown group <i>Araucaria</i> : the role of <i>Araucaria famii</i> sp. nov. in the Late Cretaceous (Campanian) radiation of <i>Araucariaceae</i> in the Northern Hemisphere. American Journal of Botany, 2020, 107, 1072-1093.	0.8	8
172	Character evolution of modern fly-speck fungi and implications for interpreting thyrtothecial fossils. American Journal of Botany, 2020, 107, 1021-1040.	0.8	8
173	Vegetative Growth of <i>Eorhiza arnoldii</i> Robison and Person from the Middle Eocene Princeton Chert Locality of British Columbia. International Journal of Plant Sciences, 1994, 155, 606-616.	0.6	8
174	Paleobotany and paleoecology of Gao Mine, a late Paleocene fossil locality near Red Deer, Alberta, Canada. Canadian Journal of Earth Sciences, 2013, 50, 235-248.	0.6	7
175	<i>Cascadiacarpa exilis</i> sp. nov.: new fruits of <i>Fagaceae</i> from the Eocene of British Columbia. Botany, 2014, 92, 377-387.	0.5	7
176	Introduction to the Darwin special issue: The abominable mystery ¹ . American Journal of Botany, 2009, 96, 3-4.	0.8	6
177	Anatomically Preserved Early Cretaceous Bennettitalean Leaves: <i>Nilssoniopteris corrugata</i> n. sp. from Vancouver Island, Canada. Journal of Paleontology, 2014, 88, 1085-1093.	0.5	6
178	Anatomically Preserved Early Cretaceous Bennettitalean Leaves: <i>Nilssoniopteris corrugata</i> n. sp. from Vancouver Island, Canada. Journal of Paleontology, 2014, 88, 1085-1093.	0.5	6
179	<i>Escapia</i> gen. nov., 2018, , 271-360.		6
180	Introduction: Evolution of Modern Ferns. International Journal of Plant Sciences, 2006, 167, 613-614.	0.6	5

#	ARTICLE	IF	CITATIONS
181	Mesozoic Diversity of Osmundaceae: <i>Osmundacaulis whittlesii</i> sp. nov. in the Early Cretaceous of Western Canada. <i>International Journal of Plant Sciences</i> , 2015, 176, 245-258.	0.6	5
182	Cupressaceous Pollen Cones from the Early Cretaceous of Vancouver Island, British Columbia: <i>Morinostrobus holbergensis</i> gen. et sp. nov.. <i>International Journal of Plant Sciences</i> , 2018, 179, 402-414.	0.6	5
183	Late Cretaceous Diversification of Cupressaceous Conifers: A Taiwanioid Seed Cone from the Eden Main, Vancouver Island, British Columbia, Canada. <i>International Journal of Plant Sciences</i> , 2020, 181, 529-541.	0.6	5
184	<i>Cynodontium luthii</i> sp. nov.: a permineralized moss gametophyte from the Late Cretaceous of the North Slope of Alaska. <i>American Journal of Botany</i> , 2021, 108, 495-504.	0.8	5
185	Palaeobotany of the Bunya Pine. <i>Queensland Review</i> , 2002, 9, 25-30.	0.1	4
186	Submarine Groundwater Discharge as a Catalyst for Eodiagenetic Carbonate Cements Within Marine Sedimentary Basins. <i>Syntheses in Limnogeology</i> , 2021, , 445-468.	0.4	4
187	Fossil evidence for Paleocene diversification of Araceae: <i>Bognerospadix</i> gen. nov. and <i>Orontiophyllum grandifolium</i> comb. nov.. <i>American Journal of Botany</i> , 2021, 108, 1417-1440.	0.8	4
188	Diversity of Ancient Conifers: The Jurassic Seed Cone <i>Bancroftiastrobus digitata</i> gen. et sp. nov. (Coniferales). <i>International Journal of Plant Sciences</i> , 2013, 174, 937-946.	0.6	3
189	Wes Wehr dedication. <i>Canadian Journal of Earth Sciences</i> , 2005, 42, 115-117.	0.6	2
190	Evolutionary diversification of taiwanioid conifers: evidence from a new Upper Cretaceous seed cone from Hokkaido, Japan. <i>Journal of Plant Research</i> , 2020, 133, 681-692.	1.2	2
191	Extending the fossil record for foliicolous Dothideomycetes: <i>Bleximothyrium ostiolatum</i> gen. et sp. nov., a unique flyspeck fungus from the Lower Cretaceous of Virginia, USA. <i>American Journal of Botany</i> , 2021, 108, 129-144.	0.8	2
192	Ancient diversity and turnover of cunninghamioid conifers (Cupressaceae): two new genera from the Upper Cretaceous of Hokkaido, Japan. <i>Botany</i> , 2021, 99, 457-473.	0.5	2
193	The Development and Structure of Cornalean Flowers and Fruits. <i>Microscopy and Microanalysis</i> , 2015, 21, 865-866.	0.2	0
194	Morphology, Anatomy, and Development of <i>Cunninghamia lanceolata</i> (Cupressaceae) Pollen Cones. <i>Microscopy and Microanalysis</i> , 2015, 21, 867-868.	0.2	0
195	Integrative Paleobotany: Affirming the Role of Fossils in Modern Plant Biology—Introduction and Dedication. <i>International Journal of Plant Sciences</i> , 2019, 180, 459-463.	0.6	0