

Lawrence C Long

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9568426/publications.pdf>

Version: 2024-02-01

80
papers

2,046
citations

279798

23
h-index

276875

41
g-index

88
all docs

88
docs citations

88
times ranked

2571
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | One Pill, Once a Day: Simplified Treatment Regimens and Retention in HIV Care. <i>American Journal of Epidemiology</i> , 2022, , . | 3.4 | 2 |
| 2 | Reduction in initiations of HIV treatment in South Africa during the COVID pandemic. <i>BMC Health Services Research</i> , 2022, 22, 428. | 2.2 | 15 |
| 3 | Men missing from the HIV care continuum in sub-Saharan Africa: a meta-analysis and meta-synthesis. <i>Journal of the International AIDS Society</i> , 2022, 25, e25889. | 3.0 | 23 |
| 4 | Multi-morbidities Associated with Tuberculosis in South Africa: A Systematic Review of the Literature. <i>Wits Journal of Clinical Medicine</i> , 2022, 4, 32-46. | 0.0 | 1 |
| 5 | Perceived barriers to the uptake of health services among first-year university students in Johannesburg, South Africa. <i>PLoS ONE</i> , 2021, 16, e0245427. | 2.5 | 6 |
| 6 | Community-based delivery of HIV treatment in Zambia: costs and outcomes. <i>Aids</i> , 2021, 35, 299-306. | 2.2 | 33 |
| 7 | Attrition in HIV care following HIV diagnosis: a comparison of the pre-UTT and UTT eras in South Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25652. | 3.0 | 24 |
| 8 | Fast-track treatment initiation counselling in South Africa: A cost-outcomes analysis. <i>PLoS ONE</i> , 2021, 16, e0248551. | 2.5 | 1 |
| 9 | Differentiated Service Delivery Models for HIV Treatment in Malawi, South Africa, and Zambia: A Landscape Analysis. <i>Global Health, Science and Practice</i> , 2021, 9, 296-307. | 1.7 | 22 |
| 10 | Multimonth dispensing of up to 6 months of antiretroviral therapy in Malawi and Zambia (INTERVAL): a cluster-randomised, non-blinded, non-inferiority trial. <i>The Lancet Global Health</i> , 2021, 9, e628-e638. | 6.3 | 47 |
| 11 | Getting resources to those who need them: the evidence we need to budget for underserved populations in sub-Saharan Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25707. | 3.0 | 1 |
| 12 | Treatment and pregnancy outcomes of pregnant women exposed to second-line anti-tuberculosis drugs in South Africa. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 453. | 2.4 | 13 |
| 13 | Primary healthcare seeking behaviour of low-income patients across the public and private health sectors in South Africa. <i>BMC Public Health</i> , 2021, 21, 1649. | 2.9 | 10 |
| 14 | Cost-effectiveness of Remdesivir and Dexamethasone for COVID-19 Treatment in South Africa. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab040. | 0.9 | 27 |
| 15 | Do differentiated service delivery models for HIV treatment in sub-Saharan Africa save money? Synthesis of evidence from field studies conducted in sub-Saharan Africa in 2017-2019. <i>Gates Open Research</i> , 2021, 5, 177. | 1.1 | 5 |
| 16 | Will differentiated care for stable HIV patients reduce healthcare systems costs?. <i>Journal of the International AIDS Society</i> , 2020, 23, e25541. | 3.0 | 9 |
| 17 | Understanding the costs and the cost structure of a community-based HIV and gender-based violence (GBV) prevention program: the Woza Asibonisane Community Responses Program in South Africa. <i>BMC Health Services Research</i> , 2020, 20, 526. | 2.2 | 1 |
| 18 | Novel metric for evaluating pre-exposure prophylaxis programme effectiveness in real-world settings. <i>Lancet HIV</i> , 2020, 7, e294-e300. | 4.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Economic evaluation of facility-based HIV self-testing among adult outpatients in Malawi. <i>Journal of the International AIDS Society</i> , 2020, 23, e25612. | 3.0 | 13 |
| 20 | Retention in care and viral suppression in differentiated service delivery models for HIV treatment delivery in sub-Saharan Africa: a rapid systematic review. <i>Journal of the International AIDS Society</i> , 2020, 23, e25640. | 3.0 | 72 |
| 21 | Dietary intake among paediatric HIV-positive patients initiating antiretroviral therapy in Johannesburg, South Africa. <i>Vulnerable Children and Youth Studies</i> , 2020, 15, 155-170. | 1.1 | 5 |
| 22 | <p>Using a Self-Administered Electronic Adherence Questionnaire to Identify Poor Adherence Amongst Adolescents and Young Adults on First-Line Antiretroviral Therapy in Johannesburg, South Africa</p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 133-151. | 1.8 | 1 |
| 23 | Impact of the test and treat policy on delays in antiretroviral therapy initiation among adult HIV positive patients from six clinics in Johannesburg, South Africa: results from a prospective cohort study. <i>BMJ Open</i> , 2020, 10, e030228. | 1.9 | 25 |
| 24 | Voices from the front lines: A qualitative study of integration of HIV, tuberculosis, and primary healthcare services in Johannesburg, South Africa. <i>PLoS ONE</i> , 2020, 15, e0230849. | 2.5 | 6 |
| 25 | Title is missing!. , 2020, 15, e0230849. | | 0 |
| 26 | Title is missing!. , 2020, 15, e0230849. | | 0 |
| 27 | Title is missing!. , 2020, 15, e0230849. | | 0 |
| 28 | Title is missing!. , 2020, 15, e0230849. | | 0 |
| 29 | Title is missing!. , 2020, 15, e0230849. | | 0 |
| 30 | Treatment outcomes among children, adolescents, and adults on treatment for tuberculosis in two metropolitan municipalities in Gauteng Province, South Africa. <i>BMC Public Health</i> , 2019, 19, 973. | 2.9 | 21 |
| 31 | Effective public-private partnerships for sustainable antiretroviral therapy: outcomes of the Right to Care health services GP down-referral program. <i>BMC Public Health</i> , 2019, 19, 1471. | 2.9 | 5 |
| 32 | Cost outcome analysis of decentralized care for drug-resistant tuberculosis in Johannesburg, South Africa. <i>PLoS ONE</i> , 2019, 14, e0217820. | 2.5 | 11 |
| 33 | The impact of adverse events on health-related quality of life among patients receiving treatment for drug-resistant tuberculosis in Johannesburg, South Africa. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 94. | 2.4 | 20 |
| 34 | Data quality of drug-resistant tuberculosis and antiretroviral therapy electronic registers in South Africa. <i>BMC Public Health</i> , 2019, 19, 1638. | 2.9 | 4 |
| 35 | Differentiated models of service delivery for antiretroviral treatment of HIV in sub-Saharan Africa: a rapid review protocol. <i>Systematic Reviews</i> , 2019, 8, 314. | 5.3 | 19 |
| 36 | Growth curve modelling to determine distinct BMI trajectory groups in HIV-positive adults on antiretroviral therapy in South Africa. <i>Aids</i> , 2019, 33, 2049-2059. | 2.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | When donor funding leaves: an interrupted time-series analysis of the impact of integrating direct HIV care and treatment into public health services in a region of Johannesburg. <i>Cost Effectiveness and Resource Allocation</i> , 2019, 17, 24. | 1.5 | 2 |
| 38 | A Meta-analysis Assessing Diarrhea and Pneumonia in HIV-Exposed Uninfected Compared With HIV-Unexposed Uninfected Infants and Children. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2019, 82, 1-8. | 2.1 | 39 |
| 39 | Regimen durability in HIV-infected children and adolescents initiating first-line antiretroviral therapy in a large public sector HIV cohort in South Africa. <i>Tropical Medicine and International Health</i> , 2018, 23, 650-660. | 2.3 | 4 |
| 40 | Acceptability and feasibility of a financial incentive intervention to improve retention in HIV care among pregnant women in Johannesburg, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 453-460. | 1.2 | 19 |
| 41 | Impact of Xpert MTB/RIF and decentralized care on linkage to care and drug-resistant tuberculosis treatment outcomes in Johannesburg, South Africa. <i>BMC Health Services Research</i> , 2018, 18, 973. | 2.2 | 26 |
| 42 | Low prevalence of depressive symptoms among stable patients on antiretroviral therapy in Johannesburg, South Africa. <i>PLoS ONE</i> , 2018, 13, e0203797. | 2.5 | 9 |
| 43 | Prevalence, incidence, predictors, treatment, and control of hypertension among HIV-positive adults on antiretroviral treatment in public sector treatment programs in South Africa. <i>PLoS ONE</i> , 2018, 13, e0204020. | 2.5 | 53 |
| 44 | High rates of death and loss to follow-up by 12 months of rifampicin resistant TB treatment in South Africa. <i>PLoS ONE</i> , 2018, 13, e0205463. | 2.5 | 8 |
| 45 | "My future is bright" I won't die with the cause of AIDS: ten-year patient ART outcomes and experiences in South Africa. <i>Journal of the International AIDS Society</i> , 2018, 21, e25184. | 3.0 | 12 |
| 46 | Implementation of Option B and a fixed-dose combination antiretroviral regimen for prevention of mother-to-child transmission of HIV in South Africa: A model of uptake and adherence to care. <i>PLoS ONE</i> , 2018, 13, e0201955. | 2.5 | 4 |
| 47 | Adverse Drug Reactions Among Patients Initiating Second-Line Antiretroviral Therapy in South Africa. <i>Drug Safety</i> , 2018, 41, 1343-1353. | 3.2 | 19 |
| 48 | Tenofovir stock shortages have limited impact on clinic- and patient-level HIV treatment outcomes in public sector clinics in South Africa. <i>Tropical Medicine and International Health</i> , 2017, 22, 241-251. | 2.3 | 10 |
| 49 | Predicting the Need for Third-Line Antiretroviral Therapy by Identifying Patients at High Risk for Failing Second-Line Antiretroviral Therapy in South Africa. <i>AIDS Patient Care and STDs</i> , 2017, 31, 205-212. | 2.5 | 32 |
| 50 | Initiating antiretroviral therapy for HIV at a patient's first clinic visit. <i>Aids</i> , 2017, 31, 1611-1619. | 2.2 | 27 |
| 51 | Citizenship status and engagement in HIV care: an observational cohort study to assess the association between reporting a national ID number and retention in public-sector HIV care in Johannesburg, South Africa. <i>BMJ Open</i> , 2017, 7, e013908. | 1.9 | 6 |
| 52 | Treatment outcomes of over 1000 patients on second-line, protease inhibitor-based antiretroviral therapy from four public-sector HIV treatment facilities across Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , 2017, 22, 221-231. | 2.3 | 13 |
| 53 | Cohort profile: the Right to Care Clinical HIV Cohort, South Africa. <i>BMJ Open</i> , 2017, 7, bmjopen-2016-015620. | 1.9 | 16 |
| 54 | Treatment initiation among persons diagnosed with drug resistant tuberculosis in Johannesburg, South Africa. <i>PLoS ONE</i> , 2017, 12, e0181238. | 2.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Changing the South African national antiretroviral therapy guidelines: The role of cost modelling. PLoS ONE, 2017, 12, e0186557. | 2.5 | 52 |
| 56 | Developing a predictive risk model for first-line antiretroviral therapy failure in South Africa. Journal of the International AIDS Society, 2016, 19, 20987. | 3.0 | 14 |
| 57 | Marginal Structural Models to Assess Delays in Second-Line HIV Treatment Initiation in South Africa. PLoS ONE, 2016, 11, e0161469. | 2.5 | 32 |
| 58 | Treatment outcomes of HIV-positive patients on first-line antiretroviral therapy in private versus public HIV clinics in Johannesburg, South Africa. Clinical Epidemiology, 2016, 8, 37. | 3.0 | 15 |
| 59 | Initiating Antiretroviral Therapy for HIV at a Patient's First Clinic Visit: The RapIT Randomized Controlled Trial. PLoS Medicine, 2016, 13, e1002015. | 8.4 | 232 |
| 60 | Intensive adherence counselling for HIV-infected individuals failing second-line antiretroviral therapy in Johannesburg, South Africa. Tropical Medicine and International Health, 2016, 21, 1131-1137. | 2.3 | 49 |
| 61 | Can Short-Term Use of Electronic Patient Adherence Monitoring Devices Improve Adherence in Patients Failing Second-Line Antiretroviral Therapy? Evidence from a Pilot Study in Johannesburg, South Africa. AIDS and Behavior, 2016, 20, 2717-2728. | 2.7 | 15 |
| 62 | The High Cost of HIV-Positive Inpatient Care at an Urban Hospital in Johannesburg, South Africa. PLoS ONE, 2016, 11, e0148546. | 2.5 | 20 |
| 63 | Screening HIV-Infected Patients with Low CD4 Counts for Cryptococcal Antigenemia prior to Initiation of Antiretroviral Therapy: Cost Effectiveness of Alternative Screening Strategies in South Africa. PLoS ONE, 2016, 11, e0158986. | 2.5 | 31 |
| 64 | Treatment Outcomes and Costs of Providing Antiretroviral Therapy at a Primary Health Clinic versus a Hospital-Based HIV Clinic in South Africa. PLoS ONE, 2016, 11, e0168118. | 2.5 | 12 |
| 65 | Delays, interruptions, and losses from prevention of mother-to-child transmission of HIV services during antenatal care in Johannesburg, South Africa: a cohort analysis. BMC Infectious Diseases, 2015, 15, 46. | 2.9 | 21 |
| 66 | The relation between efavirenz versus nevirapine and virologic failure in Johannesburg, South Africa. Journal of the International AIDS Society, 2014, 17, 19065. | 3.0 | 14 |
| 67 | Impact of choice of NRTI in first-line antiretroviral therapy: a cohort analysis of stavudine vs. tenofovir. Tropical Medicine and International Health, 2014, 19, 490-498. | 2.3 | 9 |
| 68 | Retention in care, resource utilization, and costs for adults receiving antiretroviral therapy in Zambia: a retrospective cohort study. BMC Public Health, 2014, 14, 296. | 2.9 | 19 |
| 69 | Poor CD4 recovery and risk of subsequent progression to AIDS or death despite viral suppression in a South African cohort. Journal of the International AIDS Society, 2014, 17, 18651. | 3.0 | 44 |
| 70 | Costs of inpatient treatment for multi-drug-resistant tuberculosis in South Africa. Tropical Medicine and International Health, 2013, 18, 109-116. | 2.3 | 40 |
| 71 | Cost and outcomes of paediatric antiretroviral treatment in South Africa. Aids, 2013, 27, 243-250. | 2.2 | 23 |
| 72 | Cohort Profile: The Themba Lethu Clinical Cohort, Johannesburg, South Africa. International Journal of Epidemiology, 2013, 42, 430-439. | 1.9 | 79 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Impact and cost of algorithms for the diagnosis of adults with pulmonary tuberculosis in South Africa. <i>South African Medical Journal</i> , 2013, 103, 436. | 0.6 | 2 |
| 74 | Increases in regimen durability associated with the introduction of tenofovir at a large public-sector clinic in Johannesburg, South Africa. <i>Journal of the International AIDS Society</i> , 2013, 16, 18794. | 3.0 | 17 |
| 75 | The Impact and Cost of Scaling up GeneXpert MTB/RIF in South Africa. <i>PLoS ONE</i> , 2012, 7, e36966. | 2.5 | 126 |
| 76 | Scaling up Xpert MTB/RIF technology: the costs of laboratory- vs. clinic-based roll-out in South Africa. <i>Tropical Medicine and International Health</i> , 2012, 17, 1142-1151. | 2.3 | 54 |
| 77 | Treatment Outcomes and Cost-Effectiveness of Shifting Management of Stable ART Patients to Nurses in South Africa: An Observational Cohort. <i>PLoS Medicine</i> , 2011, 8, e1001055. | 8.4 | 106 |
| 78 | The high cost of second-line antiretroviral therapy for HIV/AIDS in South Africa. <i>Aids</i> , 2010, 24, 915-919. | 2.2 | 83 |
| 79 | High Rates of Survival, Immune Reconstitution, and Virologic Suppression on Second-Line Antiretroviral Therapy in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010, 53, 500-506. | 2.1 | 73 |
| 80 | The outcomes and outpatient costs of different models of antiretroviral treatment delivery in South Africa. <i>Tropical Medicine and International Health</i> , 2008, 13, 1005-1015. | 2.3 | 85 |