

Jeongwon Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9569280/jeongwon-park-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	4,690 citations	22 h-index	68 g-index
92 ext. papers	5,189 ext. citations	4.5 avg, IF	5.24 L-index

#	Paper	IF	Citations
82	ZnO nanowire UV photodetectors with high internal gain. <i>Nano Letters</i> , 2007 , 7, 1003-9	11.5	2127
81	Tailoring electrical transport across grain boundaries in polycrystalline graphene. <i>Science</i> , 2012 , 336, 1143-6	33.3	469
80	Extremely efficient multiple electron-hole pair generation in carbon nanotube photodiodes. <i>Science</i> , 2009 , 325, 1367-71	33.3	434
79	Strain solitons and topological defects in bilayer graphene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 11256-60	11.5	293
78	Comparative gas sensing in cobalt, nickel, copper, zinc, and metal-free phthalocyanine chemiresistors. <i>Journal of the American Chemical Society</i> , 2009 , 131, 478-85	16.4	234
77	Gas sensing mechanism in chemiresistive cobalt and metal-free phthalocyanine thin films. <i>Journal of the American Chemical Society</i> , 2007 , 129, 5640-6	16.4	177
76	Selective detection of vapor phase hydrogen peroxide with phthalocyanine chemiresistors. <i>Journal of the American Chemical Society</i> , 2008 , 130, 3712-3	16.4	101
75	Ultrathin organic transistors for chemical sensing. <i>Applied Physics Letters</i> , 2007 , 90, 263506	3.4	89
74	Analyte chemisorption and sensing on n- and p-channel copper phthalocyanine thin-film transistors. <i>Journal of Chemical Physics</i> , 2009 , 130, 164703	3.9	61
73	Improvement of the biocompatibility and mechanical properties of surgical tools with TiN coating by PACVD. <i>Thin Solid Films</i> , 2003 , 435, 102-107	2.2	49
72	Metal/anocarbon contacts. <i>Semiconductor Science and Technology</i> , 2014 , 29, 054006	1.8	43
71	Enhanced room temperature ferromagnetism in Co- and Mn-ion-implanted silicon. <i>Applied Physics Letters</i> , 2006 , 89, 112502	3.4	40
70	Influence of support properties on the sound radiated from the vibrations of rectangular plates. <i>Journal of Sound and Vibration</i> , 2003 , 264, 775-794	3.9	38
69	Electrode independent chemoresistive response for cobalt phthalocyanine in the space charge limited conductivity regime. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 361-6	3.4	31
68	Ultralow drift in organic thin-film transistor chemical sensors by pulsed gating. <i>Journal of Applied Physics</i> , 2007 , 102, 034515	2.5	29
67	Anomalous temperature dependent thermal conductivity of two-dimensional silicon carbide. <i>Nanotechnology</i> , 2019 , 30, 445707	3.4	27
66	Emission of positron beams produced in intense laser plasma interaction. <i>Physics of Plasmas</i> , 2013 , 20, 013111	2.1	25

65	Exceptional antibacterial and cytotoxic potency of monodisperse greener AgNPs prepared under optimized pH and temperature. <i>Scientific Reports</i> , 2021 , 11, 2866	4.9	24
64	Ambient induced degradation and chemically activated recovery in copper phthalocyanine thin film transistors. <i>Journal of Applied Physics</i> , 2009 , 106, 034505	2.5	23
63	Bilayer processing for an enhanced organic-electrode contact in ultrathin bottom contact organic transistors. <i>Applied Physics Letters</i> , 2008 , 92, 193311	3.4	23
62	Ambipolarity and Air Stability of Silicon Phthalocyanine Organic Thin-Film Transistors. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900087	6.4	22
61	Determination of effective mass density and modulus for resonant metamaterials. <i>Journal of the Acoustical Society of America</i> , 2012 , 132, 2793-9	2.2	22
60	Tunable electronic properties in stanene and two dimensional silicon-carbide heterobilayer: A first principles investigation. <i>AIP Advances</i> , 2019 , 9, 025120	1.5	19
59	Anisotropic mechanical behavior of two dimensional silicon carbide: effect of temperature and vacancy defects. <i>Materials Research Express</i> , 2019 , 6, 125073	1.7	19
58	Vacancy-induced thermal transport in two-dimensional silicon carbide: a reverse non-equilibrium molecular dynamics study. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 13592-13602	3.6	18
57	Three-way electrical gating characteristics of metallic Y-junction carbon nanotubes. <i>Applied Physics Letters</i> , 2006 , 88, 243113	3.4	16
56	Lateral and flexural thermal transport in stanene/2D-SiC van der Waals heterostructure. <i>Nanotechnology</i> , 2020 , 31, 505702	3.4	16
55	Widely tunable electronic properties in graphene/two-dimensional silicon carbide van der Waals heterostructures. <i>Journal of Computational Electronics</i> , 2019 , 18, 836-845	1.8	15
54	Damping of Structural Vibration Using Lightweight Granular Materials. <i>Experimental Mechanics</i> , 2009 , 49, 697-705	2.6	15
53	Molecular dynamics study of thermal transport in single-layer silicon carbide nanoribbons. <i>AIP Advances</i> , 2020 , 10, 015117	1.5	11
52	Mechanistic Insight into the Limiting Factors of Graphene-Based Environmental Sensors. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 39764-39771	9.5	10
51	Exceptional in-plane and interfacial thermal transport in graphene/2D-SiC van der Waals heterostructures. <i>Scientific Reports</i> , 2020 , 10, 22050	4.9	10
50	Germanene/2D-SiC van der Waals heterobilayer: Structural features and tunable electronic properties. <i>Materials Today Communications</i> , 2021 , 26, 101718	2.5	10
49	Direct determination of dynamic properties of railway tracks for flexural vibrations. <i>European Journal of Mechanics, A/Solids</i> , 2017 , 61, 14-21	3.7	9
48	Chemical identification using an impedance sensor based on dispersive charge transport. <i>Applied Physics Letters</i> , 2006 , 88, 074104	3.4	9

47	Combined effect of ¹³ C isotope and vacancies on the phonon properties in AB stacked bilayer graphene. <i>Carbon</i> , 2020 , 168, 22-31	10.4	8
46	Characterizations and analysis of the antioxidant, antimicrobial, and dye reduction ability of green synthesized silver nanoparticles. <i>Green Processing and Synthesis</i> , 2020 , 9, 693-705	3.9	8
45	Mobility saturation in tapered edge bottom contact copper phthalocyanine thin film transistors. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010 , 28, C5F22-C5F27	7.3	7
44	Thermal stability enhancement of Cu/WN/SiOF/Si multilayers by post-plasma treatment of fluorine-doped silicon dioxide. <i>Journal of Applied Physics</i> , 1999 , 85, 473-477	2.5	7
43	Germanene/2D-AIP van der Waals heterostructure: Tunable structural and electronic properties. <i>AIP Advances</i> , 2021 , 11, 015126	1.5	7
42	Interlayer vacancy effects on the phonon modes in AB stacked bilayer graphene nanoribbon. <i>Current Applied Physics</i> , 2020 , 20, 572-581	2.6	6
41	The effects of nanostructures on the mechanical and tribological properties of TiO nanotubes. <i>Nanotechnology</i> , 2018 , 29, 165705	3.4	6
40	Geometry transformation and alterations of periodically patterned Si nanotemplates by dry oxidation. <i>Nanotechnology</i> , 2009 , 20, 015303	3.4	6
39	An analysis of strain localization in a shear layer under thermally coupled dynamic conditions. Part 1: Continuum thermoplastic models. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 2069-2100	2.4	6
38	An analysis of strain localization in a shear layer under thermally coupled dynamic conditions. Part 2: Localized thermoplastic models. <i>International Journal for Numerical Methods in Engineering</i> , 2003 , 56, 2101-2133	2.4	6
37	Silicene/ZnIvan der Waals heterostructure: tunable structural and electronic properties. <i>Nanotechnology</i> , 2021 , 32,	3.4	6
36	Measurement of viscoelastic properties from the vibration of a compliantly supported beam. <i>Journal of the Acoustical Society of America</i> , 2011 , 130, 3729-35	2.2	5
35	Microwave planar capacitors employing low loss, high-K, and tunable BZN thin films 2005 ,		5
34	Effects of Deposition Temperature on Low-Dielectric Fluorinated Amorphous Carbon Films for Ultralarge-Scale Integration Multilevel Interconnects. <i>Microchemical Journal</i> , 1999 , 63, 161-167	4.8	5
33	Effect of the static compressive load on vibration propagation in multistory buildings and resulting heavyweight floor impact sounds. <i>Journal of the Acoustical Society of America</i> , 2017 , 142, 308	2.2	4
32	Scanning microwave imaging of optically patterned Ge ₂ Sb ₂ Te ₅ . <i>Applied Physics Letters</i> , 2019 , 114, 093106	1.6	3
31	HfO ₂ /TiO ₂ /HfO ₂ tri-layer high-K gate oxide based MoS ₂ negative capacitance FET with steep subthreshold swing. <i>AIP Advances</i> , 2020 , 10, 035202	1.5	3
30	Demonstration of organic volatile decomposition and bacterial sterilization by miniature dielectric barrier discharges on low-temperature cofired ceramic electrodes. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 040302	1.4	3

29	Experimental Method to Evaluate Effective Dynamic Properties of a Meta-Structure for Flexural Vibrations. <i>Experimental Mechanics</i> , 2017 , 57, 417-425	2.6	3
28	Temperature- and Defect-Induced Uniaxial Tensile Mechanical Behaviors and the Fracture Mechanism of Two-Dimensional Silicon Germanide. <i>ACS Omega</i> , 2021 , 6, 21861-21871	3.9	3
27	Chirality, temperature, and vacancy effects on mechanical behavior of monolayer zinc-sulfide. <i>Computational Materials Science</i> , 2021 , 200, 110824	3.2	3
26	Atmospheric-pressure plasma by remote dielectric barrier discharges for surface cleaning of large area glass substrates. <i>Plasma Research Express</i> , 2019 , 1, 015015	1	2
25	Temperature-induced localized exciton dynamics in mixed lead-free based CH ₃ NH ₃ Pb _{1-x} Sn _x I ₃ perovskite materials. <i>AIP Advances</i> , 2020 , 10, 065331	1.5	2
24	Vacancy-Induced Thermal Transport and Tensile Mechanical Behavior of Monolayer Honeycomb BeO. <i>ACS Omega</i> , 2022 , 7, 4525-4537	3.9	2
23	Thermal transport in monolayer zinc-sulfide: effects of length, temperature and vacancy defects. <i>Nanotechnology</i> , 2021 , 32,	3.4	2
22	Strong tribo-piezoelectric effect in bilayer indium nitride (InN). <i>Scientific Reports</i> , 2021 , 11, 18669	4.9	2
21	Synthesis of Biogenic Silver Nanocatalyst and their Antibacterial and Organic Pollutants Reduction Ability. <i>ACS Omega</i> , 2022 , 7, 14723-14734	3.9	2
20	New small-signal extraction method applied to GaN HEMTs on different substrates. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2020 , 30, e22291	1.5	1
19	Selective Epitaxial Phosphorus-Doped SiGe Layers for Short-Channel Effect Reduction 2012 ,		1
18	(Invited) A Novel Approach to Clean Surface for High Mobility Channel Materials with In Situ Atomic Hydrogen Clean. <i>ECS Transactions</i> , 2013 , 58, 275-280	1	1
17	Phonon localization in single wall carbon nanotube: Combined effect of ¹³ C isotope and vacancies. <i>Journal of Applied Physics</i> , 2020 , 128, 045108	2.5	1
16	Patterning of graphene for flexible electronics with remote atmospheric-pressure plasma using dielectric barrier. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 085102	1.4	1
15	Image-based feedback control of a magnetic catheter to enhance the path-following capability of the position and orientation at its distal part. <i>AIP Advances</i> , 2019 , 9, 125127	1.5	1
14	Carbon-based Nanostructures for Flexible Electronics 2018 ,		1
13	Superior tunable photocatalytic properties for water splitting in two dimensional GeC/SiC van der Waals heterobilayers. <i>Scientific Reports</i> , 2021 , 11, 17739	4.9	1
12	Numerical Investigations of Nanowire Gate-All-Around Negative Capacitance GaAs/InN Tunnel FET. <i>IEEE Access</i> , 2022 , 10, 30323-30334	3.5	1

11	Temperature and interlayer coupling induced thermal transport across graphene/2D-SiC van der Waals heterostructure.. <i>Scientific Reports</i> , 2022 , 12, 761	4.9	○
10	Dual source negative capacitance GaSb/InGaAsSb/InAs heterostructure based vertical TFET with steep subthreshold swing and high on-off current ratio. <i>Results in Physics</i> , 2021 , 29, 104796	3.7	○
9	Tensile Mechanical Behavior and the Fracture Mechanism in Monolayer Group-III Nitrides XN (X= Ga, In): Effect of Temperature and Point Vacancies.. <i>ACS Omega</i> , 2022 , 7, 14678-14689	3.9	○
8	Influence of cross-sectional discontinuity on the damping characteristics of viscoelastically supported rectangular plates. <i>Journal of Sound and Vibration</i> , 2016 , 379, 71-83	3.9	
7	Measurement of the dynamic mechanical properties of high-strength steel using wave propagation characteristics. <i>Journal of the Korean Physical Society</i> , 2014 , 64, 1814-1818	0.6	
6	Electrical Transport in Carbon Nanotube Y-junctions- a Paradigm for Novel Functionality at the Nanoscale. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 922, 1		
5	Reliability of Cu/Wn Thin Films Deposited on Low Dielectric Constant Siof ILD. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 511, 347		
4	Carbon Nanotube-on-Graphene Heterostructures. <i>Journal of Electronic Materials</i> , 2020 , 49, 6806-6816	1.9	
3	Effect of Synthesis Methods and Conditions on Properties and Applications of Carbon Dots for the Detection of Potential Water Contaminants: A Review. <i>Critical Reviews in Analytical Chemistry</i> , 2021 , 1-24	5.2	
2	Laser-induced patterning for a diffraction grating using the phase change material of Ge ₂ Sb ₂ Te ₅ (GST) as a spatial light modulator in X-ray optics: a proof of concept. <i>Optical Materials Express</i> , 2022 , 12, 1408	2.6	
1	Deep brain stimulation for Parkinson's Disease: A Review and Future Outlook. <i>Biomedical Engineering Letters</i> , 1	3.6	