

# Darren C Henstridge

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9569507/darren-c-henstridge-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

4,189

citations

32

h-index

64

g-index

71

ext. papers

5,061

ext. citations

10

avg, IF

4.81

L-index

#	Paper	IF	Citations
68	Yap regulates skeletal muscle fatty acid oxidation and adiposity in metabolic disease. <i>Nature Communications</i> , <b>2021</b> , 12, 2887	17.4	3
67	Characterization of the circulating and tissue-specific alterations to the lipidome in response to moderate and major cold stress in mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , <b>2021</b> , 320, R95-R104	3.2	2
66	Deletion of Trim28 in committed adipocytes promotes obesity but preserves glucose tolerance. <i>Nature Communications</i> , <b>2021</b> , 12, 74	17.4	3
65	Fine-tuning the cardiac O-GlcNAcylation regulatory enzymes governs the functional and structural phenotype of the diabetic heart. <i>Cardiovascular Research</i> , <b>2021</b> ,	9.9	11
64	Single or combined ablation of peripheral serotonin and p21 limit adipose tissue expansion and metabolic alterations in early adulthood in mice fed a normocaloric diet. <i>PLoS ONE</i> , <b>2021</b> , 16, e0255687	3.7	1
63	Tissue-specific expression of Cas9 has no impact on whole-body metabolism in four transgenic mouse lines. <i>Molecular Metabolism</i> , <b>2021</b> , 53, 101292	8.8	1
62	Serine administration as a novel prophylactic approach to reduce the severity of acute pancreatitis during diabetes in mice. <i>Diabetologia</i> , <b>2020</b> , 63, 1885-1899	10.3	3
61	Fecal microbiota transplantation from high caloric-fed donors alters glucose metabolism in recipient mice, independently of adiposity or exercise status. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2020</b> , 319, E203-E216	6	9
60	Intravascular Follistatin gene delivery improves glycemic control in a mouse model of type 2 diabetes. <i>FASEB Journal</i> , <b>2020</b> , 34, 5697-5714	0.9	3
59	Sex-specific adipose tissue imprinting of regulatory T cells. <i>Nature</i> , <b>2020</b> , 579, 581-585	50.4	72
58	Delineating a role for the mitochondrial permeability transition pore in diabetic kidney disease by targeting cyclophilin D. <i>Clinical Science</i> , <b>2020</b> , 134, 239-259	6.5	20
57	Complement C5a Induces Renal Injury in Diabetic Kidney Disease by Disrupting Mitochondrial Metabolic Agility. <i>Diabetes</i> , <b>2020</b> , 69, 83-98	0.9	20
56	Fructose stimulated de novo lipogenesis is promoted by inflammation. <i>Nature Metabolism</i> , <b>2020</b> , 2, 1034-1045	10.4	65
55	CORP: Practical tools for improving experimental design and reporting of laboratory studies of cardiovascular physiology and metabolism. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2019</b> , 317, H627-H639	5.2	6
54	Treatment of type 2 diabetes with the designer cytokine IC7Fc. <i>Nature</i> , <b>2019</b> , 574, 63-68	50.4	30
53	Metabolic control and sex: A focus on inflammatory-linked mediators. <i>British Journal of Pharmacology</i> , <b>2019</b> , 176, 4193-4207	8.6	10
52	The Zinc Transporter Zip7 Is Downregulated in Skeletal Muscle of Insulin-Resistant Cells and in Mice Fed a High-Fat Diet. <i>Cells</i> , <b>2019</b> , 8,	7.9	8

51	Respiratory syncytial virus co-opts host mitochondrial function to favour infectious virus production. <i>ELife</i> , <b>2019</b> , 8,	8.9	19
50	The E3 ligase MARCH5 is a PPAR $\alpha$ target gene that regulates mitochondria and metabolism in adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 316, E293-E304	6	5
49	Protein Kinase C Epsilon Deletion in Adipose Tissue, but Not in Liver, Improves Glucose Tolerance. <i>Cell Metabolism</i> , <b>2019</b> , 29, 183-191.e7	24.6	30
48	Skeletal muscle-specific overexpression of heat shock protein 72 improves skeletal muscle insulin-stimulated glucose uptake but does not alter whole body metabolism. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 1928-1936	6.7	13
47	Body Composition and Metabolic Caging Analysis in High Fat Fed Mice. <i>Journal of Visualized Experiments</i> , <b>2018</b> ,	1.6	10
46	Distinct lipidomic profiles in models of physiological and pathological cardiac remodeling, and potential therapeutic strategies. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , <b>2018</b> , 1863, 219-234	5	14
45	Muscle-specific overexpression of AdipoR1 or AdipoR2 gives rise to common and discrete local effects whilst AdipoR2 promotes additional systemic effects. <i>Scientific Reports</i> , <b>2017</b> , 7, 41792	4.9	10
44	Scriptaid enhances skeletal muscle insulin action and cardiac function in obese mice. <i>Diabetes, Obesity and Metabolism</i> , <b>2017</b> , 19, 936-943	6.7	13
43	High-density lipoprotein delivered after myocardial infarction increases cardiac glucose uptake and function in mice. <i>Science Translational Medicine</i> , <b>2017</b> , 9,	17.5	35
42	Metabolically active CD4 <sup>+</sup> T cells expressing Glut1 and OX40 preferentially harbor HIV during in vitro infection. <i>FEBS Letters</i> , <b>2017</b> , 591, 3319-3332	3.8	41
41	Disruption of the Class IIa HDAC Corepressor Complex Increases Energy Expenditure and Lipid Oxidation. <i>Cell Reports</i> , <b>2016</b> , 16, 2802-2810	10.6	48
40	Male-lineage transmission of an acquired metabolic phenotype induced by grand-paternal obesity. <i>Molecular Metabolism</i> , <b>2016</b> , 5, 699-708	8.8	104
39	14-3-3 $\beta$ regulates the mitochondrial respiratory reserve linked to platelet phosphatidylserine exposure and procoagulant function. <i>Nature Communications</i> , <b>2016</b> , 7, 12862	17.4	34
38	Adipocyte Ceramides Regulate Subcutaneous Adipose Browning, Inflammation, and Metabolism. <i>Cell Metabolism</i> , <b>2016</b> , 24, 820-834	24.6	130
37	Deficiency in Apoptosis-Inducing Factor Recapitulates Chronic Kidney Disease via Aberrant Mitochondrial Homeostasis. <i>Diabetes</i> , <b>2016</b> , 65, 1085-98	0.9	34
36	Heat shock proteins and exercise adaptations. Our knowledge thus far and the road still ahead. <i>Journal of Applied Physiology</i> , <b>2016</b> , 120, 683-91	3.7	38
35	High Fat Diet Inhibits Dendritic Cell and T Cell Response to Allergens but Does Not Impair Inhalational Respiratory Tolerance. <i>PLoS ONE</i> , <b>2016</b> , 11, e0160407	3.7	15
34	Emerging Role and Characterization of Immunometabolism: Relevance to HIV Pathogenesis, Serious Non-AIDS Events, and a Cure. <i>Journal of Immunology</i> , <b>2016</b> , 196, 4437-44	5.3	26

33	Glucose-6-phosphate dehydrogenase contributes to the regulation of glucose uptake in skeletal muscle. <i>Molecular Metabolism</i> , <b>2016</b> , 5, 1083-1091	8.8	15
32	Genetic manipulation of cardiac Hsp72 levels does not alter substrate metabolism but reveals insights into high-fat feeding-induced cardiac insulin resistance. <i>Cell Stress and Chaperones</i> , <b>2015</b> , 20, 461-72	4	8
31	Analysis of the liver lipidome reveals insights into the protective effect of exercise on high-fat diet-induced hepatosteatosis in mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2015</b> , 308, E778-91	6	37
30	Nanoporous Metal-Phenolic Particles as Ultrasound Imaging Probes for Hydrogen Peroxide. <i>Advanced Healthcare Materials</i> , <b>2015</b> , 4, 2170-2175	10.1	42
29	Blocking IL-6 trans-signaling prevents high-fat diet-induced adipose tissue macrophage recruitment but does not improve insulin resistance. <i>Cell Metabolism</i> , <b>2015</b> , 21, 403-16	24.6	155
28	Activating HSP72 in rodent skeletal muscle increases mitochondrial number and oxidative capacity and decreases insulin resistance. <i>Diabetes</i> , <b>2014</b> , 63, 1881-94	0.9	122
27	HSP72 is a mitochondrial stress sensor critical for Parkin action, oxidative metabolism, and insulin sensitivity in skeletal muscle. <i>Diabetes</i> , <b>2014</b> , 63, 1488-505	0.9	85
26	In vitro palmitate treatment of myotubes from postmenopausal women leads to ceramide accumulation, inflammation and affected insulin signaling. <i>PLoS ONE</i> , <b>2014</b> , 9, e101555	3.7	12
25	Increased glucose metabolic activity is associated with CD4+ T-cell activation and depletion during chronic HIV infection. <i>Aids</i> , <b>2014</b> , 28, 297-309	3.5	106
24	The small-molecule BGP-15 protects against heart failure and atrial fibrillation in mice. <i>Nature Communications</i> , <b>2014</b> , 5, 5705	17.4	61
23	Chaperoning to the metabolic party: The emerging therapeutic role of heat-shock proteins in obesity and type 2 diabetes. <i>Molecular Metabolism</i> , <b>2014</b> , 3, 781-93	8.8	64
22	Deficiency in mitochondrial complex I activity due to Ndufs6 gene trap insertion induces renal disease. <i>Antioxidants and Redox Signaling</i> , <b>2013</b> , 19, 331-43	8.4	31
21	Distinct patterns of tissue-specific lipid accumulation during the induction of insulin resistance in mice by high-fat feeding. <i>Diabetologia</i> , <b>2013</b> , 56, 1638-48	10.3	284
20	The transcription factor IRF4 is essential for TCR affinity-mediated metabolic programming and clonal expansion of T cells. <i>Nature Immunology</i> , <b>2013</b> , 14, 1155-65	19.1	256
19	The sphingosine-1-phosphate analog FTY720 reduces muscle ceramide content and improves glucose tolerance in high fat-fed male mice. <i>Endocrinology</i> , <b>2013</b> , 154, 65-76	4.8	43
18	Ceramides contained in LDL are elevated in type 2 diabetes and promote inflammation and skeletal muscle insulin resistance. <i>Diabetes</i> , <b>2013</b> , 62, 401-10	0.9	181
17	p32 protein levels are integral to mitochondrial and endoplasmic reticulum morphology, cell metabolism and survival. <i>Biochemical Journal</i> , <b>2013</b> , 453, 381-91	3.8	44
16	Maternal obesity and diabetes induces latent metabolic defects and widespread epigenetic changes in isogenic mice. <i>Epigenetics</i> , <b>2013</b> , 8, 602-11	5.7	62

15	Enhanced phosphoinositide 3-kinase(p110) activity prevents diabetes-induced cardiomyopathy and superoxide generation in a mouse model of diabetes. <i>Diabetologia</i> , <b>2012</b> , 55, 3369-81	10.3	66
14	Skeletal muscle-specific overproduction of constitutively activated c-Jun N-terminal kinase (JNK) induces insulin resistance in mice. <i>Diabetologia</i> , <b>2012</b> , 55, 2769-2778	10.3	39
13	Hsp72 preserves muscle function and slows progression of severe muscular dystrophy. <i>Nature</i> , <b>2012</b> , 484, 394-8	50.4	196
12	Myeloid-specific estrogen receptor alpha deficiency impairs metabolic homeostasis and accelerates atherosclerotic lesion development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 16457-62	11.5	125
11	Impaired oxidative metabolism and inflammation are associated with insulin resistance in ERalpha-deficient mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2010</b> , 298, E304-19	6	212
10	Adiponectin sparks an interest in calcium. <i>Cell Metabolism</i> , <b>2010</b> , 11, 447-9	24.6	6
9	Interleukin-6-deficient mice develop hepatic inflammation and systemic insulin resistance. <i>Diabetologia</i> , <b>2010</b> , 53, 2431-41	10.3	241
8	The relationship between heat shock protein 72 expression in skeletal muscle and insulin sensitivity is dependent on adiposity. <i>Metabolism: Clinical and Experimental</i> , <b>2010</b> , 59, 1556-61	12.7	21
7	High-density lipoprotein modulates glucose metabolism in patients with type 2 diabetes mellitus. <i>Circulation</i> , <b>2009</b> , 119, 2103-11	16.7	281
6	c-Jun NH2-terminal kinase activity in subcutaneous adipose tissue but not nuclear factor-kappaB activity in peripheral blood mononuclear cells is an independent determinant of insulin resistance in healthy individuals. <i>Diabetes</i> , <b>2009</b> , 58, 1259-65	0.9	30
5	Oral nitrate therapy does not affect glucose metabolism in healthy men. <i>Clinical and Experimental Pharmacology and Physiology</i> , <b>2009</b> , 36, 1086-92	3	8
4	The effect of the nitric oxide donor sodium nitroprusside on glucose uptake in human primary skeletal muscle cells. <i>Nitric Oxide - Biology and Chemistry</i> , <b>2009</b> , 21, 126-31	5	16
3	ABCA1 expression in humans is associated with physical activity and alcohol consumption. <i>Atherosclerosis</i> , <b>2008</b> , 197, 197-203	3.1	32
2	HSP72 protects against obesity-induced insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 1739-44	11.5	397
1	Effects of the nitric oxide donor, sodium nitroprusside, on resting leg glucose uptake in patients with type 2 diabetes. <i>Diabetologia</i> , <b>2005</b> , 48, 2602-8	10.3	24