

# Reina Tanaka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9569612/publications.pdf>

Version: 2024-02-01

15  
papers

676  
citations

840776

11  
h-index

996975

15  
g-index

15  
all docs

15  
docs citations

15  
times ranked

918  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dispersion stability and aggregation behavior of TEMPO-oxidized cellulose nanofibrils in water as a function of salt addition. <i>Cellulose</i> , 2014, 21, 1553-1559.	4.9	119
2	Cellulose nanofibrils prepared from softwood cellulose by TEMPO/NaClO/NaClO <sub>2</sub> systems in water at pH 4.8 or 6.8. <i>International Journal of Biological Macromolecules</i> , 2012, 51, 228-234.	7.5	110
3	Determination of nanocellulose fibril length by shear viscosity measurement. <i>Cellulose</i> , 2014, 21, 1581-1589.	4.9	107
4	Influence of Flexibility and Dimensions of Nanocelluloses on the Flow Properties of Their Aqueous Dispersions. <i>Biomacromolecules</i> , 2015, 16, 2127-2131.	5.4	83
5	Improvement of nanodispersibility of oven-dried TEMPO-oxidized celluloses in water. <i>Cellulose</i> , 2014, 21, 4093-4103.	4.9	77
6	Viscoelastic Properties of Core-Shell-Structured, Hemicellulose-Rich Nanofibrillated Cellulose in Dispersion and Wet-Film States. <i>Biomacromolecules</i> , 2016, 17, 2104-2111.	5.4	43
7	SEC-MALLS analysis of ethylenediamine-pretreated native celluloses in LiCl/N,N-dimethylacetamide: softwood kraft pulp and highly crystalline bacterial, tunicate, and algal celluloses. <i>Cellulose</i> , 2016, 23, 1639-1647.	4.9	33
8	Ensemble evaluation of polydisperse nanocellulose dimensions: rheology, electron microscopy, X-ray scattering and turbidimetry. <i>Cellulose</i> , 2017, 24, 3231-3242.	4.9	24
9	Changes in the degree of polymerization of wood celluloses during dilute acid hydrolysis and TEMPO-mediated oxidation: Formation mechanism of disordered regions along each cellulose microfibril. <i>International Journal of Biological Macromolecules</i> , 2018, 109, 914-920.	7.5	21
10	Dynamic Viscoelastic Functions of Liquid-Crystalline Chitin Nanofibril Dispersions. <i>Biomacromolecules</i> , 2017, 18, 2564-2570.	5.4	17
11	Viscoelastic Relaxation of Cellulose Nanocrystals in Fluids: Contributions of Microscopic Internal Motions to Flexibility. <i>Biomacromolecules</i> , 2020, 21, 408-417.	5.4	14
12	Viscoelastic Properties of Tightly Entangled Semiflexible Polymer Solutions. <i>Macromolecules</i> , 2018, 51, 9626-9634.	4.8	12
13	Determination of length distribution of TEMPO-oxidized cellulose nanofibrils by field-flow fractionation/multi-angle laser-light scattering analysis. <i>Cellulose</i> , 2018, 25, 1599-1606.	4.9	8
14	A Self-Build Apparatus for Oscillatory Flow Birefringence Measurements in a Co-Cylindrical Geometry. <i>Nihon Reoroji Gakkaishi</i> , 2018, 46, 221-226.	1.0	7
15	Rheological Properties of Nanocellulose Dispersions in the Dilute Region: Current Understanding and Future Perspectives. <i>Nihon Reoroji Gakkaishi</i> , 2022, 50, 73-82.	1.0	1