

# Wei Guan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/956997/publications.pdf>

Version: 2024-02-01

137  
papers

4,611  
citations

117625

34  
h-index

118850

62  
g-index

145  
all docs

145  
docs citations

145  
times ranked

4919  
citing authors

#	ARTICLE	IF	CITATIONS
1	An $\alpha$ -trifluoromethylation/Cyclization Strategy for Accessing Diverse $\alpha$ -trifluoromethyl Azoles from Nitriles and 1,3-dipoles. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	23
2	Springboard Role for Iridium Photocatalyst: Theoretical Insight of $C(sp^3)$ -N Cross-coupling by Photoredox-mediated Iridium/Copper Dual Catalysis versus Single-Copper Catalysis. <i>ChemCatChem</i> , 2022, 14, .	3.7	7
3	Photocatalytic Cross-Couplings of Aryl Halides Enabled by $\alpha$ -Phosphinophenolate and $\alpha$ -Phosphinothiophenolate. <i>ACS Catalysis</i> , 2022, 12, 2788-2795.	11.2	29
4	Theoretical study of $Ni(I)$ - $Ni(III)$ cycle mediated by heterogeneous zinc in $C-N$ cross-coupling reaction. <i>Physical Chemistry Chemical Physics</i> , 2022, 24, 7617-7623.	2.8	2
5	Theoretical insight into decatungstate photocatalyzed alkylation of $N$ -tosylimine via hydrogen atom transfer and proton-coupled electron transfer. <i>Dalton Transactions</i> , 2022, , .	3.3	3
6	Reassembly and functionalization of $N$ -CF <sub>3</sub> pyridinium salts: synthesis of nicotinaldehydes. <i>Organic Chemistry Frontiers</i> , 2022, 9, 4549-4553.	4.5	3
7	Theoretical investigation of the influence of different electric field directions and strengths on a POM-based dye for dye-sensitized solar cells. <i>Materials Chemistry Frontiers</i> , 2021, 5, 929-936.	5.9	2
8	Superiority of Iridium Photocatalyst and Role of Quinuclidine in Selective $\alpha$ -C(sp <sup>3</sup> )-H Alkylation: Theoretical Insights. <i>Journal of Organic Chemistry</i> , 2021, 86, 484-492.	3.2	3
9	Theoretical mechanistic study of nickel-catalyzed anti-Markovnikov hydroarylation of alkenes. <i>International Journal of Quantum Chemistry</i> , 2021, 121, e26621.	2.0	2
10	Photocatalytic $C(sp^3)$ -O/N Cross-Couplings by $N$ -PPH <sub>3</sub> /CuBr Cooperative Catalysis: Computational Design and Experimental Verification. <i>ACS Catalysis</i> , 2021, 11, 6633-6642.	11.2	24
11	Multicolor Carbon Dots Prepared by Single-Factor Control of Graphitization and Surface Oxidation for High-Quality White Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2021, 9, 2100688.	7.3	79
12	Copper-Catalyzed Asymmetric Hydroamination: A Unified Strategy for the Synthesis of Chiral $\beta$ -Amino Acid and Its Derivatives. <i>CCS Chemistry</i> , 2021, 3, 1737-1745.	7.8	28
13	Photoinduced Copper-Catalyzed Asymmetric $C=O$ Cross-Coupling. <i>Journal of the American Chemical Society</i> , 2021, 143, 13382-13392.	13.7	118
14	Origin and Regioselectivity of Direct Hydrogen Atom Transfer Mechanism of $C(sp^3)$ -H Arylation by [W10O32] <sup>4-</sup> /Ni Metallaphotoredox Catalysis. <i>Inorganic Chemistry</i> , 2021, , .	4.0	10
15	Theoretical mechanistic study of 4CzIPN/NiO-metallaphotoredox catalyzed enantioselective desymmetrization of cyclic meso-anhydrides. <i>Dalton Transactions</i> , 2021, 50, 17675-17687.	3.3	5
16	Multielectron transportation of polyoxometalate-grafted metalloporphyrin coordination frameworks for selective CO <sub>2</sub> -to-CH <sub>4</sub> photoconversion. <i>National Science Review</i> , 2020, 7, 53-63.	9.5	127
17	A theoretical investigation on promising acceptor groups for POM-based dyes: from electronic structure to photovoltaic conversion efficiency. <i>Journal of Materials Chemistry C</i> , 2020, 8, 219-227.	5.5	11
18	Nanographene-rhenium complex as efficient catalyst for electrochemical reduction: A computational study. <i>Molecular Catalysis</i> , 2020, 484, 110736.	2.0	4

#	ARTICLE	IF	CITATIONS
19	Tricopper-polyoxometalate catalysts for water oxidation: Redox-inertness of copper center. <i>Journal of Catalysis</i> , 2020, 381, 402-407.	6.2	12
20	A theoretical mechanistic study of Ir <sup>III</sup> /Cu <sup>I</sup> -metallaphotoredox catalyzed asymmetric radical decarboxylative cyanation. <i>Dalton Transactions</i> , 2020, 49, 15276-15286.	3.3	10
21	Organoborohydride-catalyzed Chichibabin-type C4-position alkylation of pyridines with alkenes assisted by organoboranes. <i>Chemical Science</i> , 2020, 11, 11554-11561.	7.4	12
22	Ultrafast Absorption of Polysulfides through Electrostatic Confinement by Protonated Molecules for Highly Efficient Li-S Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 36220-36227.	8.0	4
23	POM-based dyes featuring rigidified bithiophene $\pi$ -linkers: potential high-efficiency dyes for dye-sensitized solar cells. <i>New Journal of Chemistry</i> , 2020, 44, 8996-9003.	2.8	0
24	Configuration effect in polyoxometalate-based dyes on the performance of DSSCs: an insight from a theoretical perspective. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 16032-16039.	2.8	3
25	Theoretical mechanistic study of metallaphotoredox catalysis: C-N cross-coupling <i>via</i> Ni( $\sigma$ -allyl)-mediated $\sigma$ -bond metathesis. <i>Organic Chemistry Frontiers</i> , 2020, 7, 2168-2178.	4.5	17
26	Ruthenium-based catalysts for water oxidation: the key role of carboxyl groups as proton acceptors. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 5249-5254.	2.8	11
27	Evidence of two-state reactivity in water oxidation catalyzed by polyoxometalate-based complex [Mn <sub>3</sub> (H <sub>2</sub> O) <sub>3</sub> (SbW <sub>9</sub> O <sub>33</sub> ) <sub>2</sub> ] <sup>12-</sup> . <i>Journal of Catalysis</i> , 2019, 376, 146-149.	6.2	13
28	Directed Copper-Catalyzed Intermolecular Aminative Difunctionalization of Unactivated Alkenes. <i>Journal of the American Chemical Society</i> , 2019, 141, 18475-18485.	13.7	81
29	Atomic Nb Anchoring on Graphdiyne as a New Potential Electrocatalyst for Nitrogen Fixation: A Computational View. <i>Advanced Theory and Simulations</i> , 2019, 2, 1900132.	2.8	38
30	Insight into a class of cobalt nitrides for oxygen evolution catalysis: Nitrogen-rich matters. <i>Electrochimica Acta</i> , 2019, 323, 134684.	5.2	17
31	Photo- and dioxygen-enabled radical C(sp <sup>3</sup> )-N(sp <sup>2</sup> ) cross-coupling between guanidines and perfluoroalkyl iodides. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 8695-8700.	2.8	7
32	Theoretical screening of promising donor and $\pi$ -linker groups for POM-based Zn-porphyrin dyes in dye-sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 3822-3831.	2.8	14
33	How Does Iridium(III) Photocatalyst Regulate Nickel(II) Catalyst in Metallaphotoredox-Catalyzed C-S Cross-Coupling? Theoretical and Experimental Insights. <i>ACS Catalysis</i> , 2019, 9, 3858-3865.	11.2	45
34	How do transition-metal-substituted POMs modify the photoanode of dye-sensitized solar cells? A DFT study. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 969-974.	6.0	7
35	Creating Well-Defined Hexabenzocoronene in Zirconium Metal-Organic Framework by Postsynthetic Annulation. <i>Journal of the American Chemical Society</i> , 2019, 141, 2054-2060.	13.7	148
36	A water cluster (H <sub>2</sub> O) <sub>12</sub> guested coordination polymer as proton conducting solid electrolytes. <i>Solid State Ionics</i> , 2018, 321, 43-47.	2.7	8

#	ARTICLE	IF	CITATIONS
37	A Well-established POM-based Single-Crystal Proton-Conducting Model Incorporating Multiple Weak Interactions. <i>Chemistry - A European Journal</i> , 2018, 24, 2365-2369.	3.3	32
38	Aza-tricycles containing a perfluoroalkyl group: synthesis, structure and fluorescence. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 8950-8954.	2.8	10
39	A highly efficient Z-scheme B-doped g-C <sub>3</sub> N <sub>4</sub> /SnS <sub>2</sub> photocatalyst for CO <sub>2</sub> reduction reaction: a computational study. <i>Journal of Materials Chemistry A</i> , 2018, 6, 21056-21063.	10.3	134
40	Directed Copper-Catalyzed Intermolecular Heck-Type Reaction of Unactivated Olefins and Alkyl Halides. <i>Journal of the American Chemical Society</i> , 2018, 140, 16929-16935.	13.7	72
41	Orthogonal reactivity of Ni( <i>scpd</i> )/Pd(0) dual catalysts for Ullmann C-C cross-coupling: theoretical insight. <i>Chemical Communications</i> , 2018, 54, 7959-7962.	4.1	15
42	Gold with +4 and +6 Oxidation States in AuF <sub>4</sub> and AuF <sub>6</sub> . <i>Journal of the American Chemical Society</i> , 2018, 140, 9545-9550.	13.7	80
43	Theoretical Mechanistic Study of Nickel(0)/Lewis Acid Catalyzed Polyfluoroarylcyanation of Alkynes: Origin of Selectivity for C-CN Bond Activation. <i>Organometallics</i> , 2018, 37, 2594-2601.	2.3	12
44	Ir <sup>III</sup> /Ni <sup>II</sup> -Metallaphotoredox catalysis: the oxidation state modulation mechanism versus the radical mechanism. <i>Chemical Communications</i> , 2018, 54, 5968-5971.	4.1	36
45	Monodisperse and Tiny Co <sub>2</sub> N <sub>0.67</sub> Nanocrystals Uniformly Embedded over Two Curving Surfaces of Hollow Carbon Microfibers as Efficient Electrocatalyst for Oxygen Evolution Reaction. <i>ACS Applied Nano Materials</i> , 2018, 1, 4461-4473.	5.0	23
46	The Effect of Dyes with Different ĩ-Linkers on the Overall Performance of P-DSSCs: Lessons from Theory. <i>Journal of Physical Chemistry A</i> , 2018, 122, 7491-7496.	2.5	11
47	Ambient-Light-Promoted Three-Component Annulation: Synthesis of Perfluoroalkylated Pyrimidines. <i>Organic Letters</i> , 2017, 19, 2358-2361.	4.6	49
48	Effect of Imidazole Arrangements on Proton-Conductivity in Metal-Organic Frameworks. <i>Journal of the American Chemical Society</i> , 2017, 139, 6183-6189.	13.7	436
49	Synergistic Mechanistic Study of Nickel(0)/Lewis Acid Catalyzed Cyanoesterification: Effect of Lewis Acid. <i>Organometallics</i> , 2017, 36, 4713-4720.	2.3	11
50	Unveiling the relative stability and proton binding of non-classical Wells-Dawson isomers of [(NaF <sub>6</sub> )W <sub>18</sub> O <sub>54</sub> (OH) <sub>2</sub> ] <sup>7-</sup> and [(SbO <sub>6</sub> )W <sub>18</sub> O <sub>54</sub> (OH) <sub>2</sub> ] <sup>9-</sup> : a DFT study. <i>Dalton Transactions</i> , 2017, 46, 16145-16158.	3.3	3
51	A theoretical design and investigation on Zn-porphyrin-polyoxometalate hybrids with different ĩ-linkers for searching high performance sensitizers of p-type dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2016, 130, 168-175.	3.7	27
52	Cooperative Catalysis of Combined Systems of Transition-Metal Complexes with Lewis Acids: Theoretical Understanding. <i>Chemical Record</i> , 2016, 16, 2405-2425.	5.8	42
53	Two-State Reactivity Mechanism of Benzene C-C Activation by Trinuclear Titanium Hydride. <i>Journal of the American Chemical Society</i> , 2016, 138, 11069-11072.	13.7	50
54	Theoretical design of organic-inorganic hybrids based on hexamolybdate toward high performance dye-sensitized solar cells. <i>Molecular Simulation</i> , 2016, 42, 688-692.	2.0	1

#	ARTICLE	IF	CITATIONS
55	Crystalline Ni <sub>3</sub> C as both carbon source and catalyst for graphene nucleation: a QM/MD study. <i>Scientific Reports</i> , 2015, 5, 12091.	3.3	35
56	DFT characterization on the mechanism of sulfoxidation with H <sub>2</sub> O <sub>2</sub> catalyzed by tetranuclear peroxotungstates [XO <sub>4</sub> {WO(O <sub>2</sub> ) <sub>2</sub> } <sub>4</sub> ] <sup>n-</sup> (X = SiIV, PV, SVI, AsV, and SeVI). <i>Dalton Transactions</i> , 2015, 44, 9063-9070.	3.3	4
57	Ultrastable Polymolybdate-Based Metal-Organic Frameworks as Highly Active Electrocatalysts for Hydrogen Generation from Water. <i>Journal of the American Chemical Society</i> , 2015, 137, 7169-7177.	13.7	584
58	Theoretical studies on tricarbonyl metal derivatives of Lindqvist-type polyoxometalate complexes: electronic structures and nonlinear optical properties. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 544-549.	6.0	7
59	Theoretical exploration to the cation effect on the second-order nonlinear optical properties of Strandberg-type polyoxometalates. <i>Journal of Theoretical and Computational Chemistry</i> , 2015, 14, 1550007.	1.8	2
60	Anion-specific aggregation induced phosphorescence emission (AIPE) in an ionic iridium complex in aqueous media. <i>Chemical Communications</i> , 2015, 51, 16924-16927.	4.1	43
61	Theoretical studies on POM-based organic-inorganic hybrids containing double A <sub>1</sub> -A <sub>2</sub> chains for high-performance p-type, dye-sensitized solar cells (DSSCs). <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 5459-5465.	2.8	31
62	Reasons Two Nonstrained C-C $\pi$ -Bonds Can Be Easily Cleaved in Decyanative [4 + 2] Cycloaddition Catalyzed by Nickel(0)/Lewis Acid Systems. <i>Theoretical Insight. ACS Catalysis</i> , 2015, 5, 1-10.	11.2	55
63	Proton transfers in the Strecker reaction revealed by DFT calculations. <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 1765-1774.	2.2	5
64	Substrate dependent reaction channels of the Wolff-Kishner reduction reaction: A theoretical study. <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 259-270.	2.2	11
65	Theoretical Studies on Metalloporphyrin-Polyoxometalates Hybrid Complexes for Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2014, 118, 29623-29628.	3.1	23
66	S <sub>N</sub> 1 and S <sub>N</sub> 2 and S <sub>N</sub> 2 <sup>+</sup> mechanistic changes revealed by transition states of the hydrolyses of benzyl chlorides and benzenesulfonyl chlorides. <i>Journal of Computational Chemistry</i> , 2014, 35, 1140-1148.	3.3	14
67	A DFT study on proton transfers in hydrolysis reactions of phosphate dianion and sulfate monoanion. <i>Journal of Computational Chemistry</i> , 2014, 35, 2195-2204.	3.3	5
68	Prediction of second-order nonlinear optical properties of Wells-Dawson polyoxometalate derivatives [X <sub>2</sub> C(CH <sub>2</sub> ) <sub>3</sub> PO <sub>2</sub> M <sub>3</sub> O <sub>59</sub> ] <sup>6-</sup> (X = Si, V, Mo, W). <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 65-70.	3.3	26
69	$\pi$ -Bond Activation of Small Molecules and Reactions Catalyzed by Transition-Metal Complexes: Theoretical Understanding of Electronic Processes. <i>Inorganic Chemistry</i> , 2014, 53, 6444-6457.	4.0	60
70	Interest in new heterodinuclear transition-metal/main-group-metal complexes: DFT study of electronic structure and mechanism of fluoride sensing function. <i>Dalton Transactions</i> , 2013, 42, 8717.	3.3	12
71	Theoretical studies on the photoisomerization-switchable second-order nonlinear optical responses of DTE-linked polyoxometalate derivatives. <i>Journal of Molecular Graphics and Modelling</i> , 2013, 40, 110-115.	2.4	15
72	Theoretical Mechanistic Study of Novel Ni(0)-Catalyzed [6 + 2 + 2] Cycloaddition Reactions of Isatoic Anhydrides with Alkynes: Origin of Facile Decarboxylation. <i>Organometallics</i> , 2013, 32, 7564-7574.	2.3	24

#	ARTICLE	IF	CITATIONS
73	Three Competitive Transition States at the Glycosidic Bond of Sucrose in Its Acid-Catalyzed Hydrolysis. <i>Journal of Organic Chemistry</i> , 2013, 78, 2527-2533.	3.2	20
74	Theoretical insights into [PMo <sub>12</sub> O <sub>40</sub> ] <sup>3-</sup> grafted on single-walled carbon nanotubes. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 9177.	2.8	27
75	DFT characterization on the mechanism of water splitting catalyzed by single-Ru-substituted polyoxometalates. <i>Dalton Transactions</i> , 2013, 42, 10617.	3.3	30
76	An aniline dication-like transition state in the Bamberger rearrangement. <i>Beilstein Journal of Organic Chemistry</i> , 2013, 9, 1073-1082.	2.2	11
77	Presence or absence of a novel charge-transfer complex in the base-catalyzed hydrolysis of <i>N</i> -ethylbenzamide or ethyl benzoate. <i>Beilstein Journal of Organic Chemistry</i> , 2013, 9, 185-196.	2.2	5
78	Theoretical investigation on electronic structure and second-order nonlinear optical properties of novel hexamolybdate-organoimido-(car)borane hybrid. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 5605.	2.8	27
79	How is the anionic tetrahedral intermediate involved in the isomerization of aspartyl peptides to iso-aspartyl ones? A DFT study on the tetra-peptide. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 8007.	2.8	1
80	Building blocks and formation thermodynamics of $\beta$ -Keggin-type [PW <sub>12</sub> O <sub>40</sub> ] <sup>3-</sup> anion. <i>Computational and Theoretical Chemistry</i> , 2012, 999, 66-73.	2.5	7
81	The self-assembly mechanism of the Lindqvist anion [W <sub>6</sub> O <sub>19</sub> ] <sup>2-</sup> in aqueous solution: a density functional theory study. <i>Dalton Transactions</i> , 2012, 41, 11361.	3.3	15
82	TDDFT studies on chiral organophosphonate substituted divacant Keggin-type polyoxotungstate: diplex multistep-redox-triggered chiroptical and NLO switch. <i>Dalton Transactions</i> , 2012, 41, 10097.	3.3	11
83	First principle investigation of transport properties of Lindqvist derivatives based molecular junction. <i>Journal of Molecular Graphics and Modelling</i> , 2012, 38, 220-225.	2.4	8
84	DFT study of ionic peapod structures from single-walled carbon nanotubes and Lindqvist tungstates. <i>Dalton Transactions</i> , 2012, 41, 2798.	3.3	11
85	Theoretical investigation of structural and electronic properties of [PW <sub>12</sub> O <sub>40</sub> ] <sup>3-</sup> on graphene layer. <i>Dalton Transactions</i> , 2012, 41, 4602.	3.3	48
86	An unusual three-dimensional self-penetrating network derived from cross-linking of two-fold interpenetrating nets via ligand-unsupported Ag <sup>+</sup> –Ag <sup>+</sup> bonds: synthesis, structure, luminescence, and theoretical study. <i>New Journal of Chemistry</i> , 2012, 36, 877.	2.8	25
87	The structure–property relationship of chiral 1,1'-binaphthyl-based polyoxometalates: TDDFT studies on the static first hyperpolarizabilities and the ECD spectra. <i>Journal of Molecular Graphics and Modelling</i> , 2012, 32, 1-8.	2.4	12
88	TDDFT studies on the structures and ECD spectra of chiral bisarylimidos bearing different lengths of <i>o</i> -alkoxy chain-substituted polyoxomolybdates. <i>Journal of Molecular Graphics and Modelling</i> , 2012, 35, 49-56.	2.4	12
89	A DFT Study on The Two-Dimensional Second-Order Nonlinear Optical (NLO) Response of Terpyridine-Substituted Hexamolybdates: Physical Insight on 2D Inorganic–Organic Hybrid Functional Materials. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 705-711.	2.0	109
90	Electronic properties and stabilities of methoxy-substituted Lindqvist polyoxometalates [Nb <sub>2</sub> W <sub>4</sub> O <sub>19</sub> CH <sub>3</sub> ] <sup>3-</sup> by DFT. <i>Science Bulletin</i> , 2012, 57, 976-982.	1.7	2



#	ARTICLE	IF	CITATIONS
91	Theoretical investigation of second-order nonlinear optical response of Hexamolybdate as a superior donor over metal carbonyl complexes in the DFT model. Canadian Journal of Chemistry, 2011, 89, 61-67.	1.1	2
92	DFT/TDDFT Study on the electronic structures and optoelectronic properties of several red-emitting osmium(ii) complexes with different ancillary ligands. Dalton Transactions, 2011, 40, 11131.	3.3	15
93	Quantum chemical characterization of the generation of high-valent oxoruthenium species of Keggin type polyoxometalates: electronic structure and bonding features. Dalton Transactions, 2011, 40, 2967.	3.3	17
94	On the Origin of the Relative Stability of Wells-Dawson Isomers: A DFT Study of $\text{[} \hat{1}^{\pm}, \hat{1}^2, \hat{1}^3, \hat{1}^{\pm*}, \hat{1}^2*, \text{ and } \hat{1}^3* \text{-}(\text{PO})_4\text{W}_{18}\text{O}_{54}\text{]}^n$ Anions. Inorganic Chemistry, 2011, 50, 4967-4977.	4.0	34
95	DFT studies on the electronic properties of organometallic-polyoxomolybdate anions $[\text{Cp}^n\text{-Mo}(\text{O})_6]^{n-}$ (n = 1 or 2): Revealing bonding features of $\text{Cp}^n\text{-Mo}$ . Computational and Theoretical Chemistry, 2011, 976, 1-7.	1.1	1
96	Quantum chemical studies of Lindqvist-type polyoxometalates containing late 3d transition metals ( $[(\text{py})\text{M}(\text{W}_5\text{O}_{18})_4]^{4-}$ (M = Fe, Co, Ni)): M-N bonding and second-order nonlinear optical properties. Theoretical Chemistry Accounts, 2011, 130, 1043-1053.	1.4	12
97	Bonding Interactions between Nitrous Oxide ( $\text{N}_2\text{O}$ ) and Mono-Ruthenium Substituted Keggin-Type Polyoxometalates: Electronic Structures of Ruthenium/ $\text{N}_2\text{O}$ Adducts. European Journal of Inorganic Chemistry, 2011, 2011, 489-494.	2.0	17
98	Role of Terminal Positions of Aryl Ring Towards Second-Order Nonlinearity in Arylimido-Substituted Molybdates: An Interesting Quantum Study of Organic-Inorganic Hybrid Composites. Current Physical Chemistry, 2011, 1, 99-105.	0.2	10
99	Aspects of the Nonlinear Optical Properties as a Guide to Protonation Sites: A Theoretical Study upon $\hat{1}^{\pm}$ -Keggin $[\text{SiW}_{12}\text{O}_{40}]^{4-}$ and $[\text{SiV}_3\text{W}_9\text{O}_{40}]^{7-}$ . Chemistry Letters, 2010, 39, 580-581.	1.3	1
100	Length-Dependent Direction-Tunable Charge-Transfer Behavior of Second-Order Optical Nonlinearity in Keggin-Type Organosilicone Derivative $[\text{PW}_{11}\text{O}_{39}(\text{RSi})_2\text{O}]^{3-}$ : A TDDFT Study. Journal of Cluster Science, 2010, 21, 69-80.	3.3	8
101	Quantum Chemical Design for Enhanced Second-Order NLO Response of Terpyridine-Substituted Hexamolybdates. European Journal of Inorganic Chemistry, 2010, 2010, 3466-3472.	2.0	26
102	Prediction of robustly large molecular second-order nonlinear optical properties of terpyridine-substituted hexamolybdates: Structural modelling towards a rational entry to NLO materials. Journal of Molecular Graphics and Modelling, 2010, 28, 735-745.	2.4	30
103	A theoretical study on the efficient reversible redox-based switching of the second-order polarizabilities of two-dimensional nonlinear optical-active donor-acceptor phenanthroline-hexamolybdate. Journal of Molecular Graphics and Modelling, 2010, 29, 13-20.	2.4	12
104	Theoretical study of the impact factor on redox property and second-order nonlinear response for organoimido derivatives of $[\text{Mo}_6\text{O}_{19}]^{2-}$ : Electron donors with magnitude of conjugated groups or length of conjugated chain. Computational and Theoretical Chemistry, 2010, 947, 9-15.	1.5	2
105	A DFT study on the electronic and redox properties of $[\text{X}_8\text{V}_{14}\text{O}_{50}]^n$ ( $\text{X} = \text{Si}, \text{IV}$ ) $\text{Tj ETQq1 1 0.784314 rgBT /Over}$ 434-442.	1.1	1
106	Theoretical investigation of electronic properties and redox properties for purely inorganic and aryloxy substituted Ti-containing POM derivatives. Molecular Physics, 2010, 108, 1553-1560.	1.7	3
107	DFT/TD-DFT Study on the Electronic Structures and Optoelectronic Properties of Several Blue-Emitting Iridium(III) Complexes. Journal of Physical Chemistry A, 2010, 114, 6559-6564.	2.5	44
108	Tuning Second-Order Non-linear (NLO) Optical Response of Organoimido-Substituted Hexamolybdates through Halogens: Quantum Design of Novel Organic-Inorganic Hybrid NLO Materials. Australian Journal of Chemistry, 2010, 63, 836.	0.9	35

#	ARTICLE	IF	CITATIONS
109	On the Origin of the Inverted Stability Order of the Reverse-Keggin $[(\text{MnO})_4(\text{CH})_3]_{12}\text{Sb}_{12}\text{O}_{24}]^{6-}$ : A DFT Study of $\hat{I}_1$ , $\hat{I}_2$ , $\hat{I}_3$ , $\hat{I}'$ , and $\hat{I}_\mu$ Isomers. <i>Inorganic Chemistry</i> , 2010, 49, 5472-5481.	4.0	14
110	Inorganic-organic hybrid compounds based on the co-existence of different isomers or forms of polymolybdate. <i>CrystEngComm</i> , 2010, 12, 3684.	2.6	38
111	Prediction of second-order optical nonlinearity of porphyrin-metal-polyoxometalate sandwich compounds. <i>Dalton Transactions</i> , 2010, 39, 7645.	3.3	46
112	Theoretical study on the tetranuclear endohedral vanadyl carboxylates with guest-switchable redox properties and large polarizability. <i>Dalton Transactions</i> , 2010, 39, 3706.	3.3	14
113	A Quantum Mechanical Study of the Second-Order Nonlinear Optical Properties of Aryldiazene-Substituted Hexamolybdates: A Surprising Charge Transfer. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 5181-5188.	2.0	19
114	The comparative investigation on redox property and second-order nonlinear response of Keggin-type $\hat{I}_\pm$ - $[\text{PM}_{12}\text{O}_{39}\text{NPh}]_3^{6-}$ (M = W and Mo) and $\text{Mo}_6\text{NPh}$ . <i>Science Bulletin</i> , 2009, 54, 203-211.	9.0	8
115	Quantum chemical study of redox-switchable second-order optical nonlinearity in Keggin-type organoimido derivative $[\text{PW}_{11}\text{O}_{39}(\text{ReNC}_6\text{H}_5)]_n^{n-}$ ( $n=4$ ). <i>Theoretical Chemistry Accounts</i> , 2009, 122, 265-273.	1.4	19
116	Quantum Chemical Studies on High-Valent Metal Nitrido Derivatives of Keggin-Type Polyoxometalates ( $[\text{PW}_{11}\text{O}_{39}\{\text{MVI}\}]_4^{4-}$ (M = Ru, Os, Re)): MVI-N Bonding and Electronic Structures. <i>Inorganic Chemistry</i> , 2009, 48, 541-548.	4.0	40
117	Second-Order Nonlinear Optical Properties of Transition-Metal-Trisubstituted Polyoxometalate-Diphosphate Complexes: A Donor-Conjugated Bridge-Acceptor Paradigm for Totally Inorganic Nonlinear Optical Materials. <i>Journal of Physical Chemistry C</i> , 2009, 113, 19672-19676.	3.1	61
118	Prediction of Remarkably Large Second-Order Nonlinear Optical Properties of Organoimido-Substituted Hexamolybdates. <i>Journal of Physical Chemistry A</i> , 2009, 113, 3576-3587.	2.5	102
119	Theoretical studies on nitrido ruthenium (VI) porphyrin and high valent ruthenium nitrido derivatives of Keggin typical polyoxometalate ( $[\text{PW}_{11}\text{O}_{39}\{\text{RuVIN}\}]_4^{4-}$ ): electronic structures and bonding features. <i>Dalton Transactions</i> , 2009, , 6208.	3.3	19
120	Redox-Switchable Second-Order Nonlinear Optical Responses of Push-Pull Monotetrathiafulvalene-Metalloporphyrins. <i>Inorganic Chemistry</i> , 2009, 48, 6548-6554.	4.0	103
121	Second-Order Nonlinear Optical Properties of Trisubstituted Keggin and Wells-Dawson Polyoxometalates: Density Functional Theory Investigation of the Inorganic Donor-Conjugated Bridge-Acceptor Structure. <i>Inorganic Chemistry</i> , 2009, 48, 8115-8119.	4.0	46
122	Density functional study of magnetic exchange of dinuclear manganese complexes with the heteropolymolyanion: $[\text{MnII}_2(\text{X}^n\text{Mo}_9\text{O}_{33})_2]_2(n=10)$ (X = P, As, Se, V). <i>Science in China Series B: Chemistry</i> , 2008, 51, 1174-1181.	0.8	6
123	Theoretical Study on a Novel Series of Fullerene-Containing Organometallics $\text{Fe}(\hat{I}-\text{C}_{55}\text{X}_5)_2$ (X = CH, N). <i>Tj ETQq1</i> 1 0.784314 rgBT /Ov 2.5 22 8086-8092.	2.5	22
124	Reversible Redox-Switchable Second-Order Optical Nonlinearity in Polyoxometalate: A Quantum Chemical Study of $[\text{PW}_{11}\text{O}_{39}(\text{ReN})]_n^{n-}$ ( $n=3$ ). <i>Inorganic Chemistry</i> , 2008, 47, 5245-5252.	4.0	47
125	Studies on the interactions of Ti-containing polyoxometalates (POMs) with SARS-CoV 3CLpro by molecular modeling. <i>Journal of Inorganic Biochemistry</i> , 2007, 101, 89-94.	3.5	30
126	Prediction of Second-Order Optical Nonlinearity of Trisorganotin-Substituted $\hat{I}_2$ -Keggin Polyoxotungstate. <i>Inorganic Chemistry</i> , 2006, 45, 7864-7868.	4.0	44



#	ARTICLE	IF	CITATIONS
127	Theoretical Study on the Electronic Spectrum and the Origin of Remarkably Large Third-Order Nonlinear Optical Properties of Organoimide Derivatives of Hexamolybdates. <i>Journal of Physical Chemistry B</i> , 2006, 110, 23092-23098.	2.6	84
128	Density functional study of protonation sites of $\hat{\Gamma}$ -Keggin isopolyanions. <i>International Journal of Quantum Chemistry</i> , 2006, 106, 1860-1864.	2.0	24
129	How Do the Different Defect Structures and Element Substitutions Affect the Nonlinear Optical Properties of Lacunary Keggin Polyoxometalates? A DFT Study. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4179-4183.	2.0	33
130	A DFT Study on the Electronic and Redox Properties of $[\text{PW}_{11}\text{O}_{39}(\text{ReN})]^{n-}$ ( $n = 3, 4, 5$ ) and $[\text{PW}_{11}\text{O}_{39}(\text{OsN})]^{2-}$ . <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 5126-5129.	2.0	22
131	Electronic Properties and Stability of Ditungsten Substituted $\hat{\Gamma}$ -Keggin Polyoxotungstate with Heteroatom Phosphorus by DFT. <i>ChemInform</i> , 2005, 36, no.	0.0	3
132	Density Functional Theory Study on the First Hyperpolarizabilities of Organoimido Derivatives of Hexamolybdates. <i>Journal of Physical Chemistry B</i> , 2005, 109, 22332-22336.	2.6	59
133	Electronic Properties and Stability of Ditungsten Substituted $\hat{\Gamma}$ -Keggin Polyoxotungstate with Heteroatom Phosphorus by DFT. <i>Inorganic Chemistry</i> , 2005, 44, 100-107.	4.0	53
134	Why Does Disubstituted Hexamolybdate with Arylimido Prefer to Form an Orthogonal Derivative? Analysis of Stability, Bonding Character, and Electronic Properties on Molybdate Derivatives by Density Functional Theory (DFT) Study. <i>Journal of Physical Chemistry B</i> , 2004, 108, 17337-17343.	2.6	38
135	Radical Mechanism of Ir(III)/Ni(II)-Metallaphotoredox-Catalyzed C(sp <sup>3</sup> )-H Functionalization Triggered by Proton-Coupled Electron Transfer: Theoretical Insight. <i>CCS Chemistry</i> , 0, , 1456-1467.	7.8	11
136	An N-Trifluoromethylation/Cyclization Strategy for Accessing Diverse N-Trifluoromethyl Azoles from Nitriles and 1,3-Dipoles. <i>Angewandte Chemie</i> , 0, , .	2.0	6
137	Ir <sup>III</sup> /Ni <sup>II</sup> -Metallaphotoredox-Catalyzed Enantioselective Decarboxylative Arylation of $\hat{\Gamma}$ -Amino Acids: Theoretical Insight of Enantio-Determining Outer-Sphere Reductive Elimination. <i>Inorganic Chemistry</i> , 0, , .	4.0	3