Kriang Tungsanga

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9570552/publications.pdf

Version: 2024-02-01

| 59 | 1,174 | 19 | 32 |
|----------|----------------|--------------|----------------|
| papers | citations | h-index | g-index |
| 63 | 63 | 63 | 1399 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Status of care for end stage kidney disease in countries and regions worldwide: international cross sectional survey. BMJ: British Medical Journal, 2019, 367, l5873. | 2.3 | 131 |
| 2 | Early versus standard initiation of renal replacement therapy in furosemide stress test non-responsive acute kidney injury patients (the FST trial). Critical Care, 2018, 22, 101. | 5.8 | 101 |
| 3 | Renal tubular cell damage and oxidative stress in renal stone patients and the effect of potassium citrate treatment. Urological Research, 2005, 33, 65-69. | 1.5 | 83 |
| 4 | Peritoneal Dialysis Use and Practice Patterns: An International Survey Study. American Journal of Kidney Diseases, 2021, 77, 315-325. | 1.9 | 62 |
| 5 | Endotoxemia and circulating bacteriome in severe COVID-19 patients. Intensive Care Medicine Experimental, 2020, 8, 72. | 1.9 | 62 |
| 6 | Global case studies for chronic kidney disease/end-stage kidney disease care. Kidney International Supplements, 2020, 10, e24-e48. | 14.2 | 53 |
| 7 | The epidemiology and characteristics of acute kidney injury in the Southeast Asia intensive care unit: a prospective multicentre study. Nephrology Dialysis Transplantation, 2020, 35, 1729-1738. | 0.7 | 49 |
| 8 | The effect of polymyxin B hemoperfusion on modulation of human leukocyte antigen DR in severe sepsis patients. Critical Care, 2018, 22, 279. | 5.8 | 46 |
| 9 | Effectiveness of Integrated Care on Delaying Progression of stage 3-4 Chronic Kidney Disease in Rural Communities of Thailand (ESCORT study): a cluster randomized controlled trial. BMC Nephrology, 2017, 18, 83. | 1.8 | 36 |
| 10 | The Impact of Macro-and Micronutrients on Predicting Outcomes of Critically Ill Patients Requiring Continuous Renal Replacement Therapy. PLoS ONE, 2016, 11, e0156634. | 2.5 | 35 |
| 11 | The effect of early renal replacement therapy guided by plasma neutrophil gelatinase associated lipocalin on outcome of acute kidney injury: A feasibility study. Journal of Critical Care, 2018, 43, 36-41. | 2.2 | 33 |
| 12 | Neutrophil Gelatinase Associated Lipocalin (NGAL) in Leptospirosis Acute Kidney Injury: A Multicenter Study in Thailand. PLoS ONE, 2015, 10, e0143367. | 2.5 | 33 |
| 13 | The magnitude of obesity and metabolic syndrome among diabetic chronic kidney disease population: A nationwide study. PLoS ONE, 2018, 13, e0196332. | 2.5 | 31 |
| 14 | Thai-Lepto-on-admission probability (THAI-LEPTO) score as an early tool for initial diagnosis of leptospirosis: Result from Thai-Lepto AKI study group. PLoS Neglected Tropical Diseases, 2018, 12, e0006319. | 3.0 | 27 |
| 15 | Right ventricular electrocardiographic leads for detection of brugada syndrome in sudden unexplained death syndrome survivors and their relatives. Clinical Cardiology, 2001, 24, 776-781. | 1.8 | 26 |
| 16 | Funding Renal Replacement Therapy in Southeast Asia: Building Public-Private Partnerships in Singapore, Malaysia, Thailand, and Indonesia. American Journal of Kidney Diseases, 2015, 65, 799-805. | 1.9 | 25 |
| 17 | Patient-reported advantages and disadvantages of peritoneal dialysis: results from the PDOPPS. BMC Nephrology, 2019, 20, 116. | 1.8 | 25 |
| 18 | Hemodialysis Use and Practice Patterns: An International Survey Study. American Journal of Kidney Diseases, 2021, 77, 326-335.e1. | 1.9 | 24 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Impact of Serum Bicarbonate Levels on Muscle Mass and Kidney Function in Pre-Dialysis Chronic Kidney Disease Patients. American Journal of Nephrology, 2020, 51, 24-34. | 3.1 | 21 |
| 20 | Challenges for sustainable end-stage kidney disease care in low-middle-income countries: the problem of the workforce. Kidney International Supplements, 2020, 10, e49-e54. | 14.2 | 19 |
| 21 | Uremia-Induced Gut Barrier Defect in 5/6 Nephrectomized Mice Is Worsened by Candida Administration through a Synergy of Uremic Toxin, Lipopolysaccharide, and (1➔3)-β-D-Glucan, but Is Attenuated by Lacticaseibacillus rhamnosus L34. International Journal of Molecular Sciences, 2022, 23, 2511. | 4.1 | 19 |
| 22 | Availability, Accessibility, and Quality of Conservative Kidney Management Worldwide. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 79-87. | 4.5 | 18 |
| 23 | The role of intraoperative parameters on predicting laparoscopic abdominal surgery associated acute kidney injury. BMC Nephrology, 2018, 19, 289. | 1.8 | 13 |
| 24 | The beneficial effects of intradialytic parenteral nutrition in hemodialysis patients with protein energy wasting: a prospective randomized controlled trial. Scientific Reports, 2022, 12, 4529. | 3.3 | 13 |
| 25 | Epidemiology and short-term outcomes of acute kidney injury among patients in the intensive care unit in Laos: a nationwide multicenter, prospective, and observational study. BMC Medicine, 2020, 18, 180. | 5.5 | 12 |
| 26 | Association of Local Unit Sampling and Microbiology Laboratory Culture Practices With the Ability to Identify Causative Pathogens in Peritoneal Dialysis-Associated Peritonitis in Thailand. Kidney International Reports, 2021, 6, 1118-1129. | 0.8 | 12 |
| 27 | The role of neutrophil chemotaxis activity as an immunologic biomarker to predict mortality in critically-ill patients with severe sepsis. Journal of Critical Care, 2020, 56, 215-221. | 2.2 | 10 |
| 28 | Reversible Severe Neutropenia after Ceftriaxone. Scandinavian Journal of Infectious Diseases, 1994, 26, 109-110. | 1.5 | 9 |
| 29 | Attitudes toward Peritoneal Dialysis among Peritoneal Dialysis and Hemodialysis Medical Directors. Clinical Journal of the American Society of Nephrology: CJASN, 2019, 14, 1067-1070. | 4.5 | 9 |
| 30 | Factors Associated with the Incidence and Mortality of Coronavirus Disease 2019 (COVID-19) after 126-million Cases: A Meta-analysis. Journal of Epidemiology and Global Health, 2021, 11, 289. | 2.9 | 9 |
| 31 | Availability, coverage, and scope of health information systems for kidney care across world countries and regions. Nephrology Dialysis Transplantation, 2021, 37, 159-167. | 0.7 | 9 |
| 32 | Experience with prevention programs in Thailand. Kidney International, 2005, 67, S68-S69. | 5.2 | 8 |
| 33 | Dispelling the myths of providing dialysis in low- and middle-income countries. Nature Reviews Nephrology, 2021, 17, 11-12. | 9.6 | 7 |
| 34 | The role of leptospiremia and specific immune response in severe leptospirosis. Scientific Reports, 2021, 11, 14630. | 3.3 | 7 |
| 35 | The status of, and obstacles to, continuous ambulatory peritoneal dialysis in Thailand. Peritoneal Dialysis International, 2008, 28 Suppl 3, S53-8. | 2.3 | 7 |
| 36 | Assisted peritoneal dialysis performed by caregivers and its association with patient outcomes. Peritoneal Dialysis International, 2022, 42, 602-614. | 2.3 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Durability of Antibody Response Against the Hepatitis B Virus in Kidney Transplant Recipients: A Proposed Immunization Guideline From a 3-Year Follow-up Clinical Study. Open Forum Infectious Diseases, 2019, 6, ofy342. | 0.9 | 6 |
| 38 | A randomized controlled trial of comparative effectiveness between the 2 dose and 3 dose regimens of hepatitis a vaccine in kidney transplant recipients. Scientific Reports, 2021, 11, 50. | 3.3 | 6 |
| 39 | SEA-MAKE score as a tool for predicting major adverse kidney events in critically ill patients with acute kidney injury: results from the SEA-AKI study. Annals of Intensive Care, 2020, 10, 42. | 4.6 | 6 |
| 40 | Acute Intradialytic Cardiac Function and Inflammatory Cytokine Changes During Highâ€Efficiency Online Hemodiafiltration With Acetateâ€Free and Standard Dialysis Solutions. Therapeutic Apheresis and Dialysis, 2015, 19, 250-258. | 0.9 | 5 |
| 41 | Association between selfâ€reported appetite and clinical outcomes of peritoneal dialysis patients: Findings from a low middleâ€income country. Nephrology, 2021, 26, 454-462. | 1.6 | 5 |
| 42 | Lime powder regimen supplement alleviates urinary metabolic abnormalities in urolithiasis patients. Nephrology, 2019, 24, 791-797. | 1.6 | 4 |
| 43 | National feasibility survey of peritoneal dialysis key performance indicators in Thailand from provider perspective. Nephrology, 2020, 25, 483-490. | 1.6 | 4 |
| 44 | Serum Galactomannan Index for the Rapid Diagnosis of Fungal Peritonitis in Patients With Peritoneal Dialysis. Kidney International Reports, 2020, 5, 530-534. | 0.8 | 4 |
| 45 | Spiritual wellâ€being and its relationship with patient characteristics and other patientâ€reported outcomes in peritoneal dialysis patients: Findings from the PDOPPS. Nephrology, 2022, 27, 621-631. | 1.6 | 4 |
| 46 | Immunogenicity and safety of quadrivalent human papillomavirus types $6/11/16/18$ recombinant vaccine in chronic kidney disease stage IV, V and VD. Nephrology Dialysis Transplantation, 2016, 32, gfv444. | 0.7 | 3 |
| 47 | Modalities of renal replacement therapy and clinical outcomes of patients with acute kidney injury in a resource-limited setting: Results from a SEA-AKI study. Journal of Critical Care, 2021, 65, 18-25. | 2.2 | 3 |
| 48 | Plasmapheresis Reduces Mycophenolic Acid Concentration: A Study of Full AUC0–12 in Kidney Transplant Recipients. Journal of Clinical Medicine, 2019, 8, 2084. | 2.4 | 2 |
| 49 | THAI-ICU score as a simplified severity score for critically ill patients in a resource limited setting: Result from SEA-AKI study group. Journal of Critical Care, 2020, 55, 56-63. | 2.2 | 2 |
| 50 | Effect of Maintenance Intravenous Iron Treatment on Erythropoietin Dose in Chronic Hemodialysis Patients: A Multicenter Randomized Controlled Trial. Canadian Journal of Kidney Health and Disease, 2020, 7, 205435812093339. | 1.1 | 2 |
| 51 | A novel approach to ultrasound-guided percutaneous native renal biopsy: a better tissue sampling technique. Asian Biomedicine, 2014, 8, 203-210. | 0.3 | 2 |
| 52 | Diagnostic Challenges of Acute Kidney Injury in Asia. Seminars in Nephrology, 2020, 40, 468-476. | 1.6 | 1 |
| 53 | Development and validation of pointâ€ofâ€care testing of albuminuria for early screening of chronic kidney disease. Journal of Clinical Laboratory Analysis, 2021, 35, e23729. | 2.1 | 1 |
| 54 | Association analysis of body composition with survival among prevalent peritoneal dialysis patients. International Urology and Nephrology, 2021, , 1. | 1.4 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The role of once-weekly online hemodiafiltration with low protein diet for initiation of renal replacement therapy: A case series. International Journal of Artificial Organs, 2021, 44, 900-905. | 1.4 | 1 |
| 56 | The epidemiology and long-term outcomes of \hat{A} acute kidney disease in a resource-limited setting. Journal of Nephrology, 2022, , 1. | 2.0 | 1 |
| 57 | Pharmacokinetic studies of cyclosporine in Oriental kidney transplantation patients. Nephrology, 2001, 6, 236-242. | 1.6 | O |
| 58 | Role of acute kidney injury biomarkers to guide renal replacement therapy initiation, what we learn from EARLY-RRT trial and FST trial?. Journal of Thoracic Disease, 2018, 10, E835-E838. | 1.4 | 0 |
| 59 | FP483PATIENT-REPORTED DISADVANTAGES OF PERITONEAL DIALYSIS: RESULTS FROM THE PERITONEAL DIALYSIS OUTCOMES AND PRACTICE PATTERNS STUDY (PDOPPS). Nephrology Dialysis Transplantation, 2018, 33, i199-i200. | 0.7 | 0 |