Hiroshi Soda

List of Publications by Citations

Source: https://exaly.com/author-pdf/9571637/hiroshi-soda-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers3,063
citations29
h-index51
g-index128
ext. papers3,273
ext. citations3.6
avg, IF3.92
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 124 | Breast cancer resistance protein directly confers SN-38 resistance of lung cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 280, 1216-23 | 3.4 | 220 |
| 123 | Transport of 7-ethyl-10-hydroxycamptothecin (SN-38) by breast cancer resistance protein ABCG2 in human lung cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 288, 827-32 | 3.4 | 163 |
| 122 | Gefitinib ("Iressa", ZD1839), an epidermal growth factor receptor tyrosine kinase inhibitor, reverses breast cancer resistance protein/ABCG2-mediated drug resistance. <i>Cancer Research</i> , 2005 , 65, 1541-6 | 10.1 | 157 |
| 121 | Gefitinib, an EGFR tyrosine kinase inhibitor, directly inhibits the function of P-glycoprotein in multidrug resistant cancer cells. <i>Lung Cancer</i> , 2005 , 49, 337-43 | 5.9 | 150 |
| 120 | Irinotecan (CPT-11) and characteristic mucosal changes in the mouse ileum and cecum. <i>Journal of the National Cancer Institute</i> , 1995 , 87, 1876-83 | 9.7 | 145 |
| 119 | Pirfenidone inhibits the expression of HSP47 in TGF-beta1-stimulated human lung fibroblasts. <i>Life Sciences</i> , 2008 , 82, 210-7 | 6.8 | 117 |
| 118 | Reversal of breast cancer resistance protein (BCRP/ABCG2)-mediated drug resistance by novobiocin, a coumermycin antibiotic. <i>International Journal of Cancer</i> , 2004 , 108, 146-51 | 7.5 | 107 |
| 117 | Histone deacetylase inhibitors suppress telomerase reverse transcriptase mRNA expression in prostate cancer cells. <i>International Journal of Cancer</i> , 2002 , 97, 621-5 | 7.5 | 69 |
| 116 | Expression of heat shock protein (Hsp) 70 and Hsp 40 in gastric cancer. <i>Cancer Letters</i> , 2003 , 198, 219-2 | 89.9 | 69 |
| 115 | Expression and functional analyses of breast cancer resistance protein in lung cancer. <i>Clinical Cancer Research</i> , 2003 , 9, 3052-7 | 12.9 | 63 |
| 114 | Direct interaction between a quinoline derivative, MS-209, and multidrug resistance protein (MRP) in human gastric cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 255, 618-24 | 3.4 | 62 |
| 113 | Novel camptothecin analogues that circumvent ABCG2-associated drug resistance in human tumor cells. <i>International Journal of Cancer</i> , 2004 , 110, 921-7 | 7.5 | 58 |
| 112 | Impact of p53 aberration on the progression of Adult T-cell Leukemia/Lymphoma. <i>Cancer Letters</i> , 2006 , 234, 249-55 | 9.9 | 52 |
| 111 | Effects of androgens on telomerase activity in normal and malignant prostate cells in vitro. <i>Prostate</i> , 2000 , 43, 161-8 | 4.2 | 48 |
| 110 | Adult T-cell leukemia cells over-express the multidrug-resistance-protein (MRP) and lung-resistance-protein (LRP) genes. <i>International Journal of Cancer</i> , 1999 , 82, 599-604 | 7.5 | 47 |
| 109 | Limitation of annual screening chest radiography for the diagnosis of lung cancer. A retrospective study. <i>Cancer</i> , 1993 , 72, 2341-6 | 6.4 | 43 |
| 108 | Pharmacokinetics of gefitinib predicts antitumor activity for advanced non-small cell lung cancer. Journal of Thoracic Oncology, 2010 , 5, 1404-9 | 8.9 | 42 |

| 107 | Preclinical and clinical strategies for development of telomerase and telomere inhibitors. <i>Annals of Oncology</i> , 1997 , 8, 1063-74 | 10.3 | 42 |
|-----|--|------|----|
| 106 | Human canalicular multispecific organic anion transporter (cMOAT) is expressed in human lung, gastric, and colorectal cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 240, 606-11 | 3.4 | 41 |
| 105 | BCRP/ABCG2 levels account for the resistance to topoisomerase I inhibitors and reversal effects by gefitinib in non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2006 , 58, 594-600 | 3.5 | 41 |
| 104 | Close association between clearance of recombinant human granulocyte colony-stimulating factor (G-CSF) and G-CSF receptor on neutrophils in cancer patients. <i>Antimicrobial Agents and Chemotherapy</i> , 1999 , 43, 21-4 | 5.9 | 39 |
| 103 | Heterogeneity of epidermal growth factor receptor mutations within a mixed adenocarcinoma lung nodule. <i>Lung Cancer</i> , 2008 , 60, 136-140 | 5.9 | 38 |
| 102 | Chemotherapy targeting methylthioadenosine phosphorylase (MTAP) deficiency in adult T cell leukemia (ATL). <i>Leukemia</i> , 2002 , 16, 1799-807 | 10.7 | 38 |
| 101 | Antiproliferative effects of the histone deacetylase inhibitor FR901228 on small-cell lung cancer lines and drug-resistant sublines. <i>International Journal of Cancer</i> , 2003 , 104, 238-42 | 7.5 | 35 |
| 100 | Expression of interleukin 6 and its receptor in human gastric and colorectal cancers. <i>Journal of International Medical Research</i> , 2003 , 31, 69-75 | 1.4 | 34 |
| 99 | The multidrug resistance-associated protein gene confers drug resistance in human gastric and colon cancers. <i>Japanese Journal of Cancer Research</i> , 1996 , 87, 1263-70 | | 33 |
| 98 | Survey of chemokine receptor expression reveals frequent co-expression of skin-homing CCR4 and CCR10 in adult T-cell leukemia/lymphoma. <i>Leukemia and Lymphoma</i> , 2006 , 47, 2163-73 | 1.9 | 32 |
| 97 | Phase I study of irinotecan combined with carboplatin in previously untreated solid cancers. <i>Clinical Cancer Research</i> , 1999 , 5, 3963-9 | 12.9 | 32 |
| 96 | Thymic carcinoma with epidermal growth factor receptor gene mutations. <i>Lung Cancer</i> , 2006 , 52, 261-2 | 5.9 | 30 |
| 95 | A novel quinoline derivative, MS-209, overcomes drug resistance of human lung cancer cells expressing the multidrug resistance-associated protein (MRP) gene. <i>Cancer Chemotherapy and Pharmacology</i> , 1997 , 40, 425-32 | 3.5 | 29 |
| 94 | Expression of heat shock protein (Hsp) 70 and Hsp 40 in colorectal cancer. <i>Medical Oncology</i> , 2003 , 20, 157-64 | 3.7 | 29 |
| 93 | Autoantibody to heat shock protein Hsp40 in sera of lung cancer patients. <i>Japanese Journal of Cancer Research</i> , 2001 , 92, 316-20 | | 29 |
| 92 | Spontaneous remission of a non-small cell lung cancer possibly caused by anti-NY-ESO-1 immunity. <i>Lung Cancer</i> , 2009 , 65, 119-22 | 5.9 | 28 |
| 91 | Remarkable response of nivolumab-refractory lung cancer to salvage chemotherapy. <i>Thoracic Cancer</i> , 2018 , 9, 175-180 | 3.2 | 27 |
| 90 | Gene mutation analysis and quantitation of DNA topoisomerase I in previously untreated non-small cell lung carcinomas. <i>Japanese Journal of Cancer Research</i> , 1997 , 88, 160-5 | | 27 |

| 89 | Interactions of ofloxacin and erythromycin with the multidrug resistance protein (MRP) in MRP-overexpressing human leukemia cells. <i>Antimicrobial Agents and Chemotherapy</i> , 2000 , 44, 1697-70 | o ^{5.9} | 27 |
|----|--|------------------|----|
| 88 | Novel effects of gefitinib on mucin production in bronchioloalveolar carcinoma; two case reports. <i>Lung Cancer</i> , 2005 , 49, 125-8 | 5.9 | 26 |
| 87 | Gefitinib inhibits MUC5AC synthesis in mucin-secreting non-small cell lung cancer cells. <i>Lung Cancer</i> , 2005 , 50, 19-24 | 5.9 | 26 |
| 86 | Primary biliary cirrhosis among atomic bomb survivors in Nagasaki, Japan. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 845-50 | 5.7 | 26 |
| 85 | Optimal schedule for administering granulocyte colony-stimulating factor in chemotherapy-induced neutropenia in non-small-cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 1996 , 38, 9-12 | 3.5 | 26 |
| 84 | Stepwise progression from ground-glass opacity towards invasive adenocarcinoma: long-term follow-up of radiological findings. <i>Lung Cancer</i> , 2008 , 60, 298-301 | 5.9 | 25 |
| 83 | Prognostic significance of clinical factors and Akt activation in patients with bronchioloalveolar carcinoma. <i>Lung Cancer</i> , 2007 , 55, 115-21 | 5.9 | 25 |
| 82 | Methylation status of breast cancer resistance protein detected by methylation-specific polymerase chain reaction analysis is correlated inversely with its expression in drug-resistant lung cancer cells. <i>Cancer</i> , 2008 , 112, 1122-30 | 6.4 | 25 |
| 81 | A leukotriene receptor antagonist, ONO-1078, modulates drug sensitivity and leukotriene C4 efflux in lung cancer cells expressing multidrug resistance protein. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 251, 307-12 | 3.4 | 25 |
| 80 | Randomized phase II trial of irinotecan with paclitaxel or gemcitabine for non-small cell lung cancer: association of UGT1A1*6 and UGT1A1*27 with severe neutropenia. <i>Journal of Thoracic Oncology</i> , 2011 , 6, 121-7 | 8.9 | 23 |
| 79 | Phase II study of irinotecan combined with carboplatin in previously untreated non-small-cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2004 , 54, 573-7 | 3.5 | 23 |
| 78 | Mucosa-associated lymphoid tissue lymphoma of the thymus associated with Sjgren@syndrome: report of a case. <i>Surgery Today</i> , 2008 , 38, 436-9 | 3 | 20 |
| 77 | Phase II study of irinotecan combined with carboplatin in previously untreated small-cell lung cancer. <i>British Journal of Cancer</i> , 2006 , 94, 1267-71 | 8.7 | 20 |
| 76 | Interruption of p16 gene expression in adult T-cell leukaemia/lymphoma: clinical correlation. <i>British Journal of Haematology</i> , 2003 , 122, 253-9 | 4.5 | 20 |
| 75 | Phase I study of irinotecan and cisplatin with concurrent split-course radiotherapy in limited-disease small-cell lung cancer. <i>European Journal of Cancer</i> , 2002 , 38, 1998-2004 | 7.5 | 19 |
| 74 | Tubular adenocarcinoma of the thymus: case report and review of the literature. <i>International Journal of Surgical Pathology</i> , 2006 , 14, 243-6 | 1.2 | 18 |
| 73 | The pattern of respiratory infection in patients with lung cancer. <i>Tohoku Journal of Experimental Medicine</i> , 1994 , 173, 405-11 | 2.4 | 18 |
| 72 | Dimethyl sulfoxide (DMSO) causes a reversible inhibition of telomerase activity in a Burkitt lymphoma cell line. <i>Leukemia Research</i> , 1998 , 22, 663-70 | 2.7 | 17 |

(2011-1997)

| 71 | P-glycoprotein is positively correlated with p53 protein accumulation in human colorectal cancers. Japanese Journal of Cancer Research, 1997 , 88, 738-42 | | 16 | |
|----|---|------------------|----|--|
| 70 | A human breast cancer model for the study of telomerase inhibitors based on a new biotinylated-primer extension assay. <i>British Journal of Cancer</i> , 1999 , 80, 1332-41 | 8.7 | 16 | |
| 69 | Usefulness of antiemetic therapy with aprepitant, palonosetron, and dexamethasone for lung cancer patients on cisplatin-based or carboplatin-based chemotherapy. <i>Supportive Care in Cancer</i> , 2015 , 23, 185-90 | 3.9 | 15 | |
| 68 | Length and lead time biases in radiologic screening for lung cancer. <i>Respiration</i> , 1999 , 66, 511-7 | 3.7 | 15 | |
| 67 | Arteriovenous malformation of the bronchial artery showing endobronchial protrusion. <i>Internal Medicine</i> , 1995 , 34, 797-800 | 1.1 | 15 | |
| 66 | Dynamics of blood neutrophil-related indices during nivolumab treatment may be associated with response to salvage chemotherapy for non-small cell lung cancer: A hypothesis-generating study. <i>Thoracic Cancer</i> , 2019 , 10, 341-346 | 3.2 | 14 | |
| 65 | Alert Regarding Cisplatin-induced Severe Adverse Events in Cancer Patients with Xeroderma Pigmentosum. <i>Internal Medicine</i> , 2017 , 56, 979-982 | 1.1 | 13 | |
| 64 | Phase I and pharmacokinetic study of paclitaxel and irinotecan for patients with advanced non-small cell lung cancer. <i>European Journal of Cancer</i> , 2002 , 38, 1871-8 | 7.5 | 13 | |
| 63 | Adult T-cell leukemia with multiple lymphomatous polyposis of the gastrointestinal tract. <i>Endoscopy</i> , 1995 , 27, 700-3 | 3.4 | 13 | |
| 62 | Pulmonary pleomorphic carcinoma with few PD-1-positive immune cells and regulatory T cells that showed a complete response to nivolumab. <i>Thoracic Cancer</i> , 2018 , 9, 193-196 | 3.2 | 13 | |
| 61 | Interstitial pneumonia probably associated with sorafenib treatment: An alert of an adverse event. <i>Lung Cancer</i> , 2010 , 67, 248-50 | 5.9 | 12 | |
| 60 | A phase I trial of carboplatin and etoposide for elderly (>or=75 year-old) patients with small-cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2006 , 58, 601-6 | 3.5 | 12 | |
| 59 | Long-term survival in three patients with metastatic non-small cell lung cancer treated with gefitinib. <i>Lung Cancer</i> , 2006 , 52, 253-5 | 5.9 | 12 | |
| 58 | Multiple gammac-receptor expression in adult T-cell leukemia. <i>European Journal of Haematology</i> , 2002 , 68, 362-9 | 3.8 | 12 | |
| 57 | Effects of renal function on pharmacokinetics of recombinant human granulocyte colony-stimulating factor in lung cancer patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2001 , 45, 19 | 94 <i>7</i> -3⁄1 | 12 | |
| 56 | Micronutrient status and glutathione peroxidase in bedridden patients on tube feeding. <i>Journal of International Medical Research</i> , 2001 , 29, 181-8 | 1.4 | 12 | |
| 55 | Successful treatment with nivolumab for lung cancer with low expression of PD-L1 and prominent tumor-infiltrating B cells and immunoglobulin G. <i>Thoracic Cancer</i> , 2018 , 9, 750-753 | 3.2 | 11 | |
| 54 | Serum levels of surfactant protein D predict the anti-tumor activity of gefitinib in patients with advanced non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 67, 331-8 | 3.5 | 11 | |

| 53 | A phase I study of amrubicin and carboplatin for previously untreated patients with extensive-disease small cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2009 , 4, 741-5 | 8.9 | 11 |
|----|---|-----|----|
| 52 | Irinotecan and cisplatin with concurrent split-course radiotherapy in locally advanced nonsmall-cell lung cancer: a multiinstitutional phase 2 study. <i>Cancer</i> , 2007 , 110, 606-13 | 6.4 | 10 |
| 51 | High-risk populations for nasal carriage of methicillin-resistant Staphylococcus aureus. <i>Journal of Infection and Chemotherapy</i> , 2004 , 10, 189-91 | 2.2 | 10 |
| 50 | Relationship between whole-blood interferon-gamma production and extent of radiographic disease in patients with pulmonary tuberculosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2003 , 46, 109-14 | 2.9 | 10 |
| 49 | Phase II study of irinotecan and cisplatin with concurrent split-course radiotherapy in limited-disease small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 70, 645-51 | 3.5 | 9 |
| 48 | Phase I study of irinotecan and cisplatin with concurrent split-course radiotherapy in unresectable and locally advanced non-small cell lung cancer. <i>European Journal of Cancer</i> , 2001 , 37, 1359-65 | 7.5 | 9 |
| 47 | Chronic bronchial foreign body mimicking peripheral lung tumor. <i>Internal Medicine</i> , 1996 , 35, 219-21 | 1.1 | 9 |
| 46 | Bronchial artery aneurysm as a cause of atelectasis. <i>Internal Medicine</i> , 1997 , 36, 917-9 | 1.1 | 8 |
| 45 | Pulmonary mucormycosis (Cunninghamella bertholletiae) with cavitation diagnosed using ultra-thin fibre-optic bronchoscopy. <i>Respirology</i> , 2008 , 13, 312-4 | 3.6 | 8 |
| 44 | Mycobacterium intracellulare pulmonary infection which co-existed and mimicked lung cancer. <i>Internal Medicine</i> , 2008 , 47, 459-62 | 1.1 | 8 |
| 43 | Different epidermal growth factor receptor gene mutations in a patient with 2 synchronous lung cancers. <i>Clinical Lung Cancer</i> , 2007 , 8, 562-4 | 4.9 | 7 |
| 42 | Recombinant human interleukin-11 is unlikely to stimulate the growth of the most common solid tumors. <i>Anti-Cancer Drugs</i> , 1999 , 10, 97-101 | 2.4 | 7 |
| 41 | Nivolumab infusion reaction manifesting as plantar erythema and pulmonary infiltrate in a lung cancer patient. <i>Thoracic Cancer</i> , 2017 , 8, 706-709 | 3.2 | 6 |
| 40 | Phase I study of pemetrexed and concurrent radiotherapy for previously untreated elderly patients with locally advanced non-squamous non-small cell lung cancer. <i>Thoracic Cancer</i> , 2017 , 8, 577-581 | 3.2 | 5 |
| 39 | Phase I study of irinotecan and gemcitabine in previously untreated patients with advanced non-small cell lung cancer. <i>Japanese Journal of Clinical Oncology</i> , 2007 , 37, 353-7 | 2.8 | 5 |
| 38 | Vildagliptin-induced ground-glass nodules mimicking lung metastases in a cancer patient receiving Lactobacillus probiotic supplementation. <i>Thoracic Cancer</i> , 2020 , 11, 470-474 | 3.2 | 5 |
| 37 | A fatal case of acute myocardial infarction following the improvement of influenza A(H1N1)pdm2009-related acute myocarditis. <i>Internal Medicine</i> , 2014 , 53, 2153-7 | 1.1 | 4 |
| 36 | Phase I and II trials of vinorelbine with carboplatin for patients 75 years of age or older with previously untreated non-small-cell lung cancer. <i>Clinical Lung Cancer</i> , 2012 , 13, 347-51 | 4.9 | 4 |

(2020-1997)

| 35 | Telomerase and telomere inhibitors in preclinical development. <i>Expert Opinion on Investigational Drugs</i> , 1997 , 6, 1179-85 | 5.9 | 4 |
|----|---|-----|---|
| 34 | Mediastinal signet-ring cell carcinoma of unknown primary: long-term survival by treatment with S-1, a novel derivative of 5-fluorouracil. <i>Lung Cancer</i> , 2007 , 56, 139-41 | 5.9 | 4 |
| 33 | A prospective study of bronchoscopy for endotracheobronchial tuberculosis. <i>Internal Medicine</i> , 1996 , 35, 698-703 | 1.1 | 4 |
| 32 | Amrubicin in previously treated patients with malignant pleural mesothelioma: A phase II study. <i>Thoracic Cancer</i> , 2020 , 11, 1972-1978 | 3.2 | 3 |
| 31 | Gefitinib increases serum concentrations of oral irinotecan and SN-38 without increasing the biliary concentration of SN-38 in rats. <i>Chemotherapy</i> , 2008 , 54, 485-91 | 3.2 | 3 |
| 30 | Chronic necrotizing pulmonary aspergillosis following cryptococcal infection of the lung. <i>Scandinavian Journal of Infectious Diseases</i> , 2005 , 37, 393-5 | | 3 |
| 29 | Polymorphism of CYP2C19 and gastric emptying in patients with proton pump inhibitor-resistant gastric ulcers. <i>Journal of International Medical Research</i> , 2002 , 30, 413-21 | 1.4 | 3 |
| 28 | Birth cohort effects on incidence of lung cancers: a population-based study in Nagasaki, Japan. <i>Japanese Journal of Cancer Research</i> , 2000 , 91, 960-5 | | 3 |
| 27 | Rounded atelectasis with pleuritis: diagnosis and surgical treatment. <i>Internal Medicine</i> , 1992 , 31, 832-4 | 1.1 | 3 |
| 26 | Meeting Report: Epidemiology and Screening for Lung Cancer in Nagasaki, Japan <i>Japanese Journal of Lung Cancer</i> , 2002 , 42, 829-831 | 0.1 | 3 |
| 25 | Presence of few PD-1-expressing tumor-infiltrating immune cells is a potential predictor of improved response to salvage chemotherapy following nivolumab for non-small cell lung cancer: An exploratory case series. <i>Thoracic Cancer</i> , 2018 , 9, 1305-1311 | 3.2 | 2 |
| 24 | Phase II study of nedaplatin and amrubicin as first-line treatment for advanced squamous cell lung cancer. <i>Thoracic Cancer</i> , 2019 , 10, 1764-1769 | 3.2 | 2 |
| 23 | Pulmonary Artery Sarcoma Overexpressing Platelet-derived Growth Factor Receptor [Internal Medicine, 2017 , 56, 823-826 | 1.1 | 2 |
| 22 | Necrotizing pneumonia due to femoral osteomyelitis caused by community-acquired methicillin-resistant Staphylococcus aureus. <i>Internal Medicine</i> , 2013 , 52, 1531-6 | 1.1 | 2 |
| 21 | Induction chemotherapy with cisplatin, vinorelbine, and mitomycin-C followed by surgery for patients with pathologic N2 non-small-cell lung cancer. <i>Clinical Lung Cancer</i> , 2008 , 9, 44-50 | 4.9 | 2 |
| 20 | Serum progastrin-releasing peptide levels followed by whole-body positron emission tomography detects early recurrence of small-cell lung cancer. <i>Respirology</i> , 2007 , 12, 137-9 | 3.6 | 2 |
| 19 | Autoimmunity to heat shock protein 40 in ulcerative colitis. <i>Journal of International Medical Research</i> , 2004 , 32, 141-8 | 1.4 | 2 |
| 18 | Secondary Pulmonary Alveolar Proteinosis Following Treatment with Azacitidine for Myelodysplastic Syndrome. <i>Internal Medicine</i> , 2020 , 59, 1081-1086 | 1.1 | 2 |

| 17 | Phase I study of vinorelbine and irinotecan in previously untreated patients with advanced non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 62, 43-9 | 3.5 | 1 |
|----|---|-------------------|---|
| 16 | Onset of pulmonary Epstein-Barr virus-positive diffuse large B-cell lymphoma in a patient with silicosis. <i>Thoracic Cancer</i> , 2021 , | 3.2 | 1 |
| 15 | Expression of Glutathione S-transferase-pi (GST-pi) and Metallothionein (MT) in Lung Cancer Japanese Journal of Lung Cancer, 1997 , 37, 135-141 | 0.1 | 1 |
| 14 | Current Status and Problems in Screening for Lung Cancer in Nagasaki Prefecture. <i>Japanese Journal of Lung Cancer</i> , 2010 , 50, 194-200 | 0.1 | 1 |
| 13 | A Clinical Study of 34 Malignant Pleural Mesothelioma Patients Treated with Pemetrexed from Nagasaki Thoracic Oncology Group. <i>Japanese Journal of Lung Cancer</i> , 2012 , 52, 371-374 | 0.1 | 1 |
| 12 | Phase II study of ramucirumab and docetaxel for previously treated non-small cell lung cancer patients with malignant pleural effusion: Protocol of PLEURAM study. <i>Thoracic Cancer</i> , 2020 , 11, 389-39 | 93 ^{3.2} | 1 |
| 11 | Changes in Immunohistochemical Protein Levels in Anaplastic Lymphoma Kinase-positive Lung Adenocarcinoma Possibly due to Chemo-radiotherapy. <i>Internal Medicine</i> , 2016 , 55, 1775-8 | 1.1 | 1 |
| 10 | Prediction of Anti-Cancer Drug-Induced Pneumonia in Lung Cancer Patients: Novel High-Resolution Computed Tomography Fibrosis Scoring. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 1 |
| 9 | Pitfalls in diagnosis with the use of circulating tumor-derived epidermal growth factor receptor mutations in lung cancer harboring pretreatment T790M. <i>Thoracic Cancer</i> , 2018 , 9, 171-174 | 3.2 | 1 |
| 8 | Pulmonary Scedosporium apiospermum Infection with Pulmonary Tumorlet in an Immunocompetent Patient. <i>Internal Medicine</i> , 2018 , 57, 3485-3490 | 1.1 | 1 |
| 7 | Real-World Incidence of Febrile Neutropenia among Patients Treated with Single-Agent Amrubicin: Necessity of the Primary Prophylactic Administration of Granulocyte Colony-Stimulating Factor. Journal of Clinical Medicine, 2021, 10, | 5.1 | 1 |
| 6 | Intrathoracic amyloid tumors that presented as yellowish multinodular endobronchial protrusions with irregular vascularity and easy bleeding. <i>Thoracic Cancer</i> , 2019 , 10, 2026-2030 | 3.2 | |
| 5 | Radiologically occult lung cancer in the peripheral region. <i>Internal Medicine</i> , 1994 , 33, 97-9 | 1.1 | |
| 4 | Phase II study of amrubicin for previously treated patients with malignant pleural mesothelioma Journal of Clinical Oncology, 2020 , 38, e21095-e21095 | 2.2 | |
| 3 | A Case of Granulocyte Colony-Stimulating Factor (G-CSF)-Producing Lung Cancer Proved by Immunohistochemical Analysis <i>Japanese Journal of Lung Cancer</i> , 1993 , 33, 591-597 | 0.1 | |
| 2 | A Young Adult of Mediastinal Carcinoid Tumor <i>Japanese Journal of Lung Cancer</i> , 1998 , 38, 81-86 | 0.1 | |
| 1 | Necessity of and Problems in Survival Investigation for Lung Cancer Screening -Linkage to a Cancer Registry <i>Japanese Journal of Lung Cancer</i> , 2012 , 52, 961-967 | 0.1 | |