## MarÃ-a Esther Torres-PadrÃ<sup>3</sup>n

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/957176/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Organic UV filters in marine environments: An update of analytical methodologies, occurrence and distribution. Trends in Environmental Analytical Chemistry, 2020, 25, e00079.	10.3	75
2	Cytostatic compounds in sludge and sediment: extraction and determination by a combination of microwave-assisted extraction and UHPLC–MS/MS. Analytical and Bioanalytical Chemistry, 2020, 412, 3639-3651.	3.7	6
3	Analysis and occurrence of benzotriazole ultraviolet stabilisers in different species of seaweed. Chemosphere, 2019, 236, 124344.	8.2	18
4	Monitoring and environmental risk assessment of benzotriazole UV stabilizers in the sewage and coastal environment of Gran Canaria (Canary Islands, Spain). Journal of Environmental Management, 2019, 233, 567-575.	7.8	32
5	Determination of fluoroquinolones in fishes using microwave-assisted extraction combined with ultra-high performance liquid chromatography and fluorescence detection. Journal of Food Composition and Analysis, 2017, 56, 140-146.	3.9	37
6	Analysis of Biocides in Molluscs Using Different Extraction Methods and Liquid Chromatography Tandem Mass Spectrometry. Current Analytical Chemistry, 2017, 13, .	1.2	0
7	Analysis of Ni, Cr, Cu, Pb and Cd in marine bioindicators using mixed-micelles with microwave assisted micellar extraction and GF-AAS. Analytical Methods, 2016, 8, 7141-7149.	2.7	13
8	Determination of heavy metals in marine sediments using MAME-GFAAS. Journal of Analytical Atomic Spectrometry, 2015, 30, 435-442.	3.0	6
9	Clogging reduction and removal of hormone residues with laboratory-scale vertical flow organic-based filter and hybrid wetland. International Journal of Environmental Science and Technology, 2015, 12, 1039-1052.	3.5	8
10	Development and Application of a Microwave-Assisted Extraction and LC/MS/MS Methodology to the Determination of Antifouling Booster Biocides in Sea Mullets (Mugil cephalus) Organisms. Journal of AOAC INTERNATIONAL, 2014, 97, 197-204.	1.5	4
11	DEVELOPMENT OF A NOVEL IN-TUBE SOLID PHASE MICROEXTRACTION BASED ON MICELLAR DESORPTION FOLLOWED BY LC-DAD-FD FOR THE DETERMINATION OF SOME ENDOCRINE DISRUPTOR COMPOUNDS IN ENVIRONMENTAL LIQUID SAMPLES. Journal of Liquid Chromatography and Related Technologies, 2014, 37, 1654-1672.	1.0	6
12	Microextraction Techniques Coupled to Liquid Chromatography with Mass Spectrometry for the Determination of Organic Micropollutants in Environmental Water Samples. Molecules, 2014, 19, 10320-10349.	3.8	52
13	Assessment of the Presence of Pharmaceutical Compounds in Seawater Samples from Coastal Area of Gran Canaria Island (Spain). Antibiotics, 2013, 2, 274-287.	3.7	33
14	Optimisation of an in-tube solid phase microextraction method coupled with HPLC for determination of some oestrogens in environmental liquid samples using different capillary columns. International Journal of Environmental Analytical Chemistry, 2012, 92, 382-396.	3.3	17
15	Application of new approaches to liquid-phase microextraction for the determination of emerging pollutants. TrAC - Trends in Analytical Chemistry, 2011, 30, 731-748.	11.4	110
16	Analytical methodologies for the determination of nitroimidazole residues in biological and environmental liquid samples: A review. Analytica Chimica Acta, 2010, 665, 113-122.	5.4	104
17	Coupling of solidâ€phase microextraction with micellar desorption and high performance liquid chromatography for the determination of pharmaceutical residues in environmental liquid samples. Biomedical Chromatography, 2009, 23, 1175-1185.	1.7	30
18	Solid-phase microextraction with micellar desorption and HPLC-fluorescence detection for the analysis of fluoroquinolones residues in water samples. Analytical and Bioanalytical Chemistry, 2009, 394, 927-935.	3.7	50

#	Article	IF	CITATIONS
19	Determination of alkylphenol ethoxylates and their degradation products in liquid and solid samples. TrAC - Trends in Analytical Chemistry, 2009, 28, 1186-1200.	11.4	54
20	Methodologies for the Extraction of Phenolic Compounds from Environmental Samples: New Approaches. Molecules, 2009, 14, 298-320.	3.8	206
21	Preconcentration of pharmaceuticals residues in sediment samples using microwave assisted micellar extraction coupled with solid phase extraction and their determination by HPLC–UV. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 863, 150-157.	2.3	36
22	Recent trends in the use of organized molecular systems combined with chromatographic techniques in environmental analysis. Analytical and Bioanalytical Chemistry, 2008, 391, 725-733.	3.7	10
23	Microwaveâ€assisted micellar extraction coupled with solidâ€phase extraction for preconcentration of pharmaceuticals in molluscs prior to determination by HPLC. Biomedical Chromatography, 2008, 22, 1115-1122.	1.7	36
24	Development of a solid-phase microextraction method with micellar desorption for the determination of chlorophenols in water samples. Journal of Chromatography A, 2007, 1140, 13-20.	3.7	60
25	Solid-phase microextraction of benzimidazole fungicides in environmental liquid samples and HPLC–fluorescence determination. Analytical and Bioanalytical Chemistry, 2007, 387, 1957-1963.	3.7	53
26	Optimisation of solid-phase microextraction coupled to HPLC-UV for the determination of organochlorine pesticides and their metabolites in environmental liquid samples. Analytical and Bioanalytical Chemistry, 2006, 386, 332-340.	3.7	27
27	Exchange of carbon by an upwelling filament off Cape Ghir (NW Africa). Journal of Marine Systems, 2005, 54, 83-95.	2.1	53
28	Frecuencia, estacionalidad y tendencias de las advecciones de aire sahariano en Canarias (1976-2003). Investigaciones Geográficas, 2005, , 23.	0.5	8
29	Dust deposition pulses to the eastern subtropical North Atlantic gyre: Does ocean's biogeochemistry respond?. Global Biogeochemical Cycles, 2004, 18, n/a-n/a.	4.9	68
30	Variability of dust inputs to the CANIGO zone. Deep-Sea Research Part II: Topical Studies in Oceanography, 2002, 49, 3455-3464.	1.4	57