

Kaisa Mannerkorpi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9573947/publications.pdf>

Version: 2024-02-01

90
papers

2,765
citations

196777

29
h-index

223390

49
g-index

93
all docs

93
docs citations

93
times ranked

2740
citing authors

#	ARTICLE	IF	CITATIONS
1	Proteomic Investigation in Plasma from Women with Fibromyalgia in Response to a 15-wk Resistance Exercise Intervention. <i>Medicine and Science in Sports and Exercise</i> , 2022, 54, 232-246.	0.2	8
2	Experiences with an educational program for patients with chronic widespread pain: a qualitative interview study. <i>Scandinavian Journal of Pain</i> , 2022, 22, 279-287.	0.5	1
3	Health care professionals' conceptions of respiratory symptoms and physical activity in patients with acute pulmonary embolism. A phenomenographic interview study.. <i>Thrombosis Research</i> , 2022, 212, 22-29.	0.8	1
4	Experience of co-creation of a health plan and support for sustainable physical activity among people with chronic widespread pain: a qualitative interview study in Sweden. <i>BMJ Open</i> , 2022, 12, e059432.	0.8	0
5	Physical activity with person-centred guidance supported by a digital platform for persons with chronic widespread pain: A randomized controlled trial.. <i>Journal of Rehabilitation Medicine</i> , 2021, 53, jrm00175.	0.8	4
6	“Whole life changed”- Experiences of how symptoms derived from acute pulmonary embolism affects life. A qualitative interview study. <i>Thrombosis Research</i> , 2021, 205, 56-62.	0.8	12
7	Fibromyalgia position paper. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 130, 186-193.	0.4	1
8	Diagnostic and therapeutic care pathway for fibromyalgia. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 130, 120-127.	0.4	0
9	Diagnostic and therapeutic care pathway for fibromyalgia. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 120-127.	0.4	4
10	Fibromyalgia position paper. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 186-193.	0.4	29
11	Long-time follow up of physical activity level among older adults with rheumatoid arthritis. <i>European Review of Aging and Physical Activity</i> , 2020, 17, 10.	1.3	8
12	Significant correlation between plasma proteome profile and pain intensity, sensitivity, and psychological distress in women with fibromyalgia. <i>Scientific Reports</i> , 2020, 10, 12508.	1.6	35
13	Factors promoting physical activity in women with fibromyalgia: a qualitative interview study. <i>BMJ Open</i> , 2020, 10, e031693.	0.8	13
14	Moderate- to high intensity aerobic and resistance exercise reduces peripheral blood regulatory cell populations in older adults with rheumatoid arthritis. <i>Immunity and Ageing</i> , 2020, 17, 12.	1.8	15
15	Physical activity and respiratory symptoms after pulmonary embolism. A longitudinal observational study. <i>Thrombosis Research</i> , 2020, 189, 55-60.	0.8	8
16	Increased Anandamide and Decreased Pain and Depression after Exercise in Fibromyalgia. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1617-1628.	0.2	18
17	Stress levels predict substantial improvement in pain intensity after 10 to 12 years in women with fibromyalgia and chronic widespread pain: a cohort study. <i>BMC Rheumatology</i> , 2019, 3, 5.	0.6	5
18	Moderate-to-high intensity exercise with person-centered guidance influences fatigue in older adults with rheumatoid arthritis. <i>Rheumatology International</i> , 2019, 39, 1585-1594.	1.5	21

#	ARTICLE	IF	CITATIONS
19	Unaltered low nerve growth factor and high brain-derived neurotrophic factor levels in plasma from patients with fibromyalgia after a 15-week progressive resistance exercise. <i>Journal of Rehabilitation Medicine</i> , 2019, 51, 779-787.	0.8	32
20	Factors of importance for reducing fatigue in persons with rheumatoid arthritis: a qualitative interview study. <i>BMJ Open</i> , 2019, 9, e028719.	0.8	8
21	Aspects of exercise with person-centred guidance influencing the transition to independent exercise: a qualitative interview study among older adults with rheumatoid arthritis. <i>European Review of Aging and Physical Activity</i> , 2019, 16, 4.	1.3	18
22	Pain requires processing – How the experience of pain is influenced by Basic Body Awareness Therapy in patients with long-term pain. <i>Journal of Bodywork and Movement Therapies</i> , 2019, 23, 701-707.	0.5	6
23	Effects of Aerobic and Resistance Exercise in Older Adults With Rheumatoid Arthritis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2019, 71, 61-70.	1.5	45
24	Fibromyalgia Impact Score in Women with Fibromyalgia Across Southern, Central, and Northern Areas of Europe. <i>Pain Physician</i> , 2019, 22, E511-E516.	0.3	2
25	Controlled, cross-sectional, multi-center study of physical capacity and associated factors in women with fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 121.	0.8	23
26	Lung function, functional capacity, and respiratory symptoms at discharge from hospital in patients with acute pulmonary embolism: A cross-sectional study. <i>Physiotherapy Theory and Practice</i> , 2018, 34, 194-201.	0.6	13
27	The Relationship of Endocannabinoidome Lipid Mediators With Pain and Psychological Stress in Women With Fibromyalgia: A Case-Control Study. <i>Journal of Pain</i> , 2018, 19, 1318-1328.	0.7	28
28	Acute effects of physical exercise on the serum insulin-like growth factor system in women with fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 37.	0.8	10
29	Gene-to-gene interactions regulate endogenous pain modulation in fibromyalgia patients and healthy controls – antagonistic effects between opioid and serotonin-related genes. <i>Pain</i> , 2017, 158, 1194-1203.	2.0	54
30	Benefits of resistance exercise in lean women with fibromyalgia: involvement of IGF-1 and leptin. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 106.	0.8	19
31	Predictors for future activity limitation in women with chronic low back pain consulting primary care: a 2-year prospective longitudinal cohort study. <i>BMJ Open</i> , 2017, 7, e013974.	0.8	15
32	Work Ability in Fibromyalgia: An Update in the 21st Century. <i>Current Rheumatology Reviews</i> , 2017, 13, 180-187.	0.4	30
33	Pain and fear avoidance partially mediate change in muscle strength during resistance exercise in women with fibromyalgia. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 744-750.	0.8	15
34	Physiological Adaptation in Women Presenting Fibromyalgia: Comparison with Healthy Controls. <i>Clinical and Experimental Psychology</i> , 2017, 03, .	0.1	3
35	Explanatory factors and predictors of fatigue in persons with rheumatoid arthritis: A longitudinal study. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 469-476.	0.8	25
36	Decrease of fear avoidance beliefs following person-centered progressive resistance exercise contributes to reduced pain disability in women with fibromyalgia: secondary exploratory analyses from a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 116.	1.6	28

#	ARTICLE	IF	CITATIONS
37	Effects of 15 weeks of resistance exercise on pro-inflammatory cytokine levels in the vastus lateralis muscle of patients with fibromyalgia. <i>Arthritis Research and Therapy</i> , 2016, 18, 137.	1.6	22
38	Effects of exercise on fatigue and physical capacity in men with chronic widespread pain - a pilot study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2016, 8, 29.	0.7	7
39	Patient-centered care in physical therapy: definition, operationalization, and outcome measures. <i>Physical Therapy Reviews</i> , 2016, 21, 109-123.	0.3	28
40	The translocator protein gene is associated with symptom severity and cerebral pain processing in fibromyalgia. <i>Brain, Behavior, and Immunity</i> , 2016, 58, 218-227.	2.0	39
41	Resistance exercise improves physical fatigue in women with fibromyalgia: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 176.	1.6	52
42	How to manage fatigue in fibromyalgia: nonpharmacological options. <i>Pain Management</i> , 2016, 6, 331-338.	0.7	10
43	Seasonal variations in fatigue in persons with rheumatoid arthritis: a longitudinal study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 59.	0.8	17
44	Effects of Person-Centered Physical Therapy on Fatigue-Related Variables in Persons With Rheumatoid Arthritis: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 26-36.	0.5	67
45	Increased Interstitial Concentrations of Glutamate and Pyruvate in Vastus Lateralis of Women with Fibromyalgia Syndrome Are Normalized after an Exercise Intervention – A Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0162010.	1.1	26
46	Significantly impaired shoulder function in the first years of rheumatoid arthritis: a controlled study. <i>Arthritis Research and Therapy</i> , 2015, 17, 261.	1.6	13
47	Comparison of the Levels of Pro-Inflammatory Cytokines Released in the Vastus Lateralis Muscle of Patients with Fibromyalgia and Healthy Controls during Contractions of the Quadriceps Muscle – A Microdialysis Study. <i>PLoS ONE</i> , 2015, 10, e0143856.	1.1	32
48	Psychometric properties of the Stress and Crisis Inventory (SCI-93) in females with fibromyalgia and chronic widespread pain. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 28-34.	0.7	8
49	Resistance exercise improves muscle strength, health status and pain intensity in fibromyalgia – a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2015, 17, 161.	1.6	122
50	Profile of circulating microRNAs in fibromyalgia and their relation to symptom severity: an exploratory study. <i>Rheumatology International</i> , 2015, 35, 635-642.	1.5	64
51	Health-related quality of life in fibromyalgia and refractory angina pectoris: A comparison between two chronic non-malignant pain disorders. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 341-347.	0.8	10
52	Smoking is Associated with Reduced Leptin and Neuropeptide Y Levels and Higher Pain Experience in Patients with Fibromyalgia. <i>Mediators of Inflammation</i> , 2014, 2014, 1-8.	1.4	16
53	Perceived exertion at work in women with fibromyalgia: Explanatory factors and comparison with healthy women. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 773-780.	0.8	18
54	Prognostic Factors for Work Ability in Women With Chronic Low Back Pain Consulting Primary Health Care. <i>Clinical Journal of Pain</i> , 2014, 30, 391-398.	0.8	15

#	ARTICLE	IF	CITATIONS
55	Exercise and obesity in fibromyalgia: beneficial roles of IGF-1 and resistin?. <i>Arthritis Research and Therapy</i> , 2013, 15, R34.	1.6	22
56	Perception, consequences, communication, and strategies for handling fatigue in persons with rheumatoid arthritis of working age—a focus group study. <i>Clinical Rheumatology</i> , 2013, 32, 557-566.	1.0	62
57	Factors promoting sustainable work in women with fibromyalgia. <i>Disability and Rehabilitation</i> , 2013, 35, 1622-1629.	0.9	30
58	Profile of Cerebrospinal microRNAs in Fibromyalgia. <i>PLoS ONE</i> , 2013, 8, e78762.	1.1	80
59	Usefulness of multiple dimensions of fatigue in fibromyalgia. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 685-693.	0.8	29
60	Physical Exercise. , 2013, , 2908-2912.		0
61	Prevalence and Characteristics of Widespread Pain in Female Primary Health Care Patients With Chronic Low Back Pain. <i>Clinical Journal of Pain</i> , 2012, 28, 65-72.	0.8	33
62	Which aspects of health differ between working and nonworking women with fibromyalgia? A cross-sectional study of work status and health. <i>BMC Public Health</i> , 2012, 12, 1076.	1.2	20
63	Hinders for continued work among persons with fibromyalgia. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 96.	0.8	42
64	Changes in pain and insulin-like growth factor 1 in fibromyalgia during exercise: the involvement of cerebrospinal inflammatory factors and neuropeptides. <i>Arthritis Research and Therapy</i> , 2012, 14, R162.	1.6	45
65	Disability of the Arm, Shoulder and Hand questionnaire in Swedish patients with rheumatoid arthritis: A validity study. <i>Journal of Rehabilitation Medicine</i> , 2012, 44, 7-11.	0.8	21
66	Transcultural Adaptation and Psychometric Properties of a Spanish-Language Version of Physical Activity Instruments for Patients With Fibromyalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 284-294.	0.5	22
67	Physical Activity and Exercise in Rheumatic Disease. , 2010, , 408-419.		0
68	Primary Care Physical Therapy in People With Fibromyalgia: Opportunities and Boundaries Within a Monodisciplinary Setting. <i>Physical Therapy</i> , 2010, 90, 1815-1822.	1.1	19
69	Does moderate-to-high intensity Nordic walking improve functional capacity and pain in fibromyalgia? A prospective randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2010, 12, R189.	1.6	92
70	Quality of life assessed with Short Form 36 —a comparison between two populations with long-term musculoskeletal pain disorders. <i>Disability and Rehabilitation</i> , 2010, 32, 1903-1909.	0.9	5
71	Pool exercise for patients with fibromyalgia or chronic widespread pain: A randomized controlled trial and subgroup analyses. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 751-760.	0.8	74
72	Physical Activity and Body Functions in Patients with Fibromyalgia Syndrome. <i>Journal of Musculoskeletal Pain</i> , 2009, 17, 287-294.	0.3	9

#	ARTICLE	IF	CITATIONS
73	Experience of physical activity in patients with fibromyalgia and chronic widespread pain. <i>Disability and Rehabilitation</i> , 2008, 30, 213-221.	0.9	10
74	Assessment of fatigue in patients with fibromyalgia and chronic widespread pain. Reliability and validity of the Swedish version of the MFI-20. <i>Disability and Rehabilitation</i> , 2007, 29, 1665-1670.	0.9	71
75	Non-pharmacological treatment of chronic widespread musculoskeletal pain. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 513-534.	1.4	87
76	Physical Exercise. , 2007, , 1819-1821.		0
77	Relationships Between Performance-Based Tests and Patients' Ratings of Activity Limitations, Self-Efficacy, and Pain in Fibromyalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2006, 87, 259-264.	0.5	117
78	Exercise in fibromyalgia. <i>Current Opinion in Rheumatology</i> , 2005, 17, 190-194.	2.0	83
79	Rehabilitation of patients with fibromyalgia. <i>Disability and Rehabilitation</i> , 2005, 27, 657-658.	0.9	1
80	Leisure Time Physical Activity Instrument and Physical Activity at Home and Work Instrument. Development, face validity, construct validity and test-retest reliability for subjects with fibromyalgia. <i>Disability and Rehabilitation</i> , 2005, 27, 695-701.	0.9	67
81	Efficacy and feasibility of a combination of body awareness therapy and qigong in patients with fibromyalgia: a pilot study. <i>Journal of Rehabilitation Medicine</i> , 2004, 36, 279-281.	0.8	82
82	Physical exercise in fibromyalgia and related syndromes. <i>Best Practice and Research in Clinical Rheumatology</i> , 2003, 17, 629-647.	1.4	101
83	Physiotherapy group treatment for patients with fibromyalgia – an embodied learning process. <i>Disability and Rehabilitation</i> , 2003, 25, 1372-1380.	0.9	43
84	Six- and 24-month follow-up of pool exercise therapy and education for patients with fibromyalgia. <i>Scandinavian Journal of Rheumatology</i> , 2002, 31, 306-310.	0.6	120
85	How patients with fibromyalgia experience their symptoms in everyday life. <i>Physiotherapy Research International</i> , 1999, 4, 110-122.	0.7	42
86	Tests of functional limitations in fibromyalgia syndrome: A reliability study. <i>Arthritis and Rheumatism</i> , 1999, 12, 193-199.	6.7	66
87	Evaluation of a home training programme to improve shoulder function in rheumatoid arthritis patients. <i>Physiotherapy Theory and Practice</i> , 1994, 10, 69-76.	0.6	7
88	Physical performance characteristics of women with fibromyalgia. <i>Arthritis and Rheumatism</i> , 1994, 7, 123-129.	6.7	106
89	Quality of Life of Swedish Women with Fibromyalgia Syndrome, Rheumatoid Arthritis or Systemic Lupus Erythematosus. <i>Journal of Musculoskeletal Pain</i> , 1993, 1, 199-207.	0.3	33
90	Person-centred health plans for physical activity in persons with chronic widespread pain (CWP) – a retrospective descriptive review. <i>Disability and Rehabilitation</i> , 0, , 1-8.	0.9	1