

Ignacio DÁaz-MartÁnez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9575064/publications.pdf>

Version: 2024-02-01

54

papers

788

citations

623734

14

h-index

580821

25

g-index

56

all docs

56

docs citations

56

times ranked

559

citing authors

#	ARTICLE	IF	CITATIONS
1	Dinosaur tracks in a Cretaceous (lower Albian) braid delta system (Basqueâ€“Cantabrian Basin, western) Tj ETQq1 1 0.784314 rgBT /Overlock 1.3 3 Special Publication, 2023, 522, 237-264.		
2	New ornithopod footprints from the Areia do Mastro Formation (Lower Cretaceous), Espichel Cape (Portugal, Western Iberia) and their context in the Iberian ichnological ornithopod record. Cretaceous Research, 2022, 131, 105069.	1.4	8
3	A limping dinosaur in the Late Jurassic: Pathologies in the pes of the neornithischian <i>Othnielosaurus consors</i> from the Morrison Formation (Upper Jurassic, USA). Historical Biology, 2021, 33, 1753-1759.	1.4	5
4	An accumulation of dinosaur remains in fluvial deposits of Mulichinco Formation (lower) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (Venezuela). Journal of South American Earth Sciences, 2021, 105, 102979.	1.4	5
5	Half a century after the first bootprint on the lunar surface: The ichnological side of the Moon. Earth-Science Reviews, 2021, 212, 103452.	9.1	3
6	Rastrilladas de icnitas terÃ³podes gigantes del JurÃ¡sico Superior (sinclinal de LouardidÃ©ne, Marruecos). Spanish Journal of Paleontology, 2021, 24, 31.	0.1	0
7	Tracking late Pleistocene Neandertals on the Iberian coast. Scientific Reports, 2021, 11, 4103.	3.3	23
8	New record of Late Cretaceous vertebrate tracks from the Yacoraite Formation (Juella, Quebrada de) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Argentina). Journal of South American Earth Sciences, 2021, 107, 103116.	1.4	7
9	Three-dimensional stromatolites from Maastrichtianâ€“Danian Yacoraite Formation, Argentina: modelling and assessing hydrodynamic controls on growth patterns. Geological Magazine, 2021, 158, 1756-1772.	1.5	3
10	Morphological variations in dinosaur tridactyl tracks from the Candeleros Formation (Upper) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (Argentina). Journal of South American Earth Sciences, 2021, 108, 103212.	1.4	3
11	Osseous paleopathologies of Bonapartesaurus rionegrensis (Ornithopoda, Hadrosauridae) from Allen Formation (Upper Cretaceous) of Patagonia Argentina. Cretaceous Research, 2021, 124, 104800.	1.4	3
12	Enigmatic tracks of solitary sauropods roaming an extensive lacustrine megatracksite in Iberia. Scientific Reports, 2021, 11, 16939.	3.3	10
13	Age-constrained therapsid tracks from a mid-latitude upland (Permianâ€“Triassic transition, Los) Tj ETQq1 1 0.784314 rgBT /Overlock 1.4 3 10		
14	Fast-running theropods tracks from the Early Cretaceous of La Rioja, Spain. Scientific Reports, 2021, 11, 23095.	3.3	6
15	A predation attempt in a Late Cretaceous pleurodire turtle from Patagonia. Cretaceous Research, 2020, 107, 104290.	1.4	8
16	Gregarious behaviour among non-avian theropods inferred from trackways: A case study from the Cretaceous (Cenomanian) Candeleros Formation of Patagonia, Argentina. Palaeogeography, Palaeoclimatology, Palaeoecology, 2020, 538, 109480.	2.3	13
17	Reply to discussion of â€œDefining the morphological quality of fossil footprints. Problems and principles of preservation in tetrapod ichnology with examples from the Palaeozoic to the presentâ€• by Marchetti et al. (2019). Earth-Science Reviews, 2020, 208, 103319.	9.1	4
18	Differential locomotor and predatory strategies of Gondwanan and derived Laurasian dromaeosaurids (Dinosauria, Theropoda, Paraves): Inferences from morphometric and comparative anatomical studies. Journal of Anatomy, 2020, 236, 772-797.	1.5	11

#	ARTICLE	IF	CITATIONS
19	Multi-aged social behaviour based on artiodactyl tracks in an early Miocene palustrine wetland (Ebro) Tij ETQq1 1 0.784314 rgBT /Overlock et al., 2019	0.3	10
20	A multi-oooxic assemblage from the Lower Cretaceous of the Cameros Basin (La Rioja; Northern) Tij ETQq0 0 0 rgBT /Overlock et al., 2019	0.1	4
21	Late Permian-Early Jurassic vertebrate tracks from patagonia: Biochronological inferences and relationships with southern african realms. <i>Journal of African Earth Sciences</i> , 2019, 160, 103619.	2.0	7
22	Defining the morphological quality of fossil footprints. Problems and principles of preservation in tetrapod ichnology with examples from the Palaeozoic to the present. <i>Earth-Science Reviews</i> , 2019, 193, 109-145.	9.1	118
23	A new narrow-gauge sauropod trackway from the Cenomanian Candeleros Formation, northern Patagonia, Argentina. <i>Cretaceous Research</i> , 2019, 96, 70-82.	1.4	11
24	The most representative vertebrate fossil record and palaeontological heritage from the western Pyrenees. <i>Spanish Journal of Paleontology</i> , 2019, 34, 103.	0.1	0
25	Vertebrate tracks from the Paso Cárdoza fossiliferous site (Anacleto and Allen formations, Upper) Tij ETQq1 1 0.784314 rgBT /Overlock et al., 2018	1.4	17
26	implications. <i>Cretaceous Research</i> , 2018, 83, 207-220.		
27	New sauropod tracks from the Yacoraite Formation (Maastrichtian-Danian), Valle del Tonco tracksite, Salta, northwestern Argentina. <i>Journal of Iberian Geology</i> , 2018, 44, 113-127.	1.3	10
28	A hypertrophied ungual phalanx from the lower Barremian of Spain: Implications for the diversity and palaeoecology of Spinosauridae (Theropoda) in Iberia. <i>Cretaceous Research</i> , 2018, 84, 141-152.	1.4	16
29	First ornithopod remains from the Bajo de la Carpa Formation (Santonian, Upper Cretaceous), northern Patagonia, Argentina. <i>Cretaceous Research</i> , 2018, 83, 182-193.	1.4	12
30	A standard protocol for documenting modern and fossil ichnological data. <i>Palaeontology</i> , 2018, 61, 469-480.	2.2	122
31	Triassic pentadactyl tracks from the Los Menucos Group (Río Negro province, Patagonia Argentina): possible constraints on the autopodial posture of Gondwanan trackmakers. <i>PeerJ</i> , 2018, 6, e5358.	2.0	17
32	Trace fossils from the Middle and Upper Eocene (Bartonian-Priabonian) molasse deposits of the Pamplona Basin (Navarre, western Pyrenees): palaeoenvironmental implications. <i>Geological Journal</i> , 2017, 52, 327-349.	1.3	4
33	Integrated overview of the vertebrate fossil record of the Ladrún anticline (Spain): Evidence of a Barremian alluvial-lacustrine system in NE Iberia frequented by dinosaurs. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 472, 192-202.	2.3	13
34	Dinosaur footprints in the Early Jurassic of Patagonia (Marfil Volcanic Complex, Argentina): biochronological and palaeobiogeographical inferences. <i>Geological Magazine</i> , 2017, 154, 914-922.	1.5	7
35	Fossil associations from the middle and upper Eocene strata of the Pamplona Basin and surrounding areas (Navarre, western Pyrenees). <i>Journal of Iberian Geology</i> , 2016, 42, .	1.3	7
36	First evidence of Hadrosauropodus in Gondwana (Yacoraite Formation, Maastrichtian-Danian), northwestern Argentina. <i>Journal of African Earth Sciences</i> , 2016, 122, 79-87.	2.0	15
37	Pes shape variation in an ornithopod dinosaur trackway (Lower Cretaceous, NW Spain): New evidence of an antalgic gait in the fossil track record. <i>Cretaceous Research</i> , 2016, 58, 125-134.	1.4	19

#	ARTICLE	IF	CITATIONS
37	An Unexpected Early Rhabdodontid from Europe (Lower Cretaceous of Salas de los Infantes, Burgos) Tij ETQq1 1 0.784314 rgBT /Overlock e0156251.	2.5	33
38	A new dinosaur tracksite with small footprints in the Urbián Group (Cameros Basin, Lower) Tij ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 T	1.3	
39	Unusual sauropod tracks in the Jurassic-Cretaceous transition. Cameros Basin (Burgos, Spain). Journal of Iberian Geology, 2015, 41, .	1.3	5
40	EARLY MIocene SHOREBIRD-LIKE FOOTPRINTS FROM THE EBRO BASIN, LA RIOJA, SPAIN: PALEOECOLOGICAL AND PALEOENVIRONMENTAL SIGNIFICANCE. Palaios, 2015, 30, 424-431.	1.3	15
41	Did all theropods have chicken-like feet? First evidence of a non-avian dinosaur podotheca. Cretaceous Research, 2015, 56, 53-59.	1.4	24
42	Ichnotaxonomic Review of Large Ornithopod Dinosaur Tracks: Temporal and Geographic Implications. PLoS ONE, 2015, 10, e0115477.	2.5	62
43	SINTESIS DEL REGISTRO FOÍSIL DE DINOSAURIOS TIROÍFOROS EN GONDWANA. Publicacion Electronica De La Asociacion Paleontologica Argentina, 2015, , 90-107.	0.1	3
44	A reappraisal of the Middle Triassic chirotheriid <i>< i>Chirotherium ibericus</i></i> Navás, 1906 (Iberian) Peninsula. PeerJ, 2015, 3, e1044.	2.0	18
45	Historical and Comparative Study of the First Spanish Vertebrate Paleoichnological Record and Bibliographic Review of the Spanish Chirotheriid Footprints. Ichnos, 2012, 19, 141-149.	0.5	12
46	Uvaichnites riojana: A new crane-like bird ichnotaxon from the lower Miocene of La Rioja (Ebro Basin,) Tij ETQq0 0 0 rgBT /Overlock 10 Tf 50 12 T	1.3	
47	New evidence of a herd of titanosauriform sauropods from the lower Berriasian of the Iberian range (Spain). Palaeogeography, Palaeoclimatology, Palaeoecology, 2011, 310, 227-237.	2.3	36
48	Tetradactyl Footprints of an Unknown Affinity Theropod Dinosaur from the Upper Jurassic of Morocco. PLoS ONE, 2011, 6, e26882.	2.5	14
49	Icnitas de Aves y Mamíferos del Mioceno Temprano de la Rioja (Cuenca del Ebro, España). Ameghiniana, 2011, 48, 139-153.	0.7	9
50	ISOLATED THEROPOD TEETH ASSOCIATED WITH A SAUROPOD SKELETON FROM THE ALLEN FORMATION (CAMPANIAN-MAASTRICHTIAN, UPPER CRETACEOUS) OF RÍO NEGRO, PATAGONIA, ARGENTINA.. Acta Palaeontologica Polonica, 0, 66, .	0.4	7
51	La fotogrametría se convierte en una poderosa herramienta para la conservación y difusión del patrimonio paleontológico. PH, 0, , 20.	0.0	1
52	First bird footprints from the lower Miocene Lerín Formation, Ebro Basin, Spain. Palaeontología Electronica, 0, , .	0.9	3
53	Patrimonio paleontológico en Áreas naturales protegidas: el caso del ANP municipal Paso Cardoba (provincia de Río Negro, Patagonia, Argentina). PH, 0, , 304.	0.0	0
54	Más allá de los dinosaurios: nuevas perspectivas para el patrimonio paleontológico de La Rioja. PH, 0, , 321.	0.0	0