

Karen S L Lam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9575185/publications.pdf>

Version: 2024-02-01

366
papers

28,336
citations

5268

83
h-index

6996

154
g-index

370
all docs

370
docs citations

370
times ranked

29914
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence, Awareness, Treatment, and Control of Hypertension Among United States Adults 1999–2004. <i>Hypertension</i> , 2007, 49, 69-75.	2.7	1,225
2	Obstructive Sleep Apnea Is Independently Associated with Insulin Resistance. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 670-676.	5.6	1,115
3	The fat-derived hormone adiponectin alleviates alcoholic and nonalcoholic fatty liver diseases in mice. <i>Journal of Clinical Investigation</i> , 2003, 112, 91-100.	8.2	975
4	Serum FGF21 Levels Are Increased in Obesity and Are Independently Associated With the Metabolic Syndrome in Humans. <i>Diabetes</i> , 2008, 57, 1246-1253.	0.6	769
5	The fat-derived hormone adiponectin alleviates alcoholic and nonalcoholic fatty liver diseases in mice. <i>Journal of Clinical Investigation</i> , 2003, 112, 91-100.	8.2	560
6	Adiponectin Mediates the Metabolic Effects of FGF21 on Glucose Homeostasis and Insulin Sensitivity in Mice. <i>Cell Metabolism</i> , 2013, 17, 779-789.	16.2	550
7	Adipocyte Fatty Acid–Binding Protein Is a Plasma Biomarker Closely Associated with Obesity and Metabolic Syndrome. <i>Clinical Chemistry</i> , 2006, 52, 405-413.	3.2	517
8	Lipocalin-2 Is an Inflammatory Marker Closely Associated with Obesity, Insulin Resistance, and Hyperglycemia in Humans. <i>Clinical Chemistry</i> , 2007, 53, 34-41.	3.2	474
9	Contribution of Polyol Pathway to Diabetes-Induced Oxidative Stress. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, S233-S236.	6.1	467
10	Serum Leptin and Vascular Risk Factors in Obstructive Sleep Apnea. <i>Chest</i> , 2000, 118, 580-586.	0.8	366
11	Testosterone Selectively Reduces the High Molecular Weight Form of Adiponectin by Inhibiting Its Secretion from Adipocytes. <i>Journal of Biological Chemistry</i> , 2005, 280, 18073-18080.	3.4	357
12	Post-translational modifications of adiponectin: mechanisms and functional implications. <i>Biochemical Journal</i> , 2008, 409, 623-633.	3.7	346
13	Adiponectin Inhibits Cell Proliferation by Interacting with Several Growth Factors in an Oligomerization-dependent Manner. <i>Journal of Biological Chemistry</i> , 2005, 280, 18341-18347.	3.4	342
14	Hypoadiponectinemia Is Associated with Impaired Endothelium-Dependent Vasodilation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 765-769.	3.6	336
15	Circulating Adipocyte–Fatty Acid Binding Protein Levels Predict the Development of the Metabolic Syndrome. <i>Circulation</i> , 2007, 115, 1537-1543.	1.6	317
16	Diabetes Prevalence and Therapeutic Target Achievement in the United States, 1999 to 2006. <i>American Journal of Medicine</i> , 2009, 122, 443-453.	1.5	309
17	Angiopoietin-like protein 4 decreases blood glucose and improves glucose tolerance but induces hyperlipidemia and hepatic steatosis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 6086-6091.	7.1	290
18	Adiponectin-Induced Endothelial Nitric Oxide Synthase Activation and Nitric Oxide Production Are Mediated by APPL1 in Endothelial Cells. <i>Diabetes</i> , 2007, 56, 1387-1394.	0.6	290

#	ARTICLE	IF	CITATIONS
19	Adipocyte-secreted exosomal microRNA-34a inhibits M2 macrophage polarization to promote obesity-induced adipose inflammation. <i>Journal of Clinical Investigation</i> , 2019, 129, 834-849.	8.2	282
20	The therapeutic potential of FGF21 in metabolic diseases: from bench to clinic. <i>Nature Reviews Endocrinology</i> , 2020, 16, 654-667.	9.6	280
21	Advanced Glycation End Products and Endothelial Dysfunction in Type 2 Diabetes. <i>Diabetes Care</i> , 2002, 25, 1055-1059.	8.6	272
22	Adiponectin Enhances Cold-Induced Browning of Subcutaneous Adipose Tissue via Promoting M2 Macrophage Proliferation. <i>Cell Metabolism</i> , 2015, 22, 279-290.	16.2	266
23	Adiponectin Modulates the Glycogen Synthase Kinase-3 β /I χ 2-Catenin Signaling Pathway and Attenuates Mammary Tumorigenesis of MDA-MB-231 Cells in Nude Mice. <i>Cancer Research</i> , 2006, 66, 11462-11470.	0.9	262
24	Lipocalin-2 Deficiency Attenuates Insulin Resistance Associated With Aging and Obesity. <i>Diabetes</i> , 2010, 59, 872-882.	0.6	252
25	Serum Adipocyte Fatty Acid-Binding Protein as a New Biomarker Predicting the Development of Type 2 Diabetes. <i>Diabetes Care</i> , 2007, 30, 2667-2672.	8.6	251
26	Fibroblast Growth Factor 21 as an emerging metabolic regulator: clinical perspectives. <i>Clinical Endocrinology</i> , 2013, 78, 489-496.	2.4	249
27	Vascular effects of adiponectin: molecular mechanisms and potential therapeutic intervention. <i>Clinical Science</i> , 2008, 114, 361-374.	4.3	245
28	Hypoadiponectinemia as a Predictor for the Development of Hypertension. <i>Hypertension</i> , 2007, 49, 1455-1461.	2.7	238
29	Post-translational Modifications of the Four Conserved Lysine Residues within the Collagenous Domain of Adiponectin Are Required for the Formation of Its High Molecular Weight Oligomeric Complex. <i>Journal of Biological Chemistry</i> , 2006, 281, 16391-16400.	3.4	222
30	Adiponectin and cardiovascular health: an update. <i>British Journal of Pharmacology</i> , 2012, 165, 574-590.	5.4	219
31	FGF21 Maintains Glucose Homeostasis by Mediating the Cross Talk Between Liver and Brain During Prolonged Fasting. <i>Diabetes</i> , 2014, 63, 4064-4075.	0.6	217
32	Prevalence, Treatment, and Control of Diagnosed Diabetes in the U.S. National Health and Nutrition Examination Survey 1999-2004. <i>Annals of Epidemiology</i> , 2008, 18, 222-229.	1.9	206
33	Gender Difference in Blood Pressure Control and Cardiovascular Risk Factors in Americans With Diagnosed Hypertension. <i>Hypertension</i> , 2008, 51, 1142-1148.	2.7	204
34	Hypoxia dysregulates the production of adiponectin and plasminogen activator inhibitor-1 independent of reactive oxygen species in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 2006, 341, 549-556.	2.1	203
35	Serum Adipocyte Fatty Acid-Binding Protein Levels Were Independently Associated With Carotid Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 1796-1802.	2.4	191
36	A disulfide-bond A oxidoreductase-like protein (DsbA-L) regulates adiponectin multimerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 18302-18307.	7.1	188

#	ARTICLE	IF	CITATIONS
37	Cholesterol-lowering therapy may retard the progression of diabetic nephropathy. <i>Diabetologia</i> , 1995, 38, 604-609.	6.3	185
38	Atorvastatin Lowers C-Reactive Protein and Improves Endothelium-Dependent Vasodilation in Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 563-568.	3.6	185
39	Thyroid Dysfunction in Relation to Immune Profile, Disease Status, and Outcome in 191 Patients with COVID-19. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e926-e935.	3.6	175
40	Toll-like receptor-4 mediates obesity-induced non-alcoholic steatohepatitis through activation of X-box binding protein-1 in mice. <i>Gut</i> , 2012, 61, 1058-1067.	12.1	169
41	Dipeptidyl Peptidase 4 Inhibitor Sitagliptin Protects Endothelial Function in Hypertension Through a Glucagon-Like Peptide 1-Dependent Mechanism. <i>Hypertension</i> , 2012, 60, 833-841.	2.7	164
42	Serum Fibroblast Growth Factor-21 Levels Are Associated With Carotid Atherosclerosis Independent of Established Cardiovascular Risk Factors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2454-2459.	2.4	159
43	Decreased Bone Mineral Density in Premenopausal Asthma Patients Receiving Long-term Inhaled Steroids. <i>Chest</i> , 1994, 105, 1722-1727.	0.8	158
44	A randomised controlled trial of nasal continuous positive airway pressure on insulin sensitivity in obstructive sleep apnoea. <i>European Respiratory Journal</i> , 2010, 35, 138-145.	6.7	156
45	High Plasma Level of Fibroblast Growth Factor 21 Is an Independent Predictor of Type 2 Diabetes. <i>Diabetes Care</i> , 2011, 34, 2113-2115.	8.6	156
46	Increased Neutrophil Elastase and Proteinase 3 and Augmented NETosis Are Closely Associated With β 2-Cell Autoimmunity in Patients With Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 4239-4248.	0.6	154
47	Fibroblast growth factor 21 protects against acetaminophen-induced hepatotoxicity by potentiating peroxisome proliferator-activated receptor coactivator protein-1 α -mediated antioxidant capacity in mice. <i>Hepatology</i> , 2014, 60, 977-989.	7.3	153
48	Heterogeneity of white adipose tissue: molecular basis and clinical implications. <i>Experimental and Molecular Medicine</i> , 2016, 48, e215-e215.	7.7	150
49	Circadian Rhythm of Circulating Fibroblast Growth Factor 21 Is Related to Diurnal Changes in Fatty Acids in Humans. <i>Clinical Chemistry</i> , 2011, 57, 691-700.	3.2	147
50	Adipocyte fatty acid binding protein levels relate to inflammation and fibrosis in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2009, 49, 1926-1934.	7.3	144
51	The US National Cholesterol Education Programme Adult Treatment Panel III (NCEP ATP III) prevalence of the metabolic syndrome in a Chinese population. <i>Diabetes Research and Clinical Practice</i> , 2005, 67, 251-257.	2.8	142
52	Obstructive sleep apnea and the metabolic syndrome in community-based Chinese adults in Hong Kong. <i>Respiratory Medicine</i> , 2006, 100, 980-987.	2.9	140
53	Berberine prevents hyperglycemia-induced endothelial injury and enhances vasodilatation via adenosine monophosphate-activated protein kinase and endothelial nitric oxide synthase. <i>Cardiovascular Research</i> , 2009, 82, 484-492.	3.8	140
54	Papillary Carcinoma of Thyroid: A 30-yr Clinicopathological Review of the Histological Variants. <i>Endocrine Pathology</i> , 2005, 16, 323-330.	9.0	139

#	ARTICLE	IF	CITATIONS
55	Aldose Reductase-Deficient Mice Are Protected From Delayed Motor Nerve Conduction Velocity, Increased c-Jun NH2-Terminal Kinase Activation, Depletion of Reduced Glutathione, Increased Superoxide Accumulation, and DNA Damage. <i>Diabetes</i> , 2006, 55, 1946-1953.	0.6	136
56	Adipocyte Fatty Acid-binding Protein Modulates Inflammatory Responses in Macrophages through a Positive Feedback Loop Involving c-Jun NH2-terminal Kinases and Activator Protein-1. <i>Journal of Biological Chemistry</i> , 2010, 285, 10273-10280.	3.4	136
57	Fibroblast Growth Factor 21 Induces Glucose Transporter-1 Expression through Activation of the Serum Response Factor/Ets-Like Protein-1 in Adipocytes. <i>Journal of Biological Chemistry</i> , 2011, 286, 34533-34541.	3.4	135
58	Exome chip meta-analysis identifies novel loci and East Asian-specific coding variants that contribute to lipid levels and coronary artery disease. <i>Nature Genetics</i> , 2017, 49, 1722-1730.	21.4	129
59	Growth Hormone Induces Hepatic Production of Fibroblast Growth Factor 21 through a Mechanism Dependent on Lipolysis in Adipocytes. <i>Journal of Biological Chemistry</i> , 2011, 286, 34559-34566.	3.4	124
60	Chronic adiponectin deficiency leads to Alzheimer's disease-like cognitive impairments and pathologies through AMPK inactivation and cerebral insulin resistance in aged mice. <i>Molecular Neurodegeneration</i> , 2016, 11, 71.	10.8	122
61	Major Urinary Protein-1 Increases Energy Expenditure and Improves Glucose Intolerance through Enhancing Mitochondrial Function in Skeletal Muscle of Diabetic Mice. <i>Journal of Biological Chemistry</i> , 2009, 284, 14050-14057.	3.4	120
62	Cross-talk between adipose tissue and vasculature: role of adiponectin. <i>Acta Physiologica</i> , 2011, 203, 167-180.	3.8	120
63	Adrenal pheochromocytoma remains a frequently overlooked diagnosis. <i>American Journal of Surgery</i> , 2000, 179, 212-215.	1.8	119
64	Adiponectin is Protective against Oxidative Stress Induced Cytotoxicity in Amyloid-Beta Neurotoxicity. <i>PLoS ONE</i> , 2012, 7, e52354.	2.5	119
65	APPL1 Potentiates Insulin-Mediated Inhibition of Hepatic Glucose Production and Alleviates Diabetes via Akt Activation in Mice. <i>Cell Metabolism</i> , 2009, 9, 417-427.	16.2	118
66	The prevalence of diabetes, association with cardiovascular risk factors and implications of diagnostic criteria (ADA 1997 and WHO 1998) in a 1996 community-based population study in Hong Kong Chinese. <i>Diabetic Medicine</i> , 2000, 17, 741-745.	2.3	113
67	Adiponectin Ameliorates Dyslipidemia Induced by the Human Immunodeficiency Virus Protease Inhibitor Ritonavir in Mice. <i>Endocrinology</i> , 2004, 145, 487-494.	2.8	107
68	Adiponectin Prevents Diabetic Premature Senescence of Endothelial Progenitor Cells and Promotes Endothelial Repair by Suppressing the p38 MAP Kinase/p16INK4A Signaling Pathway. <i>Diabetes</i> , 2010, 59, 2949-2959.	0.6	106
69	Adiponectin Is Required for PPAR γ -Mediated Improvement of Endothelial Function in Diabetic Mice. <i>Cell Metabolism</i> , 2011, 14, 104-115.	16.2	106
70	Identification and characterization of proteins interacting with SIRT1 and SIRT3: implications in the anti-aging and metabolic effects of sirtuins. <i>Proteomics</i> , 2009, 9, 2444-2456.	2.2	105
71	A Highly Conserved Motif within the NH2-terminal Coiled-coil Domain of Angiopoietin-like Protein 4 Confers Its Inhibitory Effects on Lipoprotein Lipase by Disrupting the Enzyme Dimerization. <i>Journal of Biological Chemistry</i> , 2009, 284, 11942-11952.	3.4	103
72	Suppression of the Raf/MEK/ERK Signaling Cascade and Inhibition of Angiogenesis by the Carboxyl Terminus of Angiopoietin-Like Protein 4. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 835-840.	2.4	102

#	ARTICLE	IF	CITATIONS
73	An (A-C) _n Dinucleotide Repeat Polymorphic Marker at the 5' End of the Aldose Reductase Gene Is Associated With Early-Onset Diabetic Retinopathy in NIDDM Patients. <i>Diabetes</i> , 1995, 44, 727-732.	0.6	100
74	Selective Inactivation of c-Jun NH ₂ -Terminal Kinase in Adipose Tissue Protects Against Diet-Induced Obesity and Improves Insulin Sensitivity in Both Liver and Skeletal Muscle in Mice. <i>Diabetes</i> , 2011, 60, 486-495.	0.6	100
75	Development of Diabetes in Chinese With the Metabolic Syndrome: A 6-year prospective study. <i>Diabetes Care</i> , 2007, 30, 1430-1436.	8.6	99
76	Adipose Tissue-specific Inhibition of Hypoxia-inducible Factor 1 α Induces Obesity and Glucose Intolerance by Impeding Energy Expenditure in Mice*. <i>Journal of Biological Chemistry</i> , 2010, 285, 32869-32877.	3.4	98
77	Distinct Changes in Serum Fibroblast Growth Factor 21 Levels in Different Subtypes of Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E54-E58.	3.6	94
78	Randomised controlled trial of qigong in the treatment of mild essential hypertension. <i>Journal of Human Hypertension</i> , 2005, 19, 697-704.	2.2	93
79	Adropin Is a Brain Membrane-bound Protein Regulating Physical Activity via the NB-3/Notch Signaling Pathway in Mice. <i>Journal of Biological Chemistry</i> , 2014, 289, 25976-25986.	3.4	92
80	Signaling mechanisms underlying the insulin-sensitizing effects of adiponectin. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014, 28, 3-13.	4.7	91
81	Primary Aldosteronism. <i>Annals of Surgery</i> , 1996, 224, 125-130.	4.2	91
82	Impact of Obesity and Body Fat Distribution on Cardiovascular Risk Factors in Hong Kong Chinese. <i>Obesity</i> , 2004, 12, 1805-1813.	4.0	90
83	A prospective evaluation of preoperative localization by technetium-99m sestamibi scintigraphy and ultrasonography in primary hyperparathyroidism. <i>American Journal of Surgery</i> , 2007, 193, 155-159.	1.8	88
84	High Glucose Represses β -Klotho Expression and Impairs Fibroblast Growth Factor 21 Action in Mouse Pancreatic Islets. <i>Diabetes</i> , 2013, 62, 3751-3759.	0.6	88
85	Genetic and clinical characteristics of maturity-onset diabetes of the young in Chinese patients. <i>European Journal of Human Genetics</i> , 2005, 13, 422-427.	2.8	87
86	Selective Elevation of Adiponectin Production by the Natural Compounds Derived from a Medicinal Herb Alleviates Insulin Resistance and Glucose Intolerance in Obese Mice. <i>Endocrinology</i> , 2009, 150, 625-633.	2.8	86
87	Exome-wide association analysis reveals novel coding sequence variants associated with lipid traits in Chinese. <i>Nature Communications</i> , 2015, 6, 10206.	12.8	86
88	Adiponectin: Protection of the endothelium. <i>Current Diabetes Reports</i> , 2005, 5, 254-259.	4.2	85
89	Thiazolidinedione increases serum soluble receptor for advanced glycation end-products in type 2 diabetes. <i>Diabetologia</i> , 2007, 50, 1819-1825.	6.3	85
90	Obesity Susceptibility Genetic Variants Identified from Recent Genome-Wide Association Studies: Implications in a Chinese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1395-1403.	3.6	85

#	ARTICLE	IF	CITATIONS
91	Incremental prognostic value of global longitudinal strain in patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2016, 15, 22.	6.8	85
92	Prevalence and Recognition of Obstructive Sleep Apnea in Chinese Patients With Type 2 Diabetes Mellitus. <i>Chest</i> , 2010, 138, 1101-1107.	0.8	84
93	C-Reactive Protein Predicts the Deterioration of Glycemia in Chinese Subjects With Impaired Glucose Tolerance. <i>Diabetes Care</i> , 2003, 26, 2323-2328.	8.6	82
94	Prevalence, Awareness, Treatment, and Control of Hypertension: United States National Health and Nutrition Examination Survey 2001-2002. <i>Journal of Clinical Hypertension</i> , 2006, 8, 93-98.	2.0	82
95	Elevated Circulating Adipocyte-Fatty Acid Binding Protein Levels Predict Incident Cardiovascular Events in a Community-Based Cohort: A 12-Year Prospective Study. <i>Journal of the American Heart Association</i> , 2013, 2, e004176.	3.7	81
96	Declining Trends of Cardiovascular-Renal Complications and Mortality in Type 2 Diabetes: The Hong Kong Diabetes Database. <i>Diabetes Care</i> , 2017, 40, 928-935.	8.6	80
97	Effect of Sandostatin® LAR® on sleep apnoea in acromegaly: correlation with computerized tomographic cephalometry and hormonal activity. <i>Clinical Endocrinology</i> , 2001, 55, 477-483.	2.4	79
98	Early Effects of Cranial Irradiation on Hypothalamic-Pituitary Function*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1987, 64, 418-424.	3.6	78
99	Metabolic syndrome increases all-cause and vascular mortality: the Hong Kong Cardiovascular Risk Factor Study. <i>Clinical Endocrinology</i> , 2007, 66, 666-671.	2.4	78
100	Urotensin II: Its Function in Health and Its Role in Disease. <i>Cardiovascular Drugs and Therapy</i> , 2005, 19, 65-75.	2.6	77
101	Circulating Fibroblast Growth Factor 21 Levels Predict Progressive Kidney Disease in Subjects With Type 2 Diabetes and Normoalbuminuria. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1368-1375.	3.6	76
102	Mitochondrial dysfunction contributes to the increased vulnerabilities of adiponectin knockout mice to liver injury. <i>Hepatology</i> , 2008, 48, 1087-1096.	7.3	75
103	Adiponectin Haploinsufficiency Promotes Mammary Tumor Development in MMTV-PyVT Mice by Modulation of Phosphatase and Tensin Homolog Activities. <i>PLoS ONE</i> , 2009, 4, e4968.	2.5	75
104	Association of genetic variants in the adiponectin gene with adiponectin level and hypertension in Hong Kong Chinese. <i>European Journal of Endocrinology</i> , 2010, 163, 251-257.	3.7	75
105	Serum Zinc- α 2-Glycoprotein Correlates with Adiposity, Triglycerides, and the Key Components of the Metabolic Syndrome in Chinese Subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 2531-2536.	3.6	74
106	Circulating Levels of Adipocyte and Epidermal Fatty Acid-Binding Proteins in Relation to Nephropathy Staging and Macrovascular Complications in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2009, 32, 132-134.	8.6	72
107	Protective roles of adiponectin in obesity-related fatty liver diseases: mechanisms and therapeutic implications. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2009, 53, 201-212.	1.3	72
108	Endothelium-Selective Activation of AMP-Activated Protein Kinase Prevents Diabetes Mellitus-Induced Impairment in Vascular Function and Reendothelialization via Induction of Heme Oxygenase-1 in Mice. <i>Circulation</i> , 2012, 126, 1267-1277.	1.6	72

#	ARTICLE	IF	CITATIONS
109	Polymorphisms of the gene encoding adiponectin and glycaemic outcome of Chinese subjects with impaired glucose tolerance: a 5-year follow-up study. <i>Diabetologia</i> , 2006, 49, 1806-1815.	6.3	71
110	Metabolic and immunologic features of Chinese patients with atypical diabetes mellitus. <i>Diabetes Care</i> , 2000, 23, 335-338.	8.6	70
111	Proteomic and functional characterization of endogenous adiponectin purified from fetal bovine serum. <i>Proteomics</i> , 2004, 4, 3933-3942.	2.2	69
112	APPL1 potentiates insulin secretion in pancreatic β^2 cells by enhancing protein kinase Akt-dependent expression of SNARE proteins in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8919-8924.	7.1	69
113	Obesity, adipokines and cancer: an update. <i>Clinical Endocrinology</i> , 2015, 83, 147-156.	2.4	68
114	Optimal Cut-Offs of Homeostasis Model Assessment of Insulin Resistance (HOMA-IR) to Identify Dysglycemia and Type 2 Diabetes Mellitus: A 15-Year Prospective Study in Chinese. <i>PLoS ONE</i> , 2016, 11, e0163424.	2.5	68
115	HYPOTHALAMIC HYPOPITUITARISM FOLLOWING CRANIAL IRRADIATION FOR NASOPHARYNGEAL CARCINOMA. <i>Clinical Endocrinology</i> , 1986, 24, 643-651.	2.4	66
116	Influence of Low Density Lipoprotein (LDL) Subfraction Profile and LDL Oxidation on Endothelium-Dependent and Independent Vasodilation in Patients with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3212-3216.	3.6	66
117	Atorvastatin Lowers C-Reactive Protein and Improves Endothelium-Dependent Vasodilation in Type 2 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 563-568.	3.6	66
118	Total thyroidectomy replaces subtotal thyroidectomy as the preferred surgical treatment for Graves's disease. <i>ANZ Journal of Surgery</i> , 2005, 75, 528-531.	0.7	65
119	Bioavailable Testosterone Predicts a Lower Risk of Alzheimer's Disease in Older Men. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 1335-1345.	2.6	65
120	Obesity as the common soil of non-alcoholic fatty liver disease and diabetes: Role of adipokines. <i>Journal of Diabetes Investigation</i> , 2013, 4, 413-425.	2.4	65
121	Pharmacological inhibition of adipocyte fatty acid binding protein alleviates both acute liver injury and non-alcoholic steatohepatitis in mice. <i>Journal of Hepatology</i> , 2013, 58, 358-364.	3.7	65
122	Loss of fibroblast growth factor 21 action induces insulin resistance, pancreatic islet hyperplasia and dysfunction in mice. <i>Cell Death and Disease</i> , 2015, 6, e1707-e1707.	6.3	65
123	Gene Expression of the Receptor for Growth-Hormone-Releasing Hormone Is Physiologically Regulated by Glucocorticoids and Estrogen. <i>Neuroendocrinology</i> , 1996, 63, 475-480.	2.5	63
124	Pharmacokinetics, pharmacodynamics, long-term efficacy and safety of oral 1-deamino-8-d-arginine vasopressin in adult patients with central diabetes insipidus. <i>British Journal of Clinical Pharmacology</i> , 1996, 42, 379-385.	2.4	62
125	Acarbose in NIDDM Patients With Poor Control on Conventional Oral Agents: A 24-week placebo-controlled study. <i>Diabetes Care</i> , 1998, 21, 1154-1158.	8.6	62
126	Hypoadiponectinemia is Related to Sympathetic Activation and Severity of Obstructive Sleep Apnea. <i>Sleep</i> , 2008, 31, 1721-1727.	1.1	62

#	ARTICLE	IF	CITATIONS
127	Components of the metabolic syndrome predictive of its development: a 6â€‘year longitudinal study in Hong Kong Chinese. <i>Clinical Endocrinology</i> , 2008, 68, 730-737.	2.4	61
128	APPL1 Counteracts Obesity-Induced Vascular Insulin Resistance and Endothelial Dysfunction by Modulating the Endothelial Production of Nitric Oxide and Endothelin-1 in Mice. <i>Diabetes</i> , 2011, 60, 3044-3054.	0.6	60
129	LONG-TERM TREATMENT OF HYPERPROLACTINAEMIA WITH BROMOCRIPTINE: EFFECT OF DRUG WITHDRAWAL. <i>Clinical Endocrinology</i> , 1987, 27, 363-371.	2.4	59
130	Relationship Between the Metabolic Syndrome and the Development of Hypertension in the Hong Kong Cardiovascular Risk Factor Prevalence Study-2 (CRISPS2). <i>American Journal of Hypertension</i> , 2008, 21, 17-22.	2.0	58
131	Influence of Low Density Lipoprotein (LDL) Subfraction Profile and LDL Oxidation on Endothelium-Dependent and Independent Vasodilation in Patients with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 3212-3216.	3.6	58
132	A polygenic risk score improves risk stratification of coronary artery disease: a large-scale prospective Chinese cohort study. <i>European Heart Journal</i> , 2022, 43, 1702-1711.	2.2	58
133	Hypopituitarism after Tuberculous Meningitis in Childhood. <i>Annals of Internal Medicine</i> , 1993, 118, 701.	3.9	57
134	Bioavailable testosterone is associated with a reduced risk of amnesic mild cognitive impairment in older men. <i>Clinical Endocrinology</i> , 2008, 68, 589-598.	2.4	57
135	Association between plasma alkaline phosphatase and C-reactive protein in Hong Kong Chinese. <i>Clinical Chemistry and Laboratory Medicine</i> , 2008, 46, 523-7.	2.3	56
136	Prevalence of the Metabolic Syndrome in the United States National Health and Nutrition Examination Survey 1999â€‘2002 According to Different Defining Criteria. <i>Journal of Clinical Hypertension</i> , 2006, 8, 562-570.	2.0	54
137	Adipocyte fatty acid-binding protein exacerbates cerebral ischaemia injury by disrupting the bloodâ€‘brain barrier. <i>European Heart Journal</i> , 2020, 41, 3169-3180.	2.2	54
138	Role of nonâ€‘thyroidal illness syndrome in predicting adverse outcomes in COVIDâ€‘19 patients predominantly of mildâ€‘toâ€‘moderate severity. <i>Clinical Endocrinology</i> , 2021, 95, 469-477.	2.4	54
139	Adiponectin stimulates Wnt inhibitory factor-1 expression through epigenetic regulations involving the transcription factor specificity protein 1. <i>Carcinogenesis</i> , 2008, 29, 2195-2202.	2.8	53
140	Systemic sclerosis is an independent risk factor for increased coronary artery calcium deposition. <i>Arthritis and Rheumatism</i> , 2011, 63, 1387-1395.	6.7	53
141	Central obesity predicts the worsening of glycemia in southern Chinese. <i>International Journal of Obesity</i> , 2001, 25, 1789-1793.	3.4	52
142	Proteomic characterization of human serum proteins associated with the fat-derived hormone adiponectin. <i>Proteomics</i> , 2006, 6, 3862-3870.	2.2	52
143	Serum adiponectin is increased in advancing liver fibrosis and declines with reduction in fibrosis in chronic hepatitis B. <i>Journal of Hepatology</i> , 2007, 47, 191-202.	3.7	52
144	Serum adipocyte fatty acidâ€‘binding protein associated with ischemic stroke and early death. <i>Neurology</i> , 2011, 76, 1968-1975.	1.1	52

#	ARTICLE	IF	CITATIONS
145	Serum Adiponectin Is Reduced in Acromegaly and Normalized after Correction of Growth Hormone Excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 5448-5453.	3.6	51
146	Adiponectin as a negative regulator in obesity-related mammary carcinogenesis. <i>Cell Research</i> , 2007, 17, 280-282.	12.0	50
147	Plasma Level of Pigment Epithelium-Derived Factor Is Independently Associated with the Development of the Metabolic Syndrome in Chinese Men: A 10-Year Prospective Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 5074-5081.	3.6	49
148	Vascular Actions of Adipokines. <i>Advances in Pharmacology</i> , 2010, 60, 229-255.	2.0	49
149	Skeletal muscle-specific overproduction of constitutively activated c-Jun N-terminal kinase (JNK) induces insulin resistance in mice. <i>Diabetologia</i> , 2012, 55, 2769-2778.	6.3	49
150	N-Acetylcysteine and Allopurinol Synergistically Enhance Cardiac Adiponectin Content and Reduce Myocardial Reperfusion Injury in Diabetic Rats. <i>PLoS ONE</i> , 2011, 6, e23967.	2.5	49
151	LDL subfractions in acromegaly: relation to growth hormone and insulin-like growth factor-I. <i>Atherosclerosis</i> , 1997, 129, 59-65.	0.8	48
152	Association of a Polymorphism in the Lipin 1 Gene With Systolic Blood Pressure in Men. <i>American Journal of Hypertension</i> , 2008, 21, 539-545.	2.0	47
153	The MDM2-p53-pyruvate carboxylase signalling axis couples mitochondrial metabolism to glucose-stimulated insulin secretion in pancreatic β -cells. <i>Nature Communications</i> , 2016, 7, 11740.	12.8	47
154	Chronic oral administration of adipoRon reverses cognitive impairments and ameliorates neuropathology in an Alzheimer's disease mouse model. <i>Molecular Psychiatry</i> , 2021, 26, 5669-5689.	7.9	47
155	Association Between Raised Blood Pressure and Dysglycemia in Hong Kong Chinese. <i>Diabetes Care</i> , 2008, 31, 1889-1891.	8.6	46
156	Haplotypes in the urotensin II gene and urotensin II receptor gene are associated with insulin resistance and impaired glucose tolerance. <i>Peptides</i> , 2006, 27, 1659-1667.	2.4	44
157	Adiponectin isoform distribution in women—relationship to female sex steroids and insulin sensitivity. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 239-245.	3.4	44
158	A Randomized Controlled Trial of Low-Dose Recombinant Human Growth Hormone in the Treatment of Malnourished Elderly Medical Patients ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1913-1920.	3.6	43
159	Overexpression of Angiopoietin-Like Protein 4 Alters Mitochondria Activities and Modulates Methionine Metabolic Cycle in the Liver Tissues of db/db Diabetic Mice. <i>Molecular Endocrinology</i> , 2007, 21, 972-986.	3.7	43
160	Moderate Wine Consumption in the Prevention of Metabolic Syndrome and its Related Medical Complications. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2008, 8, 89-98.	1.2	43
161	Estrogen Regulates the Gene Expression of Vasoactive Intestinal Peptide in the Anterior Pituitary. <i>Neuroendocrinology</i> , 1990, 52, 417-421.	2.5	42
162	Effects of angiotensin II receptor antagonist on endothelial vasomotor function and urinary albumin excretion in type 2 diabetic patients with microalbuminuria. <i>Diabetes/Metabolism Research and Reviews</i> , 2002, 18, 71-76.	4.0	42

#	ARTICLE	IF	CITATIONS
163	Resistin gene polymorphisms and progression of glycaemia in southern Chinese: a 5-year prospective study. <i>Clinical Endocrinology</i> , 2007, 66, 211-217.	2.4	42
164	Deficiency of adipocyte fatty-acid-binding protein alleviates myocardial ischaemia/reperfusion injury and diabetes-induced cardiac dysfunction. <i>Clinical Science</i> , 2015, 129, 547-559.	4.3	42
165	Cholesterol-induced mammary tumorigenesis is enhanced by adiponectin deficiency: role of LDL receptor upregulation. <i>Oncotarget</i> , 2013, 4, 1804-1818.	1.8	42
166	Fatty acid binding protein-4 (FABP4) is a hypoxia inducible gene that sensitizes mice to liver ischemia/reperfusion injury. <i>Journal of Hepatology</i> , 2015, 63, 855-862.	3.7	41
167	Serum fibroblast growth factor 21 is a superior biomarker to other adipokines in predicting incident diabetes. <i>Clinical Endocrinology</i> , 2017, 86, 37-43.	2.4	41
168	Glycoxidized low-density lipoprotein regulates the expression of scavenger receptors in THP-1 macrophages. <i>Atherosclerosis</i> , 2004, 177, 313-320.	0.8	40
169	Surgical Treatment for Primary Hyperparathyroidism in Hong Kong. <i>Archives of Surgery</i> , 2004, 139, 77.	2.2	40
170	Insights from a Prospective Follow-up of Thyroid Function and Autoimmunity among COVID-19 Survivors. <i>Endocrinology and Metabolism</i> , 2021, 36, 582-589.	3.0	40
171	Induction of spermatogenesis with gonadotrophins in Chinese men with hypogonadotrophic hypogonadism. <i>Journal of Developmental and Physical Disabilities</i> , 1994, 17, 241-247.	3.6	39
172	Acute effect of orlistat on post-prandial lipaemia and free fatty acids in overweight patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2002, 19, 944-948.	2.3	39
173	Validation of the Pooled Cohort equations in a long-term cohort study of Hong Kong Chinese. <i>Journal of Clinical Lipidology</i> , 2015, 9, 640-646.e2.	1.5	39
174	CPAP therapy for patients with sleep apnea and type 2 diabetes mellitus improves control of blood pressure. <i>Sleep and Breathing</i> , 2017, 21, 377-386.	1.7	39
175	A Randomized Controlled Trial of Low-Dose Recombinant Human Growth Hormone in the Treatment of Malnourished Elderly Medical Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 1913-1920.	3.6	39
176	Epidermal fatty-acid-binding protein: a new circulating biomarker associated with cardio-metabolic risk factors and carotid atherosclerosis. <i>European Heart Journal</i> , 2008, 29, 2156-2163.	2.2	38
177	C-reactive protein as a predictor of hypertension in the Hong Kong Cardiovascular Risk Factor Prevalence Study (CRISPS) cohort. <i>Journal of Human Hypertension</i> , 2012, 26, 108-116.	2.2	38
178	Long COVID in Patients With Mild to Moderate Disease: Do Thyroid Function and Autoimmunity Play a Role?. <i>Endocrine Practice</i> , 2021, 27, 894-902.	2.1	38
179	Elevated Plasma Level of Soluble F11 Receptor/Junctional Adhesion Molecule-A (F11R/JAM-A) in Hypertension. <i>American Journal of Hypertension</i> , 2009, 22, 500-505.	2.0	37
180	Elevated Circulating Pigment Epithelium-Derived Factor Predicts the Progression of Diabetic Nephropathy in Patients With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014, 99, E2169-E2177.	3.6	37

#	ARTICLE	IF	CITATIONS
181	Fibrinogen, other cardiovascular risk factors and diabetes mellitus in Hong Kong: a community with high prevalence of Type 2 diabetes mellitus and impaired glucose tolerance. <i>Diabetic Medicine</i> , 2000, 17, 798-806.	2.3	36
182	Sudden Cardiac Death After Myocardial Infarction in Type 2 Diabetic Patients With No Residual Myocardial Ischemia. <i>Diabetes Care</i> , 2012, 35, 2564-2569.	8.6	35
183	Evaluation of Cutpoints for Low Lean Mass and Slow Gait Speed in Predicting Death in the National Health and Nutrition Examination Survey 1999â€“2004. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 90-95.	3.6	35
184	Adipocyte Fatty Acid Binding Protein Promotes the Onset and Progression of Liver Fibrosis via Mediating the Crosstalk between Liver Sinusoidal Endothelial Cells and Hepatic Stellate Cells. <i>Advanced Science</i> , 2021, 8, e2003721.	11.2	35
185	Identification and functional characterization of three novel human melanocortin-4 receptor gene variants in an obese Chinese population. <i>Clinical Endocrinology</i> , 2006, 65, 198-205.	2.4	34
186	Late-Life Body Mass Index and Waist Circumference in Amnesic Mild Cognitive Impairment and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 223-232.	2.6	34
187	Using Glycosylated Hemoglobin to Define the Metabolic Syndrome in United States Adults. <i>Diabetes Care</i> , 2010, 33, 1856-1858.	8.6	33
188	Gamma-glutamyl transferase level predicts the development of hypertension in Hong Kong Chinese. <i>Clinica Chimica Acta</i> , 2011, 412, 1326-1331.	1.1	33
189	Proteomic analysis of adipocyte differentiation: Evidence that β_2 macroglobulin is involved in the adipose conversion of 3T3 L1 preadipocytes. <i>Proteomics</i> , 2004, 4, 1840-1848.	2.2	32
190	Adiponectin Mediates the Suppressive Effect of Rosiglitazone on Plasminogen Activator Inhibitor-1 Production. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007, 27, 2777-2782.	2.4	32
191	Genetic variants associated with persistent central obesity and the metabolic syndrome in a 12-year longitudinal study. <i>European Journal of Endocrinology</i> , 2011, 164, 381-388.	3.7	32
192	Comparison of the Effectiveness of 2-Hourly Versus 8-Hourly Subcutaneous Injections of a Somatostatin Analog (SMS 201-995) in the Treatment of Acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1989, 69, 670-677.	3.6	31
193	Diabetes Gene Therapy: Potential and Challenges. <i>Current Gene Therapy</i> , 2003, 3, 65-82.	2.0	31
194	Serum Total and Bioavailable Testosterone Levels, Central Obesity, and Muscle Strength Changes with Aging in Healthy Chinese Men. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1286-1291.	2.6	31
195	Upregulation of UCP2 by Adiponectin: The Involvement of Mitochondrial Superoxide and hnRNP K. <i>PLoS ONE</i> , 2012, 7, e32349.	2.5	31
196	Diet and glucose tolerance in a Chinese population. <i>European Journal of Clinical Nutrition</i> , 2003, 57, 523-530.	2.9	30
197	Chronic treatment with growth hormone stimulates adiponectin gene expression in 3T3-L1 adipocytes. <i>FEBS Letters</i> , 2004, 572, 129-134.	2.8	30
198	Association of a genetic variant in the apolipoprotein A5 gene with the metabolic syndrome in Chinese. <i>Clinical Endocrinology</i> , 2011, 74, 206-213.	2.4	30

#	ARTICLE	IF	CITATIONS
199	The Adaptor Protein APPL2 Inhibits Insulin-Stimulated Glucose Uptake by Interacting With TBC1D1 in Skeletal Muscle. <i>Diabetes</i> , 2014, 63, 3748-3758.	0.6	30
200	Dietary Intake of Anti-Oxidant Vitamins A, C, and E Is Inversely Associated with Adverse Cardiovascular Outcomes in Chinese—A 22-Years Population-Based Prospective Study. <i>Nutrients</i> , 2018, 10, 1664.	4.1	30
201	Role of Circulating Fibroblast Growth Factor 21 Measurement in Primary Prevention of Coronary Heart Disease Among Chinese Patients With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	29
202	Changing prevalence of retinopathy in newly diagnosed non-insulin dependent diabetes mellitus patients in Hong Kong. <i>Diabetes Research and Clinical Practice</i> , 1998, 39, 185-191.	2.8	28
203	Age-Biomarkers-Clinical Risk Factors for Prediction of Cardiovascular Events in Patients With Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 2519-2527.	2.4	28
204	Obesity-induced insulin resistance and macrophage infiltration of the adipose tissue: A vicious cycle. <i>Journal of Diabetes Investigation</i> , 2019, 10, 29-31.	2.4	28
205	Combined Use of Serum Adiponectin and Tumor Necrosis Factor-Alpha Receptor 2 Levels Was Comparable to 2-Hour Post-Load Glucose in Diabetes Prediction. <i>PLoS ONE</i> , 2012, 7, e36868.	2.5	28
206	Antiresorptive therapy in asthmatic patients receiving high-dose inhaled steroids: A prospective study for 18 months. <i>Journal of Allergy and Clinical Immunology</i> , 1998, 101, 445-450.	2.9	27
207	Î2-fibrinogen gene G/A-455 polymorphism in relation to fibrinogen concentrations and ischaemic heart disease in Chinese patients with Type II diabetes. <i>Diabetologia</i> , 1999, 42, 1250-1253.	6.3	27
208	A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. <i>European Journal of Human Genetics</i> , 2010, 18, 1255-1260.	2.8	27
209	Carbamylation of LDL and its relationship with myeloperoxidase in Type 2 diabetes mellitus. <i>Clinical Science</i> , 2014, 126, 175-181.	4.3	27
210	Dapagliflozin and Empagliflozin Ameliorate Hepatic Dysfunction Among Chinese Subjects with Diabetes in Part Through Glycemic Improvement: A Single-Center, Retrospective, Observational Study. <i>Diabetes Therapy</i> , 2018, 9, 285-295.	2.5	27
211	Circulating Thrombospondin-2 as a Novel Fibrosis Biomarker of Nonalcoholic Fatty Liver Disease in Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, 2089-2097.	8.6	27
212	Relationship of Plasma Interleukin-6 and Its Genetic Variants With Hypertension in Hong Kong Chinese. <i>American Journal of Hypertension</i> , 2011, 24, 1331-1337.	2.0	26
213	Therapeutic Perspectives for Adiponectin: an Update. <i>Current Medicinal Chemistry</i> , 2012, 19, 5513-5523.	2.4	26
214	TRAF6-mediated ubiquitination of APPL1 enhances hepatic actions of insulin by promoting the membrane translocation of Akt. <i>Biochemical Journal</i> , 2013, 455, 207-216.	3.7	26
215	Adiponectin gene variants and the risk of coronary heart disease: a 16-year longitudinal study. <i>European Journal of Endocrinology</i> , 2014, 171, 107-115.	3.7	26
216	Interaction between the polyol pathway and non-enzymatic glycation on aortic smooth muscle cell migration and monocyte adhesion. <i>Life Sciences</i> , 2004, 76, 445-459.	4.3	25

#	ARTICLE	IF	CITATIONS
217	Evaluation of the combined use of adiponectin and C-reactive protein levels as biomarkers for predicting the deterioration in glycaemia after a median of 5.4 years. <i>Diabetologia</i> , 2011, 54, 2552-2560.	6.3	25
218	Metabolic actions of FGF21: molecular mechanisms and therapeutic implications. <i>Acta Pharmaceutica Sinica B</i> , 2012, 2, 350-357.	12.0	25
219	Obstructive sleep apnoea, insulin resistance and adipocytokines. <i>Clinical Endocrinology</i> , 2015, 82, 165-177.	2.4	25
220	Circulating Fibroblast Growth Factor 21 Is A Sensitive Biomarker for Severe Ischemia/reperfusion Injury in Patients with Liver Transplantation. <i>Scientific Reports</i> , 2016, 6, 19776.	3.3	25
221	HbA1c variability, in addition to mean HbA1c, predicts incident hip fractures in Chinese people with type 2 diabetes. <i>Osteoporosis International</i> , 2020, 31, 1955-1964.	3.1	25
222	Cholesterol-lowering therapy may retard the progression of diabetic nephropathy. <i>Diabetologia</i> , 1995, 38, 604-609.	6.3	25
223	Non-alcoholic fatty liver disease and type 2 diabetes: An update. <i>Journal of Diabetes Investigation</i> , 2022, 13, 930-940.	2.4	25
224	Endothelial nitric oxide synthase G894T (Glu298Asp) polymorphism was predictive of glycemic status in a 5-year prospective study of Chinese subjects with impaired glucose tolerance. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 1155-1158.	3.4	24
225	Hypoadiponectinemia As an Independent Predictor for the Progression of Carotid Atherosclerosis: A 5-Year Prospective Study. <i>Metabolic Syndrome and Related Disorders</i> , 2014, 12, 517-522.	1.3	24
226	Benefit of Anticoagulation Therapy in Hyperthyroidism-Related Atrial Fibrillation. <i>Clinical Cardiology</i> , 2015, 38, 476-482.	1.8	24
227	Effects of fluvastatin on prothrombotic and fibrinolytic factors in type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , 1999, 84, 934-937.	1.6	23
228	Inflammatory biomarkers associated with obesity and insulin resistance: a focus on lipocalin-2 and adipocyte fatty acid-binding protein. <i>Expert Review of Endocrinology and Metabolism</i> , 2008, 3, 29-41.	2.4	23
229	High-sensitivity troponin I and B-type natriuretic peptide biomarkers for prediction of cardiovascular events in patients with coronary artery disease with and without diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2019, 18, 171.	6.8	23
230	Gene Expression of Hypothalamic Somatostatin and Growth Hormone-Releasing Hormone in Dexamethasone-Treated Rats. <i>Neuroendocrinology</i> , 1997, 66, 2-8.	2.5	22
231	High dosage of Exendin-4 increased early insulin secretion in differentiated beta cells from mouse embryonic stem cells. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 570-577.	6.1	22
232	Rosiglitazone promotes fatty acyl CoA accumulation and excessive glycogen storage in livers of mice without adiponectin. <i>Journal of Hepatology</i> , 2010, 53, 1108-1116.	3.7	22
233	Plasma adrenomedullin level is related to a single nucleotide polymorphism in the adrenomedullin gene. <i>European Journal of Endocrinology</i> , 2011, 165, 571-577.	3.7	22
234	Impact of Genetic Loci Identified in Genome-Wide Association Studies on Diabetic Retinopathy in Chinese Patients With Type 2 Diabetes. , 2016, 57, 5518.		22

#	ARTICLE	IF	CITATIONS
235	Adipocyte Fatty Acid-Binding Protein, Cardiovascular Diseases and Mortality. <i>Frontiers in Immunology</i> , 2021, 12, 589206.	4.8	22
236	Sex-related differences and thyroid hormone regulation of vasoactive intestinal peptide gene expression in the rat brain and pituitary. <i>Brain Research</i> , 1990, 526, 135-137.	2.2	21
237	Diabetic nephropathy is associated with the 5' end dinucleotide repeat polymorphism of the aldose reductase gene in Chinese subjects with Type 2 diabetes. <i>Diabetic Medicine</i> , 2002, 19, 113-118.	2.3	21
238	Metastatic melanoma of the pituitary gland. <i>Journal of Neurosurgery</i> , 2003, 99, 913-915.	1.6	21
239	Interaction between the Polyol Pathway and Non-Enzymatic Glycation on Mesangial Cell Gene Expression. <i>Nephron Experimental Nephrology</i> , 2004, 98, e89-e99.	2.2	21
240	Association Between Metabolic Syndrome and Carotid Atherosclerosis: A Community-Based Study in Hong Kong. <i>Metabolic Syndrome and Related Disorders</i> , 2013, 11, 109-114.	1.3	21
241	Biomarkers of progression in diabetic nephropathy: The past, present and future. <i>Journal of Diabetes Investigation</i> , 2015, 6, 247-249.	2.4	21
242	Adipose-specific inactivation of JNK alleviates atherosclerosis in apoE-deficient mice. <i>Clinical Science</i> , 2016, 130, 2087-2100.	4.3	21
243	Mutations in the hepatocyte nuclear factor-1 α gene in Chinese MODY families: prevalence and functional analysis. <i>Diabetologia</i> , 2002, 45, 744-746.	6.3	20
244	Adeno-associated virus-mediated pancreatic and duodenal homeobox gene-1 expression enhanced differentiation of hepatic oval stem cells to insulin-producing cells in diabetic rats. <i>Journal of Biomedical Science</i> , 2008, 15, 487-497.	7.0	20
245	A Short Version of the ADAM Questionnaire for Androgen Deficiency in Chinese Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2008, 63, 426-431.	3.6	20
246	Improved functional recovery to I/R injury in hearts from lipocalin-2 deficiency mice: restoration of mitochondrial function and phospholipids remodeling. <i>American Journal of Translational Research</i> (discontinued), 2012, 4, 60-71.	0.0	20
247	Suprasellar ectopic pituitary adenoma presenting as cranial diabetes insipidus. <i>Postgraduate Medical Journal</i> , 1992, 68, 467-469.	1.8	19
248	Effect of Sandostatin $\text{\textcircled{R}}$ LAR $\text{\textcircled{R}}$ on serum leptin levels in patients with acromegaly. <i>Clinical Endocrinology</i> , 2001, 54, 31-35.	2.4	19
249	Association of F11 receptor gene polymorphisms with central obesity and blood pressure. <i>Journal of Internal Medicine</i> , 2008, 263, 322-332.	6.0	19
250	Exome-chip association analysis reveals an Asian-specific missense variant in PAX4 associated with type 2 diabetes in Chinese individuals. <i>Diabetologia</i> , 2017, 60, 107-115.	6.3	19
251	Acute leukaemia in acromegaly patients. <i>British Journal of Haematology</i> , 2000, 110, 871-873.	2.5	18
252	Impact of sex-specific body composition on cardiovascular risk factors: the Hong Kong Cardiovascular Risk Factor Study. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 563-569.	3.4	18

#	ARTICLE	IF	CITATIONS
253	LONG-TERM EFFECTS OF MEGAVOLTAGE RADIOTHERAPY IN ACROMEGALY. Australian and New Zealand Journal of Medicine, 1989, 19, 202-206.	0.5	17
254	Hyperhomocysteinemia and impaired vasomotor function in type 2 diabetes mellitus. European Journal of Clinical Investigation, 2002, 32, 328-334.	3.4	17
255	Use of the Sign Test for the Median in the Presence of Ties. American Statistician, 2003, 57, 237-240.	1.6	17
256	Adipose tissue and the metabolic syndrome: focusing on adiponectin and several novel adipokines. Biomarkers in Medicine, 2008, 2, 239-252.	1.4	17
257	Androgen Deprivation Therapy and Cardiovascular Risk in Chinese Patients with Nonmetastatic Carcinoma of Prostate. Journal of Oncology, 2014, 2014, 1-6.	1.3	17
258	A territory-wide study on the impact of COVID-19 on diabetes-related acute care. Journal of Diabetes Investigation, 2020, 11, 1303-1306.	2.4	17
259	Neurofibromatosis and insulinoma. Postgraduate Medical Journal, 1995, 71, 485-486.	1.8	16
260	Plasma lipid, lipoprotein and apolipoprotein levels in a random population sample of 2875 Hong Kong Chinese adults and their implications (NCEP ATP-III, 2001 guidelines) on cardiovascular risk assessment. Atherosclerosis, 2006, 184, 438-445.	0.8	16
261	Impact of Combination Therapy with Amlodipine and Atorvastatin on Plasma Adiponectin Levels in Hypertensive Patients with Coronary Artery Disease: Combination Therapy and Adiponectin. Postgraduate Medicine, 2011, 123, 66-71.	2.0	16
262	Prospective associations of circulating adipocyte fatty acid-binding protein levels with risks of renal outcomes and mortality in type 2 diabetes. Diabetologia, 2019, 62, 169-177.	6.3	16
263	Mendelian Randomization Focused Analysis of Vitamin D on the Secondary Prevention of Ischemic Stroke. Stroke, 2021, 52, 3926-3937.	2.0	16
264	Effect of COVID-19 Vaccines on Thyroid Function and Autoimmunity and Effect of Thyroid Autoimmunity on Antibody Response. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3781-e3789.	3.6	16
265	Divergent Effects of Glucocorticoid on the Gene Expression of Vasoactive Intestinal Peptide in the Rat Cerebral Cortex and Pituitary. Neuroendocrinology, 1992, 56, 32-37.	2.5	15
266	Thyroid Hormones Regulate the Expression of Somatostatin Receptor Subtypes in the Rat Pituitary. Neuroendocrinology, 1999, 69, 460-464.	2.5	15
267	Multiple endocrine neoplasia type 1 (MEN1): genetic and clinical analysis in the Southern Chinese. Clinical Endocrinology, 2003, 59, 129-135.	2.4	15
268	A genetic variant in the gene encoding adrenomedullin predicts the development of dysglycemia over 6.4years in Chinese. Clinica Chimica Acta, 2011, 412, 353-357.	1.1	15
269	Altered myocardial response in patients with diabetic retinopathy: an exercise echocardiography study. Cardiovascular Diabetology, 2015, 14, 123.	6.8	15
270	Genetic Regulation of Pigment Epithelium-Derived Factor (PEDF): An Exome-Chip Association Analysis in Chinese Subjects With Type 2 Diabetes. Diabetes, 2019, 68, 198-206.	0.6	15

#	ARTICLE	IF	CITATIONS
271	PRIMARY HYPOTHYROIDISM AND ESSENTIAL HYPERNATREMIA IN A PATIENT WITH HISTIOCYTOSIS X. Australian and New Zealand Journal of Medicine, 1985, 15, 72-74.	0.5	14
272	ERYTHROCYTE SODIUM&POTASSIUM PUMP IN THYROTOXIC PERIODIC PARALYSIS. Australian and New Zealand Journal of Medicine, 1989, 19, 6-10.	0.5	14
273	Pro-Inflammatory Adipokines as Predictors of Incident Cancers in a Chinese Cohort of Low Obesity Prevalence in Hong Kong. PLoS ONE, 2013, 8, e78594.	2.5	14
274	Practical considerations for the use of sodium&glucose co-transporter type 2 inhibitors in treating hyperglycemia in type 2 diabetes. Current Medical Research and Opinion, 2016, 32, 1097-1108.	1.9	14
275	Independent association of serum vitamin D with anti&Mullerian hormone levels in women with polycystic ovary syndrome. Clinical Endocrinology, 2018, 89, 634-641.	2.4	14
276	Circulating Adipocyte Fatty Acid&Binding Protein Concentrations Predict Multiple Mortality Outcomes among Men and Women with Diabetes. Clinical Chemistry, 2018, 64, 1496-1504.	3.2	14
277	Higher Circulating Adiponectin Concentrations Predict Incident Cancer in Type 2 Diabetes &The Adiponectin Paradox. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e1387-e1396.	3.6	14
278	Effects of treatment with Sandostatin&LAR& on small dense LDL and remnant-like lipoproteins in patients with acromegaly. Clinical Endocrinology, 2003, 59, 558-564.	2.4	13
279	Effect of the microsomal triglyceride transfer protein &493 G/T polymorphism and type 2 diabetes mellitus on LDL subfractions. Atherosclerosis, 2003, 167, 287-292.	0.8	13
280	Treatment and Control of Diabetes Mellitus in the United States National Health and Nutrition Examination Survey, 1999?2002. Journal of the Cardiometabolic Syndrome, 2006, 1, 301-307.	1.7	13
281	Adiponectin as a therapeutic target for obesity&related metabolic and cardiovascular disorders. Drug Development Research, 2006, 67, 677-686.	2.9	13
282	Serum adiponectin is independently associated with the metabolic syndrome in Hong Kong, Chinese women with polycystic ovary syndrome. Gynecological Endocrinology, 2016, 32, 390-394.	1.7	13
283	Validation of the diabetes screening tools proposed by the American Diabetes Association in an aging Chinese population. PLoS ONE, 2017, 12, e0184840.	2.5	13
284	Serum Thrombospondin-2 Levels Are Closely Associated With the Severity of Metabolic Syndrome and Metabolic Associated Fatty Liver Disease. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3230-e3240.	3.6	13
285	Haemoglobin A1c is superior to fasting glucose in predicting the incidence of diabetes over 8 years among Chinese. Diabetes Research and Clinical Practice, 2011, 91, e53-e56.	2.8	12
286	High density lipoprotein&cholesterol levels increase with age in American women but not in Hong Kong Chinese women. Clinical Endocrinology, 2009, 70, 561-568.	2.4	11
287	The decrement in circulating endothelial progenitor cells (EPCs) in type 2 diabetes is independent of the severity of the hypo&adiponectemia. Diabetes/Metabolism Research and Reviews, 2011, 27, 185-194.	4.0	11
288	An Exome-Chip Association Analysis in Chinese Subjects Reveals a Functional Missense Variant of <i>GCKR</i> That Regulates FGF21 Levels. Diabetes, 2017, 66, 1723-1728.	0.6	11

#	ARTICLE	IF	CITATIONS
289	Association of adipokines with hepatic steatosis and fibrosis in chronic hepatitis B patients on long-term nucleoside analogue. <i>Liver International</i> , 2019, 39, 1217-1225.	3.9	11
290	Role of Genetic Variants in the Gene Encoding Lipocalin-2 in the Development of Elevated Blood Pressure. <i>Clinical and Experimental Hypertension</i> , 2011, 33, 484-491.	1.3	10
291	Cardiometabolic risk profile of participants with prediabetes diagnosed by HbA _{1c} criteria in an urban Hong Kong Chinese population over 40 years of age. <i>Diabetic Medicine</i> , 2015, 32, 1207-1211.	2.3	10
292	Potential role of fibroblast growth factor 21 in the deterioration of bone quality in impaired glucose tolerance. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 523-530.	3.3	10
293	Higher SARS-CoV-2 viral loads correlated with smaller thyroid volumes on ultrasound among male COVID-19 survivors. <i>Endocrine</i> , 2021, 74, 205-214.	2.3	10
294	Emotional maladjustment, physical malaise and diabetic control in young chinese patients with diabetes. <i>Psychology, Health and Medicine</i> , 1996, 1, 119-127.	2.4	9
295	Strong association between DQA1/DQB1 genotype and early-onset IDDM in Chinese: the association is with alleles rather than specific residues. <i>International Journal of Immunogenetics</i> , 1998, 25, 273-280.	1.2	9
296	Thyroid Immune-Related Adverse Events in Patients with Cancer Treated with anti-PD1/anti-CTLA4 Immune Checkpoint Inhibitor Combination: Clinical Course and Outcomes. <i>Endocrine Practice</i> , 2021, 27, 886-893.	2.1	9
297	The KCNJ11 E23K Polymorphism and Progression of Glycaemia in Southern Chinese: A Long-Term Prospective Study. <i>PLoS ONE</i> , 2011, 6, e28598.	2.5	9
298	PM20D1 is a circulating biomarker closely associated with obesity, insulin resistance and metabolic syndrome. <i>European Journal of Endocrinology</i> , 2022, 186, 151-161.	3.7	9
299	The Independent Association of TSH and Free Triiodothyronine Levels With Lymphocyte Counts Among COVID-19 Patients. <i>Frontiers in Endocrinology</i> , 2021, 12, 774346.	3.5	9
300	Unusual endocrine presentations of nasopharyngeal carcinoma. , 1996, 77, 1967-1972.		8
301	Cholesterol-lowering therapy may retard the progression of diabetic nephropathy. <i>Diabetologia</i> , 1996, 39, 367-368.	6.3	8
302	Genetic influence of the R/Q353 genotype on factor VII activity is overwhelmed by environmental factors in Chinese patients with Type II (non-insulin-dependent) diabetes mellitus. <i>Diabetologia</i> , 1998, 41, 760-766.	6.3	8
303	Cerebrotendinous xanthomatosis in a Hong Kong Chinese kinship with a novel splicing site mutation IVS6-1G>T in the sterol 27-hydroxylase gene. <i>Molecular Genetics and Metabolism</i> , 2004, 81, 144-146.	1.1	8
304	Determinants of postprandial triglyceride and remnant-like lipoproteins in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2005, 21, 209-214.	4.0	8
305	Plasma concentration of pigment epithelium-derived factor is closely associated with blood pressure and predicts incident hypertension in Chinese: a 10-year prospective study. <i>Clinical Endocrinology</i> , 2012, 76, 506-513.	2.4	8
306	Fibroblast Growth Factor 21 Mimetics for Treating Atherosclerosis. <i>Endocrinology and Metabolism</i> , 2017, 32, 145.	3.0	8

#	ARTICLE	IF	CITATIONS
307	Three-component non-invasive risk score for undiagnosed diabetes in Chinese people: Development, validation and longitudinal evaluation. <i>Journal of Diabetes Investigation</i> , 2020, 11, 341-348.	2.4	8
308	Plasma Level of Adrenomedullin Is Influenced by a Single Nucleotide Polymorphism in the Adiponectin Gene. <i>PLoS ONE</i> , 2013, 8, e70335.	2.5	8
309	Effect of dexamethasone on mRNA levels for 5-aminolevulinate synthase in different rat tissues. <i>FEBS Journal</i> , 1992, 203, 59-63.	0.2	7
310	Association of hypertension with single nucleotide polymorphisms in the quantitative trait locus for abdominal obesity-metabolic syndrome on chromosome 17. <i>Journal of Human Hypertension</i> , 2006, 20, 419-425.	2.2	7
311	Screening for dysglycaemia by oral glucose tolerance test should be recommended in all women with polycystic ovary syndrome. <i>Human Reproduction</i> , 2015, 30, 2178-2183.	0.9	7
312	Bilateral Pheochromocytomas in MEN2A Syndrome: A Two-Institution Experience. <i>World Journal of Surgery</i> , 2015, 39, 2484-2491.	1.6	7
313	Development of a Non-Invasive Liver Fibrosis Score Based on Transient Elastography for Risk Stratification in Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , 2021, 36, 134-145.	3.0	7
314	Giant growth-hormone secreting pituitary tumour with extracranial extension. <i>Journal of Medical Imaging and Radiation Oncology</i> , 1996, 40, 88-90.	0.6	6
315	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: The Hong Kong Cardiovascular Risk Factor Study. <i>Journal of Endocrinological Investigation</i> , 2006, 29, 528-535.	3.3	6
316	A single nucleotide polymorphism of interleukin-6 gene is related to plasma adrenomedullin levels. <i>Clinical Endocrinology</i> , 2013, 79, 504-509.	2.4	6
317	Never too old for statin treatment?. <i>Lancet, The</i> , 2019, 393, 379-380.	13.7	6
318	Impact of obesity on longitudinal changes to cardiac structure and function in patients with Type 2 diabetes mellitus. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 816-827.	1.2	6
319	Mendelian randomization analysis of vitamin D in the secondary prevention of hypertensive-diabetic subjects: role of facilitating blood pressure control. <i>Genes and Nutrition</i> , 2022, 17, 1.	2.5	6
320	Development of a prediction score (ThyroCOVID) for identifying abnormal thyroid function in COVID-19 patients. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 2149-2156.	3.3	6
321	Apolipoprotein (a) levels and phenotypes in NIDDM patients with microalbuminuria and albuminuria. <i>Nephrology Dialysis Transplantation</i> , 1996, 11, 2229-2236.	0.7	5
322	Hormonal influences on lipoprotein(a) metabolism. <i>Diabetes, Obesity and Metabolism</i> , 2002, 4, 156-165.	4.4	5
323	A genetic variant in the gene encoding fibrinogen beta chain predicted development of hypertension in Chinese men. <i>Thrombosis and Haemostasis</i> , 2010, 103, 728-735.	3.4	5
324	Increased T-wave alternans is associated with subclinical myocardial structural and functional abnormalities in patients with type 2 diabetes. <i>Journal of Cardiology</i> , 2016, 68, 329-334.	1.9	5

#	ARTICLE	IF	CITATIONS
325	Which creatinine-based estimated glomerular filtration rate equation best predicts all-cause mortality in Chinese subjects with type 2 diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2017, 126, 25-29.	2.8	5
326	Simple and Rapid Tissue Clearing Method for Three-Dimensional Histology of the Pancreas. <i>Current Protocols in Cell Biology</i> , 2017, 77, 19.20.1-19.20.10.	2.3	5
327	Managing non-alcoholic fatty liver disease in diabetes: Challenges and opportunities. <i>Journal of Diabetes Investigation</i> , 2017, 8, 131-133.	2.4	5
328	Different glycaemia-related risk factors for incident Alzheimer's disease in men and women with type 2 diabetes: A sex-specific analysis of the Hong Kong diabetes database. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3401.	4.0	5
329	Sex-specific pattern of left ventricular hypertrophy and diastolic function in patients with type 2 diabetes mellitus. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 930-940.	1.2	5
330	Phaeochromocytoma associated with myasthenia gravis precipitated by propranolol treatment. <i>Australian and New Zealand Journal of Medicine</i> , 1995, 25, 257-257.	0.5	4
331	Novel Insertion 496_497insG Creating a Stop Codon D194X in a Chinese Family with X-Linked Adrenoleukodystrophy. <i>Hormone Research in Paediatrics</i> , 2005, 63, 1-5.	1.8	4
332	A Phase I, Single- and Multiple-dose Study to Evaluate the Pharmacokinetics of Elbasvir and Grazoprevir in Healthy Chinese Participants. <i>Clinical Therapeutics</i> , 2018, 40, 719-732.e1.	2.5	4
333	Cohort Profile: The Hong Kong Cardiovascular Risk Factor Prevalence Study (CRISPS) and the follow-up studies. <i>International Journal of Epidemiology</i> , 2021, 50, 1069-1069h.	1.9	4
334	Androgen deprivation therapy and fracture risk in Chinese patients with prostate carcinoma. <i>PLoS ONE</i> , 2017, 12, e0171495.	2.5	4
335	Comparison of Serum Ketone Levels and Cardiometabolic Efficacy of Dapagliflozin versus Sitagliptin among Insulin-Treated Chinese Patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 843-854.	4.7	4
336	The effect of cholesterol-lowering therapy on the progression of diabetic nephropathy is unproved. <i>Diabetologia</i> , 1996, 39, 368-370.	6.3	3
337	Possible Modifying Effect of Hemoglobin A1c on Genetic Susceptibility to Severe Diabetic Retinopathy in Patients With Type 2 Diabetes. , 2020, 61, 7.		3
338	Response to Letter to the Editor: "Higher Circulating Adiponectin Concentrations Predict Incident Cancer in Type 2 Diabetes" "The Adiponectin Paradox". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3498-e3499.	3.6	3
339	Insights From Prospective Follow-up of Thyroid Function and Autoimmunity Among Covid-19 Survivors. <i>Journal of the Endocrine Society</i> , 2021, 5, A840-A841.	0.2	3
340	The Impact of Interferon Beta-1b Therapy on Thyroid Function and Autoimmunity Among COVID-19 Survivors. <i>Frontiers in Endocrinology</i> , 2021, 12, 746602.	3.5	3
341	Adiponectin. , 2007, , 47-59.		3
342	Letter to the Editor: "Euthyroid sick syndrome as an early surrogate marker of poor outcome in mild SARS-CoV-2 disease" prognostic significance of non-thyroidal illness syndrome across the whole spectrum of COVID-19 severity. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 901-902.	3.3	3

#	ARTICLE	IF	CITATIONS
343	A prospective study of the impact of glycaemic status on clinical outcomes and anti-SARS-CoV-2 antibody responses among patients with predominantly non-severe COVID-19. Diabetes Research and Clinical Practice, 2022, 185, 109232.	2.8	3
344	Treatment of Hyperlipidaemia in Patients with Non-Insulin-Dependent Diabetes mellitus with Progressive Nephropathy. , 1997, 120, 79-87.		2
345	An overweight woman with galactorrhoea.. Postgraduate Medical Journal, 1998, 74, 121-122.	1.8	2
346	Letter to the Editors. Clinical Endocrinology, 2003, 58, 528-528.	2.4	2
347	Prospective association of serum adipocyte fatty acid-binding protein with heart failure hospitalization in diabetes. ESC Heart Failure, 2021, 8, 3964-3974.	3.1	2
348	PREVENTION OF HYPOGLYCAEMIA IN A PATIENT WITH PANCREATIC MICROADENOMATOSIS BY A LONG-ACTING SOMATOSTATIN ANALOGUE SMS 201-995. Clinical Endocrinology, 1987, 27, 469-473.	2.4	1
349	A Modified Sodium Dodecyl Sulphate-Agarose Gel/Immunoblotting Method for Apolipoprotein(a) Phenotyping Using Alkaline Phosphatase-Linked Chemiluminescent Detection. Annals of Clinical Biochemistry, 1997, 34, 314-316.	1.6	1
350	High prevalence of retinopathy among Type 2 diabetic patients with no visual complaint. Australian and New Zealand Journal of Medicine, 1998, 28, 459-461.	0.5	1
351	Obesity as the key player in the metabolic syndrome. International Congress Series, 2004, 1262, 542-545.	0.2	1
352	Urotensin II and the Circulatory System. Hong Kong Journal of Nephrology, 2005, 7, 9-13.	0.0	1
353	In search of the ideal basal insulin: Does the new-generation ultra-long-acting insulin, degludec, provide the answer?. Journal of Diabetes Investigation, 2013, 4, 39-41.	2.4	1
354	Congenital adrenal hyperplasia presenting as a large adrenal incidentaloma in an elderly man. ANZ Journal of Surgery, 2017, 87, 310-312.	0.7	1
355	In search of the optimal management strategy for non-alcoholic fatty liver disease in type 2 diabetes patients. Journal of Diabetes Investigation, 2021, 12, 482-484.	2.4	1
356	An undiagnosed TSH-secreting pituitary macroadenoma found during pregnancy. Endocrinology, Diabetes and Metabolism Case Reports, 2021, 2021, .	0.5	1
357	Arrhythmia in a 38-year-old man.. Postgraduate Medical Journal, 1997, 73, 249-251.	1.8	0
358	Effects of a promoter variation in the hepatic glucokinase gene on promoter activity and glucose tolerance in Southern Chinese subjects. Clinical Genetics, 2003, 63, 232-234.	2.0	0
359	Hypoglycaemia due to autoimmune insulin syndrome in a 78-year-old Chinese man. British Journal of Biomedical Science, 2012, 69, 80-82.	1.3	0
360	Associations between Obstructive Sleep Apnea and Glucose Metabolism. More Than Meets the Eye. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 656-658.	5.6	0

#	ARTICLE	IF	CITATIONS
361	Fighting the Health Challenges of Diabetes in Hong Kong: A Window Into Mainland China. American Journal of Public Health, 2018, 108, 1623-1624.	2.7	0
362	Thyroid Immune-Related Adverse Events Among Cancer Patients Treated With Combination of Anti-PD1 and Anti-CTLA4 Immune-Checkpoint Inhibitors: Clinical Course and Outcomes. Journal of the Endocrine Society, 2021, 5, A847-A847.	0.2	0
363	Posttranslational modifications within the collagenous domain of adiponectin are required for the formation of its high-molecular-weight oligomeric complex. FASEB Journal, 2006, 20, A960.	0.5	0
364	SUN-372 Deterioration of Bone Microarchitecture in Prediabetes Is Partly Mediated Through Fibroblast Growth Factor 21. Journal of the Endocrine Society, 2020, 4, .	0.2	0
365	Letter to the editor: Circulating thrombospondin-2 as a biomarker in patients with NAFLD with and without diabetes? Are we convinced yet?. Hepatology, 2022, 75, 1340-1340.	7.3	0
366	Assessing liver fibrosis in all patients with type-2 diabetes and fatty liver disease: It's time to act now. Journal of Diabetes Investigation, 2022, 13, 762-764.	2.4	0