

# Karen S L Lam

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9575185/karen-s-l-lam-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

359  
papers

23,229  
citations

78  
h-index

141  
g-index

369  
ext. papers

25,846  
ext. citations

6.1  
avg, IF

6.68  
L-index

#	Paper	IF	Citations
359	Mendelian randomization analysis of vitamin D in the secondary prevention of hypertensive-diabetic subjects: role of facilitating blood pressure control.. <i>Genes and Nutrition</i> , <b>2022</b> , 17, 1	4.3	
358	Letter to the Editor: Euthyroid sick syndrome as an early surrogate marker of poor outcome in mild SARS-CoV-2 diseasePprognostic significance of non-thyroidal illness syndrome across the whole spectrum of COVID-19 severity.. <i>Journal of Endocrinological Investigation</i> , <b>2022</b> , 45, 901	5.2	0
357	Non-alcoholic fatty liver disease and type 2 diabetes - An Update.. <i>Journal of Diabetes Investigation</i> , <b>2022</b> ,	3.9	2
356	Letter to the Editor: Circulating thrombospondin-2 as a biomarker in NAFLD patients with and without diabetes - Are we convinced yet?. <i>Hepatology</i> , <b>2022</b> ,	11.2	
355	A prospective study of the impact of glycaemic status on clinical outcomes and anti-SARS-CoV-2 antibody responses among patients with predominantly non-severe COVID-19.. <i>Diabetes Research and Clinical Practice</i> , <b>2022</b> , 109232	7.4	1
354	A polygenic risk score improves risk stratification of coronary artery disease: a large-scale prospective Chinese cohort study.. <i>European Heart Journal</i> , <b>2022</b> ,	9.5	3
353	Sex-specific pattern of left ventricular hypertrophy and diastolic function in patients with type 2 diabetes mellitus. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2021</b> , 22, 930-940	4.1	2
352	The Independent Association of TSH and Free Triiodothyronine Levels With Lymphocyte Counts Among COVID-19 Patients.. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 774346	5.7	3
351	PM20D1 is a circulating biomarker closely associated with obesity, insulin resistance and metabolic syndrome. <i>European Journal of Endocrinology</i> , <b>2021</b> , 186, 151-161	6.5	0
350	Different glycaemia-related risk factors for incident AlzheimerB disease in men and women with type 2 diabetes-A sex-specific analysis of the Hong Kong diabetes database. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2021</b> , 37, e3401	7.5	3
349	Adipocyte Fatty Acid-Binding Protein, Cardiovascular Diseases and Mortality. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 589206	8.4	2
348	Adipocyte Fatty Acid Binding Protein Promotes the Onset and Progression of Liver Fibrosis via Mediating the Crosstalk between Liver Sinusoidal Endothelial Cells and Hepatic Stellate Cells. <i>Advanced Science</i> , <b>2021</b> , 8, e2003721	13.6	5
347	Role of non-thyroidal illness syndrome in predicting adverse outcomes in COVID-19 patients predominantly of mild-to-moderate severity. <i>Clinical Endocrinology</i> , <b>2021</b> , 95, 469-477	3.4	24
346	Insights From Prospective Follow-up of Thyroid Function and Autoimmunity Among Covid-19 Survivors. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A840-A841	0.4	1
345	Thyroid Immune-Related Adverse Events Among Cancer Patients Treated With Combination of Anti-PD1 and Anti-CTLA4 Immune-Checkpoint Inhibitors: Clinical Course and Outcomes. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, A847-A847	0.4	78
344	Insights from a Prospective Follow-up of Thyroid Function and Autoimmunity among COVID-19 Survivors. <i>Endocrinology and Metabolism</i> , <b>2021</b> , 36, 582-589	3.5	20
343	Circulating Thrombospondin-2 as a Novel Fibrosis Biomarker of Nonalcoholic Fatty Liver Disease in Type 2 Diabetes. <i>Diabetes Care</i> , <b>2021</b> , 44, 2089-2097	14.6	6

342	Potential role of fibroblast growth factor 21 in the deterioration of bone quality in impaired glucose tolerance. <i>Journal of Endocrinological Investigation</i> , <b>2021</b> , 44, 523-530	5.2	5
341	Thyroid Dysfunction in Relation to Immune Profile, Disease Status, and Outcome in 191 Patients with COVID-19. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e926-e935	5.6	89
340	In search of the optimal management strategy for non-alcoholic fatty liver disease in type 2 diabetes patients. <i>Journal of Diabetes Investigation</i> , <b>2021</b> , 12, 482-484	3.9	1
339	Cohort Profile: The Hong Kong Cardiovascular Risk Factor Prevalence Study (CRISPS) and the follow-up studies. <i>International Journal of Epidemiology</i> , <b>2021</b> , 50, 1069-1069h	7.8	0
338	Development of a Non-Invasive Liver Fibrosis Score Based on Transient Elastography for Risk Stratification in Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , <b>2021</b> , 36, 134-145	3.5	1
337	Prospective association of serum adipocyte fatty acid-binding protein with heart failure hospitalization in diabetes. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 3964-3974	3.7	1
336	Mendelian Randomization Focused Analysis of Vitamin D on the Secondary Prevention of Ischemic Stroke. <i>Stroke</i> , <b>2021</b> , 52, 3926-3937	6.7	3
335	The Impact of Interferon Beta-1b Therapy on Thyroid Function and Autoimmunity Among COVID-19 Survivors. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 746602	5.7	0
334	Higher SARS-CoV-2 viral loads correlated with smaller thyroid volumes on ultrasound among male COVID-19 survivors. <i>Endocrine</i> , <b>2021</b> , 74, 205-214	4	3
333	Long COVID in Patients With Mild to Moderate Disease: Do Thyroid Function and Autoimmunity Play a Role?. <i>Endocrine Practice</i> , <b>2021</b> , 27, 894-902	3.2	12
332	Thyroid Immune-Related Adverse Events in Patients with Cancer Treated with anti-PD1/anti-CTLA4 Immune Checkpoint Inhibitor Combination: Clinical Course and Outcomes. <i>Endocrine Practice</i> , <b>2021</b> , 27, 886-893	3.2	4
331	HbA1c variability, in addition to mean HbA1c, predicts incident hip fractures in Chinese people with type 2 diabetes. <i>Osteoporosis International</i> , <b>2020</b> , 31, 1955-1964	5.3	12
330	Chronic oral administration of adipoRon reverses cognitive impairments and ameliorates neuropathology in an Alzheimer's disease mouse model. <i>Molecular Psychiatry</i> , <b>2020</b> ,	15.1	19
329	Response to Letter to the Editor: "Higher Circulating Adiponectin Concentrations Predict Incident Cancer in Type 2 Diabetes - The Adiponectin Paradox". <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	2
328	Higher Circulating Adiponectin Concentrations Predict Incident Cancer in Type 2 Diabetes - The Adiponectin Paradox. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	10
327	Adipocyte fatty acid-binding protein exacerbates cerebral ischaemia injury by disrupting the blood-brain barrier. <i>European Heart Journal</i> , <b>2020</b> , 41, 3169-3180	9.5	14
326	SUN-372 Deterioration of Bone Microarchitecture in Prediabetes Is Partly Mediated Through Fibroblast Growth Factor 21. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4,	0.4	78
325	Three-component non-invasive risk score for undiagnosed diabetes in Chinese people: Development, validation and longitudinal evaluation. <i>Journal of Diabetes Investigation</i> , <b>2020</b> , 11, 341-348 <sup>3.9</sup>	3.9	5

324	The therapeutic potential of FGF21 in metabolic diseases: from bench to clinic. <i>Nature Reviews Endocrinology</i> , <b>2020</b> , 16, 654-667	15.2	87
323	Possible Modifying Effect of Hemoglobin A1c on Genetic Susceptibility to Severe Diabetic Retinopathy in Patients With Type 2 Diabetes <b>2020</b> , 61, 7		2
322	A territory-wide study on the impact of COVID-19 on diabetes-related acute care. <i>Journal of Diabetes Investigation</i> , <b>2020</b> , 11, 1303-1306	3.9	8
321	Never too old for statin treatment?. <i>Lancet, The</i> , <b>2019</b> , 393, 379-380	4.0	3
320	Adipocyte-secreted exosomal microRNA-34a inhibits M2 macrophage polarization to promote obesity-induced adipose inflammation. <i>Journal of Clinical Investigation</i> , <b>2019</b> , 129, 834-849	15.9	143
319	Association of adipokines with hepatic steatosis and fibrosis in chronic hepatitis B patients on long-term nucleoside analogue. <i>Liver International</i> , <b>2019</b> , 39, 1217-1225	7.9	5
318	Obesity-induced insulin resistance and macrophage infiltration of the adipose tissue: A vicious cycle. <i>Journal of Diabetes Investigation</i> , <b>2019</b> , 10, 29-31	3.9	20
317	High-sensitivity troponin I and B-type natriuretic peptide biomarkers for prediction of cardiovascular events in patients with coronary artery disease with and without diabetes mellitus. <i>Cardiovascular Diabetology</i> , <b>2019</b> , 18, 171	8.7	10
316	Impact of obesity on longitudinal changes to cardiac structure and function in patients with Type 2 diabetes mellitus. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 816-827	4.1	4
315	Genetic Regulation of Pigment Epithelium-Derived Factor (PEDF): An Exome-Chip Association Analysis in Chinese Subjects With Type 2 Diabetes. <i>Diabetes</i> , <b>2019</b> , 68, 198-206	0.9	11
314	Prospective associations of circulating adipocyte fatty acid-binding protein levels with risks of renal outcomes and mortality in type 2 diabetes. <i>Diabetologia</i> , <b>2019</b> , 62, 169-177	10.3	8
313	Dapagliflozin and Empagliflozin Ameliorate Hepatic Dysfunction Among Chinese Subjects with Diabetes in Part Through Glycemic Improvement: A Single-Center, Retrospective, Observational Study. <i>Diabetes Therapy</i> , <b>2018</b> , 9, 285-295	3.6	21
312	A Phase I, Single- and Multiple-dose Study to Evaluate the Pharmacokinetics of Elbasvir and Grazoprevir in Healthy Chinese Participants. <i>Clinical Therapeutics</i> , <b>2018</b> , 40, 719-732.e1	3.5	3
311	Independent association of serum vitamin D with anti-Mullerian hormone levels in women with polycystic ovary syndrome. <i>Clinical Endocrinology</i> , <b>2018</b> , 89, 634-641	3.4	9
310	Circulating Adipocyte Fatty Acid-Binding Protein Concentrations Predict Multiple Mortality Outcomes among Men and Women with Diabetes. <i>Clinical Chemistry</i> , <b>2018</b> , 64, 1496-1504	5.5	11
309	Dietary Intake of Anti-Oxidant Vitamins A, C, and E Is Inversely Associated with Adverse Cardiovascular Outcomes in Chinese-A 22-Years Population-Based Prospective Study. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	23
308	Fighting the Health Challenges of Diabetes in Hong Kong: A Window Into Mainland China. <i>American Journal of Public Health</i> , <b>2018</b> , 108, 1623-1624	5.1	
307	Age-Biomarkers-Clinical Risk Factors for Prediction of Cardiovascular Events in Patients With Coronary Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2018</b> , 38, 2519-2527	9.4	16

306	Congenital adrenal hyperplasia presenting as a large adrenal incidentaloma in an elderly man. <i>ANZ Journal of Surgery</i> , <b>2017</b> , 87, 310-312	1	
305	Which creatinine-based estimated glomerular filtration rate equation best predicts all-cause mortality in Chinese subjects with type 2 diabetes?. <i>Diabetes Research and Clinical Practice</i> , <b>2017</b> , 126, 25-29	7.4	3
304	An Exome-Chip Association Analysis in Chinese Subjects Reveals a Functional Missense Variant of That Regulates FGF21 Levels. <i>Diabetes</i> , <b>2017</b> , 66, 1723-1728	0.9	8
303	Declining Trends of Cardiovascular-Renal Complications and Mortality in Type 2 Diabetes: The Hong Kong Diabetes Database. <i>Diabetes Care</i> , <b>2017</b> , 40, 928-935	14.6	54
302	Role of Circulating Fibroblast Growth Factor 21 Measurement in Primary Prevention of Coronary Heart Disease Among Chinese Patients With Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , <b>2017</b> , 6,	6	16
301	Exome chip meta-analysis identifies novel loci and East Asian-specific coding variants that contribute to lipid levels and coronary artery disease. <i>Nature Genetics</i> , <b>2017</b> , 49, 1722-1730	36.3	83
300	Validation of the diabetes screening tools proposed by the American Diabetes Association in an aging Chinese population. <i>PLoS ONE</i> , <b>2017</b> , 12, e0184840	3.7	7
299	Fibroblast Growth Factor 21 Mimetics for Treating Atherosclerosis. <i>Endocrinology and Metabolism</i> , <b>2017</b> , 32, 145-151	3.5	5
298	Simple and Rapid Tissue Clearing Method for Three-Dimensional Histology of the Pancreas. <i>Current Protocols in Cell Biology</i> , <b>2017</b> , 77, 19.20.1-19.20.10	2.3	5
297	CPAP therapy for patients with sleep apnea and type 2 diabetes mellitus improves control of blood pressure. <i>Sleep and Breathing</i> , <b>2017</b> , 21, 377-386	3.1	27
296	Exome-chip association analysis reveals an Asian-specific missense variant in PAX4 associated with type 2 diabetes in Chinese individuals. <i>Diabetologia</i> , <b>2017</b> , 60, 107-115	10.3	11
295	Serum fibroblast growth factor 21 is a superior biomarker to other adipokines in predicting incident diabetes. <i>Clinical Endocrinology</i> , <b>2017</b> , 86, 37-43	3.4	31
294	Androgen deprivation therapy and fracture risk in Chinese patients with prostate carcinoma. <i>PLoS ONE</i> , <b>2017</b> , 12, e0171495	3.7	3
293	Circulating Fibroblast Growth Factor 21 Is A Sensitive Biomarker for Severe Ischemia/reperfusion Injury in Patients with Liver Transplantation. <i>Scientific Reports</i> , <b>2016</b> , 6, 19776	4.9	15
292	The MDM2-p53-pyruvate carboxylase signalling axis couples mitochondrial metabolism to glucose-stimulated insulin secretion in pancreatic $\beta$ cells. <i>Nature Communications</i> , <b>2016</b> , 7, 11740	17.4	39
291	Adipose-specific inactivation of JNK alleviates atherosclerosis in apoE-deficient mice. <i>Clinical Science</i> , <b>2016</b> , 130, 2087-2100	6.5	14
290	Incremental prognostic value of global longitudinal strain in patients with type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , <b>2016</b> , 15, 22	8.7	64
289	Evaluation of Cutpoints for Low Lean Mass and Slow Gait Speed in Predicting Death in the National Health and Nutrition Examination Survey 1999-2004. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2016</b> , 71, 90-5	6.4	28

288	Increased T-wave alternans is associated with subclinical myocardial structural and functional abnormalities in patients with type 2 diabetes. <i>Journal of Cardiology</i> , <b>2016</b> , 68, 329-34	3	3
287	Heterogeneity of white adipose tissue: molecular basis and clinical implications. <i>Experimental and Molecular Medicine</i> , <b>2016</b> , 48, e215	12.8	93
286	Practical considerations for the use of sodium-glucose co-transporter type 2 inhibitors in treating hyperglycemia in type 2 diabetes. <i>Current Medical Research and Opinion</i> , <b>2016</b> , 32, 1097-108	2.5	12
285	Serum adiponectin is independently associated with the metabolic syndrome in Hong Kong, Chinese women with polycystic ovary syndrome. <i>Gynecological Endocrinology</i> , <b>2016</b> , 32, 390-4	2.4	11
284	Optimal Cut-Offs of Homeostasis Model Assessment of Insulin Resistance (HOMA-IR) to Identify Dysglycemia and Type 2 Diabetes Mellitus: A 15-Year Prospective Study in Chinese. <i>PLoS ONE</i> , <b>2016</b> , 11, e0163424	3.7	38
283	Impact of Genetic Loci Identified in Genome-Wide Association Studies on Diabetic Retinopathy in Chinese Patients With Type 2 Diabetes <b>2016</b> , 57, 5518-5524		20
282	Chronic adiponectin deficiency leads to Alzheimer $\beta$ disease-like cognitive impairments and pathologies through AMPK inactivation and cerebral insulin resistance in aged mice. <i>Molecular Neurodegeneration</i> , <b>2016</b> , 11, 71	19	81
281	Biomarkers of progression in diabetic nephropathy: The past, present and future. <i>Journal of Diabetes Investigation</i> , <b>2015</b> , 6, 247-9	3.9	14
280	Screening for dysglycaemia by oral glucose tolerance test should be recommended in all women with polycystic ovary syndrome. <i>Human Reproduction</i> , <b>2015</b> , 30, 2178-83	5.7	5
279	Adiponectin Enhances Cold-Induced Browning of Subcutaneous Adipose Tissue via Promoting M2 Macrophage Proliferation. <i>Cell Metabolism</i> , <b>2015</b> , 22, 279-90	24.6	204
278	Circulating fibroblast growth factor 21 levels predict progressive kidney disease in subjects with type 2 diabetes and normoalbuminuria. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 1368-75	5.6	64
277	Fatty acid binding protein-4 (FABP4) is a hypoxia inducible gene that sensitizes mice to liver ischemia/reperfusion injury. <i>Journal of Hepatology</i> , <b>2015</b> , 63, 855-62	13.4	31
276	Bilateral Pheochromocytomas in MEN2A Syndrome: A Two-Institution Experience. <i>World Journal of Surgery</i> , <b>2015</b> , 39, 2484-91	3.3	6
275	Associations between Obstructive Sleep Apnea and Glucose Metabolism. More Than Meets the Eye. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2015</b> , 192, 656-8	10.2	
274	Validation of the Pooled Cohort equations in a long-term cohort study of Hong Kong Chinese. <i>Journal of Clinical Lipidology</i> , <b>2015</b> , 9, 640-6.e2	4.9	27
273	Obstructive sleep apnoea, insulin resistance and adipocytokines. <i>Clinical Endocrinology</i> , <b>2015</b> , 82, 165-77	3.4	21
272	Benefit of Anticoagulation Therapy in Hyperthyroidism-Related Atrial Fibrillation. <i>Clinical Cardiology</i> , <b>2015</b> , 38, 476-82	3.3	18
271	Deficiency of adipocyte fatty-acid-binding protein alleviates myocardial ischaemia/reperfusion injury and diabetes-induced cardiac dysfunction. <i>Clinical Science</i> , <b>2015</b> , 129, 547-59	6.5	34



270	Altered myocardial response in patients with diabetic retinopathy: an exercise echocardiography study. <i>Cardiovascular Diabetology</i> , <b>2015</b> , 14, 123	8.7	11
269	Loss of fibroblast growth factor 21 action induces insulin resistance, pancreatic islet hyperplasia and dysfunction in mice. <i>Cell Death and Disease</i> , <b>2015</b> , 6, e1707	9.8	47
268	Exome-wide association analysis reveals novel coding sequence variants associated with lipid traits in Chinese. <i>Nature Communications</i> , <b>2015</b> , 6, 10206	17.4	60
267	Obesity, adipokines and cancer: an update. <i>Clinical Endocrinology</i> , <b>2015</b> , 83, 147-56	3.4	45
266	Cardiometabolic risk profile of participants with prediabetes diagnosed by HbA1c criteria in an urban Hong Kong Chinese population over 40 years of age. <i>Diabetic Medicine</i> , <b>2015</b> , 32, 1207-11	3.5	10
265	Signaling mechanisms underlying the insulin-sensitizing effects of adiponectin. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 28, 3-13	6.5	72
264	Hypoadiponectinemia as an independent predictor for the progression of carotid atherosclerosis: a 5-year prospective study. <i>Metabolic Syndrome and Related Disorders</i> , <b>2014</b> , 12, 517-22	2.6	13
263	Adiponectin gene variants and the risk of coronary heart disease: a 16-year longitudinal study. <i>European Journal of Endocrinology</i> , <b>2014</b> , 171, 107-15	6.5	22
262	Adropin is a brain membrane-bound protein regulating physical activity via the NB-3/Notch signaling pathway in mice. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 25976-86	5.4	53
261	FGF21 maintains glucose homeostasis by mediating the cross talk between liver and brain during prolonged fasting. <i>Diabetes</i> , <b>2014</b> , 63, 4064-75	0.9	165
260	Increased neutrophil elastase and proteinase 3 and augmented NETosis are closely associated with B cell autoimmunity in patients with type 1 diabetes. <i>Diabetes</i> , <b>2014</b> , 63, 4239-48	0.9	121
259	The adaptor protein APPL2 inhibits insulin-stimulated glucose uptake by interacting with TBC1D1 in skeletal muscle. <i>Diabetes</i> , <b>2014</b> , 63, 3748-58	0.9	28
258	Androgen deprivation therapy and cardiovascular risk in chinese patients with nonmetastatic carcinoma of prostate. <i>Journal of Oncology</i> , <b>2014</b> , 2014, 529468	4.5	12
257	Elevated circulating pigment epithelium-derived factor predicts the progression of diabetic nephropathy in patients with type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E2169-77	5.6	28
256	Carbamylation of LDL and its relationship with myeloperoxidase in type 2 diabetes mellitus. <i>Clinical Science</i> , <b>2014</b> , 126, 175-81	6.5	21
255	Fibroblast growth factor 21 protects against acetaminophen-induced hepatotoxicity by potentiating peroxisome proliferator-activated receptor coactivator protein-1 mediated antioxidant capacity in mice. <i>Hepatology</i> , <b>2014</b> , 60, 977-89	11.2	113
254	Association between metabolic syndrome and carotid atherosclerosis: a community-based study in Hong Kong. <i>Metabolic Syndrome and Related Disorders</i> , <b>2013</b> , 11, 109-14	2.6	19
253	Obesity as the common soil of non-alcoholic fatty liver disease and diabetes: Role of adipokines. <i>Journal of Diabetes Investigation</i> , <b>2013</b> , 4, 413-25	3.9	58

252	Pharmacological inhibition of adipocyte fatty acid binding protein alleviates both acute liver injury and non-alcoholic steatohepatitis in mice. <i>Journal of Hepatology</i> , <b>2013</b> , 58, 358-64	13.4	46
251	Adiponectin mediates the metabolic effects of FGF21 on glucose homeostasis and insulin sensitivity in mice. <i>Cell Metabolism</i> , <b>2013</b> , 17, 779-89	24.6	418
250	Fibroblast growth factor 21 as an emerging metabolic regulator: clinical perspectives. <i>Clinical Endocrinology</i> , <b>2013</b> , 78, 489-96	3.4	204
249	Elevated circulating adipocyte-fatty acid binding protein levels predict incident cardiovascular events in a community-based cohort: a 12-year prospective study. <i>Journal of the American Heart Association</i> , <b>2013</b> , 2, e004176	6	68
248	TRAF6-mediated ubiquitination of APPL1 enhances hepatic actions of insulin by promoting the membrane translocation of Akt. <i>Biochemical Journal</i> , <b>2013</b> , 455, 207-16	3.8	13
247	Serum fibroblast growth factor-21 levels are associated with carotid atherosclerosis independent of established cardiovascular risk factors. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2013</b> , 33, 2454-9	9.4	129
246	High glucose represses Eklotho expression and impairs fibroblast growth factor 21 action in mouse pancreatic islets: involvement of peroxisome proliferator-activated receptor $\beta$ signaling. <i>Diabetes</i> , <b>2013</b> , 62, 3751-9	0.9	73
245	A single nucleotide polymorphism of interleukin-6 gene is related to plasma adrenomedullin levels. <i>Clinical Endocrinology</i> , <b>2013</b> , 79, 504-9	3.4	6
244	In search of the ideal basal insulin: Does the new-generation ultra-long-acting insulin, degludec, provide the answer?. <i>Journal of Diabetes Investigation</i> , <b>2013</b> , 4, 39-41	3.9	1
243	Pro-inflammatory adipokines as predictors of incident cancers in a Chinese cohort of low obesity prevalence in Hong Kong. <i>PLoS ONE</i> , <b>2013</b> , 8, e78594	3.7	10
242	Plasma level of adrenomedullin is influenced by a single nucleotide polymorphism in the adiponectin gene. <i>PLoS ONE</i> , <b>2013</b> , 8, e70335	3.7	8
241	Cholesterol-induced mammary tumorigenesis is enhanced by adiponectin deficiency: role of LDL receptor upregulation. <i>Oncotarget</i> , <b>2013</b> , 4, 1804-18	3.3	34
240	Plasma concentration of pigment epithelium-derived factor is closely associated with blood pressure and predicts incident hypertension in Chinese: a 10-year prospective study. <i>Clinical Endocrinology</i> , <b>2012</b> , 76, 506-13	3.4	7
239	Dipeptidyl peptidase 4 inhibitor sitagliptin protects endothelial function in hypertension through a glucagon-like peptide 1-dependent mechanism. <i>Hypertension</i> , <b>2012</b> , 60, 833-41	8.5	141
238	Metabolic actions of FGF21: molecular mechanisms and therapeutic implications. <i>Acta Pharmaceutica Sinica B</i> , <b>2012</b> , 2, 350-357	15.5	20
237	Toll-like receptor-4 mediates obesity-induced non-alcoholic steatohepatitis through activation of X-box binding protein-1 in mice. <i>Gut</i> , <b>2012</b> , 61, 1058-67	19.2	146
236	Endothelium-selective activation of AMP-activated protein kinase prevents diabetes mellitus-induced impairment in vascular function and reendothelialization via induction of heme oxygenase-1 in mice. <i>Circulation</i> , <b>2012</b> , 126, 1267-77	16.7	63
235	Skeletal muscle-specific overproduction of constitutively activated c-Jun N-terminal kinase (JNK) induces insulin resistance in mice. <i>Diabetologia</i> , <b>2012</b> , 55, 2769-2778	10.3	39



234	Upregulation of UCP2 by adiponectin: the involvement of mitochondrial superoxide and hnRNP K. <i>PLoS ONE</i> , <b>2012</b> , 7, e32349	3.7	25
233	Adiponectin is protective against oxidative stress induced cytotoxicity in amyloid-beta neurotoxicity. <i>PLoS ONE</i> , <b>2012</b> , 7, e52354	3.7	91
232	Hypoglycaemia due to autoimmune insulin syndrome in a 78-year-old Chinese man. <i>British Journal of Biomedical Science</i> , <b>2012</b> , 69, 80-82	1.6	
231	Adiponectin and cardiovascular health: an update. <i>British Journal of Pharmacology</i> , <b>2012</b> , 165, 574-90	8.6	174
230	APPL1 potentiates insulin secretion in pancreatic $\beta$ cells by enhancing protein kinase Akt-dependent expression of SNARE proteins in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2012</b> , 109, 8919-24	11.5	60
229	Therapeutic perspectives for adiponectin: an update. <i>Current Medicinal Chemistry</i> , <b>2012</b> , 19, 5513-23	4.3	21
228	Distinct changes in serum fibroblast growth factor 21 levels in different subtypes of diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, E54-8	5.6	75
227	C-reactive protein as a predictor of hypertension in the Hong Kong Cardiovascular Risk Factor Prevalence Study (CRISPS) cohort. <i>Journal of Human Hypertension</i> , <b>2012</b> , 26, 108-16	2.6	29
226	Sudden cardiac death after myocardial infarction in type 2 diabetic patients with no residual myocardial ischemia. <i>Diabetes Care</i> , <b>2012</b> , 35, 2564-9	14.6	25
225	Combined use of serum adiponectin and tumor necrosis factor-alpha receptor 2 levels was comparable to 2-hour post-load glucose in diabetes prediction. <i>PLoS ONE</i> , <b>2012</b> , 7, e36868	3.7	24
224	Improved functional recovery to I/R injury in hearts from lipocalin-2 deficiency mice: restoration of mitochondrial function and phospholipids remodeling. <i>American Journal of Translational Research (discontinued)</i> , <b>2012</b> , 4, 60-71	3	20
223	A genetic variant in the gene encoding adrenomedullin predicts the development of dysglycemia over 6.4 years in Chinese. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 353-7	6.2	14
222	Gamma-glutamyl transferase level predicts the development of hypertension in Hong Kong Chinese. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 1326-31	6.2	29
221	Adiponectin is required for PPAR $\gamma$ -mediated improvement of endothelial function in diabetic mice. <i>Cell Metabolism</i> , <b>2011</b> , 14, 104-15	24.6	91
220	Haemoglobin A1c is superior to fasting glucose in predicting the incidence of diabetes over 8 years among Chinese. <i>Diabetes Research and Clinical Practice</i> , <b>2011</b> , 91, e53-6	7.4	12
219	Association of a genetic variant in the apolipoprotein A5 gene with the metabolic syndrome in Chinese. <i>Clinical Endocrinology</i> , <b>2011</b> , 74, 206-13	3.4	25
218	Cross-talk between adipose tissue and vasculature: role of adiponectin. <i>Acta Physiologica</i> , <b>2011</b> , 203, 167-80	5.6	98
217	Evaluation of the combined use of adiponectin and C-reactive protein levels as biomarkers for predicting the deterioration in glycaemia after a median of 5.4 years. <i>Diabetologia</i> , <b>2011</b> , 54, 2552-60	10.3	24

216	The decrement in circulating endothelial progenitor cells (EPCs) in type 2 diabetes is independent of the severity of the hypoadiponectemia. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2011</b> , 27, 185-94	7.5	10
215	Systemic sclerosis is an independent risk factor for increased coronary artery calcium deposition. <i>Arthritis and Rheumatism</i> , <b>2011</b> , 63, 1387-95		42
214	Relationship of plasma interleukin-6 and its genetic variants with hypertension in Hong Kong Chinese. <i>American Journal of Hypertension</i> , <b>2011</b> , 24, 1331-7	2.3	18
213	Impact of combination therapy with amlodipine and atorvastatin on plasma adiponectin levels in hypertensive patients with coronary artery disease: combination therapy and adiponectin. <i>Postgraduate Medicine</i> , <b>2011</b> , 123, 66-71	3.7	13
212	Role of genetic variants in the gene encoding lipocalin-2 in the development of elevated blood pressure. <i>Clinical and Experimental Hypertension</i> , <b>2011</b> , 33, 484-91	2.2	7
211	Circadian rhythm of circulating fibroblast growth factor 21 is related to diurnal changes in fatty acids in humans. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 691-700	5.5	120
210	Genetic variants associated with persistent central obesity and the metabolic syndrome in a 12-year longitudinal study. <i>European Journal of Endocrinology</i> , <b>2011</b> , 164, 381-8	6.5	27
209	APPL1 counteracts obesity-induced vascular insulin resistance and endothelial dysfunction by modulating the endothelial production of nitric oxide and endothelin-1 in mice. <i>Diabetes</i> , <b>2011</b> , 60, 3044-54	9.9	54
208	Plasma adrenomedullin level is related to a single nucleotide polymorphism in the adrenomedullin gene. <i>European Journal of Endocrinology</i> , <b>2011</b> , 165, 571-7	6.5	21
207	Fibroblast growth factor 21 induces glucose transporter-1 expression through activation of the serum response factor/Ets-like protein-1 in adipocytes. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 34533-41	5.4	108
206	Selective inactivation of c-Jun NH2-terminal kinase in adipose tissue protects against diet-induced obesity and improves insulin sensitivity in both liver and skeletal muscle in mice. <i>Diabetes</i> , <b>2011</b> , 60, 486-93	8.9	94
205	Growth hormone induces hepatic production of fibroblast growth factor 21 through a mechanism dependent on lipolysis in adipocytes. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 34559-66	5.4	111
204	High plasma level of fibroblast growth factor 21 is an Independent predictor of type 2 diabetes: a 5.4-year population-based prospective study in Chinese subjects. <i>Diabetes Care</i> , <b>2011</b> , 34, 2113-5	14.6	135
203	Serum adipocyte fatty acid-binding protein associated with ischemic stroke and early death. <i>Neurology</i> , <b>2011</b> , 76, 1968-75	6.5	44
202	N-acetylcysteine and allopurinol synergistically enhance cardiac adiponectin content and reduce myocardial reperfusion injury in diabetic rats. <i>PLoS ONE</i> , <b>2011</b> , 6, e23967	3.7	44
201	The KCNJ11 E23K polymorphism and progression of glycaemia in Southern Chinese: a long-term prospective study. <i>PLoS ONE</i> , <b>2011</b> , 6, e28598	3.7	8
200	A single nucleotide polymorphism in APOA5 determines triglyceride levels in Hong Kong and Guangzhou Chinese. <i>European Journal of Human Genetics</i> , <b>2010</b> , 18, 1255-60	5.3	15
199	A genetic variant in the gene encoding fibrinogen beta chain predicted development of hypertension in Chinese men. <i>Thrombosis and Haemostasis</i> , <b>2010</b> , 103, 728-35	7	5

198	A randomised controlled trial of nasal continuous positive airway pressure on insulin sensitivity in obstructive sleep apnoea. <i>European Respiratory Journal</i> , <b>2010</b> , 35, 138-45	13.6	138
197	Lipocalin-2 deficiency attenuates insulin resistance associated with aging and obesity. <i>Diabetes</i> , <b>2010</b> , 59, 872-82	0.9	200
196	Association of genetic variants in the adiponectin gene with adiponectin level and hypertension in Hong Kong Chinese. <i>European Journal of Endocrinology</i> , <b>2010</b> , 163, 251-7	6.5	62
195	Using glycosylated hemoglobin to define the metabolic syndrome in United States adults. <i>Diabetes Care</i> , <b>2010</b> , 33, 1856-8	14.6	28
194	Adipocyte fatty acid-binding protein modulates inflammatory responses in macrophages through a positive feedback loop involving c-Jun NH2-terminal kinases and activator protein-1. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 10273-80	5.4	114
193	Adipose tissue-specific inhibition of hypoxia-inducible factor 1{alpha} induces obesity and glucose intolerance by impeding energy expenditure in mice. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 32869-32877	5.4	81
192	Prevalence and recognition of obstructive sleep apnea in Chinese patients with type 2 diabetes mellitus. <i>Chest</i> , <b>2010</b> , 138, 1101-7	5.3	70
191	Plasma level of pigment epithelium-derived factor is independently associated with the development of the metabolic syndrome in Chinese men: a 10-year prospective study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 5074-81	5.6	44
190	Obesity susceptibility genetic variants identified from recent genome-wide association studies: implications in a chinese population. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 1395-403	5.6	76
189	Rosiglitazone promotes fatty acyl CoA accumulation and excessive glycogen storage in livers of mice without adiponectin. <i>Journal of Hepatology</i> , <b>2010</b> , 53, 1108-16	13.4	21
188	Vascular actions of adipokines molecular mechanisms and therapeutic implications. <i>Advances in Pharmacology</i> , <b>2010</b> , 60, 229-55	5.7	42
187	Adiponectin prevents diabetic premature senescence of endothelial progenitor cells and promotes endothelial repair by suppressing the p38 MAP kinase/p16INK4A signaling pathway. <i>Diabetes</i> , <b>2010</b> , 59, 2949-59	0.9	101
186	Bioavailable testosterone predicts a lower risk of Alzheimer's disease in older men. <i>Journal of Alzheimer's Disease</i> , <b>2010</b> , 21, 1335-45	4.3	47
185	High dosage of Exendin-4 increased early insulin secretion in differentiated beta cells from mouse embryonic stem cells. <i>Acta Pharmacologica Sinica</i> , <b>2010</b> , 31, 570-7	8	19
184	Adiponectin haploinsufficiency promotes mammary tumor development in MMTV-PyVT mice by modulation of phosphatase and tensin homolog activities. <i>PLoS ONE</i> , <b>2009</b> , 4, e4968	3.7	62
183	Berberine prevents hyperglycemia-induced endothelial injury and enhances vasodilatation via adenosine monophosphate-activated protein kinase and endothelial nitric oxide synthase. <i>Cardiovascular Research</i> , <b>2009</b> , 82, 484-92	9.9	122
182	Major urinary protein-1 increases energy expenditure and improves glucose intolerance through enhancing mitochondrial function in skeletal muscle of diabetic mice. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 14050-7	5.4	82
181	Elevated plasma level of soluble F11 receptor/junctional adhesion molecule-A (F11R/JAM-A) in hypertension. <i>American Journal of Hypertension</i> , <b>2009</b> , 22, 500-5	2.3	24

180	A highly conserved motif within the NH2-terminal coiled-coil domain of angiopoietin-like protein 4 confers its inhibitory effects on lipoprotein lipase by disrupting the enzyme dimerization. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 11942-52	5.4	88
179	Serum zinc-alpha2-glycoprotein correlates with adiposity, triglycerides, and the key components of the metabolic syndrome in Chinese subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 2531-6	5.6	65
178	Selective elevation of adiponectin production by the natural compounds derived from a medicinal herb alleviates insulin resistance and glucose intolerance in obese mice. <i>Endocrinology</i> , <b>2009</b> , 150, 625-33	4.8	71
177	Circulating levels of adipocyte and epidermal fatty acid-binding proteins in relation to nephropathy staging and macrovascular complications in type 2 diabetic patients. <i>Diabetes Care</i> , <b>2009</b> , 32, 132-4	14.6	56
176	Adipocyte fatty acid binding protein levels relate to inflammation and fibrosis in nonalcoholic fatty liver disease. <i>Hepatology</i> , <b>2009</b> , 49, 1926-34	11.2	119
175	Identification and characterization of proteins interacting with SIRT1 and SIRT3: implications in the anti-aging and metabolic effects of sirtuins. <i>Proteomics</i> , <b>2009</b> , 9, 2444-56	4.8	93
174	High density lipoprotein-cholesterol levels increase with age in American women but not in Hong Kong Chinese women. <i>Clinical Endocrinology</i> , <b>2009</b> , 70, 561-8	3.4	9
173	APPL1 potentiates insulin-mediated inhibition of hepatic glucose production and alleviates diabetes via Akt activation in mice. <i>Cell Metabolism</i> , <b>2009</b> , 9, 417-27	24.6	101
172	Diabetes prevalence and therapeutic target achievement in the United States, 1999 to 2006. <i>American Journal of Medicine</i> , <b>2009</b> , 122, 443-53	2.4	277
171	Adiponectin isoform distribution in women--relationship to female sex steroids and insulin sensitivity. <i>Metabolism: Clinical and Experimental</i> , <b>2009</b> , 58, 239-45	12.7	38
170	Late-life body mass index and waist circumference in amnesic mild cognitive impairment and Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , <b>2009</b> , 17, 223-32	4.3	28
169	Protective roles of adiponectin in obesity-related fatty liver diseases: mechanisms and therapeutic implications. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , <b>2009</b> , 53, 201-12		61
168	Serum total and bioavailable testosterone levels, central obesity, and muscle strength changes with aging in healthy Chinese men. <i>Journal of the American Geriatrics Society</i> , <b>2008</b> , 56, 1286-91	5.6	28
167	Bioavailable testosterone is associated with a reduced risk of amnesic mild cognitive impairment in older men. <i>Clinical Endocrinology</i> , <b>2008</b> , 68, 589-98	3.4	44
166	Components of the metabolic syndrome predictive of its development: a 6-year longitudinal study in Hong Kong Chinese. <i>Clinical Endocrinology</i> , <b>2008</b> , 68, 730-7	3.4	53
165	Association of F11 receptor gene polymorphisms with central obesity and blood pressure. <i>Journal of Internal Medicine</i> , <b>2008</b> , 263, 322-32	10.8	17
164	Post-translational modifications of adiponectin: mechanisms and functional implications. <i>Biochemical Journal</i> , <b>2008</b> , 409, 623-33	3.8	301
163	Prevalence, treatment, and control of diagnosed diabetes in the U.S. National Health and Nutrition Examination Survey 1999-2004. <i>Annals of Epidemiology</i> , <b>2008</b> , 18, 222-9	6.4	178

162	Serum FGF21 levels are increased in obesity and are independently associated with the metabolic syndrome in humans. <i>Diabetes</i> , <b>2008</b> , 57, 1246-53	0.9	655
161	Adipose tissue and the metabolic syndrome: focusing on adiponectin and several novel adipokines. <i>Biomarkers in Medicine</i> , <b>2008</b> , 2, 239-52	2.3	15
160	Association between raised blood pressure and dysglycemia in Hong Kong Chinese. <i>Diabetes Care</i> , <b>2008</b> , 31, 1889-91	14.6	37
159	Gender difference in blood pressure control and cardiovascular risk factors in Americans with diagnosed hypertension. <i>Hypertension</i> , <b>2008</b> , 51, 1142-8	8.5	177
158	Association between plasma alkaline phosphatase and C-reactive protein in Hong Kong Chinese. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2008</b> , 46, 523-7	5.9	48
157	Moderate wine consumption in the prevention of metabolic syndrome and its related medical complications. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , <b>2008</b> , 8, 89-98	2.2	39
156	Epidermal fatty-acid-binding protein: a new circulating biomarker associated with cardio-metabolic risk factors and carotid atherosclerosis. <i>European Heart Journal</i> , <b>2008</b> , 29, 2156-63	9.5	31
155	A disulfide-bond A oxidoreductase-like protein (DsbA-L) regulates adiponectin multimerization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 18302-7	11.5	169
154	Inflammatory biomarkers associated with obesity and insulin resistance: a focus on lipocalin-2 and adipocyte fatty acid-binding protein. <i>Expert Review of Endocrinology and Metabolism</i> , <b>2008</b> , 3, 29-41	4.1	19
153	Association of a polymorphism in the lipin 1 gene with systolic blood pressure in men. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 539-45	2.3	26
152	Suppression of the Raf/MEK/ERK signaling cascade and inhibition of angiogenesis by the carboxyl terminus of angiotensin-like protein 4. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2008</b> , 28, 835-40	8.4	83
151	Adiponectin stimulates Wnt inhibitory factor-1 expression through epigenetic regulations involving the transcription factor specificity protein 1. <i>Carcinogenesis</i> , <b>2008</b> , 29, 2195-202	4.6	47
150	Relationship between the metabolic syndrome and the development of hypertension in the Hong Kong Cardiovascular Risk Factor Prevalence Study-2 (CRISPS2). <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 17-22	2.3	51
149	A short version of the ADAM Questionnaire for androgen deficiency in Chinese men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2008</b> , 63, 426-31	6.4	17
148	Vascular effects of adiponectin: molecular mechanisms and potential therapeutic intervention. <i>Clinical Science</i> , <b>2008</b> , 114, 361-74	6.5	212
147	Hypoadiponectinemia is related to sympathetic activation and severity of obstructive sleep apnea. <i>Sleep</i> , <b>2008</b> , 31, 1721-7	1.1	60
146	Adeno-associated virus-mediated pancreatic and duodenal homeobox gene-1 expression enhanced differentiation of hepatic oval stem cells to insulin-producing cells in diabetic rats. <i>Journal of Biomedical Science</i> , <b>2008</b> , 15, 487-97	13.3	13
145	Mitochondrial dysfunction contributes to the increased vulnerabilities of adiponectin knockout mice to liver injury. <i>Hepatology</i> , <b>2008</b> , 48, 1087-96	11.2	63

144	Prevalence, awareness, treatment, and control of hypertension among United States adults 1999-2004. <i>Hypertension</i> , <b>2007</b> , 49, 69-75	8.5	1077
143	Lipocalin-2 is an inflammatory marker closely associated with obesity, insulin resistance, and hyperglycemia in humans. <i>Clinical Chemistry</i> , <b>2007</b> , 53, 34-41	5.5	383
142	Adiponectin as a negative regulator in obesity-related mammary carcinogenesis. <i>Cell Research</i> , <b>2007</b> , 17, 280-2	24.7	45
141	Resistin gene polymorphisms and progression of glycaemia in southern Chinese: a 5-year prospective study. <i>Clinical Endocrinology</i> , <b>2007</b> , 66, 211-7	3.4	34
140	Metabolic syndrome increases all-cause and vascular mortality: the Hong Kong Cardiovascular Risk Factor Study. <i>Clinical Endocrinology</i> , <b>2007</b> , 66, 666-71	3.4	69
139	Thiazolidinedione increases serum soluble receptor for advanced glycation end-products in type 2 diabetes. <i>Diabetologia</i> , <b>2007</b> , 50, 1819-1825	10.3	78
138	Serum adipocyte fatty acid binding protein as a new biomarker predicting the development of type 2 diabetes: a 10-year prospective study in a Chinese cohort. <i>Diabetes Care</i> , <b>2007</b> , 30, 2667-72	14.6	210
137	Adiponectin mediates the suppressive effect of rosiglitazone on plasminogen activator inhibitor-1 production. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 2777-82	9.4	29
136	Serum adipocyte fatty acid-binding protein levels were independently associated with carotid atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 1796-802	9.4	163
135	Overexpression of angiopoietin-like protein 4 alters mitochondria activities and modulates methionine metabolic cycle in the liver tissues of db/db diabetic mice. <i>Molecular Endocrinology</i> , <b>2007</b> , 21, 972-86		39
134	Adiponectin-induced endothelial nitric oxide synthase activation and nitric oxide production are mediated by APPL1 in endothelial cells. <i>Diabetes</i> , <b>2007</b> , 56, 1387-94	0.9	256
133	Hypoadiponectinemia as a predictor for the development of hypertension: a 5-year prospective study. <i>Hypertension</i> , <b>2007</b> , 49, 1455-61	8.5	216
132	Circulating adipocyte-fatty acid binding protein levels predict the development of the metabolic syndrome: a 5-year prospective study. <i>Circulation</i> , <b>2007</b> , 115, 1537-43	16.7	276
131	Development of diabetes in Chinese with the metabolic syndrome: a 6-year prospective study. <i>Diabetes Care</i> , <b>2007</b> , 30, 1430-6	14.6	83
130	A prospective evaluation of preoperative localization by technetium-99m sestamibi scintigraphy and ultrasonography in primary hyperparathyroidism. <i>American Journal of Surgery</i> , <b>2007</b> , 193, 155-9	2.7	77
129	Serum adiponectin is increased in advancing liver fibrosis and declines with reduction in fibrosis in chronic hepatitis B. <i>Journal of Hepatology</i> , <b>2007</b> , 47, 191-202	13.4	48
128	Adiponectin <b>2007</b> , 47-59		3
127	Polymorphisms of the gene encoding adiponectin and glycaemic outcome of Chinese subjects with impaired glucose tolerance: a 5-year follow-up study. <i>Diabetologia</i> , <b>2006</b> , 49, 1806-15	10.3	67



126	Fat-derived hormone adiponectin combined with FTY720 significantly improves small-for-size fatty liver graft survival. <i>American Journal of Transplantation</i> , <b>2006</b> , 6, 467-76	8.7	24
125	Treatment and control of diabetes mellitus in the United States National Health and Nutrition Examination Survey, 1999-2002. <i>Journal of the Cardiometabolic Syndrome</i> , <b>2006</b> , 1, 301-7		12
124	Adiponectin as a therapeutic target for obesity-related metabolic and cardiovascular disorders. <i>Drug Development Research</i> , <b>2006</b> , 67, 677-686	5.1	11
123	Adiponectin modulates the glycogen synthase kinase-3beta/beta-catenin signaling pathway and attenuates mammary tumorigenesis of MDA-MB-231 cells in nude mice. <i>Cancer Research</i> , <b>2006</b> , 66, 11462-70	10.1	227
122	Adipocyte fatty acid-binding protein is a plasma biomarker closely associated with obesity and metabolic syndrome. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 405-13	5.5	449
121	Aldose reductase-deficient mice are protected from delayed motor nerve conduction velocity, increased c-Jun NH2-terminal kinase activation, depletion of reduced glutathione, increased superoxide accumulation, and DNA damage. <i>Diabetes</i> , <b>2006</b> , 55, 1946-53	0.9	119
120	Post-translational modifications of the four conserved lysine residues within the collagenous domain of adiponectin are required for the formation of its high molecular weight oligomeric complex. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 16391-400	5.4	193
119	Plasma lipid, lipoprotein and apolipoprotein levels in a random population sample of 2875 Hong Kong Chinese adults and their implications (NCEP ATP-III, 2001 guidelines) on cardiovascular risk assessment. <i>Atherosclerosis</i> , <b>2006</b> , 184, 438-45	3.1	14
118	Impact of sex-specific body composition on cardiovascular risk factors: the Hong Kong Cardiovascular Risk Factor Study. <i>Metabolism: Clinical and Experimental</i> , <b>2006</b> , 55, 563-9	12.7	16
117	Endothelial nitric oxide synthase G894T (Glu298Asp) polymorphism was predictive of glycemic status in a 5-year prospective study of Chinese subjects with impaired glucose tolerance. <i>Metabolism: Clinical and Experimental</i> , <b>2006</b> , 55, 1155-8	12.7	22
116	Determinants of normoglycemia and contribution to cardiovascular risk factors in a Chinese population: the Hong Kong Cardiovascular Risk Factor Study. <i>Journal of Endocrinological Investigation</i> , <b>2006</b> , 29, 528-35	5.2	6
115	Hypoxia dysregulates the production of adiponectin and plasminogen activator inhibitor-1 independent of reactive oxygen species in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , <b>2006</b> , 341, 549-56	3.4	169
114	Prevalence, awareness, treatment, and control of hypertension: United States National Health and Nutrition Examination Survey 2001-2002. <i>Journal of Clinical Hypertension</i> , <b>2006</b> , 8, 93-8	2.3	77
113	Prevalence of the metabolic syndrome in the United States National Health and Nutrition Examination Survey 1999-2002 according to different defining criteria. <i>Journal of Clinical Hypertension</i> , <b>2006</b> , 8, 562-70	2.3	49
112	Obstructive sleep apnea and the metabolic syndrome in community-based Chinese adults in Hong Kong. <i>Respiratory Medicine</i> , <b>2006</b> , 100, 980-7	4.6	117
111	Haplotypes in the urotensin II gene and urotensin II receptor gene are associated with insulin resistance and impaired glucose tolerance. <i>Peptides</i> , <b>2006</b> , 27, 1659-67	3.8	42
110	Proteomic characterization of human serum proteins associated with the fat-derived hormone adiponectin. <i>Proteomics</i> , <b>2006</b> , 6, 3862-70	4.8	49
109	Identification and functional characterization of three novel human melanocortin-4 receptor gene variants in an obese Chinese population. <i>Clinical Endocrinology</i> , <b>2006</b> , 65, 198-205	3.4	32

108	Association of hypertension with single nucleotide polymorphisms in the quantitative trait locus for abdominal obesity-metabolic syndrome on chromosome 17. <i>Journal of Human Hypertension</i> , <b>2006</b> , 20, 419-25	2.6	7
107	Posttranslational modifications within the collagenous domain of adiponectin are required for the formation of its high-molecular-weight oligomeric complex. <i>FASEB Journal</i> , <b>2006</b> , 20, A960	0.9	
106	The US National Cholesterol Education Programme Adult Treatment Panel III (NCEP ATP III) prevalence of the metabolic syndrome in a Chinese population. <i>Diabetes Research and Clinical Practice</i> , <b>2005</b> , 67, 251-7	7.4	113
105	Papillary carcinoma of thyroid: A 30-yr clinicopathological review of the histological variants. <i>Endocrine Pathology</i> , <b>2005</b> , 16, 323-30	4.2	117
104	Total thyroidectomy replaces subtotal thyroidectomy as the preferred surgical treatment for GravesDisease. <i>ANZ Journal of Surgery</i> , <b>2005</b> , 75, 528-31	1	57
103	Genetic and clinical characteristics of maturity-onset diabetes of the young in Chinese patients. <i>European Journal of Human Genetics</i> , <b>2005</b> , 13, 422-7	5.3	78
102	Randomised controlled trial of qigong in the treatment of mild essential hypertension. <i>Journal of Human Hypertension</i> , <b>2005</b> , 19, 697-704	2.6	83
101	Urotensin II and the Circulatory System. <i>Hong Kong Journal of Nephrology</i> , <b>2005</b> , 7, 9-13		1
100	Determinants of postprandial triglyceride and remnant-like lipoproteins in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2005</b> , 21, 209-14	7.5	6
99	Adiponectin: protection of the endothelium. <i>Current Diabetes Reports</i> , <b>2005</b> , 5, 254-9	5.6	78
98	Urotensin II: its function in health and its role in disease. <i>Cardiovascular Drugs and Therapy</i> , <b>2005</b> , 19, 65-75	3.9	68
97	Adiponectin inhibits cell proliferation by interacting with several growth factors in an oligomerization-dependent manner. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 18341-7	5.4	292
96	Angiopietin-like protein 4 decreases blood glucose and improves glucose tolerance but induces hyperlipidemia and hepatic steatosis in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 6086-91	11.5	242
95	Testosterone selectively reduces the high molecular weight form of adiponectin by inhibiting its secretion from adipocytes. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 18073-80	5.4	311
94	Novel insertion 496_497insG creating a stop codon D194X in a Chinese family with X-Linked adrenoleukodystrophy. <i>Hormone Research in Paediatrics</i> , <b>2005</b> , 63, 1-5	3.3	4
93	Serum adiponectin is reduced in acromegaly and normalized after correction of growth hormone excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 5448-53	5.6	46
92	Adiponectin ameliorates dyslipidemia induced by the human immunodeficiency virus protease inhibitor ritonavir in mice. <i>Endocrinology</i> , <b>2004</b> , 145, 487-94	4.8	97
91	Hypoadiponectinemia is associated with impaired endothelium-dependent vasodilation. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 765-9	5.6	306

90	Interaction between the polyol pathway and non-enzymatic glycation on mesangial cell gene expression. <i>Nephron Experimental Nephrology</i> , <b>2004</b> , 98, e89-99		21
89	Impact of obesity and body fat distribution on cardiovascular risk factors in Hong Kong Chinese. <i>Obesity</i> , <b>2004</b> , 12, 1805-13		74
88	Proteomic analysis of adipocyte differentiation: Evidence that alpha2 macroglobulin is involved in the adipose conversion of 3T3 L1 preadipocytes. <i>Proteomics</i> , <b>2004</b> , 4, 1840-8	4.8	27
87	Proteomic and functional characterization of endogenous adiponectin purified from fetal bovine serum. <i>Proteomics</i> , <b>2004</b> , 4, 3933-42	4.8	66
86	Chronic treatment with growth hormone stimulates adiponectin gene expression in 3T3-L1 adipocytes. <i>FEBS Letters</i> , <b>2004</b> , 572, 129-34	3.8	25
85	Cerebrotendinous xanthomatosis in a Hong Kong Chinese kinship with a novel splicing site mutation IVS6-1G>T in the sterol 27-hydroxylase gene. <i>Molecular Genetics and Metabolism</i> , <b>2004</b> , 81, 144-6	3.7	7
84	Obesity as the key player in the metabolic syndrome. <i>International Congress Series</i> , <b>2004</b> , 1262, 542-545		
83	Interaction between the polyol pathway and non-enzymatic glycation on aortic smooth muscle cell migration and monocyte adhesion. <i>Life Sciences</i> , <b>2004</b> , 76, 445-59	6.8	21
82	Glycoxidized low-density lipoprotein regulates the expression of scavenger receptors in THP-1 macrophages. <i>Atherosclerosis</i> , <b>2004</b> , 177, 313-20	3.1	34
81	Surgical treatment for primary hyperparathyroidism in Hong Kong: changes in clinical pattern over 3 decades. <i>Archives of Surgery</i> , <b>2004</b> , 139, 77-82; discussion 82		34
80	Metastatic melanoma of the pituitary gland. Case report. <i>Journal of Neurosurgery</i> , <b>2003</b> , 99, 913-5	3.2	20
79	The fat-derived hormone adiponectin alleviates alcoholic and nonalcoholic fatty liver diseases in mice. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 112, 91-100	15.9	890
78	Diabetes gene therapy: potential and challenges. <i>Current Gene Therapy</i> , <b>2003</b> , 3, 65-82	4.3	25
77	Effects of a promoter variation in the hepatic glucokinase gene on promoter activity and glucose tolerance in Southern Chinese subjects. <i>Clinical Genetics</i> , <b>2003</b> , 63, 232-4	4	
76	Multiple endocrine neoplasia type 2A in Chinese families. <i>Clinical Endocrinology</i> , <b>2003</b> , 58, 528	3.4	2
75	Multiple endocrine neoplasia type 1 (MEN1): genetic and clinical analysis in the Southern Chinese. <i>Clinical Endocrinology</i> , <b>2003</b> , 59, 129-35	3.4	10
74	Effects of treatment with Sandostatin LAR on small dense LDL and remnant-like lipoproteins in patients with acromegaly. <i>Clinical Endocrinology</i> , <b>2003</b> , 59, 558-64	3.4	12
73	Diet and glucose tolerance in a Chinese population. <i>European Journal of Clinical Nutrition</i> , <b>2003</b> , 57, 523-30		26

72	Effect of the microsomal triglyceride transfer protein -493 G/T polymorphism and type 2 diabetes mellitus on LDL subfractions. <i>Atherosclerosis</i> , <b>2003</b> , 167, 287-92	3.1	12
71	Contribution of polyol pathway to diabetes-induced oxidative stress. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2003</b> , 14, S233-6	12.7	376
70	C-reactive protein predicts the deterioration of glycemia in chinese subjects with impaired glucose tolerance. <i>Diabetes Care</i> , <b>2003</b> , 26, 2323-8	14.6	77
69	Use of the Sign Test for the Median in the Presence of Ties. <i>American Statistician</i> , <b>2003</b> , 57, 237-240	5	13
68	The fat-derived hormone adiponectin alleviates alcoholic and nonalcoholic fatty liver diseases in mice. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 112, 91-100	15.9	394
67	Effects of angiotensin II receptor antagonist on endothelial vasomotor function and urinary albumin excretion in type 2 diabetic patients with microalbuminuria. <i>Diabetes/Metabolism Research and Reviews</i> , <b>2002</b> , 18, 71-6	7.5	37
66	Mutations in the hepatocyte nuclear factor-1alpha gene in Chinese MODY families: prevalence and functional analysis. <i>Diabetologia</i> , <b>2002</b> , 45, 744-6	10.3	18
65	Hyperhomocysteinemia and impaired vasomotor function in type 2 diabetes mellitus. <i>European Journal of Clinical Investigation</i> , <b>2002</b> , 32, 328-34	4.6	15
64	Hormonal influences on lipoprotein(a) metabolism. <i>Diabetes, Obesity and Metabolism</i> , <b>2002</b> , 4, 156-65	6.7	2
63	Diabetic nephropathy is associated with the 5Pnd dinucleotide repeat polymorphism of the aldose reductase gene in Chinese subjects with Type 2 diabetes. <i>Diabetic Medicine</i> , <b>2002</b> , 19, 113-8	3.5	17
62	Acute effect of orlistat on post-prandial lipaemia and free fatty acids in overweight patients with Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , <b>2002</b> , 19, 944-8	3.5	35
61	Obstructive sleep apnea is independently associated with insulin resistance. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2002</b> , 165, 670-6	10.2	950
60	Atorvastatin lowers C-reactive protein and improves endothelium-dependent vasodilation in type 2 diabetes mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 563-8	5.6	169
59	Advanced glycation end products and endothelial dysfunction in type 2 diabetes. <i>Diabetes Care</i> , <b>2002</b> , 25, 1055-9	14.6	238
58	Effect of Sandostatin LAR on serum leptin levels in patients with acromegaly. <i>Clinical Endocrinology</i> , <b>2001</b> , 54, 31-5	3.4	15
57	Effect of Sandostatin LAR on sleep apnoea in acromegaly: correlation with computerized tomographic cephalometry and hormonal activity. <i>Clinical Endocrinology</i> , <b>2001</b> , 55, 477-83	3.4	60
56	Central obesity predicts the worsening of glycemia in southern Chinese. <i>International Journal of Obesity</i> , <b>2001</b> , 25, 1789-93	5.5	46
55	A randomized controlled trial of low-dose recombinant human growth hormone in the treatment of malnourished elderly medical patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 1913-20	5.6	36

54	A Randomized Controlled Trial of Low-Dose Recombinant Human Growth Hormone in the Treatment of Malnourished Elderly Medical Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 1913-1920	5.6	34
53	Serum leptin and vascular risk factors in obstructive sleep apnea. <i>Chest</i> , <b>2000</b> , 118, 580-6	5.3	320
52	The prevalence of diabetes, association with cardiovascular risk factors and implications of diagnostic criteria (ADA 1997 and WHO 1998) in a 1996 community-based population study in Hong Kong Chinese. Hong Kong Cardiovascular Risk Factor Steering Committee. American Diabetes Association. <i>Diabetic Medicine</i> , <b>2000</b> , 17, 741-5	3.5	102
51	Fibrinogen, other cardiovascular risk factors and diabetes mellitus in Hong Kong: a community with high prevalence of Type 2 diabetes mellitus and impaired glucose tolerance. <i>Diabetic Medicine</i> , <b>2000</b> , 17, 798-806	3.5	31
50	Acute leukaemia in acromegaly patients. <i>British Journal of Haematology</i> , <b>2000</b> , 110, 871-3	4.5	14
49	Metabolic and immunologic features of Chinese patients with atypical diabetes mellitus. <i>Diabetes Care</i> , <b>2000</b> , 23, 335-8	14.6	61
48	Adrenal pheochromocytoma remains a frequently overlooked diagnosis. <i>American Journal of Surgery</i> , <b>2000</b> , 179, 212-5	2.7	98
47	Thyroid hormones regulate the expression of somatostatin receptor subtypes in the rat pituitary. <i>Neuroendocrinology</i> , <b>1999</b> , 69, 460-4	5.6	14
46	Influence of low density lipoprotein (LDL) subfraction profile and LDL oxidation on endothelium-dependent and independent vasodilation in patients with type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1999</b> , 84, 3212-6	5.6	61
45	Beta-fibrinogen gene G/A-455 polymorphism in relation to fibrinogen concentrations and ischaemic heart disease in Chinese patients with type II diabetes. <i>Diabetologia</i> , <b>1999</b> , 42, 1250-3	10.3	22
44	Effects of fluvastatin on prothrombotic and fibrinolytic factors in type 2 diabetes mellitus. <i>American Journal of Cardiology</i> , <b>1999</b> , 84, 934-7, A7	3	21
43	Influence of Low Density Lipoprotein (LDL) Subfraction Profile and LDL Oxidation on Endothelium-Dependent and Independent Vasodilation in Patients with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1999</b> , 84, 3212-3216	5.6	52
42	High prevalence of retinopathy among type 2 diabetic patients with no visual complaint. <i>Australian and New Zealand Journal of Medicine</i> , <b>1998</b> , 28, 459-61		1
41	Strong association between DQA1/DQB1 genotype and early-onset IDDM in Chinese: the association is with alleles rather than specific residues. <i>International Journal of Immunogenetics</i> , <b>1998</b> , 25, 273-80		7
40	Genetic influence of the R/Q353 genotype on factor VII activity is overwhelmed by environmental factors in Chinese patients with Type II (non-insulin-dependent) diabetes mellitus. <i>Diabetologia</i> , <b>1998</b> , 41, 760-6	10.3	7
39	Changing prevalence of retinopathy in newly diagnosed non-insulin dependent diabetes mellitus patients in Hong Kong. <i>Diabetes Research and Clinical Practice</i> , <b>1998</b> , 39, 185-91	7.4	25
38	Acarbose in NIDDM patients with poor control on conventional oral agents. A 24-week placebo-controlled study. <i>Diabetes Care</i> , <b>1998</b> , 21, 1154-8	14.6	50
37	Antiresorptive therapy in asthmatic patients receiving high-dose inhaled steroids: a prospective study for 18 months. <i>Journal of Allergy and Clinical Immunology</i> , <b>1998</b> , 101, 445-50	11.5	19

36	An overweight woman with galactorrhoea. <i>Postgraduate Medical Journal</i> , <b>1998</b> , 74, 121-2	2	2
35	Arrhythmia in a 38-year-old man. <i>Postgraduate Medical Journal</i> , <b>1997</b> , 73, 249-51	2	
34	A modified sodium dodecyl sulphate-agarose gel/immunoblotting method for apolipoprotein(a) phenotyping using alkaline phosphatase-linked chemiluminescent detection. <i>Annals of Clinical Biochemistry</i> , <b>1997</b> , 34 ( Pt 3), 314-6	2.2	1
33	Gene expression of hypothalamic somatostatin and growth hormone-releasing hormone in dexamethasone-treated rats. <i>Neuroendocrinology</i> , <b>1997</b> , 66, 2-8	5.6	22
32	LDL subfractions in acromegaly: relation to growth hormone and insulin-like growth factor-I. <i>Atherosclerosis</i> , <b>1997</b> , 129, 59-65	3.1	45
31	Treatment of hyperlipidaemia in patients with non-insulin-dependent diabetes mellitus with progressive nephropathy. <i>Contributions To Nephrology</i> , <b>1997</b> , 120, 79-87	1.6	0
30	Gene expression of the receptor for growth-hormone-releasing hormone is physiologically regulated by glucocorticoids and estrogen. <i>Neuroendocrinology</i> , <b>1996</b> , 63, 475-80	5.6	60
29	Apolipoprotein (a) levels and phenotypes in NIDDM patients with microalbuminuria and albuminuria. <i>Nephrology Dialysis Transplantation</i> , <b>1996</b> , 11, 2229-36	4.3	3
28	Giant growth-hormone secreting pituitary tumour with extracranial extension. <i>Journal of Medical Imaging and Radiation Oncology</i> , <b>1996</b> , 40, 88-90		5
27	Unusual endocrine presentations of nasopharyngeal carcinoma. <i>Cancer</i> , <b>1996</b> , 77, 1967-72	6.4	7
26	Pharmacokinetics, pharmacodynamics, long-term efficacy and safety of oral 1-deamino-8-D-arginine vasopressin in adult patients with central diabetes insipidus. <i>British Journal of Clinical Pharmacology</i> , <b>1996</b> , 42, 379-85	3.8	53
25	Cholesterol-lowering therapy may retard the progression of diabetic nephropathy. <i>Diabetologia</i> , <b>1996</b> , 39, 367-8	10.3	6
24	The effect of cholesterol-lowering therapy on the progression of diabetic nephropathy is unproved. <i>Diabetologia</i> , <b>1996</b> , 39, 368-70	10.3	3
23	Emotional maladjustment, physical malaise and diabetic control in young chinese patients with diabetes. <i>Psychology, Health and Medicine</i> , <b>1996</b> , 1, 119-127	2.1	8
22	Primary aldosteronism. Results of surgical treatment. <i>Annals of Surgery</i> , <b>1996</b> , 224, 125-30	7.8	71
21	Cholesterol-lowering therapy may retard the progression of diabetic nephropathy. <i>Diabetologia</i> , <b>1995</b> , 38, 604-9	10.3	162
20	An (A-C) <sub>n</sub> Dinucleotide Repeat Polymorphic Marker at the 5PEnd of the Aldose Reductase Gene Is Associated With Early-Onset Diabetic Retinopathy in NIDDM Patients. <i>Diabetes</i> , <b>1995</b> , 44, 727-732	0.9	96
19	Neurofibromatosis and insulinoma. <i>Postgraduate Medical Journal</i> , <b>1995</b> , 71, 485-6	2	13



18	Phaeochromocytoma associated with myasthenia gravis precipitated by propranolol treatment. <i>Australian and New Zealand Journal of Medicine</i> , <b>1995</b> , 25, 257		3
17	Cholesterol-lowering therapy may retard the progression of diabetic nephropathy <b>1995</b> , 38, 604		9
16	Decreased bone mineral density in premenopausal asthma patients receiving long-term inhaled steroids. <i>Chest</i> , <b>1994</b> , 105, 1722-7	5.3	145
15	Induction of spermatogenesis with gonadotrophins in Chinese men with hypogonadotropic hypogonadism. <i>Journal of Developmental and Physical Disabilities</i> , <b>1994</b> , 17, 241-7		35
14	Hypopituitarism after tuberculous meningitis in childhood. <i>Annals of Internal Medicine</i> , <b>1993</b> , 118, 701-6	8	44
13	Suprasellar ectopic pituitary adenoma presenting as cranial diabetes insipidus. <i>Postgraduate Medical Journal</i> , <b>1992</b> , 68, 467-9	2	18
12	Divergent effects of glucocorticoid on the gene expression of vasoactive intestinal peptide in the rat cerebral cortex and pituitary. <i>Neuroendocrinology</i> , <b>1992</b> , 56, 32-7	5.6	14
11	Effect of dexamethasone on mRNA levels for 5-aminolevulinic synthase in different rat tissues. <i>FEBS Journal</i> , <b>1992</b> , 203, 59-63		7
10	Estrogen regulates the gene expression of vasoactive intestinal peptide in the anterior pituitary. <i>Neuroendocrinology</i> , <b>1990</b> , 52, 417-21	5.6	39
9	Sex-related differences and thyroid hormone regulation of vasoactive intestinal peptide gene expression in the rat brain and pituitary. <i>Brain Research</i> , <b>1990</b> , 526, 135-7	3.7	19
8	Comparison of the effectiveness of 2-hourly versus 8-hourly subcutaneous injections of a somatostatin analog (SMS 201-995) in the treatment of acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1989</b> , 69, 670-7	5.6	27
7	Erythrocyte sodium-potassium pump in thyrotoxic periodic paralysis. <i>Australian and New Zealand Journal of Medicine</i> , <b>1989</b> , 19, 6-10		12
6	Long-term effects of megavoltage radiotherapy in acromegaly. <i>Australian and New Zealand Journal of Medicine</i> , <b>1989</b> , 19, 202-6		14
5	Early effects of cranial irradiation on hypothalamic-pituitary function. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1987</b> , 64, 418-24	5.6	68
4	Long-term treatment of hyperprolactinaemia with bromocriptine: effect of drug withdrawal. <i>Clinical Endocrinology</i> , <b>1987</b> , 27, 363-71	3.4	55
3	Prevention of hypoglycaemia in a patient with pancreatic microadenomatosis by a long-acting somatostatin analogue SMS 201-995. <i>Clinical Endocrinology</i> , <b>1987</b> , 27, 469-73	3.4	1
2	Hypothalamic hypopituitarism following cranial irradiation for nasopharyngeal carcinoma. <i>Clinical Endocrinology</i> , <b>1986</b> , 24, 643-51	3.4	62
1	Primary hypothyroidism and essential hypernatremia in a patient with histiocytosis X. <i>Australian and New Zealand Journal of Medicine</i> , <b>1985</b> , 15, 72-4		14

