

Naisheng Zhang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9575334/naisheng-zhang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

1,777
citations

27
h-index

38
g-index

84
ext. papers

2,392
ext. citations

5.4
avg, IF

4.74
L-index

#	Paper	IF	Citations
77	Probiotic <i>Enterococcus mundtii</i> H81 inhibits the NF- κ B signaling pathway to ameliorate <i>Staphylococcus aureus</i> -induced mastitis in mice.. <i>Microbial Pathogenesis</i> , 2022 , 164, 105414	3.8	0
76	The Rumen Microbiota Contributes to the Development of Mastitis in Dairy Cows.. <i>Microbiology Spectrum</i> , 2022 , 10, e0251221	8.9	1
75	Ferritinophagy is involved in Bisphenol A-induced ferroptosis of renal tubular epithelial cells through the activation of the AMPK-mTOR-ULK1 pathway.. <i>Food and Chemical Toxicology</i> , 2022 , 163, 112909	4.7	4
74	<i>Bacillus subtilis</i> ameliorates <i>Escherichia coli</i> -induced endometritis in mice via maintaining endometrial barrier and inhibiting inflammatory response.. <i>Microbial Pathogenesis</i> , 2022 , 105487	3.8	0
73	The Prevention Effect of <i>Bacillus subtilis</i> on <i>Escherichia coli</i> -Induced Mastitis in Mice by Suppressing the NF- κ B and MAPK Signaling Pathways. <i>Probiotics and Antimicrobial Proteins</i> , 2021 , 1	5.5	1
72	<i>Bacillus licheniformis</i> Zhengchangsheng□ Inhibits Obesity by Regulating the AMP-Activated Protein Kinase Signaling Pathway. <i>Probiotics and Antimicrobial Proteins</i> , 2021 , 13, 1658-1667	5.5	2
71	Aryl hydrocarbon receptor activation by <i>Lactobacillus reuteri</i> tryptophan metabolism alleviates <i>Escherichia coli</i> -induced mastitis in mice. <i>PLoS Pathogens</i> , 2021 , 17, e1009774	7.6	6
70	DNaseI protects lipopolysaccharide-induced endometritis in mice by inhibiting neutrophil extracellular traps formation. <i>Microbial Pathogenesis</i> , 2021 , 150, 104686	3.8	1
69	Changes of microbial and metabolome of the equine hindgut during oligofructose-induced laminitis. <i>BMC Veterinary Research</i> , 2021 , 17, 11	2.7	3
68	Kynurenic acid protects against mastitis in mice by ameliorating inflammatory responses and enhancing blood-milk barrier integrity. <i>Molecular Immunology</i> , 2021 , 137, 134-144	4.3	1
67	Dioscin prevents DSS-induced colitis in mice with enhancing intestinal barrier function and reducing colon inflammation. <i>International Immunopharmacology</i> , 2021 , 99, 108015	5.8	4
66	Endoplasmic reticulum stress-mediated autophagy activation is involved in cadmium-induced ferroptosis of renal tubular epithelial cells. <i>Free Radical Biology and Medicine</i> , 2021 , 175, 236-248	7.8	4
65	Ping weisan alleviates chronic colitis in mice by regulating intestinal microbiota composition. <i>Journal of Ethnopharmacology</i> , 2020 , 255, 112715	5	7
64	The gut microbiota contributes to the development of <i>Staphylococcus aureus</i> -induced mastitis in mice. <i>ISME Journal</i> , 2020 , 14, 1897-1910	11.9	32
63	Increased inflammation with crude LPS protects against acute leptospirosis in hamsters. <i>Emerging Microbes and Infections</i> , 2020 , 9, 140-147	18.9	7
62	Gut microbiota mediate the protective effects on endometritis induced by <i>Staphylococcus aureus</i> in mice. <i>Food and Function</i> , 2020 , 11, 3695-3705	6.1	3
61	The protective role of phloretin against dextran sulfate sodium-induced ulcerative colitis in mice. <i>Food and Function</i> , 2019 , 10, 422-431	6.1	60

60	Ripened Pu-erh Tea Extract Protects Mice from Obesity by Modulating Gut Microbiota Composition. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 6978-6994	5.7	40
59	Targeting gut microbiota as a possible therapy for mastitis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019 , 38, 1409-1423	5.3	24
58	Dimethyl itaconate protects against lipopolysacchride-induced mastitis in mice by activating MAPKs and Nrf2 and inhibiting NF- κ B signaling pathways. <i>Microbial Pathogenesis</i> , 2019 , 133, 103541	3.8	24
57	Pingwei San ameliorates dextran sulfate sodium-induced chronic colitis in mice. <i>Journal of Ethnopharmacology</i> , 2019 , 236, 91-99	5	9
56	Role of Liver X Receptor in Mastitis Therapy and Regulation of Milk Fat Synthesis. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2019 , 24, 73-83	2.4	6
55	Neutralization of Interleukin-17A Attenuates Lipopolysaccharide-Induced Mastitis by Inhibiting Neutrophil Infiltration and the Inflammatory Response. <i>Journal of Interferon and Cytokine Research</i> , 2019 , 39, 577-584	3.5	3
54	Sodium butyrate alleviates lipopolysaccharide-induced endometritis in mice through inhibiting inflammatory response. <i>Microbial Pathogenesis</i> , 2019 , 137, 103792	3.8	10
53	The Abilities of Salidroside on Ameliorating Inflammation, Skewing the Imbalanced Nucleotide Oligomerization Domain-Like Receptor Family Pyrin Domain Containing 3/Autophagy, and Maintaining Intestinal Barrier Are Profitable in Colitis. <i>Frontiers in Pharmacology</i> , 2019 , 10, 1385	5.6	8
52	<i>Clostridium tyrobutyricum</i> alleviates <i>Staphylococcus aureus</i> -induced endometritis in mice by inhibiting endometrial barrier disruption and inflammatory response. <i>Food and Function</i> , 2019 , 10, 6699-6710	6.1	7
51	Evodiamine prevents dextran sulfate sodium-induced murine experimental colitis via the regulation of NF- κ B and NLRP3 inflammasome. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 110, 786-795	7.5	42
50	Magnolol treatment attenuates dextran sulphate sodium-induced murine experimental colitis by regulating inflammation and mucosal damage. <i>Life Sciences</i> , 2018 , 196, 69-76	6.8	38
49	Protective effect of chlorogenic acid on lipopolysaccharide-induced inflammatory response in dairy mammary epithelial cells. <i>Microbial Pathogenesis</i> , 2018 , 124, 178-182	3.8	13
48	Protective Effect of Naringin on DSS-Induced Ulcerative Colitis in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 13133-13140	5.7	62
47	Melatonin inhibits endoplasmic reticulum stress-associated TXNIP/NLRP3 inflammasome activation in lipopolysaccharide-induced endometritis in mice. <i>International Immunopharmacology</i> , 2018 , 64, 101-109	5.8	30
46	The Protective Effect of Baicalin Against Lead-Induced Renal Oxidative Damage in Mice. <i>Biological Trace Element Research</i> , 2017 , 175, 129-135	4.5	27
45	Inhibitory Effects of Emodin, Thymol, and Astragaloside on <i>Leptospira interrogans</i> -Induced Inflammatory Response in the Uterine and Endometrium Epithelial Cells of Mice. <i>Inflammation</i> , 2017 , 40, 666-675	5.1	28
44	Protective effect of TM6 on LPS-induced acute lung injury in mice. <i>Scientific Reports</i> , 2017 , 7, 572	4.9	20
43	Administration of geniposide ameliorates dextran sulfate sodium-induced colitis in mice via inhibition of inflammation and mucosal damage. <i>International Immunopharmacology</i> , 2017 , 49, 168-177	5.8	22

42	In Vivo Study of the Efficacy of the Essential Oil of <i>Zanthoxylum bungeanum</i> Pericarp in Dextran Sulfate Sodium-Induced Murine Experimental Colitis. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 3311-3319	5.7	26
41	Sodium houttuynonate inhibits LPS-induced inflammatory response via suppressing TLR4/NF- κ B signaling pathway in bovine mammary epithelial cells. <i>Microbial Pathogenesis</i> , 2017 , 107, 12-16	3.8	21
40	Mangiferin inhibits mastitis induced by LPS via suppressing NF- κ B and NLRP3 signaling pathways. <i>International Immunopharmacology</i> , 2017 , 43, 85-90	5.8	23
39	Induction of heme oxygenase-1 attenuates NLRP3 inflammasome activation in lipopolysaccharide-induced mastitis in mice. <i>International Immunopharmacology</i> , 2017 , 52, 185-190	5.8	13
38	and Study on the Efficacy of Terpinen-4-ol in Dextran Sulfate Sodium-Induced Mice Experimental Colitis. <i>Frontiers in Immunology</i> , 2017 , 8, 558	8.4	21
37	Doxycycline Attenuates <i>Leptospira</i> -Induced IL-1 β by Suppressing NLRP3 Inflammasome Priming. <i>Frontiers in Immunology</i> , 2017 , 8, 857	8.4	17
36	Baicalin promotes the bacteriostatic activity of lysozyme on <i>S. aureus</i> in mammary glands and neutrophilic granulocytes in mice. <i>Oncotarget</i> , 2017 , 8, 19894-19901	3.3	14
35	<i>Zanthoxylum bungeanum</i> pericarp extract prevents dextran sulfate sodium-induced experimental colitis in mice via the regulation of TLR4 and TLR4-related signaling pathways. <i>International Immunopharmacology</i> , 2016 , 41, 127-135	5.8	28
34	Toll-Like Receptor 2 Agonist Pam3CSK4 Alleviates the Pathology of Leptospirosis in Hamster. <i>Infection and Immunity</i> , 2016 , 84, 3350-3357	3.7	21
33	Selenium Deficiency-Induced Inflammation and Increased Expression of Regulating Inflammatory Cytokines in the Chicken Gastrointestinal Tract. <i>Biological Trace Element Research</i> , 2016 , 173, 210-8	4.5	28
32	Selenium Deficiency Facilitates Inflammation Following <i>S. aureus</i> Infection by Regulating TLR2-Related Pathways in the Mouse Mammary Gland. <i>Biological Trace Element Research</i> , 2016 , 172, 449-457	4.5	27
31	Selenium Deficiency Deteriorate the Inflammation of <i>S. aureus</i> Infection via Regulating NF- κ B and PPAR- α in Mammary Gland of Mice. <i>Biological Trace Element Research</i> , 2016 , 172, 140-147	4.5	11
30	The anti-inflammatory effect of TR6 on LPS-induced mastitis in mice. <i>International Immunopharmacology</i> , 2016 , 30, 150-156	5.8	11
29	Effects of Se on the Diversity of SelT Synthesis and Distribution in Different Smooth Muscle Tissues in Rats. <i>Biological Trace Element Research</i> , 2016 , 170, 340-7	4.5	7
28	Protective Effects of Platycodin D on Lipopolysaccharide-Induced Acute Lung Injury by Activating LXRE/ABCA1 Signaling Pathway. <i>Frontiers in Immunology</i> , 2016 , 7, 644	8.4	21
27	Efficacy of the Rabbit Polyclonal Anti-leptospira Antibody against Homotype or Heterotype <i>Leptospira</i> Infection in Hamster. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0005191	4.8	6
26	TRAM-Derived Decoy Peptides inhibits the inflammatory response in mouse mammary epithelial cells and a mastitis model in mice. <i>European Journal of Pharmacology</i> , 2015 , 764, 607-612	5.3	9
25	Leonurine exerts anti-inflammatory effect by regulating inflammatory signaling pathways and cytokines in LPS-induced mouse mastitis. <i>Inflammation</i> , 2015 , 38, 79-88	5.1	42

24	Selenium Deficiency Facilitates Inflammation Through the Regulation of TLR4 and TLR4-Related Signaling Pathways in the Mice Uterus. <i>Inflammation</i> , 2015 , 38, 1347-56	5.1	32
23	Saikosaponin a inhibits lipopolysaccharide-oxidative stress and inflammation in Human umbilical vein endothelial cells via preventing TLR4 translocation into lipid rafts. <i>Free Radical Biology and Medicine</i> , 2015 , 89, 777-85	7.8	73
22	Curcumin attenuates inflammatory responses by suppressing TLR4-mediated NF- κ B signaling pathway in lipopolysaccharide-induced mastitis in mice. <i>International Immunopharmacology</i> , 2014 , 20, 54-8	5.8	72
21	Protective effect of taraxasterol on acute lung injury induced by lipopolysaccharide in mice. <i>International Immunopharmacology</i> , 2014 , 19, 342-50	5.8	38
20	Cyanidin-3-O- β -glucoside ameliorates lipopolysaccharide-induced acute lung injury by reducing TLR4 recruitment into lipid rafts. <i>Biochemical Pharmacology</i> , 2014 , 90, 126-34	6	41
19	Thymol inhibits LPS-stimulated inflammatory response via down-regulation of NF- κ B and MAPK signaling pathways in mouse mammary epithelial cells. <i>Inflammation</i> , 2014 , 37, 214-22	5.1	102
18	Efficacy of cefepime, ertapenem and norfloxacin against leptospirosis and for the clearance of pathogens in a hamster model. <i>Microbial Pathogenesis</i> , 2014 , 77, 78-83	3.8	16
17	Leptospira interrogans induces uterine inflammatory responses and abnormal expression of extracellular matrix proteins in dogs. <i>Microbial Pathogenesis</i> , 2014 , 75, 1-6	3.8	13
16	Stevioside inhibits inflammation and apoptosis by regulating TLR2 and TLR2-related proteins in S. aureus-infected mouse mammary epithelial cells. <i>International Immunopharmacology</i> , 2014 , 22, 192-9	5.8	21
15	Schisantherin A protects lipopolysaccharide-induced acute respiratory distress syndrome in mice through inhibiting NF- κ B and MAPKs signaling pathways. <i>International Immunopharmacology</i> , 2014 , 22, 133-40	5.8	44
14	Liver X receptor agonist prevents LPS-induced mastitis in mice. <i>International Immunopharmacology</i> , 2014 , 22, 379-83	5.8	20
13	Protective effects of kaempferol on lipopolysaccharide-induced mastitis in mice. <i>Inflammation</i> , 2014 , 37, 1453-8	5.1	21
12	Geniposide plays an anti-inflammatory role via regulating TLR4 and downstream signaling pathways in lipopolysaccharide-induced mastitis in mice. <i>Inflammation</i> , 2014 , 37, 1588-98	5.1	65
11	Stevioside plays an anti-inflammatory role by regulating the NF- κ B and MAPK pathways in S. aureus-infected mouse mammary glands. <i>Inflammation</i> , 2014 , 37, 1837-46	5.1	44
10	Endometrial inflammation and abnormal expression of extracellular matrix proteins induced by Mycoplasma bovis in dairy cows. <i>Theriogenology</i> , 2014 , 81, 669-74	2.8	4
9	Glycyrrhizin inhibits lipopolysaccharide-induced inflammatory response by reducing TLR4 recruitment into lipid rafts in RAW264.7 cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 1755-64	4	34
8	Inhibitory effects of astragaloside on lipopolysaccharide-induced inflammatory response in mouse mammary epithelial cells. <i>Journal of Surgical Research</i> , 2014 , 192, 573-81	2.5	19
7	Thymol inhibits Staphylococcus aureus internalization into bovine mammary epithelial cells by inhibiting NF- κ B activation. <i>Microbial Pathogenesis</i> , 2014 , 71-72, 15-9	3.8	17

6	Pathway of programmed cell death and oxidative stress induced by β -hydroxybutyrate in dairy cow abomasum smooth muscle cells and in mouse gastric smooth muscle. <i>PLoS ONE</i> , 2014 , 9, e96775	3.7	8
5	Geniposide inhibited lipopolysaccharide-induced apoptosis by modulating TLR4 and apoptosis-related factors in mouse mammary glands. <i>Life Sciences</i> , 2014 , 119, 9-17	6.8	27
4	Cyanidin-3-O- β -glucoside inhibits lipopolysaccharide-induced inflammatory response in mouse mastitis model. <i>Journal of Lipid Research</i> , 2014 , 55, 1111-9	6.3	39
3	Baicalin inhibits <i>Staphylococcus aureus</i> -induced apoptosis by regulating TLR2 and TLR2-related apoptotic factors in the mouse mammary glands. <i>European Journal of Pharmacology</i> , 2014 , 723, 481-8	5.3	33
2	Selenium inhibits LPS-induced pro-inflammatory gene expression by modulating MAPK and NF- κ B signaling pathways in mouse mammary epithelial cells in primary culture. <i>Inflammation</i> , 2014 , 37, 478-85 ^{5.1}		56
1	Astragalin suppresses inflammatory responses via down-regulation of NF- κ B signaling pathway in lipopolysaccharide-induced mastitis in a murine model. <i>International Immunopharmacology</i> , 2013 , 17, 478-82	5.8	40