

# Igor Avetissov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9575461/publications.pdf>

Version: 2024-02-01

92  
papers

610  
citations

686830

13  
h-index

752256

20  
g-index

92  
all docs

92  
docs citations

92  
times ranked

533  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effective electroluminescent materials for OLED applications based on lanthanide 1,3-diketonates bearing pyrazole moiety. Journal of Luminescence, 2016, 177, 31-39.	1.5	65
2	Properties of Li <sub>2</sub> MoO <sub>4</sub> single crystals grown by Czochralski technique. Journal of Crystal Growth, 2014, 401, 853-856.	0.7	38
3	Solid solution Li <sub>2</sub> MoO <sub>4</sub> &lt;math>\leftrightarrow</math> Li <sub>2</sub> WO <sub>4</sub> crystal growth and characterization. Journal of Crystal Growth, 2017, 468, 365-368.	0.7	24
4	Hot-pressed production and laser properties of ZnSe:Fe <sup>2+</sup> . Journal of Crystal Growth, 2018, 491, 36-41.	0.7	24
5	A novel candle light-style OLED with a record low colour temperature. Chemical Communications, 2019, 55, 13354-13357.	2.2	22
6	Luminescent hybrid materials based on an europium organic complex and borate glasses. Journal of Non-Crystalline Solids, 2015, 429, 213-218.	1.5	21
7	Nonstoichiometry and luminescent properties of ZnSe crystals grown from melt and vapor. Journal of Crystal Growth, 2014, 401, 686-690.	0.7	19
8	Growth of high optical quality zinc chalcogenides single crystals doped by Fe and Cr by the solid phase recrystallization technique at barothermal treatment. Journal of Crystal Growth, 2017, 468, 655-661.	0.7	19
9	New Pt(II) complex with extra pure green emission for OLED application: synthesis, crystal structure and spectral properties. Journal of Organometallic Chemistry, 2018, 867, 253-260.	0.8	16
10	First test of a $\text{LiWO}_2$ bolometric detector	0.7	16
11	Universal approach for nonstoichiometry determination in binary chemical compounds. Crystal Research and Technology, 2015, 50, 93-100.	0.6	15
12	Luminescent hybrid materials based on (8-hydroxyquinoline)-substituted metal-organic complexes and lead-borate glasses. Optical Materials, 2017, 69, 141-147.	1.7	15
13	Simulation and crystal growth of CdTe by axial vibration control technique in Bridgman configuration. Journal of Crystal Growth, 2011, 318, 528-532.	0.7	13
14	Non-stoichiometry of tris(8-hydroxyquinoline) aluminium: is it possible?. CrystEngComm, 2016, 18, 2182-2188.	1.3	13
15	Single crystal growth by axial vibrational control technique in Czochralski configuration. Journal of Crystal Growth, 2011, 318, 979-982.	0.7	12
16	Perfection of NaNO <sub>3</sub> single crystals grown by axial vibrational control technique in Czochralski configuration. Journal of Crystal Growth, 2012, 360, 167-171.	0.7	12
17	Sensitivity of future liquid argon dark matter search experiments to core-collapse supernova neutrinos. Journal of Cosmology and Astroparticle Physics, 2021, 2021, 043.	1.9	12
18	Separating $^{39}\text{Ar}$ from $^{40}\text{Ar}$ by cryogenic distillation with Aria for dark-matter searches. European Physical Journal C, 2021, 81, 1.	1.4	12

#	ARTICLE	IF	CITATIONS
19	Thermodynamic features of axial vibrational control technique for crystal growth from the melt. CrystEngComm, 2013, 15, 2213-2219.	1.3	11
20	Organic luminophor metal complex in inorganic glass matrix—A new hybrid material. Journal of Crystal Growth, 2014, 401, 449-452.	0.7	11
21	Homogeneity limits and nonstoichiometry of vapor grown ZnTe and CdTe crystals. CrystEngComm, 2015, 17, 561-568.	1.3	11
22	Czochralski crystal growth assisted by axial vibrational control technique. Journal of Crystal Growth, 2010, 312, 1104-1108.	0.7	10
23	Nonstoichiometry of A <sup>II</sup> B <sup>VI</sup> semiconductors. Crystal Research and Technology, 2015, 50, 115-123.	0.6	10
24	Growth of nonstoichiometric PbTe crystals by the vertical Bridgman method using the axial-vibration control technique. Crystallography Reports, 2005, 50, S124-S129.	0.1	8
25	Experimental and numerical modeling of Czochralski crystal growth under axial vibrational control of the melt. Journal of Crystal Growth, 2010, 312, 1429-1433.	0.7	8
26	Luminescent properties of organic–inorganic hybrid films fabricated by capillary coating technique. Applied Physics A: Materials Science and Processing, 2022, 128, 1.	1.1	8
27	A Computer-Based Facility for Investigating the Melt Hydrodynamics during Bridgman Crystal Growth at Low-Frequency Vibrations in a Melt. Instruments and Experimental Techniques, 2004, 47, 554-561.	0.1	7
28	Hybrid materials based on organic luminophores in inorganic glass matrix. Optics and Spectroscopy (English Translation of Optika i Spektroskopiya), 2013, 114, 886-889.	0.2	7
29	Polymorphism of tris(8-hydroxyquinoline) aluminum, gallium, and indium. Doklady Chemistry, 2014, 454, 6-8.	0.2	7
30	Li <sub>2</sub> MoO <sub>4</sub> crystal growth from solution activated by low-frequency vibrations. Journal of Crystal Growth, 2017, 457, 151-157.	0.7	7
31	A new method of heat and mass transfer control in the melt at crystal growth by Czochralski technique. Doklady Physics, 2009, 54, 410-412.	0.2	6
32	CdTe homogeneity region. Inorganic Materials, 2013, 49, 439-444.	0.2	6
33	Axial vibration control of melt structure of sodium nitrate in crystal growth process. Journal of Crystal Growth, 2015, 417, 16-24.	0.7	6
34	Deep Tellurium Purification for the Production of Electronic and Photonic Materials. Russian Microelectronics, 2017, 46, 551-556.	0.1	6
35	Crystal growth and luminescent properties of LiNa <sub>5</sub> Mo <sub>9</sub> O <sub>30</sub> . Journal of Crystal Growth, 2019, 519, 35-40.	0.7	6
36	Luminescent hybrid materials based on metal-organic phosphors in PbF <sub>2</sub> powder and PbF <sub>2</sub> -containing glass matrix. Optical Materials, 2019, 88, 378-384.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Nd/La, Nd/Lu-co-doped transparent lead fluoroborate glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , 2020, 531, 119858.	1.5	6
38	Modeling of axial vibrational control technique for CdTe VGF crystal growth under controlled cadmium partial pressure. <i>Journal of Crystal Growth</i> , 2014, 385, 88-94.	0.7	5
39	Prospective Electroluminescent Hybrid Materials. <i>European Journal of Inorganic Chemistry</i> , 2015, 2015, 1269-1274.	1.0	5
40	Nonstoichiometry and luminescent properties of ZnSe crystals grown from the melt at high pressures. <i>Journal of Crystal Growth</i> , 2017, 457, 331-336.	0.7	5
41	Investigations of Nanoscale Defects in Crystalline and Powder ZnSe Doped With Fe for Laser Application. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700457.	0.8	5
42	New hybrid materials for organic light-emitting diode devices. <i>Russian Microelectronics</i> , 2014, 43, 526-530.	0.1	4
43	New Fluorescent Hybrid Materials Based on Eu-Complexes in Oxyfluoride Glass and Glass-Ceramic Matrix. <i>Periodica Polytechnica: Chemical Engineering</i> , 2016, 60, 152-156.	0.5	4
44	Purity of MoO <sub>3</sub> from different manufacturers. <i>Inorganic Materials</i> , 2016, 52, 285-293.	0.2	4
45	Growth of Li <sub>2</sub> MoO <sub>4</sub> Crystals from Activated Water Solutions. <i>Glass and Ceramics (English)</i> Tj ETQq1 1 0.784314 rgBT /Overlock 10 T	0.2	4
46	Nonstoichiometry problems of ZnSe: From single crystals to nanofilms. <i>Thin Solid Films</i> , 2016, 613, 11-18.	0.8	4
47	Luminescent Stability of Hybrids Based on Different Borate Glass Matrixes™ and Organic Metal Complexes. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 225, 012083.	0.3	4
48	New efficient lighting device. Part 1. hybrid materials based on inorganic aerogel and metal-organic phosphor. <i>Journal of Solid State Chemistry</i> , 2021, 302, 122358.	1.4	4
49	One-Step Synthesis of High Pure Tris(8-hydroxyquinoline)aluminum for Optics and Photonics. <i>Materials</i> , 2022, 15, 734.	1.3	4
50	Polymorphous transition wurtzite-sphalerite for nonstoichiometric cadmium and zinc chalcogenides. <i>Doklady Chemistry</i> , 2011, 440, 244-247.	0.2	3
51	Efficient red organic light-emitting diode based on simple Pt(II) O <sup>2-</sup> N <sup>-</sup> complex. <i>Dyes and Pigments</i> , 2016, 135, 80-85.	2.0	3
52	Luminescent Glass-Ceramics Based on Nanoparticles of Ba <sub>x</sub> RE <sub>1-x</sub> F <sub>2+x</sub> and Pb <sub>x</sub> RE <sub>1-x</sub> F <sub>2+x</sub> Solid Solutions into Fluoroborate. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700446.	0.8	3
53	Effect of high purity molybdenum oxide (<sc>vi</sc>) on crystal growth and OLED technology. <i>CrystEngComm</i> , 2021, 23, 8276-8290.	1.3	3
54	NIR-OLED structures based on lanthanide coordination compounds: synthesis and luminescent properties. <i>Journal of Materials Science</i> , 2022, 57, 8393-8405.	1.7	3

#	ARTICLE	IF	CITATIONS
55	Combined method of axial low-frequency vibrations and axial heat flux for crystal growth from a melt. Doklady Physics, 2015, 60, 118-121.	0.2	2
56	Laser-induced luminescence in hybrid nanofilms. Optics and Spectroscopy (English Translation of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.2	2
57	To the homogeneity range of tris(8-hydroxyquinoline)gallium. CrystEngComm, 2018, 20, 930-936.	1.3	2
58	Mechanical and optical properties of hybrid materials based on inorganic glass matrix and organic metal complex phosphors. Journal of Physics: Conference Series, 2018, 1045, 012006.	0.3	2
59	The doping and heat-treatment influence on spectral properties of Bi-Ge-O glasses. , 2018, , .		2
60	Deep tellurium purification for electronic and photonic materials. Izvestiya Vysshikh Uchebnykh Zavedenii Materialy Elektronnoi Tekhniki = Materials of Electronics Engineering, 2016, 19, 235-240.	0.1	2
61	The effect of borate glass matrix on the luminescence properties of organicâ€“inorganic hybrid materials. Journal of Commonwealth Law and Legal Education, 2019, 60, 140-145.	0.2	2
62	Czochralski growth of NaNO3â€“LiNO3 solid solution single crystals using axial vibrational control technique. Journal of Crystal Growth, 2014, 401, 899-904.	0.7	1
63	Study of the Kroll-process to produce ultra-pure Ti for the low background experiments. AIP Conference Proceedings, 2015, , .	0.3	1
64	The influence of synthesis conditions on the stability of tris(8-hydroxyquinoline) aluminum organometallic luminophore. Optics and Spectroscopy (English Translation of Optika I) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 B77 Td (Sp	0.2	1
65	Numerical simulation and growth of Li2Zn2(MoO4)3 single crystals by the top seeded solution growth technique. Journal of Crystal Growth, 2017, 468, 939-944.	0.7	1
66	Potassium-cobalt sulphate crystal growth assisted by low frequency vibrations. Journal of Crystal Growth, 2018, 483, 31-38.	0.7	1
67	Extra pure tellurium oxide for the growth of high quality paratellurite crystals. IOP Conference Series: Materials Science and Engineering, 2019, 613, 012021.	0.3	1
68	Optical Properties Transformation under Laser Treatment of Hybrid Organicâ€“Inorganic Thin Films. Physica Status Solidi (A) Applications and Materials Science, 2019, 216, 1800647.	0.8	1
69	Organo-Inorganic Luminescent Hybrid Materials Based on Lead Fluoride and Organic Phosphors. , 2019, , .		1
70	Effect of the Accidental Impurities onto the Absorption Spectrum of NaGd(WO4)2 Laser Crystal. , 2019, , .		1
71	Fundamentals of organometallic electrophosphors synthesis under controlled temperature and ligand partial pressure. Dyes and Pigments, 2019, 161, 482-488.	2.0	1
72	Synthesis of high pure crystalline paratellurite by chemical combustion reaction. Journal of Alloys and Compounds, 2021, 855, 157510.	2.8	1

#	ARTICLE	IF	CITATIONS
73	Infrared Luminescent Hybrid Materials Based on Inorganic Glass Matrices. Glass and Ceramics (English) Tj ETQq1 1 0,784314 rgBT / Overlock d0 Tf 50	0,2	1
74	Luminescent properties of solid solutions in the PbF <sub>2</sub> -EuF <sub>3</sub> and PbF <sub>2</sub> -ErF <sub>3</sub> systems. Journal of Luminescence, 2021, 238, 118262.	1.5	1
75	Synthesis of the Bi <sub>2</sub> GeO <sub>5</sub> Ferroelectric Crystalline Phase from a Nonstoichiometric Batch. Physica Status Solidi (A) Applications and Materials Science, 0, , 2100666.	0.8	1
76	Structure and electrical conductivity of selenium-ion-implanted CdSe films. Inorganic Materials, 2010, 46, 598-600.	0.2	0
77	Hybrid nanofilms with laser-control luminescence. , 2014, , .		0
78	Spectral properties of CdTe-CdSe powders with controlled nonstoichiometry. , 2014, , .		0
79	Spectral properties of powder preparations of cadmium telluride and cadmium selenide with controlled nonstoichiometry. Optics and Spectroscopy (English Translation of Optika i Laser) Tj ETQq1 1 0.784314 rgBT / Overlock d0 Tf 50	0,2	0
80	Selenium solubility in solid zinc selenide. Inorganic Materials, 2016, 52, 643-649.	0.2	0
81	Novel hybrid materials based on various oxyquinoline organic phosphor complexes and oxyfluoride glass. , 2016, , .		0
82	Synthesis condition influence on stability of metal-organic phosphor based on 8-hydroxyquinoline. , 2016, , .		0
83	Optical properties transformations under heat and laser treatment of glasses in the Bi-Ge-O system. Applied Physics A: Materials Science and Processing, 2017, 123, 1.	1.1	0
84	Application of tris-(8-hydroxyquinoline) aluminium (III) with controlled defect structure in OLED. , 2018, , .		0
85	Effect of inorganic matrix composition on luminescent properties of hybrid materials. , 2018, , .		0
86	Pt (II)-based complexes with ligands of 8-hydroxyquinoline and its 2-methyl derivative for OLED. , 2018, , .		0
87	The Homogeneity Range of Crystalline Tris(8-hydroxyquinoline)gallium. Doklady Chemistry, 2018, 480, 85-88.	0.2	0
88	Effect of Uncontrollable Impurities on the Absorption Spectrum of a NaGd(WO <sub>4</sub> ) <sub>2</sub> Laser Crystal. Physics of the Solid State, 2019, 61, 2407-2411.	0.2	0
89	High Purity Tungsten (VI) Oxide for Obtaining Promising Laser Materials. Glass and Ceramics (English) Tj ETQq1 1 0,784314 rgBT / Overlock d0 Tf 50	0,2	0
90	Hybrid Ultra-Low-Radioactive Material for Protecting Dark Matter Detector from Background Neutrons. Materials, 2021, 14, 3757.	1.3	0

#	ARTICLE	IF	CITATIONS
91	Gadolinium-Based Hybrid Ultra-Low-Background Material for Protecting the Darkside20k Dark Matter Detector from Background Neutrons. Glass and Ceramics (English Translation of Steklo I Keramika), 2021, 78, 91-96.	0.2	0
92	Growth of BPO <sub>4</sub> Crystals in Low Temperature Gradients. Crystal Research and Technology, 2022, 57, .	0.6	0