

Anick Brard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9575699/anick-berard-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

3,079
citations

30
h-index

52
g-index

128
ext. papers

3,760
ext. citations

4.1
avg, IF

5.52
L-index

#	Paper	IF	Citations
114	Prevalence and duration of prescribed opioid use during pregnancy: a cohort study from the Quebec Pregnancy Cohort. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 800	3.2	0
113	Maternal ADHD medication use during pregnancy and the risk of ADHD in children: Importance of genetic predispositions and impact of using a sibling analysis. <i>European Neuropsychopharmacology</i> , 2021 , 44, 66-78	1.2	1
112	Prevalence and determinants of attention deficit/hyperactivity disorder (ADHD) medication use during pregnancy: Results from the Quebec Pregnancy/Children Cohort. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00781	3.1	0
111	Available medications used as potential therapeutics for COVID-19: What are the known safety profiles in pregnancy. <i>PLoS ONE</i> , 2021 , 16, e0251746	3.7	5
110	Costs of Neonatal Intensive Care for Canadian Infants with Preterm Birth. <i>Journal of Pediatrics</i> , 2021 , 229, 161-167.e12	3.6	6
109	Protocol for a randomised trial evaluating a preconception-early childhood telephone-based intervention with tailored e-health resources for women and their partners to optimise growth and development among children in Canada: a Healthy Life Trajectory Initiative (HeLTI Canada). <i>BMJ Open</i> , 2021 , 11, e046311	3	11
108	Chloroquine and Hydroxychloroquine Use During Pregnancy and the Risk of Adverse Pregnancy Outcomes Using Real-World Evidence. <i>Frontiers in Pharmacology</i> , 2021 , 12, 722511	5.6	2
107	Dihydroergotamine and triptan use to treat migraine during pregnancy and the risk of adverse pregnancy outcomes. <i>Scientific Reports</i> , 2021 , 11, 19302	4.9	0
106	Risk of malformation after ondansetron in pregnancy: An updated systematic review and meta-analysis. <i>Birth Defects Research</i> , 2020 , 112, 996-1013	2.9	7
105	Long-Distance Phasing of a Tentative "Enhancer" Single-Nucleotide Polymorphism With Star Allele Definitions. <i>Frontiers in Pharmacology</i> , 2020 , 11, 486	5.6	5
104	Medically assisted reproduction and the risk of preterm birth: a case-control study using data from the Quebec Pregnancy Cohort. <i>CMAJ Open</i> , 2020 , 8, E206-E213	2.5	0
103	Response to letter Rchallenges in assessing the use of antibiotics during pregnancy and risk of congenital malformationsR <i>British Journal of Clinical Pharmacology</i> , 2020 , 86, 531-532	3.8	
102	The importance of generating more data on cannabis use in pregnancy. <i>Nature Medicine</i> , 2020 , 26, 1515-1516	35.36	3
101	Are Adverse Reproductive Outcomes Associated With the Illness or Its Treatment (or Both)?-Reply. <i>JAMA Psychiatry</i> , 2019 , 76, 1318	14.5	0
100	New evidence for concern over the risk of birth defects from medications for nausea and vomiting of pregnancy. <i>Journal of Clinical Epidemiology</i> , 2019 , 116, 39-48	5.7	9
99	Impact of antidepressant use, discontinuation, and dosage modification on maternal depression during pregnancy. <i>European Neuropsychopharmacology</i> , 2019 , 29, 803-812	1.2	3
98	Association Between Incident Exposure to Benzodiazepines in Early Pregnancy and Risk of Spontaneous Abortion. <i>JAMA Psychiatry</i> , 2019 , 76, 948-957	14.5	29

97	Epidemiology of the Use of Psychotropic Drugs in Pregnant and Nursing Women 2019 , 3-16		
96	The French Pregnancy Cohort: Medication use during pregnancy in the French population. <i>PLoS ONE</i> , 2019 , 14, e0219095	3.7	20
95	Associations between low- and high-dose oral fluconazole and pregnancy outcomes: 3 nested case-control studies. <i>Cmaj</i> , 2019 , 191, E179-E187	3.5	23
94	Antidepressant use during pregnancy and the risk of gestational diabetes mellitus: a nested case-control study. <i>BMJ Open</i> , 2019 , 9, e025908	3	12
93	Impact of assisted reproduction, infertility, sex and paternal factors on the placental DNA methylome. <i>Human Molecular Genetics</i> , 2019 , 28, 372-385	5.6	32
92	Selective Serotonin Reuptake Inhibitor Use During Pregnancy and Major Malformations: The Importance of Serotonin for Embryonic Development and the Effect of Serotonin Inhibition on the Occurrence of Malformations. <i>Bioelectricity</i> , 2019 , 1, 18-29	2	3
91	Reply to Comment on "Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study" by Muanda et al. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1083-1084	3.8	1
90	Use of trimethoprim-sulfamethoxazole during pregnancy and risk of spontaneous abortion: a nested case control study. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 1198-1205	3.8	6
89	Risk of preterm birth following late pregnancy exposure to NSAIDs or COX-2 inhibitors. <i>Pain</i> , 2018 , 159, 948-955	8	8
88	Leflunomide use during pregnancy and the risk of adverse pregnancy outcomes. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 500-509	2.4	30
87	Trends in attention-deficit hyperactivity disorder medication use: a retrospective observational study using population-based databases. <i>Lancet Psychiatry</i> , 2018 , 5, 824-835	23.3	105
86	Heart Disease, Hypertension, Gestational Diabetes Mellitus, and Preeclampsia/Eclampsia in Mothers With Juvenile Arthritis: A Nested Case-Control Study. <i>Arthritis Care and Research</i> , 2017 , 69, 306-309	4.7	7
85	Antidepressant use during pregnancy and the risk of major congenital malformations in a cohort of depressed pregnant women: an updated analysis of the Quebec Pregnancy Cohort. <i>BMJ Open</i> , 2017 , 7, e013372	3	82
84	Can We Rely on Pharmacy Claims Databases to Ascertain Maternal Use of Medications during Pregnancy?. <i>Birth Defects Research</i> , 2017 , 109, 423-431	2.9	28
83	Use of antibiotics during pregnancy and risk of spontaneous abortion. <i>Cmaj</i> , 2017 , 189, E625-E633	3.5	60
82	Postpartum complications in new mothers with juvenile idiopathic arthritis: a population-based cohort study. <i>Rheumatology</i> , 2017 , 56, 1378-1385	3.9	4
81	SSRI and SNRI use during pregnancy and the risk of persistent pulmonary hypertension of the newborn. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 1126-1133	3.8	37
80	Neurodevelopmental Outcomes After Assisted Reproductive Technologies. <i>Obstetrics and Gynecology</i> , 2017 , 129, 265-272	4.9	21

79	Risk of Autism Spectrum Disorders in Children Born to Mothers With Rheumatoid Arthritis: A Systematic Literature Review. <i>Arthritis Care and Research</i> , 2017 , 69, 1926-1931	4.7	13
78	Association between Genotypes and the Risk of Antidepressant Discontinuation, Dosage Modification and the Occurrence of Maternal Depression during Pregnancy. <i>Frontiers in Pharmacology</i> , 2017 , 8, 402	5.6	16
77	Response to: "Maternal infection can cause spontaneous abortion". <i>Cmaj</i> , 2017 , 189, E1022	3.5	
76	Use of antibiotics during pregnancy and the risk of major congenital malformations: a population based cohort study. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2557-2571	3.8	49
75	The authors respond to: "Optimal levels of DHEA for pregnancy may be reduced by antibiotics". <i>Cmaj</i> , 2017 , 189, E1000	3.5	
74	Antiretroviral combination use during pregnancy and the risk of major congenital malformations. <i>Aids</i> , 2017 , 31, 2267-2277	3.5	7
73	Administrative Claims Data Versus Augmented Pregnancy Data for the Study of Pharmaceutical Treatments in Pregnancy. <i>Current Epidemiology Reports</i> , 2017 , 4, 106-116	2.9	17
72	Antidepressant Use in Pregnancy and the Risk of Attention Deficit with or without Hyperactivity Disorder in Children. <i>Paediatric and Perinatal Epidemiology</i> , 2017 , 31, 363-373	2.7	22
71	Reply. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 328-329	6.4	
70	The authors respond to "Underlying maternal infection likely cause of study findings". <i>Cmaj</i> , 2017 , 189, E919	3.5	
69	Outcomes in mothers with rheumatic diseases and their offspring workshop. <i>Lupus Science and Medicine</i> , 2017 , 4, e000204	4.6	78
68	In utero exposure to venlafaxine, a serotonin-norepinephrine reuptake inhibitor, increases cardiac anomalies and alters placental and heart serotonin signaling in the rat. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016 , 106, 1044-1055		18
67	Selective serotonin reuptake inhibitors and autism: additional data on the Quebec Pregnancy/Birth Cohort. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 803-805	6.4	4
66	3D Cohort Study: The Integrated Research Network in Perinatology of Quebec and Eastern Ontario. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 623-632	2.7	25
65	Intranasal triamcinolone use during pregnancy and the risk of adverse pregnancy outcomes. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 97-104.e7	11.5	22
64	Antidepressant Use During Pregnancy and the Risk of Autism Spectrum Disorder in Children. <i>JAMA Pediatrics</i> , 2016 , 170, 117-24	8.3	165
63	The risk of major cardiac malformations associated with paroxetine use during the first trimester of pregnancy: a systematic review and meta-analysis. <i>British Journal of Clinical Pharmacology</i> , 2016 , 81, 589-604	3.8	41
62	Field studies versus database studies on the risks and benefits of medication use during pregnancy: Distinct pieces of the same puzzle. <i>Reproductive Toxicology</i> , 2016 , 60, 123-8	3.4	5

61	Impact of maternal prenatal and parental postnatal stress on 1-year-old child development: results from the OTIS antidepressants in pregnancy study. <i>Archives of Women's Mental Health</i> , 2016 , 19, 835-43	5	17
60	Ovarian Stimulation, Intrauterine Insemination, Multiple Pregnancy and Major Congenital Malformations: A Systematic Review and Meta- Analysis- The ART_Rev Study. <i>Current Drug Safety</i> , 2016 , 11, 222-61	1.4	10
59	Paroxetine use during pregnancy and the risk of cardiac defects. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 566-7	3.8	2
58	Ovarian Stimulators, Intrauterine Insemination, and Assisted Reproductive Technologies Use and the Risk of Major Congenital Malformations-The AtRISK Study. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2016 , 107, 136-47		5
57	Methodological quality of antimalarial randomized controlled trials during pregnancy and its impact on the risk of low birth weight. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 806-13	3.8	1
56	Response to letter to the editor by Wise. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2016 , 106, 1059-1061		
55	Birth Outcomes in Women with a History of Juvenile Idiopathic Arthritis. <i>Journal of Rheumatology</i> , 2016 , 43, 804-9	4.1	12
54	Occurrence of pregnancy and pregnancy outcomes during isotretinoin therapy. <i>Cmaj</i> , 2016 , 188, 723-730	5.5	33
53	Maternal inhaled fluticasone propionate intake during pregnancy is detected in neonatal cord blood. <i>Bioanalysis</i> , 2016 , 8, 1441-1450	2.1	2
52	Success of smoking cessation interventions during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 611.e1-611.e8	6.4	29
51	Association between ovarian stimulators with or without intrauterine insemination, and assisted reproductive technologies on multiple births. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 511.e1-511.e14	6.4	10
50	Sertraline use during pregnancy and the risk of major malformations. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 795.e1-795.e12	6.4	39
49	Should pregnant women be included in phase IV clinical drug trials?. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 810-5	6.4	21
48	Can drug effects explain the recent temporal increase in atonic postpartum haemorrhage?. <i>Paediatric and Perinatal Epidemiology</i> , 2015 , 29, 220-31	2.7	10
47	Antimalarial drugs for preventing malaria during pregnancy and the risk of low birth weight: a systematic review and meta-analysis of randomized and quasi-randomized trials. <i>BMC Medicine</i> , 2015 , 13, 193	11.4	13
46	Update on Prepregnancy Maternal Obesity: Birth Defects and Childhood Outcomes. <i>Journal of Pediatric Genetics</i> , 2015 , 4, 71-83	0.7	8
45	Selective Serotonin Reuptake Inhibitor Use during Pregnancy and the Risk of Autism Spectrum Disorders: A Review. <i>Journal of Pediatric Genetics</i> , 2015 , 4, 84-93	0.7	6
44	Use of macrolides during pregnancy and the risk of birth defects: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1241-8	2.6	24

43	The ASQ and R-PDQ telephone-administered validation within the OTIS antidepressant in pregnancy study. <i>Psychological Assessment</i> , 2015 , 27, 1507-12	5.3	1
42	The use of metronidazole during pregnancy: a review of evidence. <i>Current Drug Safety</i> , 2015 , 10, 170-9	1.4	31
41	Regional Variations in the Prevalence of Major Congenital Malformations in Quebec: The Importance of Fetal Growth Environment. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2015 , 22, e198-210	3.3	9
40	The Quebec Pregnancy Cohort--prevalence of medication use during gestation and pregnancy outcomes. <i>PLoS ONE</i> , 2014 , 9, e93870	3.7	67
39	Differential low uptake of free vitamin D supplements in preterm infants: the Quebec experience. <i>BMC Pediatrics</i> , 2014 , 14, 291	2.6	4
38	Programme to provide Quebec infants with free vitamin D supplements failed to encourage participation or adherence. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, e444-9	3.1	11
37	Antidepressant use and gestational hypertension: does evidence support causality? Reply letter. <i>British Journal of Clinical Pharmacology</i> , 2013 , 75, 1375-6	3.8	
36	Validity of congenital malformation diagnostic codes recorded in Québec administrative databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 881-9	2.6	31
35	Epidemiology of major congenital malformations with specific focus on teratogens. <i>Current Drug Safety</i> , 2013 , 8, 128-40	1.4	12
34	Annual trends in use of periconceptional folic acid and birth prevalence of major congenital malformations. <i>Current Drug Safety</i> , 2013 , 8, 153-61	1.4	5
33	Dihydroergotamine (DHE) use during gestation and the risk of adverse pregnancy outcomes. <i>Headache</i> , 2012 , 52, 1085-93	4.2	20
32	Antidepressant use during pregnancy and the risk of pregnancy-induced hypertension. <i>British Journal of Clinical Pharmacology</i> , 2012 , 74, 362-9	3.8	44
31	Study of the costs and morbidities of late-preterm birth. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2012 , 97, F329-34	4.7	57
30	Use of anti-infective drugs during pregnancy and the risk of preterm birth. <i>International Journal of Antimicrobial Agents</i> , 2012 , 39, 177-8	14.3	
29	Reliability and validity of the 4-item perceived stress scale among pregnant women: results from the OTIS antidepressants study. <i>Research in Nursing and Health</i> , 2012 , 35, 363-75	2	83
28	Paroxetine use during pregnancy and perinatal outcomes including types of cardiac malformations in Quebec and France: a short communication. <i>Current Drug Safety</i> , 2012 , 7, 207-10	1.4	1
27	Trends in anti-infective drugs use in pregnancy. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2012 , 19, e460-5	3.3	5
26	Use of nonaspirin nonsteroidal anti-inflammatory drugs during pregnancy and the risk of spontaneous abortion. <i>Cmaj</i> , 2011 , 183, 1713-20	3.5	100

25	Isotretinoin and the risk of cardiovascular, cerebrovascular and thromboembolic disorders. <i>Dermatology</i> , 2011 , 223, 45-51	4.4	10
24	Association between Antidepressant Use during Pregnancy and Infants Born Small for Gestational Age. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 643-652	4.8	30
23	Exposure to herbal products during pregnancy and the risk of preterm birth. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010 , 150, 107-8	2.4	16
22	Use of antidepressants during pregnancy and the risk of spontaneous abortion. <i>Cmaj</i> , 2010 , 182, 1031-7	3.5	112
21	Paroxetine exposure during pregnancy and the risk of cardiac malformations: what is the evidence?. <i>Birth Defects Research Part A: Clinical and Molecular Teratology</i> , 2010 , 88, 171-4		7
20	Congenital malformations: agreement between diagnostic codes in an administrative database and mothers' reports. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2010 , 32, 549-554	1.3	12
19	Prevalence and predictors of anti-infective use during pregnancy. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 418-27	2.6	30
18	Association between antidepressant use during pregnancy and infants born small for gestational age. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 643-52	4.8	12
17	Discontinuation of antihypertensive drug use during the first trimester of pregnancy and the risk of preeclampsia and eclampsia among women with chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 201, 180.e1-8	6.4	11
16	Health care providers' requests to Teratogen Information Services on medication use during pregnancy and lactation. <i>European Journal of Clinical Pharmacology</i> , 2009 , 65, 523-31	2.8	25
15	Herbal products use during pregnancy: prevalence and predictors. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 454-61	2.6	46
14	Validity of perinatal pharmacoepidemiologic studies using data from the RAMQ administrative database. <i>Journal of Population Therapeutics and Clinical Pharmacology</i> , 2009 , 16, e360-9	2	28
13	Validation of the nausea and vomiting of pregnancy specific health related quality of life questionnaire. <i>Health and Quality of Life Outcomes</i> , 2008 , 6, 32	3	39
12	Major malformations after first trimester exposure to aspirin and NSAIDs. <i>Expert Review of Clinical Pharmacology</i> , 2008 , 1, 605-16	3.8	4
11	Duration of antidepressant use during pregnancy and risk of major congenital malformations. <i>British Journal of Psychiatry</i> , 2008 , 192, 344-50	5.4	59
10	Risk factors associated with preterm birth according to gestational age at birth. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 556-64	2.6	11
9	Validity of a modified Pregnancy-Unique Quantification of Emesis and Nausea (PUQE) scoring index to assess severity of nausea and vomiting of pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 71.e1-7	6.4	72
8	Isotretinoin and the risk of depression in patients with acne vulgaris: a case-crossover study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 526-32	4.6	88

7	First trimester exposure to paroxetine and risk of cardiac malformations in infants: the importance of dosage. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2007 , 80, 18-27		196
6	Isotretinoin, pregnancies, abortions and birth defects: a population-based perspective. <i>British Journal of Clinical Pharmacology</i> , 2007 , 63, 196-205	3.8	74
5	Risk of congenital anomalies in pregnant users of statin drugs. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 496-509	3.8	89
4	Paroxetine and congenital malformations: meta-Analysis and consideration of potential confounding factors. <i>Clinical Therapeutics</i> , 2007 , 29, 918-926	3.5	186
3	Patterns and utilization of isotretinoin for acne from 1984 to 2003: is there need for concern?. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 667-74	2.8	24
2	Risk of congenital anomalies in pregnant users of non-steroidal anti-inflammatory drugs: A nested case-control study. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2006 , 77, 268-79		97
1	Inappropriate medication prescribing in community-dwelling elderly people living in Iran. <i>European Journal of Clinical Pharmacology</i> , 2005 , 61, 913-9	2.8	30