## Hanne Vibeke Marquart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9576349/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Therapeutic options for CTLA-4 insufficiency. Journal of Allergy and Clinical Immunology, 2022, 149, 736-746.	1.5	68
2	Fatal JC-virus Granular Cerebellar Neuronopathy in a Patient Diagnosed with ALPS and Hypogammaglobulinemia. Journal of Clinical Immunology, 2022, , 1.	2.0	1
3	Characteristics of white blood cell count in acute lymphoblastic leukemia: A COST LEGEND phenotype–genotype study. Pediatric Blood and Cancer, 2022, 69, e29582.	0.8	1
4	High CD34 surface expression in BCPâ€ALL predicts poor induction therapy response and is associated with altered expression of genes related to cell migration and adhesion. Molecular Oncology, 2022, 16, 2015-2030.	2.1	5
5	Life-threatening viral disease in a novel form of autosomal recessive <i>IFNAR2</i> deficiency in the Arctic. Journal of Experimental Medicine, 2022, 219, .	4.2	33
6	Does minimal central nervous system involvement in childhood acute lymphoblastic leukemia increase the risk for central nervous system toxicity?. Pediatric Blood and Cancer, 2022, , e29745.	0.8	1
7	Flow Cytometric Detection of Malignant Blasts in Cerebrospinal Fluid: A Biomarker of Central Nervous System Involvement in Childhood Acute Lymphoblastic Leukemia. Biomolecules, 2022, 12, 813.	1.8	7
8	Relapse risk following truncation of pegylated asparaginase in childhood acute lymphoblastic leukemia. Blood, 2021, 137, 2373-2382.	0.6	42
9	Compartmental immunophenotyping in COVID-19 ARDS: AÂcase series. Journal of Allergy and Clinical Immunology, 2021, 147, 81-91.	1.5	70
10	Granulocyte Colony-Stimulating Factor Effectively Mobilizes TCR γδ and NK Cells Providing an Allograft Potentially Enhanced for the Graft-Versus-Leukemia Effect for Allogeneic Stem Cell Transplantation. Frontiers in Immunology, 2021, 12, 625165.	2.2	7
11	Flow cytometric analysis of cerebrospinal fluid improves detection of leukaemic blasts in infants with acute lymphoblastic leukaemia. British Journal of Haematology, 2021, 195, 119-122.	1.2	4
12	Disseminated Mycobacterium avium complex infection in a woman with anti-interferon- $\hat{I}^3$ autoantibodies. IDCases, 2021, 26, e01300.	0.4	2
13	The Molecular Landscape of KMT2A-Rearranged Leukemia from Infancy to Adulthood Reveals Age and Leukemia-Specific Mutational Patterns. Blood, 2021, 138, 3479-3479.	0.6	0
14	Flow cytometric detection of leukemic blasts in cerebrospinal fluid predicts risk of relapse in childhood acute lymphoblastic leukemia: a Nordic Society of Pediatric Hematology and Oncology study. Leukemia, 2020, 34, 336-346.	3.3	53
15	T-cell acute lymphoblastic leukemia in patients 1–45 years treated with the pediatric NOPHO ALL2008 protocol. Leukemia, 2020, 34, 347-357.	3.3	34
16	Value of flow cytometry for MRD-based relapse prediction in B-cell precursor ALL in a multicenter setting. Leukemia, 2020, 35, 1894-1906.	3.3	23
17	Improved Relapse-Free Survival in Patients With High Natural Killer Cell Doses in Grafts and During Early Immune Reconstitution After Allogeneic Stem Cell Transplantation. Frontiers in Immunology, 2020, 11, 1068.	2.2	14
18	Integrin-Mediated Adhesion and Chemoresistance of Acute Lymphoblastic Leukemia Cells Residing in the Bone Marrow or the Central Nervous System. Frontiers in Oncology, 2020, 10, 775.	1.3	16

#	Article	IF	CITATIONS
19	Minimal residual disease monitoring cannot fully replace bone marrow morphology in assessing disease status in pediatric acute lymphoblastic leukemia. Apmis, 2020, 128, 414-419.	0.9	2
20	ls microchimerism a sign of imminent disease recurrence after allogeneic hematopoietic stem cell transplantation? A systematic review of the literature. Blood Reviews, 2020, 44, 100673.	2.8	14
21	A comprehensive clinical study of integrins in acute lymphoblastic leukemia indicates a role of α6/CD49f in persistent minimal residual disease and α5 in the colonization of cerebrospinal fluid. Leukemia and Lymphoma, 2020, 61, 1714-1718.	0.6	13
22	Highly sensitive chimerism detection in blood is associated with increased risk of relapse after allogeneic hematopoietic cell transplantation in childhood leukemia. Pediatric Transplantation, 2019, 23, e13549.	0.5	11
23	Improved Overall Survival, Relapse-Free-Survival, and Less Graft-vsHost-Disease in Patients With High Immune Reconstitution of TCR Gamma Delta Cells 2 Months After Allogeneic Stem Cell Transplantation. Frontiers in Immunology, 2019, 10, 1997.	2.2	43
24	Minimal residual disease quantification by flow cytometry provides reliable risk stratification in T-cell acute lymphoblastic leukemia. Leukemia, 2019, 33, 1324-1336.	3.3	42
25	Intensive Chemotherapy for High-Risk ALL in Children - the Nordic Collaborative Approach. Blood, 2019, 134, 742-742.	0.6	1
26	Value of Flow Cytometry for MRD-Based Relapse Prediction in B-Cell Precursor Acute Lymphoblastic Leukemia in a Multi-Center Setting. Blood, 2019, 134, 2755-2755.	0.6	0
27	International cooperative study identifies treatment strategy in childhood ambiguous lineage leukemia. Blood, 2018, 132, 264-276.	0.6	70
28	Results of NOPHO ALL2008 treatment for patients aged 1–45 years with acute lymphoblastic leukemia. Leukemia, 2018, 32, 606-615.	3.3	297
29	Central Nervous System Involvement Detected By Flow Cytometry Is a Risk Factor for Relapse in Childhood Acute Lymphoblastic Leukemia. Blood, 2018, 132, 657-657.	0.6	3
30	Improved Relapse-Free Survival and Overall Survival in Patients with High Immune Reconstitution of Gamma Delta T Cells 2 Months after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2018, 132, 3396-3396.	0.6	0
31	Case Report: Renal Transplantation in Patients with Preâ€existing Hypogammaglobulinemia. Scandinavian Journal of Immunology, 2017, 86, 113-117.	1.3	3
32	Early Natural Killer Cell Reconstitution Predicts Overall Survival in T Cell–Replete Allogeneic Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2016, 22, 2187-2193.	2.0	47
33	Polymyositis following autologous haematopoietic stem cell transplantation. Scandinavian Journal of Rheumatology, 2016, 45, 429-431.	0.6	1
34	Residual disease detected by flow cytometry is an independent predictor of survival in childhood acute myeloid leukaemia; results of the <scp>NOPHO</scp> â€ <scp>AML</scp> 2004 study. British Journal of Haematology, 2016, 174, 600-609.	1.2	65
35	Acute Leukemia of Ambiguous Lineage: A Comprehensive Survival Analysis Enables Designing New Treatment Strategies. Blood, 2016, 128, 584-584.	0.6	2
36	An Immature Immunophenotype (CD34pos, CD38dim, nTdTdim) on Malignant B-Cell Precursor Blasts at Diagnosis Predicts High Minimal Residual Disease in BCP-ALL. Blood, 2016, 128, 1728-1728.	0.6	0

#	Article	IF	CITATIONS
37	Acute Leukemias of Ambiguous Lineage; Study on 247 Pediatric Patients. Blood, 2015, 126, 252-252.	0.6	4
38	Intra-Tumoral Blast Heterogeneity and Implications for Minimal Residual Disease Detection in T-Cell Acute Lymphoblastic Leukemia. Blood, 2014, 124, 1076-1076.	0.6	0
39	Flow Cytometric Leukemic Blasts Detection in Cerebrospinal Fluid of Children with Acute Lymphoblastic Leukemia. Blood, 2014, 124, 3799-3799.	0.6	0
40	A Novel Chemosensitivity Profiling Platform for Small Acute Lymphoblastic Leukemia Cell Populations. Blood, 2014, 124, 3790-3790.	0.6	0
41	Identification of residual leukemic cells by flow cytometry in childhood B-cell precursor acute lymphoblastic leukemia: verification of leukemic state by flow-sorting and molecular/cytogenetic methods. Haematologica, 2012, 97, 137-141.	1.7	20
42	C1q deficiency in an Inuit family: Identification of a new class of C1q disease-causing mutations. Clinical Immunology, 2007, 124, 33-40.	1.4	23