

MarÃ-a de la Torre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9578426/publications.pdf>

Version: 2024-02-01

133
papers

3,029
citations

186209

28
h-index

276775

41
g-index

144
all docs

144
docs citations

144
times ranked

2357
citing authors

#	ARTICLE	IF	CITATIONS
1	Comments on Recent Achievements in Biomimetic Organic Synthesis. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 160-181.	7.2	111
2	The C-12 and C-20 configurations of some neo-clerodane diterpenoids isolated from <i>Teucrium</i> species. <i>Phytochemistry</i> , 1986, 25, 715-718.	1.4	77
3	Structure and Antimicrobial Activity of Diterpenes from the Roots of <i>Plectranthus hereroensis</i> . <i>Journal of Natural Products</i> , 1994, 57, 858-861.	1.5	74
4	Analgesic, Anti-Inflammatory, Antipyretic and Haematological Effects of Aethiopinone, a Naphthoquinone Diterpenoid from <i>Salvia aethiops</i> Roots and two Hemisynthetic Derivatives. <i>Planta Medica</i> , 1995, 61, 505-509.	0.7	73
5	An antimicrobial abietane from the root of <i>plectranthus hereroensis</i> . <i>Phytochemistry</i> , 1995, 38, 167-169.	1.4	63
6	The "Click" Reaction Involving Metal Azides, Metal Alkynes, or Both: An Exploration into Multimetal Structures. <i>Chemistry - A European Journal</i> , 2013, 19, 3534-3541.	1.7	61
7	Guaiane sesquiterpenes from <i>Teucrium leucocladum</i> . <i>Phytochemistry</i> , 1993, 34, 245-247.	1.4	60
8	Bioorganometallic Derivatives of Antibacterial Drugs. <i>Chemistry - A European Journal</i> , 2019, 25, 7232-7242.	1.7	56
9	Neo-clerodane insect antifeedants from <i>Scutellaria galericulata</i> . <i>Phytochemistry</i> , 1993, 33, 309-315.	1.4	54
10	Platinum-Catalysed Bisindolylolation of Allenes: A Complementary Alternative to Gold Catalysis. <i>Chemistry - A European Journal</i> , 2012, 18, 4499-4504.	1.7	46
11	Mulinic and isomulinic acids. Rearranged diterpenes with a new carbon skeleton from <i>mulinum crassifolium</i> . <i>Tetrahedron</i> , 1990, 46, 5413-5420.	1.0	44
12	Scutalpin a, a neo-clerodane diterpene from <i>scutellaria alpina</i> . <i>Phytochemistry</i> , 1993, 34, 453-456.	1.4	44
13	20-Nor-abietane and rearranged abietane diterpenoids from the root of <i>Salvia argentea</i> . <i>Phytochemistry</i> , 1986, 25, 1935-1937.	1.4	43
14	Rearranged abietane diterpenoids from the root of two <i>Teucrium</i> species. <i>Phytochemistry</i> , 1992, 31, 1697-1701.	1.4	41
15	Abietane diterpenoids from <i>Plectranthus grandidentatus</i> . <i>Phytochemistry</i> , 1997, 44, 325-327.	1.4	41
16	Neo-clerodane insect antifeedants from <i>Scutellaria alpina</i> subsp. <i>javallambrensis</i> . <i>Phytochemistry</i> , 1997, 44, 593-597.	1.4	39
17	Rearranged abietane diterpenoids from the root of <i>teucrium polium</i> subsp. <i>vincentinum</i> . <i>Tetrahedron</i> , 1990, 46, 847-860.	1.0	38
18	Gold Sulfinyl Mesoionic Carbenes: Synthesis, Structure, and Catalytic Activity. <i>Organic Letters</i> , 2016, 18, 3570-3573.	2.4	38

#	ARTICLE	IF	CITATIONS
19	Dead Ends and Detours En Route to Total Syntheses of the 1990s. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 1538-1559.	7.2	36
20	Photochemical Access to Tetra- and Pentacyclic Terpene-like Products from R-(+)-Sclareolide. <i>Journal of Organic Chemistry</i> , 2003, 68, 6611-6618.	1.7	36
21	Neo-clerodane diterpenoids from <i>teucrium lepicephalum</i> and <i>teucrium buxifolium</i> . <i>Phytochemistry</i> , 1986, 25, 2569-2572.	1.4	33
22	Oxirane-opening reactions of some 6,19-oxygenated 4 β ,18- epoxy-neo-clerodanes isolated from <i>Teucrium</i> . Biogenesis and antifeedant activity of their derivatives. <i>Tetrahedron</i> , 1994, 50, 5451-5468.	1.0	33
23	A Straightforward Synthesis of Tetrameric Estrone-Based Macrocycles. <i>Organic Letters</i> , 2008, 10, 3555-3558.	2.4	33
24	Neo-clerodane diterpenoids from <i>scutellaria alpina</i> . <i>Phytochemistry</i> , 1995, 38, 181-187.	1.4	32
25	Neo-clerodane diterpenoids from <i>Scutellaria altissima</i> and <i>S. albida</i> . <i>Phytochemistry</i> , 1996, 42, 1059-1064.	1.4	32
26	17-Acetoxyulinic acid, a rearranged diterpenoid from <i>Mulinum crassifolium</i> . <i>Phytochemistry</i> , 1990, 29, 3950-3951.	1.4	29
27	Neo-clerodane diterpenoids from <i>Scutellaria columnae</i> . <i>Phytochemistry</i> , 1992, 31, 3639-3641.	1.4	29
28	A neo-clerodane diterpenoid from <i>Scutellaria baicalensis</i> . <i>Phytochemistry</i> , 1996, 43, 835-837.	1.4	29
29	Synthesis of polymetallic macrocyclic terpene-derived hybrids. <i>Chemical Communications</i> , 2006, , 985.	2.2	29
30	A valencane sesquiterpenoid from <i>Teucrium carolipau</i> . <i>Phytochemistry</i> , 1987, 26, 571-572.	1.4	28
31	Abietane diterpenoids from <i>Lepechinia meyeri</i> and <i>Lepechinia hastata</i> . <i>Phytochemistry</i> , 1991, 30, 2339-2343.	1.4	28
32	Neo-clerodane diterpenoids from <i>Scutellaria alpina</i> subsp. <i>javallambrensis</i> . <i>Phytochemistry</i> , 1993, 34, 1589-1594.	1.4	28
33	Rearranged neo-clerodane diterpenoids from <i>Teucrium brevifolium</i> and their biogenetic pathway. <i>Tetrahedron</i> , 1995, 51, 837-848.	1.0	28
34	Neo-clerodane diterpenoids from <i>Scutellaria lateriflora</i> . <i>Phytochemistry</i> , 1998, 48, 687-691.	1.4	27
35	Understanding of the Mode of Action of Felli-EDDHA as Iron Chlorosis Corrector Based on Its Photochemical and Redox Behavior. <i>Chemistry - A European Journal</i> , 2005, 11, 5997-6005.	1.7	27
36	Neo-clerodane diterpenoids from <i>Teucrium micropodioides</i> . <i>Phytochemistry</i> , 1988, 27, 213-216.	1.4	26

#	ARTICLE	IF	CITATIONS
37	Mulinenic Acid, a Rearranged Diterpenoid from <i>Mulinum crassifolium</i> . <i>Journal of Natural Products</i> , 1991, 54, 1404-1408.	1.5	26
38	Transformation of neoclerodane diterpenoids into 19-norneoclerodane derivatives. <i>Journal of Organic Chemistry</i> , 1991, 56, 6595-6600.	1.7	25
39	Two Versatile and Parallel Approaches to Highly Symmetrical Open and Closed Natural Product-Based Structures. <i>Chemistry - A European Journal</i> , 2010, 16, 3798-3814.	1.7	25
40	A rearranged abietane diterpenoid from the root of <i>Teucrium fruticans</i> . <i>Phytochemistry</i> , 1990, 29, 2710-2712.	1.4	24
41	Neo-clerodane diterpenoids from <i>Teucrium oliverianum</i> . <i>Phytochemistry</i> , 1991, 30, 275-282.	1.4	24
42	Terpenoids from <i>Salvia willeana</i> and <i>S. Virgata</i> . <i>Phytochemistry</i> , 1990, 29, 668-670.	1.4	23
43	Neo-clerodane diterpenoids from three species of <i>Teucrium</i> . <i>Phytochemistry</i> , 1992, 31, 3957-3960.	1.4	23
44	Chemical transformations of some neo-clerodanes isolated from <i>Teucrium</i> : Effect on the antifeedant activity. <i>Phytochemistry</i> , 1994, 37, 147-157.	1.4	23
45	Cobalt-Mediated Approach for the Synthesis of Terpene-Based Hybrids. <i>Organic Letters</i> , 2003, 5, 2381-2384.	2.4	23
46	Diversity Oriented Synthesis of Hispanane-like Terpene Derivatives from (R)-(+)-Sclareolide. <i>Chemistry - A European Journal</i> , 2005, 11, 3659-3667.	1.7	23
47	The Nicholas Approach to Natural Product Hybrids. <i>Chemistry - A European Journal</i> , 2006, 12, 6403-6411.	1.7	23
48	Dammarane triterpenes of <i>Salvia hierosolymitana</i> . <i>Phytochemistry</i> , 1990, 29, 919-922.	1.4	22
49	Two C-10 oxygenated neo-clerodane diterpenoids from <i>Teucrium pestalozzae</i> . <i>Phytochemistry</i> , 1990, 29, 2229-2233.	1.4	22
50	Two neo-clerodane diterpenoids containing an unusual 2,6-dioxabicyclo[2.2.1]heptane structural moiety. <i>Tetrahedron</i> , 1991, 47, 3463-3470.	1.0	22
51	Some remarkable reactions of the diterpene eriocephalin: Neo-clerodane derivatives with insect antifeedant activity. <i>Tetrahedron</i> , 1994, 50, 13553-13566.	1.0	22
52	A rearranged abietane diterpenoid from <i>Plectranthus hereroensis</i> . <i>Phytochemistry</i> , 1996, 41, 571-573.	1.4	22
53	Structure-activity relationships of natural and synthetic neo-clerodane diterpenes from <i>Teucrium</i> against Colorado potato beetle larvae. <i>Phytochemistry</i> , 1999, 50, 749-753.	1.4	22
54	An Approach to Furolabdanes and Their Photooxidation Derivatives from R-(+)-Sclareolide. <i>Journal of Natural Products</i> , 2002, 65, 661-668.	1.5	22

#	ARTICLE	IF	CITATIONS
55	Neo-clerodane diterpenoids from <i>Teucrium salviastrum</i> . <i>Phytochemistry</i> , 1986, 25, 1397-1403.	1.4	21
56	Teucrolivins Dâ€“F, neo-clerodane derivatives from <i>Teucrium oliverianum</i> . <i>Phytochemistry</i> , 1991, 30, 1603-1606.	1.4	21
57	A neo-clerodane diterpenoid from <i>Scutellaria cypria</i> var. <i>Elatior</i> . <i>Phytochemistry</i> , 1993, 33, 931-932.	1.4	21
58	From a Phagostimulant Natural Product to Semisynthetic Antifeedants Against <i>Spodoptera littoralis</i> Larvae:â€“ Chemical Transformations of the Neoclerodane Diterpenoid Scutegalin B. <i>Journal of Natural Products</i> , 1999, 62, 594-600.	1.5	21
59	Straightforward synthesis of the strong ambergris odorant $\hat{1}^3$ -bicyclohomofarnesal and its endo-isomer from R-(+)-sclareolide. <i>Tetrahedron Letters</i> , 2002, 43, 6351-6353.	0.7	21
60	Synthesis of Terpene and Steroid Dimers and Trimers Having Cyclobutadienylâˆ“Co and Aromatic Tethers. <i>Journal of Organic Chemistry</i> , 2007, 72, 4213-4219.	1.7	21
61	Neo-clerodane diterpenoids from <i>Teucrium abutiloides</i> . <i>Phytochemistry</i> , 1990, 29, 579-584.	1.4	20
62	Neo-clerodane diterpenoids from <i>Teucrium oxylepis</i> subsp. <i>Marianum</i> . <i>Phytochemistry</i> , 1991, 30, 4079-4082.	1.4	20
63	Neo-clerodane diterpenoids from <i>Ajuga genevensis</i> . <i>Phytochemistry</i> , 1991, 30, 4083-4085.	1.4	20
64	Neoclerodane Diterpenoids from <i>Scutellaria polyodon</i> . <i>Journal of Natural Products</i> , 1997, 60, 1229-1235.	1.5	20
65	Neo-clerodane diterpenoids from <i>Ajuga australis</i> and <i>A. orientalis</i> . <i>Phytochemistry</i> , 1997, 45, 121-123.	1.4	20
66	Modified abietane diterpenoids and a methoxylupane derivative from <i>Salvia palaestina</i> . <i>Phytochemistry</i> , 1997, 45, 1663-1668.	1.4	20
67	New Platinumâ€“Catalysed Dihydroalkoxylation of Allenes. <i>Advanced Synthesis and Catalysis</i> , 2010, 352, 2189-2194.	2.1	20
68	A Simple Synthesis of 4-Acyl-2-oxoazetidines. <i>Synthesis</i> , 1982, 1982, 989-990.	1.2	19
69	Neo-clerodane diterpenoids from <i>Teucrium botrys</i> . <i>Phytochemistry</i> , 1986, 25, 2385-2387.	1.4	19
70	Neo-clerodane diterpenoids from <i>Scutellaria galericulata</i> . <i>Phytochemistry</i> , 1996, 41, 247-253.	1.4	19
71	Neo-clerodane diterpenoids from <i>Teucrium canadense</i> . <i>Phytochemistry</i> , 1989, 28, 3539-3541.	1.4	18
72	The absolute stereochemistry of ajugavensins, neo-clerodane diterpenes from <i>Ajuga genevensis</i> : A revision of the C-1 configuration of ajugavensins A and B. <i>Phytochemistry</i> , 1992, 31, 3151-3153.	1.4	18

#	ARTICLE	IF	CITATIONS
73	Neo- and seco-neo-clerodane diterpenoids from <i>Teucrium gracile</i> and <i>T. Fruticans</i> . <i>Phytochemistry</i> , 1992, 31, 3531-3534.	1.4	18
74	2-Deoxychamaedroxide, a neo-clerodane diterpenoid from <i>Teucrium divaricatum</i> . <i>Phytochemistry</i> , 1987, 26, 2859-2861.	1.4	17
75	Neo-clerodane diterpenoids from <i>Teucrium gracile</i> . <i>Phytochemistry</i> , 1991, 30, 3693-3697.	1.4	17
76	Synthesis and absolute configuration of drim-9(11)-en-8-ols from <i>Aspergillus oryzae</i> . <i>Tetrahedron Letters</i> , 1991, 32, 4765-4768.	0.7	17
77	Sterols from <i>Teucrium abutiloides</i> and <i>T. betonicum</i> . <i>Phytochemistry</i> , 1996, 43, 613-615.	1.4	17
78	Putative Hepatotoxic Neoclerodane Diterpenoids from <i>Teucrium</i> Species. <i>Planta Medica</i> , 1997, 63, 483-484.	0.7	17
79	Aethiopinone, an Antibacterial and Cytotoxic Agent from <i>Salvia aethiopsis</i> Roots. <i>Pharmaceutical Biology</i> , 1999, 37, 17-21.	1.3	17
80	Synthesis of Î±-Onoceradiene-like Terpene Dimers by Intermolecular Metathesis Processes. <i>Organic Letters</i> , 2006, 8, 593-596.	2.4	17
81	The Gold(I)- and Silver(I)-Catalyzed Nicholas Reaction. <i>Organometallics</i> , 2013, 32, 951-956.	1.1	17
82	Steroid Derived Mesoionic Gold and Silver Mono- and Polymetallic Carbenes. <i>Inorganic Chemistry</i> , 2015, 54, 11174-11185.	1.9	17
83	Neo-clerodane diterpenoids from <i>Teucrium pestalozzae</i> , <i>T. Odontites</i> and <i>T. Microphyllum</i> . <i>Phytochemistry</i> , 1990, 29, 988-989.	1.4	16
84	A prefuranic labdane diterpene from <i>Leonurus cardiaca</i> . <i>Phytochemistry</i> , 1998, 47, 1149-1151.	1.4	16
85	A new family of "clicked" estradiol-based low-molecular-weight gelators having highly symmetry-dependent gelation ability. <i>Chemical Communications</i> , 2011, 47, 10281.	2.2	16
86	Click chemistry to fluorescent hyperbranched polymeric sensors. 2. Synthesis, spectroscopic and cation-sensing properties of new green fluorescent 1,8-naphthalimides. <i>European Polymer Journal</i> , 2016, 74, 241-255.	2.6	16
87	19-acetylteupolin IV, a neo-clerodane diterpenoid from <i>Teucrium polium</i> subsp. <i>pilosum</i> . <i>Phytochemistry</i> , 1986, 25, 2239-2240.	1.4	15
88	Abietane and 20-nor-abietane diterpenoids from the root of <i>Meriandra benghalensis</i> . <i>Phytochemistry</i> , 1992, 31, 3953-3955.	1.4	15
89	Neo-clerodane diterpenes from <i>Teucrium</i> species. <i>Phytochemistry</i> , 1992, 31, 4366-4367.	1.4	15
90	Neo-clerodane diterpenoids from <i>teucrium racemosum</i> . <i>Phytochemistry</i> , 1995, 40, 505-507.	1.4	15

#	ARTICLE	IF	CITATIONS
91	Neo-clerodane diterpenoids from <i>Teucrium corymbosum</i> . <i>Phytochemistry</i> , 1995, 40, 1481-1483.	1.4	15
92	Neoclerodane Diterpenoids from <i>Scutellaria pontica</i> . <i>Journal of Natural Products</i> , 1997, 60, 348-355.	1.5	15
93	Unusual 6'-fatty acid esters of (24S)-24-ethylcholesta-5,25-dien-3 β -yl β -D-glucopyranoside from <i>Teucrium fruticosum</i> . <i>Phytochemistry</i> , 1999, 50, 283-285.	1.4	15
94	A clerodane diterpene from <i>Ajuga salicifolia</i> . <i>Phytochemistry</i> , 1993, 34, 1173-1175.	1.4	14
95	Neoclerodane Diterpenoids from <i>Teucrium massiliense</i> . <i>Journal of Natural Products</i> , 1998, 61, 1242-1247.	1.5	14
96	Desulfinylation of Ag(I) Sulfinyl Mesoionic Carbenes: Preparation of <i>C</i> -Unsubstituted Au(I)-1,2,3-Triazole Carbene Complexes. <i>Organic Letters</i> , 2017, 19, 822-825.	2.4	14
97	Revision of the structure of an aristolane sesquiterpene aldehyde isolated from the root of <i>Plectranthus hereroensis</i> and <i>Aristolochia debilis</i> . <i>Phytochemistry</i> , 1995, 38, 905-907.	1.4	13
98	Neo-clerodane diterpenoids from three species of <i>Teucrium</i> . <i>Phytochemistry</i> , 1996, 43, 435-438.	1.4	13
99	Neo-clerodane diterpenoids from <i>Teucrium sandrasicum</i> . <i>Phytochemistry</i> , 1997, 45, 1653-1662.	1.4	13
100	An Efficient and Tunable Route to Bis(1,2,3-triazol-4-yl)methane-Based Nitrogen Compounds. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 682-687.	1.2	13
101	Gold(I)-Catalyzed Cycloisomerization-Dimerization Cascade of Benzene-Tethered 1,6-Enynes. <i>Journal of Organic Chemistry</i> , 2017, 82, 7546-7554.	1.7	13
102	Transformation of montanin A into isocrotocaudin. A revision of the structures of crotocaudin and isocrotocaudin. <i>Tetrahedron Letters</i> , 1991, 32, 7305-7308.	0.7	12
103	The absolute stereochemistry of some clerodane diterpenoids isolated from <i>Teucrium</i> species. <i>Phytochemistry</i> , 1991, 30, 613-617.	1.4	12
104	Central (S) to Central (M=Ir, Rh) to Planar (Metallocene, M=Fe, Ru) Chirality Transfer Using Sulfoxide-Substituted Mesoionic Carbene Ligands: Synthesis of Bimetallic Planar Chiral Metallocenes. <i>Chemistry - A European Journal</i> , 2019, 25, 13344-13353.	1.7	12
105	Some chemical transformations of the neo-clerodane diterpene teubotrin. <i>Tetrahedron</i> , 1991, 47, 10129-10136.	1.0	11
106	Teulamioside, a neo-clerodane glucoside from <i>Teucrium lamiifolium</i> . <i>Phytochemistry</i> , 1993, 34, 1095-1098.	1.4	11
107	Hemisynthesis of some biogenetically anomalous 17 β -neoclerodane diterpenoids. <i>Tetrahedron</i> , 1998, 54, 14377-14400.	1.0	11
108	Chiral Sulfur Functional Groups as Definers of the Chirality at the Metal in Ir and Rh Half-Sandwich Complexes: A Combined CD/X-ray Study. <i>Chemistry - A European Journal</i> , 2017, 23, 14523-14531.	1.7	11

#	ARTICLE	IF	CITATIONS
109	1,2,3-Triazolium-Derived Mesoionic Carbene Ligands Bearing Chiral Sulfur-Based Moieties: Synthesis, Catalytic Properties, and Their Role in Chirality Transfer. <i>ACS Omega</i> , 2019, 4, 12983-12994.	1.6	11
110	Teugnaphalodin, a neo-clerodane diterpenoid from <i>Teucrium gnaphalodes</i> . <i>Phytochemistry</i> , 1985, 25, 171-173.	1.4	10
111	The absolute stereochemistry at C-12 in 12-hydroxylated neo-clerodane diterpenoids. <i>Tetrahedron</i> , 1992, 48, 3925-3934.	1.0	10
112	New Methodology for the Synthesis of 3-Substituted Coumarins via Palladium-Catalyzed Site-Selective Cross-Coupling Reactions. <i>Synlett</i> , 2010, 2010, 2918-2922.	1.0	10
113	Computational Chemistry; A Useful Tool for the Chemical Synthesis of Complex Molecules, Heterocycles and Catalysts. <i>Synlett</i> , 2013, 24, 535-549.	1.0	10
114	Thermal rearrangements of some neo-clerodane diterpenoids. <i>Tetrahedron</i> , 1987, 43, 4679-4684.	1.0	9
115	A neo-clerodane diterpenoid from <i>Teucrium asiaticum</i> . <i>Phytochemistry</i> , 1997, 45, 383-385.	1.4	9
116	Composition of the essential oil of <i>Teucrium haenseleri</i> Boiss.. <i>Flavour and Fragrance Journal</i> , 1997, 12, 355-357.	1.2	9
117	The Reversible Nicholas Reaction in the Synthesis of Highly Symmetric Natural Product-Based Macrocycles. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 1054-1067.	1.2	9
118	Chemical Transformations of the Neoclerodane Diterpenes Erioccephalin and Capitatin: An Access to 4,5-seco-Neoclerod-5(19)-ene Derivatives. <i>Journal of Natural Products</i> , 1996, 59, 367-373.	1.5	8
119	Hemisynthesis of Oxetane-Containing Neoclerodane Diterpenoids. <i>Tetrahedron</i> , 2000, 56, 8007-8017.	1.0	8
120	Silver(I)-Catalyzed Addition of Phenols to Alkyne Cobalt Cluster Stabilized Carbocations. <i>Chemistry - A European Journal</i> , 2016, 22, 9015-9023.	1.7	8
121	Rearranged neo-Clerodane Diterpenoids from <i>Teucrium brevifolium</i> . <i>Tetrahedron</i> , 1994, 50, 2289-2296.	1.0	7
122	A rearranged homo-neo-clerodane diterpenoid from <i>Teucrium betonicum</i> . <i>Tetrahedron</i> , 1995, 51, 2363-2368.	1.0	7
123	Mono- and Bimetallic Alkynyl Metallocenes and Half-Sandwich Complexes: A Simple and Versatile Synthetic Approach. <i>Chemistry - A European Journal</i> , 2016, 22, 15645-15649.	1.7	7
124	Chiral-Catalytic Metal BODIPY-Based Iridium(III) Complexes: Synthesis and Luminescence Properties. <i>European Journal of Inorganic Chemistry</i> , 2020, 2020, 4045-4053.	1.0	7
125	An abietane diterpenoid from <i>Leonurus marrubiastrum</i> . <i>Phytochemistry</i> , 1998, 48, 557-559.	1.4	6
126	Some Biogenetic-Type Transformations of Neoclerodane Diterpenoids from <i>Scutellaria</i> Species. <i>Journal of Natural Products</i> , 1998, 61, 1030-1032.	1.5	6

#	ARTICLE	IF	CITATIONS
127	Sulfur Groups Improve the Performance of Triazole- and Triazolium-Based Interaction Units in Anion Binding. <i>Journal of Organic Chemistry</i> , 2017, 82, 3341-3346.	1.7	5
128	Effect of a σ -Bonded-M-1,2,3-triazole (M = Co, Ru) on the Structure and Reactivity of Group 6 Alkoxy (Fischer) Carbenes. <i>Inorganic Chemistry</i> , 2017, 56, 2801-2811.	1.9	5
129	Halleridone and Related Products from <i>Teucrium decipiens</i> . <i>Planta Medica</i> , 1988, 54, 267-267.	0.7	3
130	The organocatalytic desymmetrization of meso-ferrocene anhydride. <i>Tetrahedron Letters</i> , 2017, 58, 326-328.	0.7	2
131	σ -Lactam and penicillin substituted mesoionic metal carbene complexes. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 2651-2660.	1.5	1
132	Comments on Recent Achievements in Biomimetic Organic Synthesis.. <i>ChemInform</i> , 2004, 35, no.	0.1	0
133	Frontispiece: Bio-Organometallic Derivatives of Antibacterial Drugs. <i>Chemistry - A European Journal</i> , 2019, 25, .	1.7	0