# Fikile R Brushett

### List of Publications by Citations

Source: https://exaly.com/author-pdf/9578443/fikile-r-brushett-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 103
 4,896
 39
 69

 papers
 citations
 h-index
 g-index

 134
 6,173
 8.5
 6.17

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
103	Transition of lithium growth mechanisms in liquid electrolytes. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 3221-3229	35.4	704
102	Pathways to low-cost electrochemical energy storage: a comparison of aqueous and nonaqueous flow batteries. <i>Energy and Environmental Science</i> , <b>2014</b> , 7, 3459-3477	35.4	415
101	An All-Organic Non-aqueous Lithium-Ion Redox Flow Battery. <i>Advanced Energy Materials</i> , <b>2012</b> , 2, 1390-	1231986	294
100	The Effects of Catalyst Layer Deposition Methodology on Electrode Performance. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 589-599	21.8	148
99	High current density, long duration cycling of soluble organic active species for non-aqueous redox flow batteries. <i>Energy and Environmental Science</i> , <b>2016</b> , 9, 3531-3543	35.4	138
98	A symmetric organic-based nonaqueous redox flow battery and its state of charge diagnostics by FTIR. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 5448-5456	13	130
97	On the performance of membraneless laminar flow-based fuel cells. <i>Journal of Power Sources</i> , <b>2010</b> , 195, 3569-3578	8.9	126
96	Wine-Dark Sealin an Organic Flow Battery: Storing Negative Charge in 2,1,3-Benzothiadiazole Radicals Leads to Improved Cyclability. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 1156-1161	20.1	121
95	Interactions between Lithium Growths and Nanoporous Ceramic Separators. <i>Joule</i> , <b>2018</b> , 2, 2434-2449	27.8	112
94	Energy storage emerging: A perspective from the Joint Center for Energy Storage Research.  Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 12550-12557	7 <sup>11.5</sup>	103
93	Air-Breathing Aqueous Sulfur Flow Battery for Ultralow-Cost Long-Duration Electrical Storage. <i>Joule</i> , <b>2017</b> , 1, 306-327	27.8	101
92	Investigating Electrode Flooding in a Flowing Electrolyte, Gas-Fed Carbon Dioxide Electrolyzer. <i>ChemSusChem</i> , <b>2020</b> , 13, 400-411	8.3	100
91	Cost-driven materials selection criteria for redox flow battery electrolytes. <i>Journal of Power Sources</i> , <b>2016</b> , 330, 261-272	8.9	82
90	RNA interference of sialidase improves glycoprotein sialic acid content consistency. <i>Biotechnology and Bioengineering</i> , <b>2006</b> , 95, 106-19	4.9	81
89	Concentration-Dependent Dimerization of Anthraquinone Disulfonic Acid and Its Impact on Charge Storage. <i>Chemistry of Materials</i> , <b>2017</b> , 29, 4801-4810	9.6	77
88	Transport Property Requirements for Flow Battery Separators. <i>Journal of the Electrochemical Society</i> , <b>2016</b> , 163, A5029-A5040	3.9	75
87	Investigation of fuel and media flexible laminar flow-based fuel cells. <i>Electrochimica Acta</i> , <b>2009</b> , 54, 709	%7 <del>/</del> 105	5 <sub>75</sub>

# (2015-2016)

86	4-acetamido-2,2,6,6-tetramethylpiperidine-1-oxyl as a model organic redox active compound for nonaqueous flow batteries. <i>Journal of Power Sources</i> , <b>2016</b> , 327, 151-159	8.9	74	
85	Carbonate resilience of flowing electrolyte-based alkaline fuel cells. <i>Journal of Power Sources</i> , <b>2011</b> , 196, 1762-1768	8.9	74	
84	Recent advances in molecular engineering of redox active organic molecules for nonaqueous flow batteries. <i>Current Opinion in Chemical Engineering</i> , <b>2016</b> , 13, 45-52	5.4	74	
83	A carbon-supported copper complex of 3,5-diamino-1,2,4-triazole as a cathode catalyst for alkaline fuel cell applications. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 12185-7	16.4	73	
82	A subtractive approach to molecular engineering of dimethoxybenzene-based redox materials for non-aqueous flow batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 14971-14976	13	72	
81	A stable two-electron-donating phenothiazine for application in nonaqueous redox flow batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 24371-24379	13	62	
80	Quantifying Mass Transfer Rates in Redox Flow Batteries. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, E3265-E3275	3.9	62	
79	Tailoring Two-Electron-Donating Phenothiazines To Enable High-Concentration Redox Electrolytes for Use in Nonaqueous Redox Flow Batteries. <i>Chemistry of Materials</i> , <b>2019</b> , 31, 4353-4363	9.6	59	
78	Engineering radical polymer electrodes for electrochemical energy storage. <i>Journal of Power Sources</i> , <b>2017</b> , 352, 226-244	8.9	58	
77	Alkaline Microfluidic Hydrogen-Oxygen Fuel Cell as a Cathode Characterization Platform. <i>Journal of the Electrochemical Society</i> , <b>2009</b> , 156, B565	3.9	57	
76	On Lifetime and Cost of Redox-Active Organics for Aqueous Flow Batteries. <i>ACS Energy Letters</i> , <b>2020</b> , 5, 879-884	20.1	55	
75	An Investigation of the Ionic Conductivity and Species Crossover of Lithiated Nafion 117 in Nonaqueous Electrolytes. <i>Journal of the Electrochemical Society</i> , <b>2016</b> , 163, A5253-A5262	3.9	52	
74	Exploring the Role of Electrode Microstructure on the Performance of Non-Aqueous Redox Flow Batteries. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A2230-A2241	3.9	52	
73	Elucidating the Nuanced Effects of Thermal Pretreatment on Carbon Paper Electrodes for Vanadium Redox Flow Batteries. <i>ACS Applied Materials &amp; Distributed Materials &amp; Distrib</i>	9.5	52	
72	Performance and cost characteristics of multi-electron transfer, common ion exchange non-aqueous redox flow batteries. <i>Journal of Power Sources</i> , <b>2016</b> , 327, 681-692	8.9	46	
71	Reduction potential predictions of some aromatic nitrogen-containing molecules. <i>RSC Advances</i> , <b>2014</b> , 4, 57442-57451	3.7	44	
70	Evaluation of Electrospun Fibrous Mats Targeted for Use as Flow Battery Electrodes. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A2038-A2048	3.9	42	
69	Voltammetry study of quinoxaline in aqueous electrolytes. <i>Electrochimica Acta</i> , <b>2015</b> , 180, 695-704	6.7	40	

68	The lightest organic radical cation for charge storage in redox flow batteries. <i>Scientific Reports</i> , <b>2016</b> , 6, 32102	4.9	40
67	Analysis of Pt/C electrode performance in a flowing-electrolyte alkaline fuel cell. <i>International Journal of Hydrogen Energy</i> , <b>2012</b> , 37, 2559-2570	6.7	40
66	Emerging opportunities for electrochemical processing to enable sustainable chemical manufacturing. <i>Current Opinion in Chemical Engineering</i> , <b>2018</b> , 20, 159-167	5.4	39
65	Towards Low Resistance Nonaqueous Redox Flow Batteries. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A2487-A2499	3.9	39
64	Electrolyte Development for Non-Aqueous Redox Flow Batteries Using a High-Throughput Screening Platform. <i>Journal of the Electrochemical Society</i> , <b>2014</b> , 161, A1905-A1914	3.9	38
63	Design rules for electrode arrangement in an air-breathing alkaline direct methanol laminar flow fuel cell. <i>Journal of Power Sources</i> , <b>2012</b> , 218, 28-33	8.9	38
62	Combining Structural and Electrochemical Analysis of Electrodes Using Micro-Computed Tomography and a Microfluidic Fuel Cell. <i>Journal of the Electrochemical Society</i> , <b>2012</b> , 159, B292-B298	3.9	36
61	A Membrane-Free Neutral pH Formate Fuel Cell Enabled by a Selective Nickel Sulfide Oxygen Reduction Catalyst. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 7496-7499	16.4	33
60	Toward an Inexpensive Aqueous Polysulfide Polyiodide Redox Flow Battery. <i>Industrial &amp; amp; Engineering Chemistry Research</i> , <b>2017</b> , 56, 9783-9792	3.9	33
59	Understanding the role of the porous electrode microstructure in redox flow battery performance using an experimentally validated 3D pore-scale lattice Boltzmann model. <i>Journal of Power Sources</i> , <b>2020</b> , 447, 227249	8.9	33
58	Quantifying the impact of viscosity on mass-transfer coefficients in redox flow batteries. <i>Journal of Power Sources</i> , <b>2018</b> , 399, 133-143	8.9	32
57	Estimating the cost of organic battery active materials: a case study on anthraquinone disulfonic acid. <i>Translational Materials Research</i> , <b>2018</b> , 5, 034001		32
56	Dimerization of 9,10-anthraquinone-2,7-Disulfonic acid (AQDS). <i>Electrochimica Acta</i> , <b>2019</b> , 317, 478-485	6.7	28
55	Electrocatalytic Hydrogenation of Oxygenates using Earth-Abundant Transition-Metal Nanoparticles under Mild Conditions. <i>ChemSusChem</i> , <b>2016</b> , 9, 1904-10	8.3	27
54	BF3-promoted electrochemical properties of quinoxaline in propylene carbonate. <i>RSC Advances</i> , <b>2015</b> , 5, 18822-18831	3.7	25
53	Electroreduction of carbon dioxide to formate at high current densities using tin and tin oxide gas diffusion electrodes. <i>Journal of Applied Electrochemistry</i> , <b>2019</b> , 49, 917-928	2.6	25
52	The Critical Role of Supporting Electrolyte Selection on Flow Battery Cost. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A3883-A3895	3.9	24
51	Tuning the Stability of Organic Active Materials for Nonaqueous Redox Flow Batteries via Reversible, Electrochemically Mediated Li+ Coordination. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 2529-2539	9.6	24

# (2020-2010)

50	Investigation of Pt, Pt[sub 3]Co, and Pt[sub 3]Co/Mo Cathodes for the ORR in a Microfluidic H[sub 2]/O[sub 2] Fuel Cell. <i>Journal of the Electrochemical Society</i> , <b>2010</b> , 157, B837	3.9	22	
49	Assessing the levelized cost of vanadium redox flow batteries with capacity fade and rebalancing. Journal of Power Sources, <b>2020</b> , 460, 227958	8.9	22	
48	A General Technoeconomic Model for Evaluating Emerging Electrolytic Processes. <i>Energy Technology</i> , <b>2020</b> , 8, 1900994	3.5	20	
47	Engineering porous electrodes for next-generation redox flow batteries: recent progress and opportunities. <i>Current Opinion in Electrochemistry</i> , <b>2019</b> , 18, 113-122	7.2	20	
46	Modelling of redox flow battery electrode processes at a range of length scales: a review. <i>Sustainable Energy and Fuels</i> , <b>2020</b> , 4, 5433-5468	5.8	18	
45	Synthesis of Pyridineland Pyrazine <b>B</b> F3 Complexes and Their Characterization in Solution and Solid State. <i>Journal of Physical Chemistry C</i> , <b>2016</b> , 120, 8461-8471	3.8	18	
44	Pulsed Electrodeposition of Tin Electrocatalysts onto Gas Diffusion Layers for Carbon Dioxide Reduction to Formate. <i>MRS Advances</i> , <b>2017</b> , 2, 451-458	0.7	17	
43	Lignin-KMC: A Toolkit for Simulating Lignin Biosynthesis. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 18313-18322	8.3	17	
42	EditorsIChoicefilooded by Success: On the Role of Electrode Wettability in CO2 Electrolyzers that Generate Liquid Products. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 124521	3.9	17	
41	Feasibility of a Supporting-Salt-Free Nonaqueous Redox Flow Battery Utilizing Ionic Active Materials. <i>ChemSusChem</i> , <b>2017</b> , 10, 2080-2088	8.3	15	
40	A One-Dimensional Stack Model for Redox Flow Battery Analysis and Operation. <i>Batteries</i> , <b>2019</b> , 5, 25	5.7	15	
39	Full-field synchrotron tomography of nongraphitic foam and laminate anodes for lithium-ion batteries. <i>ACS Applied Materials &amp; amp; Interfaces</i> , <b>2014</b> , 6, 4524-34	9.5	14	
38	Ultrathin Conformal oCVD PEDOT Coatings on Carbon Electrodes Enable Improved Performance of Redox Flow Batteries. <i>Advanced Materials Interfaces</i> , <b>2020</b> , 7, 2000855	4.6	13	
37	Recent Developments and Trends in Redox Flow Batteries. <i>Green Energy and Technology</i> , <b>2015</b> , 673-712	2 0.6	12	
36	Perfunctionalized Dodecaborate Clusters as Stable Metal-Free Active Materials for Charge Storage. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 4907-4913	6.1	11	
35	Molecular Dynamics Modeling of the Conductivity of Lithiated Nafion Containing Nonaqueous Solvents. <i>Journal of the Electrochemical Society</i> , <b>2016</b> , 163, A2232-A2239	3.9	11	
34	An investigation of 2,5-di-tertbutyl-1,4-bis(methoxyethoxy)benzene in ether-based electrolytes. <i>Electrochimica Acta</i> , <b>2017</b> , 246, 251-258	6.7	10	
33	Exploration of Biomass-Derived Activated Carbons for Use in Vanadium Redox Flow Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 9472-9482	8.3	9	

32	Computational Evidence for Kinetically Controlled Radical Coupling during Lignification. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2019</b> , 7, 13270-13277	8.3	9
31	The impact of bulk electrolysis cycling conditions on the perceived stability of redox active materials. <i>Electrochemistry Communications</i> , <b>2020</b> , 111, 106625	5.1	9
30	Comparing Physical and Electrochemical Properties of Different Weave Patterns for Carbon Cloth Electrodes in Redox Flow Batteries. <i>Journal of Electrochemical Energy Conversion and Storage</i> , <b>2020</b> , 17,	2	8
29	Data-driven electrode parameter identification for vanadium redox flow batteries through experimental and numerical methods. <i>Applied Energy</i> , <b>2020</b> , 279, 115530	10.7	8
28	Investigating the factors that influence resistance rise of PIM-1 membranes in nonaqueous electrolytes. <i>Electrochemistry Communications</i> , <b>2019</b> , 107, 106530	5.1	6
27	A Method for Evaluating Soluble Redox Couple Stability Using Microelectrode Voltammetry. Journal of the Electrochemical Society, <b>2020</b> , 167, 160513	3.9	6
26	Fabrication of high surface area ribbon electrodes for use in redox flow batteries via coaxial electrospinning. <i>Journal of Energy Storage</i> , <b>2021</b> , 33, 102079	7.8	6
25	In-situ measurement of ethanol tolerance in an operating fuel cell. <i>International Journal of Hydrogen Energy</i> , <b>2013</b> , 38, 8980-8991	6.7	5
24	Non-Solvent Induced Phase Separation Enables Designer Redox Flow Battery Electrodes. <i>Advanced Materials</i> , <b>2021</b> , 33, e2006716	24	5
23	Comparison of Separators vs Membranes in Nonaqueous Redox Flow Battery Electrolytes Containing Small Molecule Active Materials. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 5443-5451	6.1	5
22	Pulse Plating of Copper onto Gas Diffusion Layers for the Electroreduction of Carbon Dioxide. <i>MRS Advances</i> , <b>2018</b> , 3, 1277-1284	0.7	4
21	Early Stage Anodic Instability of Glassy Carbon Electrodes in Propylene Carbonate Solvent Containing Lithium Hexafluorophosphate. <i>Langmuir</i> , <b>2017</b> , 33, 11911-11918	4	3
20	Assessing capacity loss remediation methods for asymmetric redox flow battery chemistries using levelized cost of storage. <i>Journal of Power Sources</i> , <b>2021</b> , 506, 230085	8.9	3
19	How a cofactor-free protein environment lowers the barrier to O reactivity. <i>Journal of Biological Chemistry</i> , <b>2019</b> , 294, 3661-3669	5.4	2
18	Vapor Feed Direct Methanol Fuel Cell with Flowing Electrolyte. ECS Transactions, 2007, 11, 1419-1424	1	2
17	Using voltammetry augmented with physics-based modeling and Bayesian hypothesis testing to identify analytes in electrolyte solutions. <i>Journal of Electroanalytical Chemistry</i> , <b>2021</b> , 115751	4.1	2
16	An investigation on the impact of halidization on substituted dimethoxybenzenes. <i>Electrochimica Acta</i> , <b>2020</b> , 335, 135580	6.7	2
15	Too Much of a Good Thing? Assessing Performance Tradeoffs of Two-Electron Compounds for Redox Flow Batteries. <i>Journal of the Electrochemical Society</i> , <b>2021</b> , 168, 050501	3.9	2

### LIST OF PUBLICATIONS

14	A generalized reduced fluid dynamic model for flow fields and electrodes in redox flow batteries. <i>AICHE Journal</i> ,	3.6	1
13	Untapped Potential: The Need and Opportunity for High-Voltage Aqueous Redox Flow Batteries. <i>ACS Energy Letters</i> , <b>2022</b> , 7, 659-667	20.1	1
12	Synthesis and Characterization of Lithium-Conducting Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. <i>ACS Applied Materials &amp; Description of Lithium-Conducting Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. ACS Applied Materials &amp; Description of Lithium-Conducting Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. ACS Applied Materials &amp; Description of Lithium-Conducting Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. ACS Applied Materials &amp; Description Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. ACS Applied Materials &amp; Description Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. ACS Applied Materials &amp; Description Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. ACS Applied Materials &amp; Description Composite Polymer-Ceramic Membranes for Use in Nonaqueous Redox Flow Batteries. ACS Applied Materials &amp; Description Composite Polymer-Ceramic Membranes for Use Indiana Composite Polymer-Ceramic Membranes for Use Indi</i>	57 <sup>9.5</sup>	1
11	Understanding the Impact of Convective Transport on Intercalation Batteries Through Dimensional Analysis. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 140551	3.9	1
10	Combining electrochemical and imaging analyses to understand the effect of electrode microstructure and electrolyte properties on redox flow batteries. <i>Applied Energy</i> , <b>2022</b> , 306, 117678	10.7	0
9	Leveraging Neural Networks and Genetic Algorithms to Refine Electrode Properties in Redox Flow Batteries. <i>Journal of the Electrochemical Society</i> , <b>2021</b> , 168, 050547	3.9	Ο
8	Exploration of reduced graphene oxide microparticles as electrocatalytic materials in vanadium redox flow batteries. <i>Journal of Energy Storage</i> , <b>2022</b> , 50, 104192	7.8	0
7	Innentitelbild: A Membrane-Free Neutral pH Formate Fuel Cell Enabled by a Selective Nickel Sulfide Oxygen Reduction Catalyst (Angew. Chem. 26/2017). <i>Angewandte Chemie</i> , <b>2017</b> , 129, 7428-7428	3.6	
6	New Concepts in the Chemistry and Engineering of Low-Temperature Fuel Cells <b>2010</b> , 565-610		
5	Small-Scale, Low-Cost Flow Cell Platform for Rapid Characterization of Redox Flow Battery Materials. <i>ECS Meeting Abstracts</i> , <b>2020</b> , MA2020-02, 2674-2674	О	
4	Redox Flow Batteries: Non-Solvent Induced Phase Separation Enables Designer Redox Flow Battery Electrodes (Adv. Mater. 16/2021). <i>Advanced Materials</i> , <b>2021</b> , 33, 2170126	24	
3	Assessing the Design and Operation of Redox Flow Batteries through Levelized Cost Analysis. <i>ECS Meeting Abstracts</i> , <b>2021</b> , MA2021-01, 223-223	О	
2	(Student Battery Slam Best Presentation Award Winner) Combining Experimentation and Computation for Accelerated Understanding of Electrode Morphology in Redox Flow Batteries. <i>ECS Meeting Abstracts</i> , <b>2021</b> , MA2021-01, 266-266	О	
1	The Joint Center for Energy Storage Research: A New Paradigm of Research, Development, and Demonstration. <i>Advances in Electrochemical Science and Engineering</i> , <b>2018</b> , 7-40		