## Zusen Fan

## List of Publications by Citations

Source: https://exaly.com/author-pdf/9578599/zusen-fan-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

3,735
citations

4,656
ext. papers

32
h-index

5.23
ext. citations

32
h-index

5.23
L-index

#	Paper	IF	Citations
61	The long noncoding RNA lncTCF7 promotes self-renewal of human liver cancer stem cells through activation of Wnt signaling. <i>Cell Stem Cell</i> , <b>2015</b> , 16, 413-25	18	437
60	Regulatory Innate Lymphoid Cells Control Innate Intestinal Inflammation. <i>Cell</i> , <b>2017</b> , 171, 201-216.e18	56.2	211
59	LncBRM initiates YAP1 signalling activation to drive self-renewal of liver cancer stem cells. <i>Nature Communications</i> , <b>2016</b> , 7, 13608	17.4	192
58	lnc-ECatm elicits EZH2-dependent Etatenin stabilization and sustains liver CSC self-renewal. <i>Nature Structural and Molecular Biology</i> , <b>2016</b> , 23, 631-9	17.6	162
57	Long noncoding RNA lncKdm2b is required for ILC3 maintenance by initiation of Zfp292 expression. <i>Nature Immunology</i> , <b>2017</b> , 18, 499-508	19.1	154
56	Transient activation of autophagy via Sox2-mediated suppression of mTOR is an important early step in reprogramming to pluripotency. <i>Cell Stem Cell</i> , <b>2013</b> , 13, 617-25	18	150
55	Mesenchymal Stem Cells Promote Hepatocarcinogenesis via lncRNA-MUF Interaction with ANXA2 and miR-34a. <i>Cancer Research</i> , <b>2017</b> , 77, 6704-6716	10.1	148
54	A Circular RNA Protects Dormant Hematopoietic Stem Cells from DNA Sensor cGAS-Mediated Exhaustion. <i>Immunity</i> , <b>2018</b> , 48, 688-701.e7	32.3	139
53	WASH inhibits autophagy through suppression of Beclin 1 ubiquitination. <i>EMBO Journal</i> , <b>2013</b> , 32, 2685	-96	138
52	T-cell immunoglobulin and ITIM domain (TIGIT) receptor/poliovirus receptor (PVR) ligand engagement suppresses interferon-[production of natural killer cells via Earrestin 2-mediated negative signaling. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 17647-57	5.4	135
51	Glutamylation of the DNA sensor cGAS regulates its binding and synthase activity in antiviral immunity. <i>Nature Immunology</i> , <b>2016</b> , 17, 369-78	19.1	123
50	NK-cell activation by LIGHT triggers tumor-specific CD8+ T-cell immunity to reject established tumors. <i>Blood</i> , <b>2006</b> , 107, 1342-51	2.2	123
49	ZIC2-dependent OCT4 activation drives self-renewal of human liver cancer stem cells. <i>Journal of Clinical Investigation</i> , <b>2015</b> , 125, 3795-808	15.9	97
48	FoxO1-mediated autophagy is required for NK cell development and innate immunity. <i>Nature Communications</i> , <b>2016</b> , 7, 11023	17.4	96
47	IL-13 secreted by ILC2s promotes the self-renewal of intestinal stem cells through circular RNA circPan3. <i>Nature Immunology</i> , <b>2019</b> , 20, 183-194	19.1	95
46	C8orf4 negatively regulates self-renewal of liver cancer stem cells via suppression of NOTCH2 signalling. <i>Nature Communications</i> , <b>2015</b> , 6, 7122	17.4	86
45	Single-cell Sequencing Reveals Variants in ARID1A, GPRC5A and MLL2 Driving Self-renewal of Human Bladder Cancer Stem Cells. <i>European Urology</i> , <b>2017</b> , 71, 8-12	10.2	73

## (2018-2019)

44	LncRNA HAND2-AS1 promotes liver cancer stem cell self-renewal via BMP signaling. <i>EMBO Journal</i> , <b>2019</b> , 38, e101110	13	71
43	TRIM25 Is Required for the Antiviral Activity of Zinc Finger Antiviral Protein. <i>Journal of Virology</i> , <b>2017</b> , 91,	6.6	70
42	RNF2 is recruited by WASH to ubiquitinate AMBRA1 leading to downregulation of autophagy. <i>Cell Research</i> , <b>2014</b> , 24, 943-58	24.7	67
41	Sox2 functions as a sequence-specific DNA sensor in neutrophils to initiate innate immunity against microbial infection. <i>Nature Immunology</i> , <b>2015</b> , 16, 366-75	19.1	66
40	The long non-coding RNA LncHDAC2 drives the self-renewal of liver cancer stem cells via activation of Hedgehog signaling. <i>Journal of Hepatology</i> , <b>2019</b> , 70, 918-929	13.4	66
39	DNA sensor cGAS-mediated immune recognition. <i>Protein and Cell</i> , <b>2016</b> , 7, 777-791	7.2	65
38	LncGata6 maintains stemness of intestinal stem cells and promotes intestinal tumorigenesis. <i>Nature Cell Biology</i> , <b>2018</b> , 20, 1134-1144	23.4	65
37	controls self-renewal of embryonic stem cells via activating expression of transcription factor. <i>EMBO Journal</i> , <b>2018</b> , 37,	13	59
36	GALNT1-Mediated Glycosylation and Activation of Sonic Hedgehog Signaling Maintains the Self-Renewal and Tumor-Initiating Capacity of Bladder Cancer Stem Cells. <i>Cancer Research</i> , <b>2016</b> , 76, 1273-83	10.1	51
35	WASH is required for the differentiation commitment of hematopoietic stem cells in a c-Myc-dependent manner. <i>Journal of Experimental Medicine</i> , <b>2014</b> , 211, 2119-34	16.6	43
34	Cancer stem cells and tumorigenesis. <i>Biophysics Reports</i> , <b>2018</b> , 4, 178-188	3.5	43
33	IRTKS negatively regulates antiviral immunity through PCBP2 sumoylation-mediated MAVS degradation. <i>Nature Communications</i> , <b>2015</b> , 6, 8132	17.4	38
32	Transdifferentiation of tumor infiltrating innate lymphoid cells during progression of colorectal cancer. <i>Cell Research</i> , <b>2020</b> , 30, 610-622	24.7	34
31	BCMab1, a monoclonal antibody against aberrantly glycosylated integrin BII, has potent antitumor activity of bladder cancer in vivo. <i>Clinical Cancer Research</i> , <b>2014</b> , 20, 4001-13	12.9	34
30	The C228T mutation of TERT promoter frequently occurs in bladder cancer stem cells and contributes to tumorigenesis of bladder cancer. <i>Oncotarget</i> , <b>2015</b> , 6, 19542-51	3.3	33
29	The ER membrane adaptor ERAdP senses the bacterial second messenger c-di-AMP and initiates anti-bacterial immunity. <i>Nature Immunology</i> , <b>2018</b> , 19, 141-150	19.1	26
28	Natural Killer-like B Cells Prime Innate Lymphocytes against Microbial Infection. <i>Immunity</i> , <b>2016</b> , 45, 131	<b>34</b> 3	26
27	Klf4 glutamylation is required for cell reprogramming and early embryonic development in mice. <i>Nature Communications</i> , <b>2018</b> , 9, 1261	17.4	23

26	Long noncoding RNA lncHand2 promotes liver repopulation via c-Met signaling. <i>Journal of Hepatology</i> , <b>2018</b> , 69, 861-872	13.4	23
25	Cytosolic carboxypeptidase CCP6 is required for megakaryopoiesis by modulating Mad2 polyglutamylation. <i>Journal of Experimental Medicine</i> , <b>2014</b> , 211, 2439-54	16.6	23
24	An inducible circular RNA circKcnt2 inhibits ILC3 activation to facilitate colitis resolution. <i>Nature Communications</i> , <b>2020</b> , 11, 4076	17.4	21
23	IL-7R lglutamylation and activation of transcription factor Sall3 promote group 3 ILC development. <i>Nature Communications</i> , <b>2017</b> , 8, 231	17.4	19
22	Suppression of SRCAP chromatin remodelling complex and restriction of lymphoid lineage commitment by Pcid2. <i>Nature Communications</i> , <b>2017</b> , 8, 1518	17.4	19
21	Novel variants in MLL confer to bladder cancer recurrence identified by whole-exome sequencing. <i>Oncotarget</i> , <b>2016</b> , 7, 2629-45	3.3	18
20	Insulin-InsR signaling drives multipotent progenitor differentiation toward lymphoid lineages. Journal of Experimental Medicine, <b>2015</b> , 212, 2305-21	16.6	16
19	Long noncoding RNA lncAIS downregulation in mesenchymal stem cells is implicated in the pathogenesis of adolescent idiopathic scoliosis. <i>Cell Death and Differentiation</i> , <b>2019</b> , 26, 1700-1715	12.7	13
18	Pcid2 inactivates developmental genes in human and mouse embryonic stem cells to sustain their pluripotency by modulation of EID1 stability. <i>Stem Cells</i> , <b>2014</b> , 32, 623-35	5.8	12
17	Circular RNA circIPO11 drives self-renewal of liver cancer initiating cells via Hedgehog signaling. <i>Molecular Cancer</i> , <b>2021</b> , 20, 132	42.1	11
16	Circular RNA circZbtb20 maintains ILC3 homeostasis and function via Alkbh5-dependent mA demethylation of Nr4a1 mRNA. <i>Cellular and Molecular Immunology</i> , <b>2021</b> , 18, 1412-1424	15.4	11
15	Structural insights into the regulatory mechanism of the Pseudomonas aeruginosa YfiBNR system. <i>Protein and Cell</i> , <b>2016</b> , 7, 403-16	7.2	11
14	Molecular mechanisms of lymphocyte-mediated cytotoxicity <b>2005</b> , 2, 259-64		11
13	WASH maintains NKp46 ILC3 cells by promoting AHR expression. <i>Nature Communications</i> , <b>2017</b> , 8, 1568	35 <sub>17.4</sub>	10
12	A higher-order configuration of the heterodimeric DOT1L-AF10 coiled-coil domains potentiates their leukemogenenic activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2019</b> , 116, 19917-19923	11.5	10
11	Crystal structures of YfiR from Pseudomonas aeruginosa in two redox states. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 461, 14-20	3.4	10
10	The endoplasmic reticulum adaptor protein ERAdP initiates NK cell activation via the Ubc13-mediated NF- <b>B</b> pathway. <i>Journal of Immunology</i> , <b>2015</b> , 194, 1292-303	5.3	8
9	Yeats4 drives ILC lineage commitment via activation of transcription. <i>Journal of Experimental Medicine</i> , <b>2019</b> , 216, 2653-2668	16.6	6

## LIST OF PUBLICATIONS

8	N-methyladenosinelmethylation in tRNA drives liver tumourigenesis by regulating cholesterol metabolism. <i>Nature Communications</i> , <b>2021</b> , 12, 6314	17.4	6
7	SPRY4 is responsible for pathogenesis of adolescent idiopathic scoliosis by contributing to osteogenic differentiation and melatonin response of bone marrow-derived mesenchymal stem cells. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 805	9.8	5
6	Natural-Killer-like B Cells Function as a Separate Subset of Innate B Cells. <i>Immunity</i> , <b>2017</b> , 47, 201-202	32.3	5
5	Molecular mechanism for self-protection against the type VI secretion system in Vibrio cholerae. <i>Acta Crystallographica Section D: Biological Crystallography</i> , <b>2014</b> , 70, 1094-103		5
4	Glutamylation of deubiquitinase BAP1 controls self-renewal of hematopoietic stem cells and hematopoiesis. <i>Journal of Experimental Medicine</i> , <b>2020</b> , 217,	16.6	5
3	Circular RNA cia-MAF drives self-renewal and metastasis of liver tumor-initiating cells via transcription factor MAFF. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	5
2	The chromatin remodeler SRCAP promotes self-renewal of intestinal stem cells. <i>EMBO Journal</i> , <b>2020</b> , 39, e103786	13	4
1	Identification of cis-HOX-HOXC10 axis as a therapeutic target for colorectal tumor-initiating cells without APC mutations. <i>Cell Reports</i> , <b>2021</b> , 36, 109431	10.6	3