

Zhiliang Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9579073/publications.pdf>

Version: 2024-02-01

306
papers

7,843
citations

50170

46
h-index

88477

70
g-index

311
all docs

311
docs citations

311
times ranked

5388
citing authors

#	ARTICLE	IF	CITATIONS
1	A complete Gurson model approach for ductile fracture. <i>Engineering Fracture Mechanics</i> , 2000, 67, 155-168.	2.0	291
2	Determining material true stress-strain curve from tensile specimens with rectangular cross-section. <i>International Journal of Solids and Structures</i> , 1999, 36, 3497-3516.	1.3	197
3	Application of nanoindentation testing to study of the interfacial transition zone in steel fiber reinforced mortar. <i>Cement and Concrete Research</i> , 2009, 39, 701-715.	4.6	189
4	Review on fracture and crack propagation in weldments – A fracture mechanics perspective. <i>Engineering Fracture Mechanics</i> , 2014, 132, 200-276.	2.0	167
5	An Optimal Control Method for Buck Converters Using a Practical Capacitor Charge Balance Technique. <i>IEEE Transactions on Power Electronics</i> , 2008, 23, 1802-1812.	5.4	154
6	Multiscale crack initiator promoted super-low ice adhesion surfaces. <i>Soft Matter</i> , 2017, 13, 6562-6568.	1.2	150
7	Predicting mechanical response of crosslinked epoxy using ReaxFF. <i>Chemical Physics Letters</i> , 2014, 591, 175-178.	1.2	133
8	A Practical Switching Loss Model for Buck Voltage Regulators. <i>IEEE Transactions on Power Electronics</i> , 2009, 24, 700-713.	5.4	128
9	A Current Source Gate Driver Achieving Switching Loss Savings and Gate Energy Recovery at 1-MHz. <i>IEEE Transactions on Power Electronics</i> , 2008, 23, 678-691.	5.4	121
10	Enhancing the Mechanical Durability of Icephobic Surfaces by Introducing Autonomous Self-Healing Function. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 11972-11978.	4.0	99
11	Mechanical instability of monocrystalline and polycrystalline methane hydrates. <i>Nature Communications</i> , 2015, 6, 8743.	5.8	93
12	Simultaneously Toughening and Stiffening Elastomers with Octuple Hydrogen Bonding. <i>Advanced Materials</i> , 2021, 33, e2008523.	11.1	92
13	Stress-strain curves of metallic materials and post-necking strain hardening characterization: A review. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2020, 43, 3-19.	1.7	89
14	Design and preparation of sandwich-like polydimethylsiloxane (PDMS) sponges with super-low ice adhesion. <i>Soft Matter</i> , 2018, 14, 4846-4851.	1.2	86
15	Role of Five-fold Twin Boundary on the Enhanced Mechanical Properties of fcc Fe Nanowires. <i>Nano Letters</i> , 2011, 11, 5264-5273.	4.5	85
16	Grain-Size-Controlled Mechanical Properties of Polycrystalline Monolayer MoS ₂ . <i>Nano Letters</i> , 2018, 18, 1543-1552.	4.5	82
17	The need for standards in low ice adhesion surface research: a critical review. <i>Journal of Adhesion Science and Technology</i> , 2020, 34, 319-347.	1.4	76
18	Optimal Design of Resonant Gate Driver for Buck Converter Based on a New Analytical Loss Model. <i>IEEE Transactions on Power Electronics</i> , 2008, 23, 653-666.	5.4	75

#	ARTICLE	IF	CITATIONS
19	A new failure criterion for the Gurson-Tvergaard dilational constitutive model. <i>International Journal of Fracture</i> , 1995, 70, 321-334.	1.1	74
20	Explicit consistent tangent moduli with a return mapping algorithm for pressure-dependent elastoplasticity models. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1995, 121, 29-44.	3.4	73
21	Two-parameter characterization of the near-tip stress fields for a bi-material elastic-plastic interface crack. <i>International Journal of Fracture</i> , 1996, 79, 65-83.	1.1	71
22	Room Temperature Characteristics of Polymer-Based Low Ice Adhesion Surfaces. <i>Scientific Reports</i> , 2017, 7, 42181.	1.6	71
23	One-Step Fabrication of Bioinspired Lubricant-Regenerable Icephobic Slippery Liquid-Infused Porous Surfaces. <i>ACS Omega</i> , 2018, 3, 10139-10144.	1.6	68
24	Phase transition enabled durable anti-icing surfaces and its DIY design. <i>Chemical Engineering Journal</i> , 2019, 360, 243-249.	6.6	68
25	Influence of specimen thickness with rectangular cross-section on the tensile properties of structural steels. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 532, 601-605.	2.6	65
26	Self-Deicing Electrolyte Hydrogel Surfaces with Pa-level Ice Adhesion and Durable Antifreezing/Antifrost Performance. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 35572-35578.	4.0	65
27	A 1-MHz High-Efficiency 12-V Buck Voltage Regulator With a New Current-Source Gate Driver. <i>IEEE Transactions on Power Electronics</i> , 2008, 23, 2817-2827.	5.4	64
28	Giant Stretchability and Reversibility of Tightly Wound Helical Carbon Nanotubes. <i>Journal of the American Chemical Society</i> , 2013, 135, 13775-13785.	6.6	62
29	Displacement Mechanism of Oil in Shale Inorganic Nanopores by Supercritical Carbon Dioxide from Molecular Dynamics Simulations. <i>Energy & Fuels</i> , 2017, 31, 738-746.	2.5	62
30	Competitive adsorption and diffusion of CH ₄ /CO ₂ binary mixture within shale organic nanochannels. <i>Journal of Natural Gas Science and Engineering</i> , 2018, 53, 329-336.	2.1	62
31	Digital Charge Balance Controller to Improve the Loading/Unloading Transient Response of Buck Converters. <i>IEEE Transactions on Power Electronics</i> , 2012, 27, 1314-1326.	5.4	61
32	Cement sheath modification using nanomaterials for long-term zonal isolation of oil wells: Review. <i>Journal of Petroleum Science and Engineering</i> , 2017, 156, 662-672.	2.1	60
33	The effect of ice type on ice adhesion. <i>AIP Advances</i> , 2019, 9, .	0.6	60
34	CuO/Cu based superhydrophobic and self-cleaning surfaces. <i>Scripta Materialia</i> , 2016, 118, 60-64.	2.6	59
35	A uniform hydrogen degradation law for high strength steels. <i>Engineering Fracture Mechanics</i> , 2016, 157, 56-71.	2.0	56
36	A SENSITIVITY ANALYSIS OF MATERIAL PARAMETERS FOR THE GURSON CONSTITUTIVE MODEL. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 1996, 19, 561-570.	1.7	54

#	ARTICLE	IF	CITATIONS
37	A notched cross weld tensile testing method for determining true stress-strain curves for weldments. <i>Engineering Fracture Mechanics</i> , 2002, 69, 353-366.	2.0	54
38	Numerical simulations of specimen size and mismatch effects in ductile crack growth – Part I: Tearing resistance and crack growth paths. <i>Engineering Fracture Mechanics</i> , 2007, 74, 1770-1792.	2.0	54
39	Controlled Auxiliary Circuit to Improve the Unloading Transient Response of Buck Converters. <i>IEEE Transactions on Power Electronics</i> , 2010, 25, 806-819.	5.4	53
40	Liquid layer generators for excellent icephobicity at extremely low temperatures. <i>Materials Horizons</i> , 2019, 6, 2063-2072.	6.4	53
41	Anti-icing Ionogel Surfaces: Inhibiting Ice Nucleation, Growth, and Adhesion. , 2020, 2, 616-623.		52
42	Nanoscale deicing by molecular dynamics simulation. <i>Nanoscale</i> , 2016, 8, 14625-14632.	2.8	51
43	Size effect on mechanical properties of micron-sized PS-DVB polymer particles. <i>Polymer</i> , 2008, 49, 3993-3999.	1.8	49
44	Dynamic Anti-Icing Surfaces (DAIS). <i>Advanced Science</i> , 2021, 8, e2101163.	5.6	49
45	Gels as emerging anti-icing materials: a mini review. <i>Materials Horizons</i> , 2021, 8, 3266-3280.	6.4	49
46	Effects of crack depth and specimen size on ductile crack growth of SENT and SENB specimens for fracture mechanics evaluation of pipeline steels. <i>International Journal of Pressure Vessels and Piping</i> , 2009, 86, 787-797.	1.2	48
47	An ultra-durable icephobic coating by a molecular pulley. <i>Soft Matter</i> , 2019, 15, 3607-3611.	1.2	47
48	Effect of residual stresses on the crack-tip constraint in a modified boundary layer model. <i>International Journal of Solids and Structures</i> , 2009, 46, 2629-2641.	1.3	46
49	Discontinuous-Current-Source Drivers for High-Frequency Power MOSFETs. <i>IEEE Transactions on Power Electronics</i> , 2010, 25, 1863-1876.	5.4	46
50	Constraint effect on the ductile crack growth resistance of circumferentially cracked pipes. <i>Engineering Fracture Mechanics</i> , 2010, 77, 671-684.	2.0	46
51	Avoiding snow and ice accretion on building integrated photovoltaics – challenges, strategies, and opportunities. <i>Solar Energy Materials and Solar Cells</i> , 2020, 206, 110306.	3.0	45
52	ANALYZING DUCTILE FRACTURE USING DUAL DILATIONAL CONSTITUTIVE EQUATIONS. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 1994, 17, 695-707.	1.7	44
53	Nanohinge-Induced Plasticity of Helical Carbon Nanotubes. <i>Small</i> , 2013, 9, 3561-3566.	5.2	44
54	Interlaboratory Study of Ice Adhesion Using Different Techniques. <i>Coatings</i> , 2019, 9, 678.	1.2	44

#	ARTICLE	IF	CITATIONS
55	A method for determining elastic properties of micron-sized polymer particles by using flat punch test. <i>Computational Materials Science</i> , 2007, 39, 305-314.	1.4	43
56	A Nonisolated ZVS Asymmetrical Buck Voltage Regulator Module With Direct Energy Transfer. <i>IEEE Transactions on Industrial Electronics</i> , 2009, 56, 3096-3105.	5.2	42
57	On the accuracies of numerical integration algorithms for Gurson-based pressure-dependent elastoplastic constitutive models. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1995, 121, 15-28.	3.4	41
58	Determining true stress-strain curve for isotropic and anisotropic materials with rectangular tensile bars: method and verifications. <i>Computational Materials Science</i> , 2001, 20, 77-85.	1.4	40
59	A New High Efficiency Current Source Driver With Bipolar Gate Voltage. <i>IEEE Transactions on Power Electronics</i> , 2012, 27, 985-997.	5.4	40
60	Ultrafast self-healing and highly transparent coating with mechanically durable icephobicity. <i>Applied Materials Today</i> , 2020, 19, 100542.	2.3	40
61	Residual stress induced crack tip constraint. <i>Engineering Fracture Mechanics</i> , 2008, 75, 4151-4166.	2.0	39
62	Effects of crack size and weld metal mismatch on the has cleavage toughness of wide plates. <i>Engineering Fracture Mechanics</i> , 1997, 57, 653-664.	2.0	38
63	Loading and unloading of a spherical contact: From elastic to elastic-perfectly plastic materials. <i>International Journal of Mechanical Sciences</i> , 2012, 56, 70-76.	3.6	37
64	Nature-inspired entwined coiled carbon mechanical metamaterials: molecular dynamics simulations. <i>Nanoscale</i> , 2018, 10, 15641-15653.	2.8	37
65	A class of generalized mid-point algorithms for the Gurson-Tvergaard material model. <i>International Journal for Numerical Methods in Engineering</i> , 1995, 38, 2033-2053.	1.5	36
66	A study on determining true stress-strain curve for anisotropic materials with rectangular tensile bars. <i>International Journal of Solids and Structures</i> , 2001, 38, 4489-4505.	1.3	36
67	Effect of silica fume, steel fiber and ITZ on the strength and fracture behavior of mortar. <i>Materials and Structures/Materiaux Et Constructions</i> , 2010, 43, 125-139.	1.3	36
68	Studies on the ductility predictions by different local failure criteria. <i>Engineering Fracture Mechanics</i> , 1994, 48, 529-540.	2.0	35
69	Constraint correction of high strength steel. <i>Engineering Fracture Mechanics</i> , 2004, 71, 2417-2433.	2.0	35
70	Effect of residual stresses on ductile crack growth resistance. <i>Engineering Fracture Mechanics</i> , 2010, 77, 1325-1337.	2.0	35
71	A SERS Study on the Assembly Behavior of Gold Nanoparticles at the Oil/Water Interface. <i>Langmuir</i> , 2015, 31, 12911-12919.	1.6	35
72	A 10-MHz eGaN Isolated Class- 2 DCX. <i>IEEE Transactions on Power Electronics</i> , 2017, 32, 2029-2040.	5.4	35

#	ARTICLE	IF	CITATIONS
73	Understanding the role of hollow sub-surface structures in reducing ice adhesion strength. <i>Soft Matter</i> , 2019, 15, 2905-2910.	1.2	35
74	Design and preparation of icephobic PDMS-based coatings by introducing an aqueous lubricating layer and macro-crack initiators at the ice-substrate interface. <i>Progress in Organic Coatings</i> , 2020, 147, 105737.	1.9	35
75	MOSFET Switching Loss Model and Optimal Design of a Current Source Driver Considering the Current Diversion Problem. <i>IEEE Transactions on Power Electronics</i> , 2012, 27, 998-1012.	5.4	34
76	Design of Icephobic Surfaces by Lowering Ice Adhesion Strength: A Mini Review. <i>Coatings</i> , 2021, 11, 1343.	1.2	34
77	Thermomechanical properties dependence on chain length in bulk polyethylene: Coarse-grained molecular dynamics simulations. <i>Journal of Materials Research</i> , 2010, 25, 537-544.	1.2	33
78	A 1-MHz, 12-V ZVS Nonisolated Full-Bridge VRM With Gate Energy Recovery. <i>IEEE Transactions on Power Electronics</i> , 2010, 25, 624-636.	5.4	33
79	A three-dimensional finite element for gradient elasticity based on a mixed-type formulation. <i>Computational Materials Science</i> , 2012, 52, 268-273.	1.4	33
80	Common-Mode Noise Modeling and Reduction for 1-MHz eGaN Multioutput DC-DC Converters. <i>IEEE Transactions on Power Electronics</i> , 2019, 34, 3239-3254.	5.4	33
81	Degradation of TiB ₂ ceramics in liquid aluminum. <i>Journal of the European Ceramic Society</i> , 2008, 28, 3155-3164.	2.8	32
82	Viscous regularization for cohesive zone modeling under constant displacement: An application to hydrogen embrittlement simulation. <i>Engineering Fracture Mechanics</i> , 2016, 166, 23-42.	2.0	32
83	Switching Loss Analysis Considering Parasitic Loop Inductance With Current Source Drivers for Buck Converters. <i>IEEE Transactions on Power Electronics</i> , 2011, 26, 1815-1819.	5.4	31
84	Durable Low Ice Adhesion Foams Modulated by Submicrometer Pores. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 17776-17783.	1.8	31
85	Enabling phase transition of infused lubricant in porous structure for exceptional oil/water separation. <i>Journal of Hazardous Materials</i> , 2020, 390, 122176.	6.5	30
86	Nanomechanical characterization of single micron-sized polymer particles. <i>Journal of Applied Polymer Science</i> , 2009, 113, 1398-1405.	1.3	29
87	Crosslinking effect on the deformation and fracture of monodisperse polystyrene-co-divinylbenzene particles. <i>EXPRESS Polymer Letters</i> , 2013, 7, 365-374.	1.1	29
88	A Digital Adaptive Discontinuous Current Source Driver for High-Frequency Interleaved Boost PFC Converters. <i>IEEE Transactions on Power Electronics</i> , 2014, 29, 1298-1310.	5.4	29
89	A 3D numerical study of ductile tearing and fatigue crack growth under nominal cyclic plasticity. <i>International Journal of Solids and Structures</i> , 1997, 34, 3141-3161.	1.3	28
90	Application of local approach to inhomogeneous welds. Influence of crack position and strength mismatch. <i>Engineering Fracture Mechanics</i> , 1999, 62, 445-462.	2.0	28

#	ARTICLE	IF	CITATIONS
91	Adaptive Current Source Drivers for Efficiency Optimization of High-Frequency Synchronous Buck Converters. IEEE Transactions on Power Electronics, 2012, 27, 2462-2470.	5.4	28
92	Thermal conductivity of carbon nanocoils. Applied Physics Letters, 2013, 103, .	1.5	28
93	A method for determining material's equivalent stress-strain curve with any axisymmetric notched tensile specimens without Bridgman correction. International Journal of Mechanical Sciences, 2018, 135, 656-667.	3.6	28
94	Effect of spherical micro-voids in shape memory alloys subjected to uniaxial loading. International Journal of Solids and Structures, 2012, 49, 1947-1960.	1.3	27
95	A High-Frequency Dual-Channel Isolated Resonant Gate Driver With Low Gate Drive Loss for ZVS Full-Bridge Converters. IEEE Transactions on Power Electronics, 2014, 29, 3077-3090.	5.4	27
96	A framework for fracture assessments of dissimilar girth welds in offshore pipelines under bending. Engineering Fracture Mechanics, 2016, 163, 66-88.	2.0	26
97	Effect of microstructure on the impact toughness transition temperature of direct-quenched steels. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2018, 712, 671-680.	2.6	26
98	Epidermal Gland Inspired Self-Repairing Slippery Lubricant-Infused Porous Coatings with Durable Low Ice Adhesion. Coatings, 2019, 9, 602.	1.2	26
99	Morphology-Controlled Tensile Mechanical Characteristics in Graphene Allotropes. ACS Omega, 2017, 2, 3977-3988.	1.6	26
100	Effect of hydrogen on the collective behavior of dislocations in the case of nanoindentation. Acta Materialia, 2018, 148, 18-27.	3.8	25
101	Topology and polarity of dislocation cores dictate the mechanical strength of monolayer MoS ₂ . Applied Materials Today, 2019, 15, 34-42.	2.3	24
102	Constitutive modeling of intrinsic silicon monocrystals in easy glide. Journal of Applied Physics, 2010, 107, .	1.1	23
103	Loading rate effects on the fracture of Ni/Au nano-coated acrylic particles. EXPRESS Polymer Letters, 2012, 6, 198-203.	1.1	23
104	Selective growth of metallic nanostructures on microstructured copper substrate in solution. CrystEngComm, 2015, 17, 7262-7269.	1.3	23
105	Adaptive Continuous Current Source Drivers for 1-MHz Boost PFC Converters. IEEE Transactions on Power Electronics, 2013, 28, 2457-2467.	5.4	22
106	Ultrasound-assisted handling force reduction during the solar silicon wafers production. Ultrasonics, 2014, 54, 1057-1064.	2.1	22
107	A special notched tensile specimen to determine the flow stress-strain curve of hardening materials without applying the Bridgman correction. Engineering Fracture Mechanics, 2017, 179, 225-239.	2.0	22
108	Atomistic dewetting mechanics of Wenzel and monostable Cassie-Baxter states. Physical Chemistry Chemical Physics, 2018, 20, 24759-24767.	1.3	22

#	ARTICLE	IF	CITATIONS
109	A 1-kV Input SiC <i>LLC</i> Converter With Split Resonant Tanks and Matrix Transformers. IEEE Transactions on Power Electronics, 2019, 34, 10446-10457.	5.4	22
110	On the interrelationship between fracture toughness and material mismatch for cracks located at the fusion line of weldments. Engineering Fracture Mechanics, 1999, 64, 367-382.	2.0	21
111	Effect of plastic prestrain on the crack tip constraint of pipeline steels. International Journal of Pressure Vessels and Piping, 2007, 84, 708-715.	1.2	21
112	Void Coalescence With and Without Prestrain History. International Journal of Damage Mechanics, 2010, 19, 153-174.	2.4	21
113	Electron-irradiation-induced reinforcement of reduced graphene oxide papers. Acta Materialia, 2013, 61, 6466-6473.	3.8	21
114	Nanoconfined Water Dynamics in Multilayer Graphene Nanopores. Journal of Physical Chemistry C, 2020, 124, 17819-17828.	1.5	21
115	Numerical simulations of specimen size and mismatch effects in ductile crack growth – Part II: Near-tip stress fields. Engineering Fracture Mechanics, 2007, 74, 1793-1809.	2.0	20
116	A High Efficiency Synchronous Buck VRM with Current Source Gate Driver. , 2007, , .		20
117	Cohesive zone modeling of grain boundary microcracking induced by thermal anisotropy in titanium diboride ceramics. Computational Materials Science, 2008, 43, 440-449.	1.4	20
118	Continuum modeling of the cohesive energy for the interfaces between films, spheres, coats and substrates. Computational Materials Science, 2015, 96, 432-438.	1.4	20
119	Electromechanical characterization of individual micron-sized metal coated polymer particles. Journal of Applied Physics, 2016, 119, .	1.1	20
120	Cohesive zone simulation of grain size and misorientation effects on hydrogen embrittlement in nickel. Engineering Failure Analysis, 2017, 81, 79-93.	1.8	20
121	Hydrogen-microvoid interactions at continuum scale. International Journal of Hydrogen Energy, 2018, 43, 10104-10128.	3.8	20
122	Dislocation based plasticity in the case of nanoindentation. International Journal of Mechanical Sciences, 2018, 148, 158-173.	3.6	20
123	Enabling sequential rupture for lowering atomistic ice adhesion. Nanoscale, 2019, 11, 16262-16269.	2.8	20
124	Nanoscale Correlations of Ice Adhesion Strength and Water Contact Angle. Coatings, 2020, 10, 379.	1.2	20
125	Enhancement of Thermal Boundary Conductance of Metal-Polymer System. Nanomaterials, 2020, 10, 670.	1.9	20
126	Multifunction Capability of SiC Bidirectional Portable Chargers for Electric Vehicles. IEEE Journal of Emerging and Selected Topics in Power Electronics, 2021, 9, 6184-6195.	3.7	20

#	ARTICLE	IF	CITATIONS
127	Fracture of notched round-bar NiTi-specimens. <i>Engineering Fracture Mechanics</i> , 2012, 84, 1-14.	2.0	19
128	Control of surface wettability via strain engineering. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2013, 29, 543-549.	1.5	19
129	Fracture and negative Poisson's ratio of novel spanned-fullerenes nanotube networks under tension. <i>Computational Materials Science</i> , 2013, 80, 15-26.	1.4	19
130	Quantitative 3D X-ray Imaging of Densification, Delamination and Fracture in a Micro-Composite under Compression. <i>Advanced Engineering Materials</i> , 2015, 17, 545-553.	1.6	19
131	Effects of loading path on the fracture loci in a 3D space. <i>Engineering Fracture Mechanics</i> , 2016, 151, 22-36.	2.0	19
132	Fracture toughness of hydrogen charged as-quenched ultra-high-strength steels at low temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 688, 190-201.	2.6	19
133	A 6.6kW SiC bidirectional on-board charger. , 2018, , .		19
134	Hydrogen informed Gurson model for hydrogen embrittlement simulation. <i>Engineering Fracture Mechanics</i> , 2019, 217, 106542.	2.0	19
135	Coil Positioning Based on DC Pre-excitation and Magnetic Sensing for Wireless Electric Vehicle Charging. <i>IEEE Transactions on Industrial Electronics</i> , 2021, 68, 3820-3830.	5.2	19
136	Thermal Transport in Polyethylene: The Effect of Force Fields and Crystallinity. <i>Macromolecules</i> , 2021, 54, 6563-6574.	2.2	19
137	Numerical study on the effect of prestrain history on ductile fracture resistance by using the complete Gurson model. <i>Engineering Fracture Mechanics</i> , 2008, 75, 4568-4582.	2.0	18
138	Numerical study on the heat storing capacity of concrete walls with air cavities. <i>Energy and Buildings</i> , 2009, 41, 769-773.	3.1	18
139	Effect of notches on the behavior of superelastic round-bar NiTi-specimens. <i>Smart Materials and Structures</i> , 2011, 20, 025014.	1.8	18
140	Determining critical CTOA from energy-load curves with DWTT specimen. <i>Engineering Fracture Mechanics</i> , 2017, 186, 47-58.	2.0	18
141	Displacement of nanofluids in silica nanopores: influenced by wettability of nanoparticles and oil components. <i>Environmental Science: Nano</i> , 2018, 5, 2641-2650.	2.2	18
142	Modeling and Design of Contactless Sliprings for Rotary Applications. <i>IEEE Transactions on Industrial Electronics</i> , 2019, 66, 4130-4140.	5.2	18
143	Size-dependent elastic properties of crystalline polymers via a molecular mechanics model. <i>Applied Physics Letters</i> , 2011, 99, .	1.5	17
144	Deformation and Stability of Core-Shell Microgels at Oil/Water Interface. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 14793-14798.	1.8	17

#	ARTICLE	IF	CITATIONS
145	Magnetically Enhanced Mechanical Stability and Super-Size Effects in Self-Assembled Superstructures of Nanocubes. <i>Advanced Functional Materials</i> , 2019, 29, 1904825.	7.8	17
146	Effects of local grain size and inclusions on the low-temperature toughness of low-carbon as-quenched martensite. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 743, 611-622.	2.6	17
147	SiC MOSFETs Gate Driver With Minimum Propagation Delay Time and Auxiliary Power Supply With Wide Input Voltage Range for High-Temperature Applications. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2020, 8, 417-428.	3.7	17
148	Efficiency Optimization Based Parameter Design Method for the Capacitive Power Transfer System. <i>IEEE Transactions on Power Electronics</i> , 2021, 36, 8774-8785.	5.4	17
149	A Simple Analytical Switching Loss Model for Buck Voltage Regulators. , 2008, , .		16
150	Fracture of micrometre-sized Ni/Au coated polymer particles. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 085405.	1.3	16
151	Ductile mechanisms of metals containing pre-existing nanovoids. <i>Computational Materials Science</i> , 2016, 125, 36-50.	1.4	16
152	Effect of Nanoparticles on Spontaneous Imbibition of Water into Ultraconfined Reservoir Capillary by Molecular Dynamics Simulation. <i>Energies</i> , 2017, 10, 506.	1.6	16
153	A Sensorless Model-Based Digital Driving Scheme for Synchronous Rectification in 1-kV Input 1-MHz GaN <i>LLC</i> Converters. <i>IEEE Transactions on Power Electronics</i> , 2021, 36, 8359-8369.	5.4	16
154	Nanomechanical characteristics of trapped oil droplets with nanoparticles: A molecular dynamics simulation. <i>Journal of Petroleum Science and Engineering</i> , 2021, 203, 108649.	2.1	16
155	Title is missing!. <i>International Journal of Fracture</i> , 1999, 99, 211-237.	1.1	15
156	Mechanical properties of nanostructured polymer particles for anisotropic conductive adhesives. <i>International Journal of Materials Research</i> , 2007, 98, 389-392.	0.1	15
157	Constraint effects on crack tip stress fields for cracks located at the fusion line of weldments. <i>Computational Materials Science</i> , 1999, 15, 275-284.	1.4	14
158	From microstructure to deformation and fracture behaviour of aluminium welded joints – a holistic modelling approach. <i>Computational Materials Science</i> , 2001, 21, 429-435.	1.4	14
159	Title is missing!. <i>International Journal of Fracture</i> , 2001, 111, 87-103.	1.1	14
160	Compression properties of individual micron-sized acrylic particles. <i>Materials Letters</i> , 2009, 63, 1696-1698.	1.3	14
161	Effect of Nanoparticles on Oil-Water Flow in a Confined Nanochannel: A Molecular Dynamics Study. , 2012, , .		14
162	Size-dependent mechanical behavior of nanoscale polymer particles through coarse-grained molecular dynamics simulation. <i>Nanoscale Research Letters</i> , 2013, 8, 541.	3.1	14

#	ARTICLE	IF	CITATIONS
163	Molecular dynamics study of di-CF ₄ based reverse micelles in supercritical CO ₂ . Physical Chemistry Chemical Physics, 2016, 18, 29156-29163.	1.3	14
164	Contact area measurement of micron-sized metal-coated polymer particles under compression. International Journal of Mechanical Sciences, 2020, 165, 105214.	3.6	14
165	Unraveling Adhesion Strength between Gas Hydrate and Solid Surfaces. Langmuir, 2021, 37, 13873-13881.	1.6	14
166	Anti-gas hydrate surfaces: perspectives, progress and prospects. Journal of Materials Chemistry A, 2022, 10, 379-406.	5.2	14
167	Optimal Design of Current Source Gate Driver for a Buck Voltage Regulator Based on a New Analytical Loss Model. , 2007, , .		13
168	A new discontinuous Current Source Driver for high frequency power MOSFETs. , 2009, , .		13
169	Effect of residual stress on cleavage fracture toughness by using cohesive zone model. Fatigue and Fracture of Engineering Materials and Structures, 2011, 34, 592-603.	1.7	13
170	Extraordinary deformation capacity of smallest carbohelicene springs. Physical Chemistry Chemical Physics, 2015, 17, 18684-18690.	1.3	13
171	Passive Snow Repulsion: A State-of-the-art Review Illuminating Research Gaps and Possibilities. Energy Procedia, 2017, 132, 423-428.	1.8	13
172	Study of low-temperature effect on the fracture locus of a 420MPa structural steel with the edge tracing method. Fatigue and Fracture of Engineering Materials and Structures, 2018, 41, 1649-1661.	1.7	13
173	A review on wetting and water condensation - Perspectives for CO ₂ Condensation. Advances in Colloid and Interface Science, 2018, 256, 291-304.	7.0	13
174	Experimental measurement of temperature-dependent equivalent stress-strain curves of a 420MPa structural steel with axisymmetric notched tensile specimens. Engineering Failure Analysis, 2019, 100, 312-321.	1.8	13
175	Triple-Coil-Structure-Based Coil Positioning System for Wireless EV Charger. IEEE Transactions on Power Electronics, 2021, 36, 13515-13525.	5.4	13
176	Fe calculations of stress fields from cracks located at the fusion line of weldments. Engineering Fracture Mechanics, 1997, 57, 637-651.	2.0	12
177	Controlled Auxiliary Circuit with Measured Response for Reduction of Output Voltage Overshoot in Buck Converters. , 2009, , .		12
178	Constitutive modeling of intrinsic and oxygen-contaminated silicon monocrystals in easy glide. Journal of Applied Physics, 2010, 108, 103524.	1.1	12
179	Structural instability and mechanical properties of MoS ₂ toroidal nanostructures. Physical Chemistry Chemical Physics, 2015, 17, 32425-32435.	1.3	12
180	Contact Resistance and Metallurgical Connections Between Silver Coated Polymer Particles in Isotropic Conductive Adhesives. Journal of Electronic Materials, 2016, 45, 3734-3743.	1.0	12

#	ARTICLE	IF	CITATIONS
181	Atomistic insights into the nanofluid transport through an ultra-confined capillary. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 4831-4839.	1.3	12
182	Simulation of ductile-to-brittle transition combining complete Gurson model and CZM with application to hydrogen embrittlement. <i>Engineering Fracture Mechanics</i> , 2022, 268, 108511.	2.0	12
183	Fracture and physical properties of carbon anodes for the aluminum reduction cell. <i>Engineering Fracture Mechanics</i> , 2011, 78, 2998-3016.	2.0	11
184	A Nonisolated ZVS Self-Driven Current Tripler Topology for Low-Voltage and High-Current Applications. <i>IEEE Transactions on Power Electronics</i> , 2011, 26, 512-522.	5.4	11
185	A novel constitutive model for semiconductors: The case of silicon. <i>Journal of the Mechanics and Physics of Solids</i> , 2013, 61, 2402-2432.	2.3	11
186	Corrosion Product Film-Induced Stress Facilitates Stress Corrosion Cracking. <i>Scientific Reports</i> , 2015, 5, 10579.	1.6	11
187	Modeling nanoscale ice adhesion. <i>Acta Mechanica Solida Sinica</i> , 2017, 30, 224-226.	1.0	11
188	Constraint effect on the brittle-to-ductile transition of single-crystal iron induced by dislocation mobility. <i>International Journal of Mechanical Sciences</i> , 2018, 149, 212-223.	3.6	11
189	Transportation of Janus nanoparticles in confined nanochannels: a molecular dynamics simulation. <i>Environmental Science: Nano</i> , 2019, 6, 2810-2819.	2.2	11
190	Numerical study of hydrogen influence on void growth at low triaxialities considering transient effects. <i>International Journal of Mechanical Sciences</i> , 2019, 164, 105176.	3.6	11
191	Insight into the pressure-induced displacement mechanism for selecting efficient nanofluids in various capillaries. <i>Environmental Science: Nano</i> , 2020, 7, 2785-2794.	2.2	11
192	Characterization of mechanical properties of metalcoated polymer spheres for anisotropic conductive adhesive. , 0, , .		10
193	Evaluation of fracture mechanics parameters for free edges in multi-layered structures with weak singularities. <i>International Journal of Solids and Structures</i> , 2009, 46, 1134-1148.	1.3	10
194	Comparison of continuous and discontinuous Current Source Drivers for high frequency applications. , 2010, , .		10
195	Effect of thermal mismatch induced residual stresses on grain boundary microcracking of titanium diboride ceramics. <i>Journal of Materials Science</i> , 2010, 45, 382-391.	1.7	10
196	Deformation and fracture of nano-sized metal-coated polymer particles: A molecular dynamics study. <i>Engineering Fracture Mechanics</i> , 2015, 150, 209-221.	2.0	10
197	A new method to estimate the residual stresses in additive manufacturing characterized by point heat source. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 105, 2415-2429.	1.5	10
198	Analysis and Improvement of Capacitance Effects in 360~800Hz Variable On-Time Controlled CRM Boost PFC Converters. <i>IEEE Transactions on Power Electronics</i> , 2020, 35, 7480-7491.	5.4	10

#	ARTICLE	IF	CITATIONS
199	Mechanical Performance of Polymer Cored BGA Interconnects. , 2008, , .		9
200	Adaptive Current Source Drivers for MHz Power Factor Correction. , 2011, , .		9
201	A novel method to measure the residual stress in a corrosion film formed on metallic substrates. Corrosion Science, 2013, 68, 128-133.	3.0	9
202	An analysis on necking effect and stress distribution in round cross-section specimens of pure copper with different diameters. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2013, 561, 183-190.	2.6	9
203	CAFE based multi-scale modelling of ductile-to-brittle transition of steel with a temperature dependent effective surface energy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2019, 755, 220-230.	2.6	9
204	Contact Angle and Condensation of a CO2 Droplet on a Solid Surface. Journal of Physical Chemistry C, 2019, 123, 443-451.	1.5	9
205	Machine Learning Based Prediction of Nanoscale Ice Adhesion on Rough Surfaces. Coatings, 2021, 11, 33.	1.2	9
206	Electrical four-point probing of spherical metallic thin films coated onto micron sized polymer particles. Applied Physics Letters, 2016, 109, .	1.5	8
207	Numerical study on the effect of the Lüders plateau on the ductile crack growth resistance of SENT specimens. International Journal of Fracture, 2018, 214, 185-200.	1.1	8
208	Focused ion beam milling of self-assembled magnetic superstructures: an approach to fabricate nanoporous materials with tunable porosity. Materials Horizons, 2018, 5, 1211-1218.	6.4	8
209	Substrate slip steps promote cracking and buckling of thin brittle film. Scripta Materialia, 2019, 163, 82-85.	2.6	8
210	The effects of morphology and temperature on the tensile characteristics of carbon nitride nanofibers. Nanoscale, 2020, 12, 12462-12475.	2.8	8
211	Wide Input Voltage DC Electronic Load Architecture With SiC MOSFETs for High Efficiency Energy Recycling. IEEE Transactions on Power Electronics, 2020, 35, 13053-13067.	5.4	8
212	A new hybrid gate drive scheme for high frequency buck voltage regulators. Power Electronics Specialist Conference (PESC), IEEE, 2008, , .	0.0	7
213	Adaptive current source drivers for efficiency optimization of high frequency synchronous buck converters. , 2011, , .		7
214	Effect of chain architecture on the compression behavior of nanoscale polyethylene particles. Nanoscale Research Letters, 2013, 8, 322.	3.1	7
215	On determining the Poisson's ratio of viscoelastic polymer microparticles using a flat punch test. International Journal of Mechanical Sciences, 2017, 128-129, 150-158.	3.6	7
216	Effect of low temperature tensile properties on crack driving force for Arctic applications. Theoretical and Applied Fracture Mechanics, 2018, 93, 88-96.	2.1	7

#	ARTICLE	IF	CITATIONS
217	A SIMPLE PATH-INDEPENDENT INTEGRAL FOR CALCULATING MIXED-MODE STRESS INTENSITY FACTORS. Fatigue and Fracture of Engineering Materials and Structures, 1992, 15, 1041-1049.	1.7	6
218	On numerical analysis of damage evolution in cyclic elastic-plastic crack growth problems. Fatigue and Fracture of Engineering Materials and Structures, 2001, 24, 81-86.	1.7	6
219	Finite element simulation of martensitic transition based on thermo-mechanical model. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 448, 204-209.	2.6	6
220	A simple switching loss model for buck voltage regulators with current source drive. , 2008, , .		6
221	Contact area on rough surface of nonlinear isotropic brittle materials. Wear, 2011, 271, 1017-1028.	1.5	6
222	Fracture Analysis and Distribution of Surface Cracks in Multicrystalline Silicon Wafers. Journal of Solar Energy Engineering, Transactions of the ASME, 2014, 136, .	1.1	6
223	Multiaxial stress-strain response and dislocation transformations in NiTi alloy from first principles. Acta Materialia, 2016, 109, 223-229.	3.8	6
224	Microgel evolution at three-phase contact region and associated wettability alteration. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 558, 297-302.	2.3	6
225	Resistance Analysis of Spherical Metal Thin Films Combining Van Der Pauw and Electromechanical Nanoindentation Methods. Journal of Electronic Materials, 2018, 47, 6378-6382.	1.0	6
226	1-kV Input 1-MHz GaN Stacked Bridge LLC Converters. IEEE Transactions on Industrial Electronics, 2020, 67, 9227-9237.	5.2	6
227	CO ₂ wetting on pillar-nanostructured substrates. Nanotechnology, 2020, 31, 245403.	1.3	6
228	Supergiant elasticity and fracture of 3D spirally wound MoS_2 . International Journal of Fracture, 2020, 223, 39-52.	1.1	6
229	Reconfigurable Mechanical Anisotropy in Self-Assembled Magnetic Superstructures. Advanced Science, 2021, 8, 2002683.	5.6	6
230	A microstructure informed and mixed-mode cohesive zone approach to simulating hydrogen embrittlement. International Journal of Hydrogen Energy, 2022, 47, 17479-17493.	3.8	6
231	Finite element modelling of cracked inelastic shells with large deflections: two-dimensional and three-dimensional approaches. Fatigue and Fracture of Engineering Materials and Structures, 2000, 23, 253-261.	1.7	5
232	A method for retrieving temperature and microstructure dependent apparent yield strength for aluminium alloys. Computational Materials Science, 2005, 34, 35-45.	1.4	5
233	Fracture of anodic-bonded silicon-thin film glass-silicon triple stacks. Engineering Fracture Mechanics, 2008, 75, 1064-1082.	2.0	5
234	Coarse-Grained Molecular Dynamics Simulations on Size Effect of Glassy Polyethylene Particles. Journal of Nanoscience and Nanotechnology, 2010, 10, 7340-7342.	0.9	5

#	ARTICLE	IF	CITATIONS
235	Adaptive continuous Current Source Drivers to achieve efficiency improvement in wide load range. , 2011, , .		5
236	Adaptive discontinuous Current Source Driver to achieve switching loss reduction for MHz PFC boost converters. , 2011, , .		5
237	Analysis of surface cracks in multi-crystalline thin silicon wafers. Engineering Fracture Mechanics, 2014, 124-125, 310-321.	2.0	5
238	Grain-size Induced Strengthening and Weakening of Dislocation-free Polycrystalline Gas Hydrates. Procedia IUTAM, 2017, 21, 11-16.	1.2	5
239	Effect of amorphization-mediated plasticity on the hydrogen-void interaction in ideal lattices under hydrostatic tension. Journal of Applied Physics, 2018, 123, .	1.1	5
240	Numerical analysis of a new SMA-based seismic damper system and material characterization of two commercial NiTi-alloys. Smart Structures and Systems, 2008, 4, 137-152.	1.9	5
241	A framework for predicting the local stress-strain behaviors of additively manufactured multiphase alloys in the sequential layers. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 832, 142367.	2.6	5
242	Development and characterisation of micrometer sized polymer particles with extremely narrow size distribution. , 2007, , .		4
243	Comments on the evaluation of the stress intensity factor for a general re-entrant corner in anisotropic bi-materials. Engineering Fracture Mechanics, 2009, 76, 1373-1379.	2.0	4
244	Angle-Dependent Photoluminescence Spectroscopy of Solution-Processed Organic Semiconducting Nanobelts. Journal of Physical Chemistry C, 2017, 121, 12441-12446.	1.5	4
245	Raman antenna effect from excitonâ€“phonon coupling in organic semiconducting nanobelts. Nanoscale, 2017, 9, 19328-19336.	2.8	4
246	Stability, deformation and rupture of Janus oligomer enabled self-emulsifying water-in-oil microemulsion droplets. Physical Chemistry Chemical Physics, 2020, 22, 24907-24916.	1.3	4
247	Extraordinary Response of H-Charged and H-Free Coherent Grain Boundaries in Nickel to Multiaxial Loading. Crystals, 2020, 10, 590.	1.0	4
248	A framework for classification of snow- and icephobicity. Journal of Adhesion Science and Technology, 2021, 35, 1087-1098.	1.4	4
249	A multi-barrier model assisted CAFE method for predicting ductile-to-brittle transition with application to a low-carbon ultrahigh-strength steel. Mechanics of Materials, 2021, 153, 103669.	1.7	4
250	An engineering method for constraint based fracture assessment of welded structural components with surface cracks. Engineering Fracture Mechanics, 1999, 63, 653-674.	2.0	3
251	Large Scale Tests of Strain Capacity of Pipe Sections With Circumferential Defects Subjected to Installation-Induced Plastic Strain History. , 2009, , .		3
252	A high efficiency current source driver with negative gate voltage for buck voltage regulators. , 2009, , .		3

#	ARTICLE	IF	CITATIONS
253	A non-isolated ZVS self-driven current tripler topology for low voltage and high current applications. , 2009, , .		3
254	Accurate switching loss model and optimal design of a current source driver considering the current diversion problem. , 2010, , .		3
255	Switching loss analysis considering parasitic loop inductance with current source drivers for buck converters. , 2010, , .		3
256	A novel dual-channel isolated resonant gate driver to achieve gate drive loss reduction for ZVS full-bridge converters. , 2012, , .		3
257	A dual-channel isolated resonant gate driver for low gate drive loss in ZVS Full-bridge converters. , 2013, , .		3
258	Investigation of thermal transport in polymer composites with percolating networks of silver thin films by the flash diffusivity method. Journal of Applied Physics, 2017, 121, .	1.1	3
259	Room-Temperature Curing and Grain Growth at High Humidity in Conductive Adhesives with Ultra-Low Silver Content. Journal of Electronic Materials, 2017, 46, 4256-4266.	1.0	3
260	Size-dependent Phase Transformation and Fracture of ZnO Nanowires. Procedia IUTAM, 2017, 21, 86-93.	1.2	3
261	Effect of the Lüders plateau on ductile fracture with MBL model. European Journal of Mechanics, A/Solids, 2019, 78, 103840.	2.1	3
262	Cohesive zone modelling of anodic dissolution stress corrosion cracking induced by corrosion product films. Philosophical Magazine, 2019, 99, 1090-1102.	0.7	3
263	Effect of grain boundary on the crack-tip plasticity under hydrogen environment: An atomistic study. Journal of Applied Physics, 2020, 127, .	1.1	3
264	Linear-Nonlinear Optimal Step Control for 1-kV SiC LLC Converters With Pulse Loads. IEEE Transactions on Power Electronics, 2021, 36, 12008-12018.	5.4	3
265	Atomistic Insights into the Droplet Size Evolution during Self-Microemulsification. Langmuir, 2022, 38, 3129-3138.	1.6	3
266	Structural safety analysis with engineering integrity assessment tools. Computers and Structures, 1997, 64, 759-770.	2.4	2
267	Generation Behavior of Thermal and Residual Stresses Due to Phase Transformation During Welding Heat Cycles. , 2002, , 123.		2
268	Study on the Anode-to-Cathode Distance in an Aluminum Reduction Cell. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2011, 42, 424-433.	1.0	2
269	Optimization and comparison of continuous and discontinuous Current Source Drivers for MHz boost PFC converters. , 2012, , .		2
270	The Effect of Microstructure, Thickness Variation, and Crack on the Natural Frequency of Solar Silicon Wafers. Journal of Solar Energy Engineering, Transactions of the ASME, 2014, 136, 0110011-110018.	1.1	2

#	ARTICLE	IF	CITATIONS
271	Stress and Fracture Analyses of Solar Silicon Wafers During Suction Process and Handling. Journal of Solar Energy Engineering, Transactions of the ASME, 2015, 137, .	1.1	2
272	Identifying the optimal deformation point in metal-coated polymer particles for conductive adhesives. , 2016, , .		2
273	Controlling the Conduction Mechanisms in Isotropic Conductive Adhesives with Silver-Coated Polymer Spheres. , 2016, , .		2
274	Deformation and Fracture of Micronâ€Sized Metalâ€Coated Polymer Spheres: An In Situ Study. Advanced Engineering Materials, 2018, 20, 1800049.	1.6	2
275	Four-point transient potential drop measurements on metal plates. Measurement Science and Technology, 2020, 31, 024006.	1.4	2
276	Effect of thermal residual stresses on ductile-to-brittle transition of a bi-material specimen by using the CAFE method. European Journal of Mechanics, A/Solids, 2020, 80, 103889.	2.1	2
277	Seamless Transition Mode Control for SiC Energy-recycling DC Electronic Loads. , 2020, , .		2
278	Damage Mechanism of Hybrid Welded 7020 Aluminium Alloy Based on Three-Dimensional X-Ray Micro-Tomography and GTN Model. Zhongguo Jiguang/Chinese Journal of Lasers, 2016, 43, 1002005.	0.2	2
279	LLâ€delta structure for CS featuring highâ€PTC. IET Power Electronics, 2019, 12, 2543-2550.	1.5	2
280	Phonon thermal transport in copper: The effect of size, crystal orientation, and grain boundaries. AIP Advances, 2022, 12, .	0.6	2
281	Effect of Micro-Voids on Plasticity in NiTi-Alloys. Advances in Science and Technology, 0, , .	0.2	1
282	A new inductorless bipolar gate driver for control FET of high frequency buck converters. , 2010, , .		1
283	Digital adaptive Current Source Driver for interleaving Boost PFC converters under Critical Conduction Mode. , 2012, , .		1
284	Influence of welding residual stresses on the ductile crack growth resistance of circumferentially cracked pipe. Frontiers of Structural and Civil Engineering, 2012, 6, 217.	1.2	1
285	Continuum level simulation of the grain size and misorientation effects on hydrogen embrittlement in nickel. Procedia Structural Integrity, 2016, 2, 565-572.	0.3	1
286	Estimation of Impact Toughness Transition Temperatures of As-Quenched Steels. Materials Science Forum, 0, 941, 498-503.	0.3	1
287	Modelling the combined effects of hydrogen traps and surface films on hydrogen permeation in ferritic steels. Anti-Corrosion Methods and Materials, 2020, 67, 240-247.	0.6	1
288	Inductor Current Step Control with Input Voltage Feedforward for Fast Load Transient of Energy Recycling DC Electronic Load. IEEE Transactions on Power Electronics, 2021, , 1-1.	5.4	1

#	ARTICLE	IF	CITATIONS
289	Thermal transport in silver-coated polymer sphere composites by the bidirectional 3D printing method. Journal of Applied Physics, 2022, 131, 125107.	1.1	1
290	Towards the "sustainable" operation at -30°C without the expense of energy for heating on-face electronics: Intelligent heat conservation and waste heat utilization. Energy Reports, 2022, 8, 6753-6763.	2.5	1
291	Numerical Analyses of Ductile Fracture Behavior in 2D Plane Strain and Axisymmetric Models Using the Complete Gurson Model. , 2009, , .		0
292	Geometry effect assesment on mechanical performance of forge welded pipe. International Journal of Material Forming, 2010, 3, 1023-1026.	0.9	0
293	Axisymmetric Modeling of Constraint Effect on the Ductile Crack Growth Resistance of Circumferentially Cracked Pipes. , 2010, , .		0
294	MHz Power Factor Correction with Adaptive Current Source Drivers. , 2011, , .		0
295	Photoelectrical and microphysical properties of Sol-Gel derived IGZO thin films for printed TFTs. , 2014, , .		0
296	Predicting Thermo-Mechanical Response of Crosslinked Epoxy using ReaxFF. , 2014, , .		0
297	Preface to the special issue of Engineering Failure Analysis on "Recent case studies in Engineering Failure Analysis". Engineering Failure Analysis, 2015, 58, 321.	1.8	0
298	Stress-coupled contact resistance of individual metal coated polymer spheres for conductive adhesive. , 2017, , .		0
299	Reference toughness " a pragmatic tool to estimate ductile-brittle transition temperatures. Procedia Structural Integrity, 2018, 13, 1135-1140.	0.3	0
300	A Sensorless Synchronous Rectification Driving Scheme in 1-kV Input 1-MHz GaN LLC Converters with Matrix Transformers*. , 2020, , .		0
301	Study of P-h Curves on Nanomechanical Properties of Steel Fiber Reinforced Mortar. , 2009, , 281-286.		0
302	Numerical Investigation on the Influence of Residual Stresses on Ductile Crack Growth Resistance. , 2010, , .		0
303	Ductile Damage and Constraint in Components with Embedded and Surface Semi-Circular Cracks. European Physical Journal Special Topics, 1996, 06, C6-173-C6-182.	0.2	0
304	Modeling of Non-Linear and Hysteretic Magnetization Effects in Transient Potential Drop Measurements. Studies in Applied Electromagnetics and Mechanics, 2020, , .	0.2	0
305	Precise Analysis for Strong Coupling WPT System. , 2020, , .		0
306	Assembly of Graphene Platelets for Bioinspired, Stimuli-Responsive, Low Ice Adhesion Surfaces. ACS Omega, 2022, 7, 10225-10234.	1.6	0