

# Assaf Distelfeld

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9579718/assaf-distelfeld-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67  
papers

7,484  
citations

35  
h-index

71  
g-index

71  
ext. papers

10,275  
ext. citations

8.7  
avg, IF

5.35  
L-index

#	Paper	IF	Citations
67	Genome sequences of three <i>Aegilops</i> species of the section <i>Sitopsis</i> reveal phylogenetic relationships and provide resources for wheat improvement.. <i>Plant Journal</i> , <b>2022</b> ,	6.9	3
66	Functional leaf anatomy of the invasive weed <i>Solanum rostratum</i> Dunal. <i>Weed Research</i> , <b>2022</b> , 62, 172-180		
65	A Time to Sow, a Time to Reap: Modifications to Biological and Economic Rhythms in Southwest Asian Plant and Animal Domestication. <i>Agronomy</i> , <b>2022</b> , 12, 1368	3.6	
64	Wild emmer introgression alters root-to-shoot growth dynamics in durum wheat in response to water stress. <i>Plant Physiology</i> , <b>2021</b> , 187, 1149-1162	6.6	6
63	Genome-Wide Mapping of Loci for Adult-Plant Resistance to Stripe Rust in Durum Wheat Svevo Using the 90K SNP Array. <i>Plant Disease</i> , <b>2021</b> , 105, 879-888	1.5	1
62	The Independent Domestication of Timopheev's Wheat: Insights from Haplotype Analysis of the () Gene. <i>Genes</i> , <b>2021</b> , 12,	4.2	4
61	The Brittle Rachis Trait in Species Belonging to the Triticeae and Its Controlling Genes and. <i>Frontiers in Plant Science</i> , <b>2020</b> , 11, 1000	6.2	4
60	Multiple wheat genomes reveal global variation in modern breeding. <i>Nature</i> , <b>2020</b> , 588, 277-283	50.4	180
59	Recombination between homoeologous chromosomes induced in durum wheat by the <i>Aegilops speltoides</i> Su1-Ph1 suppressor. <i>Theoretical and Applied Genetics</i> , <b>2019</b> , 132, 3265-3276	6	3
58	Rapid evolution of Gliadin gene family revealed by analyzing Gli-2 locus regions of wild emmer wheat. <i>Functional and Integrative Genomics</i> , <b>2019</b> , 19, 993-1005	3.8	8
57	Wheat domestication in light of haplotype analyses of the Brittle rachis 1 genes (BTR1-A and BTR1-B). <i>Plant Science</i> , <b>2019</b> , 285, 193-199	5.3	7
56	GNI-A1 mediates trade-off between grain number and grain weight in tetraploid wheat. <i>Theoretical and Applied Genetics</i> , <b>2019</b> , 132, 2353-2365	6	20
55	Durum wheat genome highlights past domestication signatures and future improvement targets. <i>Nature Genetics</i> , <b>2019</b> , 51, 885-895	36.3	289
54	Improved Genome Sequence of Wild Emmer Wheat Zavitan with the Aid of Optical Maps. <i>G3: Genes, Genomes, Genetics</i> , <b>2019</b> , 9, 619-624	3.2	29
53	SNP-based pool genotyping and haplotype analysis accelerate fine-mapping of the wheat genomic region containing stripe rust resistance gene Yr26. <i>Theoretical and Applied Genetics</i> , <b>2018</b> , 131, 1481-1496	6	36
52	A glycosyl transferase family 43 protein involved in xylan biosynthesis is associated with straw digestibility in <i>Brachypodium distachyon</i> . <i>New Phytologist</i> , <b>2018</b> , 218, 974-985	9.8	11
51	Chromosome-based survey sequencing reveals the genome organization of wild wheat progenitor <i>Triticum dicoccoides</i> . <i>Plant Biotechnology Journal</i> , <b>2018</b> , 16, 2077-2087	11.6	19

50	Reassessment of the evolution of wheat chromosomes 4A, 5A, and 7B. <i>Theoretical and Applied Genetics</i> , <b>2018</b> , 131, 2451-2462	6	43
49	The transcriptional landscape of polyploid wheat. <i>Science</i> , <b>2018</b> , 361,	33.3	368
48	Shifting the limits in wheat research and breeding using a fully annotated reference genome. <i>Science</i> , <b>2018</b> , 361,	33.3	1296
47	Unlocking the Genetic Diversity within A Middle-East Panel of Durum Wheat Landraces for Adaptation to Semi-arid Climate. <i>Agronomy</i> , <b>2018</b> , 8, 233	3.6	14
46	Genome Based Meta-QTL Analysis of Grain Weight in Tetraploid Wheat Identifies Rare Alleles of GRF4 Associated with Larger Grains. <i>Genes</i> , <b>2018</b> , 9,	4.2	21
45	Cloning of the wheat Yr15 resistance gene sheds light on the plant tandem kinase-pseudokinase family. <i>Nature Communications</i> , <b>2018</b> , 9, 3735	17.4	108
44	Structural variation and rates of genome evolution in the grass family seen through comparison of sequences of genomes greatly differing in size. <i>Plant Journal</i> , <b>2018</b> , 95, 487-503	6.9	24
43	Exploring the metabolic variation between domesticated and wild tetraploid wheat genotypes in response to corn leaf aphid infestation. <i>Plant Signaling and Behavior</i> , <b>2018</b> , 13, e1486148	2.5	8
42	High density mapping and haplotype analysis of the major stem-solidness locus SSt1 in durum and common wheat. <i>PLoS ONE</i> , <b>2017</b> , 12, e0175285	3.7	12
41	On the Origin of the Non-brittle Rachis Trait of Domesticated Einkorn Wheat. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 2031	6.2	29
40	Wild emmer genome architecture and diversity elucidate wheat evolution and domestication. <i>Science</i> , <b>2017</b> , 357, 93-97	33.3	474
39	The <i>Solanum tuberosum</i> KST1 partial promoter as a tool for guard cell expression in multiple plant species. <i>Journal of Experimental Botany</i> , <b>2017</b> , 68, 2885-2897	7	19
38	Haplotype Analysis of the Pre-harvest Sprouting Resistance Locus Reveals a Causal Role of in Global Germplasm. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 1555	6.2	30
37	A High-Density Genetic Map of Wild Emmer Wheat from the Karaca Dağ Region Provides New Evidence on the Structure and Evolution of Wheat Chromosomes. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 1798	6.2	23
36	Introgression of the Suppressor into Wheat. <i>Frontiers in Plant Science</i> , <b>2017</b> , 8, 2163	6.2	14
35	Acceleration of leaf senescence is slowed down in transgenic barley plants deficient in the DNA/RNA-binding protein WHIRLY1. <i>Journal of Experimental Botany</i> , <b>2017</b> , 68, 983-996	7	17
34	QTLs for uniform grain dimensions and germination selected during wheat domestication are co-located on chromosome 4B. <i>Theoretical and Applied Genetics</i> , <b>2016</b> , 129, 1303-1315	6	27
33	A Metabolic Gene Cluster in the Wheat W1 and the Barley Cer-cqu Loci Determines Diketone Biosynthesis and Glaucousness. <i>Plant Cell</i> , <b>2016</b> , 28, 1440-60	11.6	87

32	A high-density, SNP-based consensus map of tetraploid wheat as a bridge to integrate durum and bread wheat genomics and breeding. <i>Plant Biotechnology Journal</i> , <b>2015</b> , 13, 648-63	11.6	196
31	Barley molybdenum cofactor sulfurase (MCSU): sequencing, modeling, and its comparison to other higher plants. <i>Turk Tarim Ve Ormancilik Dergisi/Turkish Journal of Agriculture and Forestry</i> , <b>2015</b> , 39, 786-796	2.2	3
30	Senescence, nutrient remobilization, and yield in wheat and barley. <i>Journal of Experimental Botany</i> , <b>2014</b> , 65, 3783-98	7	177
29	Functional characterization of GPC-1 genes in hexaploid wheat. <i>Planta</i> , <b>2014</b> , 239, 313-324	4.7	61
28	Introgression of leaf rust and stripe rust resistance from Sharon goatgrass ( <i>Aegilops sharonensis</i> Eig) into bread wheat ( <i>Triticum aestivum</i> L.). <i>Genome</i> , <b>2014</b> , 57, 309-16	2.4	15
27	Ultra-dense genetic map of durum wheat [wild emmer wheat developed using the 90K iSelect SNP genotyping assay. <i>Molecular Breeding</i> , <b>2014</b> , 34, 1549-1562	3.4	70
26	Regulation of Zn and Fe transporters by the GPC1 gene during early wheat monocarpic senescence. <i>BMC Plant Biology</i> , <b>2014</b> , 14, 368	5.3	79
25	Increased copy number at the HvFT1 locus is associated with accelerated flowering time in barley. <i>Molecular Genetics and Genomics</i> , <b>2013</b> , 288, 261-75	3.1	62
24	Identification and characterization of a novel powdery mildew resistance gene PmG3M derived from wild emmer wheat, <i>Triticum dicoccoides</i> . <i>Theoretical and Applied Genetics</i> , <b>2012</b> , 124, 911-22	6	38
23	Divergent functions of orthologous NAC transcription factors in wheat and rice. <i>Plant Molecular Biology</i> , <b>2012</b> , 78, 515-24	4.6	59
22	Wheat flowering repressor VRN2 and promoter CO2 compete for interactions with NUCLEAR FACTOR-Y complexes. <i>Plant Journal</i> , <b>2011</b> , 67, 763-73	6.9	86
21	Effect of the down-regulation of the high Grain Protein Content (GPC) genes on the wheat transcriptome during monocarpic senescence. <i>BMC Genomics</i> , <b>2011</b> , 12, 492	4.5	66
20	Regulation of freezing tolerance and flowering in temperate cereals: the VRN-1 connection. <i>Plant Physiology</i> , <b>2010</b> , 153, 1846-58	6.6	125
19	Vrn-D4 is a vernalization gene located on the centromeric region of chromosome 5D in hexaploid wheat. <i>Theoretical and Applied Genetics</i> , <b>2010</b> , 120, 543-52	6	79
18	Characterization of the maintained vegetative phase deletions from diploid wheat and their effect on VRN2 and FT transcript levels. <i>Molecular Genetics and Genomics</i> , <b>2010</b> , 283, 223-32	3.1	46
17	Small RNAs, DNA methylation and transposable elements in wheat. <i>BMC Genomics</i> , <b>2010</b> , 11, 408	4.5	69
16	Genetic and molecular characterization of the VRN2 loci in tetraploid wheat. <i>Plant Physiology</i> , <b>2009</b> , 149, 245-57	6.6	99
15	Regulation of flowering in temperate cereals. <i>Current Opinion in Plant Biology</i> , <b>2009</b> , 12, 178-84	9.9	335

14	A kinase-START gene confers temperature-dependent resistance to wheat stripe rust. <i>Science</i> , <b>2009</b> , 323, 1357-60	33.3	490
13	Colinearity between the barley grain protein content (GPC) QTL on chromosome arm 6HS and the wheat Gpc-B1 region. <i>Molecular Breeding</i> , <b>2008</b> , 22, 25-38	3.4	57
12	Wild emmer wheat as a source for high-grain-protein genes: Map-based cloning of Gpc-B1. <i>Israel Journal of Plant Sciences</i> , <b>2007</b> , 55, 297-306	0.6	11
11	Multiple QTL-effects of wheat Gpc-B1 locus on grain protein and micronutrient concentrations. <i>Physiologia Plantarum</i> , <b>2007</b> , 129, 635-643	4.6	209
10	Identification of a novel gene (Hsd4) involved in water-stress tolerance in wild barley. <i>Plant Molecular Biology</i> , <b>2007</b> , 64, 17-34	4.6	66
9	A NAC Gene regulating senescence improves grain protein, zinc, and iron content in wheat. <i>Science</i> , <b>2006</b> , 314, 1298-301	33.3	1100
8	Physical map of the wheat high-grain protein content gene Gpc-B1 and development of a high-throughput molecular marker. <i>New Phytologist</i> , <b>2006</b> , 169, 753-63	9.8	122
7	High-temperature adult-plant (HTAP) stripe rust resistance gene Yr36 from <i>Triticum turgidum</i> ssp. <i>dicoccoides</i> is closely linked to the grain protein content locus Gpc-B1. <i>Theoretical and Applied Genetics</i> , <b>2005</b> , 112, 97-105	6	173
6	Microcolinearity between a 2-cM region encompassing the grain protein content locus Gpc-6B1 on wheat chromosome 6B and a 350-kb region on rice chromosome 2. <i>Functional and Integrative Genomics</i> , <b>2004</b> , 4, 59-66	3.8	93
5	Construction and characterization of a half million clone BAC library of durum wheat ( <i>Triticum turgidum</i> ssp. <i>durum</i> ). <i>Theoretical and Applied Genetics</i> , <b>2003</b> , 107, 931-9	6	119
4	Precise mapping of a locus affecting grain protein content in durum wheat. <i>Theoretical and Applied Genetics</i> , <b>2003</b> , 107, 1243-51	6	140
3	Wild emmer introgressions alter root-to-shoot growth dynamics in response to water stress		1
2	Genome based meta-QTL analysis of grain weight in tetraploid wheat identifies rare alleles of GRF4 associated with larger grains		1
1	Genome sequences of <i>Aegilops</i> species of section <i>Sitopsis</i> reveal phylogenetic relationships and provide resources for wheat improvement		2