

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9579745/publications.pdf>

Version: 2024-02-01

229  
papers

14,620  
citations

18465

62  
h-index

27389

106  
g-index

231  
all docs

231  
docs citations

231  
times ranked

18114  
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification and Characterization of Tumorigenic Liver Cancer Stem/Progenitor Cells. <i>Gastroenterology</i> , 2007, 132, 2542-2556.	0.6	1,096
2	Aldehyde Dehydrogenase Discriminates the CD133 Liver Cancer Stem Cell Populations. <i>Molecular Cancer Research</i> , 2008, 6, 1146-1153.	1.5	427
3	Recoding RNA editing of AZIN1 predisposes to hepatocellular carcinoma. <i>Nature Medicine</i> , 2013, 19, 209-216.	15.2	421
4	The putative tumour suppressor microRNA-124 modulates hepatocellular carcinoma cell aggressiveness by repressing ROCK2 and EZH2. <i>Gut</i> , 2012, 61, 278-289.	6.1	373
5	miR-130b Promotes CD133+ Liver Tumor-Initiating Cell Growth and Self-Renewal via Tumor Protein 53-Induced Nuclear Protein 1. <i>Cell Stem Cell</i> , 2010, 7, 694-707.	5.2	368
6	MicroRNA-29b suppresses tumor angiogenesis, invasion, and metastasis by regulating matrix metalloproteinase 2 expression. <i>Hepatology</i> , 2011, 54, 1729-1740.	3.6	276
7	MicroRNA-375 inhibits tumour growth and metastasis in oesophageal squamous cell carcinoma through repressing insulin-like growth factor 1 receptor. <i>Gut</i> , 2012, 61, 33-42.	6.1	223
8	CD133+ liver tumor-initiating cells promote tumor angiogenesis, growth, and self-renewal through neurotensin/interleukin-8/CXCL1 signaling. <i>Hepatology</i> , 2012, 55, 807-820.	3.6	206
9	Association of Vimentin overexpression and hepatocellular carcinoma metastasis. <i>Oncogene</i> , 2004, 23, 298-302.	2.6	205
10	Prognostic significance of c-myc and AIB1 amplification in hepatocellular carcinoma. <i>Cancer</i> , 2002, 95, 2346-2352.	2.0	192
11	A disrupted RNA editing balance mediated by ADARs (Adenosine DeAminases that act on RNA) in human hepatocellular carcinoma. <i>Gut</i> , 2014, 63, 832-843.	6.1	187
12	Cancer stem cells in hepatocellular carcinoma – from origin to clinical implications. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2022, 19, 26-44.	8.2	185
13	Interleukin 17A Promotes Hepatocellular Carcinoma Metastasis via NF- $\kappa$ B Induced Matrix Metalloproteinases 2 and 9 Expression. <i>PLoS ONE</i> , 2011, 6, e21816.	1.1	168
14	EZH2 protein: a promising immunomarker for the detection of hepatocellular carcinomas in liver needle biopsies. <i>Gut</i> , 2011, 60, 967-976.	6.1	162
15	Overexpression of EIF5A2 promotes colorectal carcinoma cell aggressiveness by upregulating MTA1 through C-myc to induce epithelial-mesenchymal transition. <i>Gut</i> , 2012, 61, 562-575.	6.1	153
16	Octamer 4/microRNA-1246 signaling axis drives Wnt/ $\beta$ -catenin activation in liver cancer stem cells. <i>Hepatology</i> , 2016, 64, 2062-2076.	3.6	153
17	Association of Mortalin (HSPA9) with Liver Cancer Metastasis and Prediction for Early Tumor Recurrence. <i>Molecular and Cellular Proteomics</i> , 2008, 7, 315-325.	2.5	152
18	Adenosine-to-Inosine RNA Editing Mediated by ADARs in Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2014, 74, 840-851.	0.4	152

#	ARTICLE	IF	CITATIONS
19	Recurrent chromosome alterations in hepatocellular carcinoma detected by comparative genomic hybridization. <i>Genes Chromosomes and Cancer</i> , 2000, 29, 110-116.	1.5	147
20	COOH-Terminal Truncated HBV X Protein Plays Key Role in Hepatocarcinogenesis. <i>Clinical Cancer Research</i> , 2008, 14, 5061-5068.	3.2	145
21	The genetic and epigenetic alterations in human hepatocellular carcinoma: a recent update. <i>Protein and Cell</i> , 2014, 5, 673-691.	4.8	141
22	Overexpression of eukaryotic initiation factor 5A2 enhances cell motility and promotes tumor metastasis in hepatocellular carcinoma. <i>Hepatology</i> , 2010, 51, 1255-1263.	3.6	138
23	EZH2 supports ovarian carcinoma cell invasion and/or metastasis via regulation of TGF- $\beta$ 21 and is a predictor of outcome in ovarian carcinoma patients. <i>Carcinogenesis</i> , 2010, 31, 1576-1583.	1.3	136
24	Profiling of Epstein-Barr virus-encoded microRNAs in nasopharyngeal carcinoma reveals potential biomarkers and oncomirs. <i>Cancer</i> , 2012, 118, 698-710.	2.0	135
25	CHD1L promotes hepatocellular carcinoma progression and metastasis in mice and is associated with these processes in human patients. <i>Journal of Clinical Investigation</i> , 2010, 120, 1178-1191.	3.9	132
26	Isolation and characterization of a novel oncogene, amplified in liver cancer 1, within a commonly amplified region at 1q21 in hepatocellular carcinoma. <i>Hepatology</i> , 2008, 47, 503-510.	3.6	128
27	Wnt2 secreted by tumour fibroblasts promotes tumour progression in oesophageal cancer by activation of the Wnt/ $\beta$ -catenin signalling pathway. <i>Gut</i> , 2011, 60, 1635-1643.	6.1	118
28	LINC01554-Mediated Glucose Metabolism Reprogramming Suppresses Tumorigenicity in Hepatocellular Carcinoma via Downregulating PKM2 Expression and Inhibiting Akt/mTOR Signaling Pathway. <i>Theranostics</i> , 2019, 9, 796-810.	4.6	114
29	APC-activated long noncoding RNA inhibits colorectal carcinoma pathogenesis through reduction of exosome production. <i>Journal of Clinical Investigation</i> , 2019, 129, 727-743.	3.9	114
30	Characterization of HBV integrants in 14 hepatocellular carcinomas: association of truncated X gene and hepatocellular carcinogenesis. <i>Oncogene</i> , 2004, 23, 142-148.	2.6	113
31	High Expression of H3K27me3 in Human Hepatocellular Carcinomas Correlates Closely with Vascular Invasion and Predicts Worse Prognosis in Patients. <i>Molecular Medicine</i> , 2011, 17, 12-20.	1.9	111
32	Rab25 Is a Tumor Suppressor Gene with Antiangiogenic and Anti-Invasive Activities in Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2012, 72, 6024-6035.	0.4	110
33	Maelstrom promotes hepatocellular carcinoma metastasis by inducing epithelial-mesenchymal transition by way of Akt/GSK-3 $\beta$ /Snail signaling. <i>Hepatology</i> , 2014, 59, 531-543.	3.6	110
34	CircLONP2 enhances colorectal carcinoma invasion and metastasis through modulating the maturation and exosomal dissemination of microRNA-17. <i>Molecular Cancer</i> , 2020, 19, 60.	7.9	110
35	Oncogenic Role of eIF-5A2 in the Development of Ovarian Cancer. <i>Cancer Research</i> , 2004, 64, 4197-4200.	0.4	108
36	Analysis of genetic alterations in primary nasopharyngeal carcinoma by comparative genomic hybridization. <i>Genes Chromosomes and Cancer</i> , 2001, 30, 254-260.	1.5	106

#	ARTICLE	IF	CITATIONS
37	MicroRNA-9 promotes tumor metastasis via repressing E-cadherin in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2014, 5, 11669-11680.	0.8	105
38	Fibroblast Growth Factor Receptor 2-Positive Fibroblasts Provide a Suitable Microenvironment for Tumor Development and Progression in Esophageal Carcinoma. <i>Clinical Cancer Research</i> , 2009, 15, 4017-4027.	3.2	101
39	Heterogeneous expression and association of $\beta$ -catenin, p16 and c-myc in multistage colorectal tumorigenesis and progression detected by tissue microarray. <i>International Journal of Cancer</i> , 2003, 107, 896-902.	2.3	100
40	SPOCK1 Is Regulated by CHD1L and Blocks Apoptosis and Promotes HCC Cell Invasiveness and Metastasis in Mice. <i>Gastroenterology</i> , 2013, 144, 179-191.e4.	0.6	94
41	Amplification of 19q13.1-q13.2 sequences in ovarian cancer. <i>Cancer Genetics and Cytogenetics</i> , 1996, 87, 55-62.	1.0	92
42	Systemic Delivery of MicroRNA-101 Potently Inhibits Hepatocellular Carcinoma In Vivo by Repressing Multiple Targets. <i>PLoS Genetics</i> , 2015, 11, e1004873.	1.5	90
43	TSLC1 Is a Tumor Suppressor Gene Associated with Metastasis in Nasopharyngeal Carcinoma. <i>Cancer Research</i> , 2006, 66, 9385-9392.	0.4	88
44	Increased Expression of EIF5A2, Via Hypoxia or Gene Amplification, Contributes to Metastasis and Angiogenesis of Esophageal Squamous Cell Carcinoma. <i>Gastroenterology</i> , 2014, 146, 1701-1713.e9.	0.6	87
45	Characterization of a Novel Tumor-Suppressor Gene <i>PLC1</i> at 3p22 in Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2007, 67, 10720-10726.	0.4	83
46	Decreased expression of PinX1 protein is correlated with tumor development and is a new independent poor prognostic factor in ovarian carcinoma. <i>Cancer Science</i> , 2010, 101, 1543-1549.	1.7	82
47	Overexpression of Cathepsin Z Contributes to Tumor Metastasis by Inducing Epithelial-Mesenchymal Transition in Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2011, 6, e24967.	1.1	79
48	Integrin $\alpha 7$ is a functional cancer stem cell surface marker in oesophageal squamous cell carcinoma. <i>Nature Communications</i> , 2016, 7, 13568.	5.8	78
49	RNA editing of <i>SLC22A3</i> drives early tumor invasion and metastasis in familial esophageal cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E4631-E4640.	3.3	78
50	Up-regulated expression of cytoplasmic clusterin in human ovarian carcinoma. <i>Cancer</i> , 2005, 103, 277-283.	2.0	77
51	High expression of EZH2 is associated with tumor aggressiveness and poor prognosis in patients with esophageal squamous cell carcinoma treated with definitive chemoradiotherapy. <i>International Journal of Cancer</i> , 2010, 127, 138-147.	2.3	76
52	PRMT6 Regulates RAS/RAF Binding and MEK/ERK-Mediated Cancer Stemness Activities in Hepatocellular Carcinoma through CRAF Methylation. <i>Cell Reports</i> , 2018, 25, 690-701.e8.	2.9	76
53	Overexpression of eIF5A $\epsilon 2$ is an adverse prognostic marker of survival in stage I non-small cell lung cancer patients. <i>International Journal of Cancer</i> , 2011, 129, 143-150.	2.3	75
54	ANXA3/JNK Signaling Promotes Self-Renewal and Tumor Growth, and Its Blockade Provides a Therapeutic Target for Hepatocellular Carcinoma. <i>Stem Cell Reports</i> , 2015, 5, 45-59.	2.3	74

#	ARTICLE	IF	CITATIONS
55	Characterization of Tumor-Suppressive Function of SOX6 in Human Esophageal Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2011, 17, 46-55.	3.2	73
56	Targeting cancer-associated fibroblast-secreted WNT2 restores dendritic cell-mediated antitumour immunity. <i>Gut</i> , 2022, 71, 333-344.	6.1	73
57	Correlation of AIB1 overexpression with advanced clinical stage of human colorectal carcinoma. <i>Human Pathology</i> , 2005, 36, 777-783.	1.1	72
58	Translational control of tumor protein induces mitotic defects and chromosome missegregation in hepatocellular carcinoma development. <i>Hepatology</i> , 2012, 55, 491-505.	3.6	71
59	KIF2C: a novel link between Wnt/ $\beta$ -catenin and mTORC1 signaling in the pathogenesis of hepatocellular carcinoma. <i>Protein and Cell</i> , 2021, 12, 788-809.	4.8	71
60	Identification of PTK6, via RNA Sequencing Analysis, as a Suppressor of Esophageal Squamous Cell Carcinoma. <i>Gastroenterology</i> , 2012, 143, 675-686.e12.	0.6	68
61	Interleukin 23 Promotes Hepatocellular Carcinoma Metastasis via NF-Kappa B Induced Matrix Metalloproteinase 9 Expression. <i>PLoS ONE</i> , 2012, 7, e46264.	1.1	68
62	Dietary compound isoliquiritigenin prevents mammary carcinogenesis by inhibiting breast cancer stem cells through WIF1 demethylation. <i>Oncotarget</i> , 2015, 6, 9854-9876.	0.8	67
63	Expression and amplification of eIF-5A2 in human epithelial ovarian tumors and overexpression of EIF-5A2 is a new independent predictor of outcome in patients with ovarian carcinoma. <i>Gynecologic Oncology</i> , 2009, 112, 314-318.	0.6	66
64	High levels of CCL2 or CCL4 in the tumor microenvironment predict unfavorable survival in lung adenocarcinoma. <i>Thoracic Cancer</i> , 2018, 9, 775-784.	0.8	66
65	TSPAN15 interacts with BTRC to promote oesophageal squamous cell carcinoma metastasis via activating NF- $\kappa$ B signaling. <i>Nature Communications</i> , 2018, 9, 1423.	5.8	65
66	Regulatory role of miR-142-3p on the functional hepatic cancer stem cell marker CD133. <i>Oncotarget</i> , 2014, 5, 5725-5735.	0.8	65
67	High expression of p30 in human breast cancer correlates with tumor recurrence and predicts adverse prognosis. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2011, 23, 201-207.	0.7	63
68	ANGPTL1 Interacts with Integrin $\alpha$ 1 $\beta$ 1 to Suppress HCC Angiogenesis and Metastasis by Inhibiting JAK2/STAT3 Signaling. <i>Cancer Research</i> , 2017, 77, 5831-5845.	0.4	63
69	Overexpression of EIF-5A2 is associated with metastasis of human colorectal carcinoma. <i>Human Pathology</i> , 2008, 39, 80-86.	1.1	61
70	Chromodomain helicase/adenosine triphosphatase DNA binding protein 1-like (CHD11) gene suppresses the nucleus-to-mitochondria translocation of nur77 to sustain hepatocellular carcinoma cell survival. <i>Hepatology</i> , 2009, 50, 122-129.	3.6	61
71	Characterization of the oncogenic function of centromere protein F in hepatocellular carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2013, 436, 711-718.	1.0	61
72	Prognostic significance and therapeutic potential of eukaryotic translation initiation factor 5A (eIF5A) in hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2010, 127, 968-976.	2.3	60

#	ARTICLE	IF	CITATIONS
73	Decreased TRPM7 inhibits activities and induces apoptosis of bladder cancer cells via ERK1/2 pathway. <i>Oncotarget</i> , 2016, 7, 72941-72960.	0.8	60
74	CLDN3 inhibits cancer aggressiveness via Wnt-EMT signaling and is a potential prognostic biomarker for hepatocellular carcinoma. <i>Oncotarget</i> , 2014, 5, 7663-7676.	0.8	59
75	Dysregulated Sp1/miR-130b-3p/HOXA5 axis contributes to tumor angiogenesis and progression of hepatocellular carcinoma. <i>Theranostics</i> , 2020, 10, 5209-5224.	4.6	57
76	Distinct profiles of critically short telomeres are a key determinant of different chromosome aberrations in immortalized human cells: whole-genome evidence from multiple cell lines. <i>Oncogene</i> , 2004, 23, 9090-9101.	2.6	56
77	Characterization of Tumor Suppressive Function of cornulin in Esophageal Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2013, 8, e68838.	1.1	56
78	Recurrent genetic alterations in 26 colorectal carcinomas and 21 adenomas from Chinese patients. <i>Cancer Genetics and Cytogenetics</i> , 2003, 144, 112-118.	1.0	55
79	Prognostic impact of H3K27me3 expression on locoregional progression after chemoradiotherapy in esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2009, 9, 461.	1.1	55
80	Cell-Specific Detection of miR-375 Downregulation for Predicting the Prognosis of Esophageal Squamous Cell Carcinoma by miRNA In Situ Hybridization. <i>PLoS ONE</i> , 2013, 8, e53582.	1.1	55
81	Calcium-binding protein 39 promotes hepatocellular carcinoma growth and metastasis by activating extracellular signal-regulated kinase signaling pathway. <i>Hepatology</i> , 2017, 66, 1529-1545.	3.6	52
82	Neuropilin-2 promotes tumorigenicity and metastasis in oesophageal squamous cell carcinoma through ERK-MAPK-ETV4-MMP-E-cadherin deregulation. <i>Journal of Pathology</i> , 2016, 239, 309-319.	2.1	51
83	Zipper-interacting protein kinase promotes epithelial-mesenchymal transition, invasion and metastasis through AKT and NF- $\kappa$ B signaling and is associated with metastasis and poor prognosis in gastric cancer patients. <i>Oncotarget</i> , 2015, 6, 8323-8338.	0.8	51
84	Recurrent chromosome changes in 62 primary gastric carcinomas detected by comparative genomic hybridization. <i>Cancer Genetics and Cytogenetics</i> , 2000, 123, 27-34.	1.0	50
85	High-throughput Loss-of-Heterozygosity Study of Chromosome 3p in Lung Cancer Using Single-Nucleotide Polymorphism Markers. <i>Cancer Research</i> , 2006, 66, 4133-4138.	0.4	50
86	Downregulation of the Novel Tumor Suppressor DIRAS1 Predicts Poor Prognosis in Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2013, 73, 2298-2309.	0.4	50
87	Loss of ATOH8 Increases Stem Cell Features of Hepatocellular Carcinoma Cells. <i>Gastroenterology</i> , 2015, 149, 1068-1081.e5.	0.6	50
88	Single-nucleotide polymorphism mass array reveals commonly deleted regions at 3p22 and 3p14.2 associate with poor clinical outcome in esophageal squamous cell carcinoma. <i>International Journal of Cancer</i> , 2008, 123, 826-830.	2.3	49
89	H3K27me3 Protein Is a Promising Predictive Biomarker of Patients' Survival and Chemoradioresistance in Human Nasopharyngeal Carcinoma. <i>Molecular Medicine</i> , 2011, 17, 1137-1145.	1.9	49
90	Biology of hepatic cancer stem cells. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 1229-1237.	1.4	49

#	ARTICLE	IF	CITATIONS
91	Overexpression of YKL-40 is an independent prognostic marker in gastric cancer. <i>Human Pathology</i> , 2009, 40, 1790-1797.	1.1	48
92	Down-regulation of tyrosine aminotransferase at a frequently deleted region 16q22 contributes to the pathogenesis of hepatocellular carcinoma. <i>Hepatology</i> , 2010, 51, 1624-1634.	3.6	48
93	FSTL1 Promotes Metastasis and Chemoresistance in Esophageal Squamous Cell Carcinoma through NF- $\kappa$ B/BMP Signaling Cross-talk. <i>Cancer Research</i> , 2017, 77, 5886-5899.	0.4	48
94	HN1L-mediated transcriptional axis AP-2 $\beta$ /METTL13/TCF3-ZEB1 drives tumor growth and metastasis in hepatocellular carcinoma. <i>Cell Death and Differentiation</i> , 2019, 26, 2268-2283.	5.0	48
95	Intensive expression of Bmi-1 is a new independent predictor of poor outcome in patients with ovarian carcinoma. <i>BMC Cancer</i> , 2010, 10, 133.	1.1	47
96	Downregulation of RBMS3 Is Associated with Poor Prognosis in Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2011, 71, 6106-6115.	0.4	47
97	Roles of Eukaryotic Initiation Factor 5A2 in Human Cancer. <i>International Journal of Biological Sciences</i> , 2013, 9, 1013-1020.	2.6	47
98	Isoliquiritigenin modulates miR-374a/PTEN/Akt axis to suppress breast cancer tumorigenesis and metastasis. <i>Scientific Reports</i> , 2017, 7, 9022.	1.6	47
99	The <i>RARS</i> - <i>MAD1L1</i> Fusion Gene Induces Cancer Stem Cell-like Properties and Therapeutic Resistance in Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2018, 24, 659-673.	3.2	47
100	CSTF2-Induced Shortening of the <i>RAC1</i> 3'UTR Promotes the Pathogenesis of Urothelial Carcinoma of the Bladder. <i>Cancer Research</i> , 2018, 78, 5848-5862.	0.4	47
101	Transgenic CHD1L Expression in Mouse Induces Spontaneous Tumors. <i>PLoS ONE</i> , 2009, 4, e6727.	1.1	47
102	Clinical significance of CHD1L in hepatocellular carcinoma and therapeutic potentials of virus-mediated CHD1L depletion. <i>Gut</i> , 2011, 60, 534-543.	6.1	46
103	CCL2-CCR2 axis promotes metastasis of nasopharyngeal carcinoma by activating ERK1/2-MMP2/9 pathway. <i>Oncotarget</i> , 2016, 7, 15632-15647.	0.8	46
104	Chromosome 1q21 amplification and oncogenes in hepatocellular carcinoma. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 1165-1171.	2.8	45
105	<i>Spatholobus suberectus</i> inhibits cancer cell growth by inducing apoptosis and arresting cell cycle at G2/M checkpoint. <i>Journal of Ethnopharmacology</i> , 2011, 133, 751-758.	2.0	45
106	Different expression of hepatitis B surface antigen between hepatocellular carcinoma and its surrounding liver tissue, studied using a tissue microarray. <i>Journal of Pathology</i> , 2002, 197, 610-616.	2.1	44
107	SRC-3/AIB1 protein and gene amplification levels in human esophageal squamous cell carcinomas. <i>Cancer Letters</i> , 2007, 245, 69-74.	3.2	43
108	Chromosome 14 transfer and functional studies identify a candidate tumor suppressor gene, <i>Mirror image polydactyly 1</i> , in nasopharyngeal carcinoma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 14478-14483.	3.3	43

#	ARTICLE	IF	CITATIONS
109	Evaluation of circulating EBV microRNA BART2 in facilitating early detection and screening of nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2018, 143, 3209-3217.	2.3	43
110	C-terminal truncated hepatitis B virus X protein promotes hepatocellular carcinogenesis through induction of cancer and stem cell-like properties. <i>Oncotarget</i> , 2016, 7, 24005-24017.	0.8	43
111	Characterization of CACNA2D3 as a putative tumor suppressor gene in the development and progression of nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2013, 133, 2284-2295.	2.3	42
112	microRNA-146 up-regulation predicts the prognosis of non-small cell lung cancer by miRNA in situ hybridization. <i>Experimental and Molecular Pathology</i> , 2014, 96, 195-199.	0.9	42
113	Glucose deprivation-induced aberrant FUT1-mediated fucosylation drives cancer stemness in hepatocellular carcinoma. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	42
114	CHD1L Protein is overexpressed in human ovarian carcinomas and is a novel predictive biomarker for patients survival. <i>BMC Cancer</i> , 2012, 12, 437.	1.1	41
115	Serum and glucocorticoid kinase 3 at 8q13.1 promotes cell proliferation and survival in hepatocellular carcinoma. <i>Hepatology</i> , 2012, 55, 1754-1765.	3.6	41
116	Capsaicin Suppresses Cell Proliferation, Induces Cell Cycle Arrest and ROS Production in Bladder Cancer Cells through FOXO3a-Mediated Pathways. <i>Molecules</i> , 2016, 21, 1406.	1.7	41
117	Stemness and chemotherapeutic drug resistance induced by EIF5A2 overexpression in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 26079-26089.	0.8	40
118	Recurrent chromosome alterations in primary ovarian carcinoma in Chinese women. <i>Cancer Genetics and Cytogenetics</i> , 2002, 133, 39-44.	1.0	39
119	Cytogenetic and molecular genetic alterations in hepatocellular carcinoma. <i>Acta Pharmacologica Sinica</i> , 2005, 26, 659-665.	2.8	39
120	Characterization of a Candidate Tumor Suppressor Gene Uroplakin 1A in Esophageal Squamous Cell Carcinoma. <i>Cancer Research</i> , 2010, 70, 8832-8841.	0.4	39
121	Increased expression of Solute carrier family 12 member 5 via gene amplification contributes to tumour progression and metastasis and associates with poor survival in colorectal cancer. <i>Gut</i> , 2016, 65, 635-646.	6.1	39
122	TP53INP1 Downregulation Activates a p73-Dependent DUSP10/ERK Signaling Pathway to Promote Metastasis of Hepatocellular Carcinoma. <i>Cancer Research</i> , 2017, 77, 4602-4612.	0.4	39
123	A hepatocyte differentiation model reveals two subtypes of liver cancer with different oncofetal properties and therapeutic targets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 6103-6113.	3.3	39
124	Expansion of cancer stem cell pool initiates lung cancer recurrence before angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E8948-E8957.	3.3	38
125	Identification of a candidate oncogene SEI-1 within a minimal amplified region at 19q13.1 in ovarian cancer cell lines. <i>Cancer Research</i> , 2002, 62, 7157-61.	0.4	38
126	Protein expression and amplification of AIB1 in human urothelial carcinoma of the bladder and overexpression of AIB1 is a new independent prognostic marker of patient survival. <i>International Journal of Cancer</i> , 2008, 122, 2554-2561.	2.3	37



#	ARTICLE	IF	CITATIONS
127	CD133+ liver cancer stem cells resist interferon-gamma-induced autophagy. <i>BMC Cancer</i> , 2016, 16, 15.	1.1	37
128	Oncogenic Transformation by SEI-1 Is Associated with Chromosomal Instability. <i>Cancer Research</i> , 2005, 65, 6504-6508.	0.4	36
129	Overexpression of EIF-5A2 Is an Independent Predictor of Outcome in Patients of Urothelial Carcinoma of the Bladder Treated with Radical Cystectomy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 400-408.	1.1	36
130	Tumor suppressor genes on frequently deleted chromosome 3p in nasopharyngeal carcinoma. <i>Chinese Journal of Cancer</i> , 2012, 31, 215-222.	4.9	36
131	Targeting tumor lineage plasticity in hepatocellular carcinoma using an anti-CLDN6 antibody-drug conjugate. <i>Science Translational Medicine</i> , 2021, 13, .	5.8	36
132	KIFC1 is activated by TCF-4 and promotes hepatocellular carcinoma pathogenesis by regulating HMGA1 transcriptional activity. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 329.	3.5	35
133	CHD1L contributes to cisplatin resistance by upregulating the ABCB1-NF- $\kappa$ B axis in human non-small-cell lung cancer. <i>Cell Death and Disease</i> , 2019, 10, 99.	2.7	35
134	Overexpression of MUC13, a Poor Prognostic Predictor, Promotes Cell Growth by Activating Wnt Signaling in Hepatocellular Carcinoma. <i>American Journal of Pathology</i> , 2018, 188, 378-391.	1.9	34
135	miR-671-5p Blocks The Progression Of Human Esophageal Squamous Cell Carcinoma By Suppressing FGFR2. <i>International Journal of Biological Sciences</i> , 2019, 15, 1892-1904.	2.6	34
136	Laminin $\gamma$ 2 mediating T cell exclusion attenuates response to anti-PD-1 therapy. <i>Science Advances</i> , 2021, 7, .	4.7	34
137	Oncogenic role of clusterin overexpression in multistage colorectal tumorigenesis and progression. <i>World Journal of Gastroenterology</i> , 2005, 11, 3285.	1.4	34
138	Overexpression of AIB1 predicts resistance to chemoradiotherapy and poor prognosis in patients with primary esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2009, 100, 1591-1596.	1.7	33
139	RBMS3 at 3p24 Inhibits Nasopharyngeal Carcinoma Development via Inhibiting Cell Proliferation, Angiogenesis, and Inducing Apoptosis. <i>PLoS ONE</i> , 2012, 7, e44636.	1.1	33
140	Investigation of Tumor Suppressing Function of CACNA2D3 in Esophageal Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2013, 8, e60027.	1.1	33
141	Allele-Specific Imbalance of Oxidative Stress-Induced Growth Inhibitor 1 Associates With Progression of Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2014, 146, 1084-1096.e5.	0.6	33
142	Recurrent chromosomal imbalances in nonsmall cell lung carcinoma. <i>Cancer</i> , 2004, 100, 1918-1927.	2.0	32
143	Transforming Growth Factor $\beta$ 1 Promotes Chromosomal Instability in Human Papillomavirus 16 E6E7-Infected Cervical Epithelial Cells. <i>Cancer Research</i> , 2008, 68, 7200-7209.	0.4	32
144	CHD1L promotes lineage reversion of hepatocellular carcinoma through opening chromatin for key developmental transcription factors. <i>Hepatology</i> , 2016, 63, 1544-1559.	3.6	32

#	ARTICLE	IF	CITATIONS
145	Characterization of a Novel Mechanism of Genomic Instability Involving the SEI1/SET/NM23H1 Pathway in Esophageal Cancers. <i>Cancer Research</i> , 2010, 70, 5695-5705.	0.4	31
146	Dendritic cells-mediated CTLs targeting hepatocellular carcinoma stem cells. <i>Cancer Biology and Therapy</i> , 2010, 10, 368-375.	1.5	31
147	Role of Translationally Controlled Tumor Protein in Cancer Progression. <i>Biochemistry Research International</i> , 2012, 2012, 1-5.	1.5	31
148	Cerebellar defects in <i>Pdss2</i> conditional knockout mice during embryonic development and in adulthood. <i>Neurobiology of Disease</i> , 2012, 45, 219-233.	2.1	31
149	Lymphoid enhancer-binding factor-1 promotes stemness and poor differentiation of hepatocellular carcinoma by directly activating the NOTCH pathway. <i>Oncogene</i> , 2019, 38, 4061-4074.	2.6	31
150	Urokinase plasminogen activator secreted by cancer-associated fibroblasts induces tumor progression via PI3K/AKT and ERK signaling in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 42300-42313.	0.8	31
151	Overexpression of GPR39 contributes to malignant development of human esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2011, 11, 86.	1.1	30
152	CLDN14 is epigenetically silenced by EZH2-mediated H3K27ME3 and is a novel prognostic biomarker in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2016, 37, 557-566.	1.3	30
153	High expression of biglycan is associated with poor prognosis in patients with esophageal squamous cell carcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2013, 6, 2497-505.	0.5	30
154	Comparative genomic hybridization analysis of genetic aberrations associated with development of esophageal squamous cell carcinoma in Henan, China. <i>World Journal of Gastroenterology</i> , 2008, 14, 1828.	1.4	28
155	Downregulation of ZIP kinase is associated with tumor invasion, metastasis and poor prognosis in gastric cancer. <i>International Journal of Cancer</i> , 2009, 124, 1587-1593.	2.3	27
156	Cell cycle-related kinase supports ovarian carcinoma cell proliferation <i>via</i> regulation of cyclin D1 and is a predictor of outcome in patients with ovarian carcinoma. <i>International Journal of Cancer</i> , 2009, 125, 2631-2642.	2.3	27
157	Overexpression of ubiquitin specific peptidase 14 predicts unfavorable prognosis in esophageal squamous cell carcinoma. <i>Thoracic Cancer</i> , 2017, 8, 344-349.	0.8	27
158	Overexpression of EIF5A2 predicts tumor recurrence and progression in pTa/pT1 urothelial carcinoma of the bladder. <i>Cancer Science</i> , 2009, 100, 896-902.	1.7	26
159	<i>PDSS2</i> Deficiency Induces Hepatocarcinogenesis by Decreasing Mitochondrial Respiration and Reprogramming Glucose Metabolism. <i>Cancer Research</i> , 2018, 78, 4471-4481.	0.4	26
160	Eukaryotic translation initiation factor 5A2 promotes metabolic reprogramming in hepatocellular carcinoma cells. <i>Carcinogenesis</i> , 2017, 38, 94-104.	1.3	25
161	Loss of cell adhesion molecule L1 like promotes tumor growth and metastasis in esophageal squamous cell carcinoma. <i>Oncogene</i> , 2019, 38, 3119-3133.	2.6	25
162	HOXC10 upregulation confers resistance to chemoradiotherapy in ESCC tumor cells and predicts poor prognosis. <i>Oncogene</i> , 2020, 39, 5441-5454.	2.6	25

#	ARTICLE	IF	CITATIONS
163	Therapeutic targeting of the crosstalk between cancer-associated fibroblasts and cancer stem cells. American Journal of Cancer Research, 2019, 9, 1889-1904.	1.4	25
164	Establishment of cell lines from a primary hepatocellular carcinoma and its metastasis. Cancer Genetics and Cytogenetics, 2004, 148, 80-84.	1.0	24
165	Eukaryotic Initiation Factor 5A2 Contributes to the Maintenance of CD133(+) Hepatocellular Carcinoma Cells via the c-Myc/microRNA-29b Axis. Stem Cells, 2018, 36, 180-191.	1.4	24
166	SOX9 is a dose-dependent metastatic fate determinant in melanoma. Journal of Experimental and Clinical Cancer Research, 2019, 38, 17.	3.5	24
167	Chemotherapy-Enriched THBS2-Deficient Cancer Stem Cells Drive Hepatocarcinogenesis through Matrix Softness Induced Histone H3 Modifications. Advanced Science, 2021, 8, 2002483.	5.6	24
168	AKR7A3 suppresses tumorigenicity and chemoresistance in hepatocellular carcinoma through attenuation of ERK, c-Jun and NF- $\kappa$ B signaling pathways. Oncotarget, 2017, 8, 83469-83479.	0.8	24
169	<i>De novo</i> -generated small palindromes are characteristic of amplicon boundary junction of double minutes. International Journal of Cancer, 2013, 133, 797-806.	2.3	23
170	Overexpression of AIB1 in Nasopharyngeal Carcinomas Correlates Closely With Advanced Tumor Stage. American Journal of Clinical Pathology, 2008, 129, 728-734.	0.4	22
171	Clusterin as a predictor for chemoradiotherapy sensitivity and patient survival in esophageal squamous cell carcinoma. Cancer Science, 2009, 100, 2354-2360.	1.7	22
172	Ablation of EIF5A2 induces tumor vasculature remodeling and improves tumor response to chemotherapy via regulation of matrix metalloproteinase 2 expression. Oncotarget, 2014, 5, 6716-6733.	0.8	22
173	Regulatory role of hexosamine biosynthetic pathway on hepatic cancer stem cell marker CD133 under low glucose conditions. Scientific Reports, 2016, 6, 21184.	1.6	22
174	Tumor Fibroblast-Derived FGF2 Regulates Expression of SPRY1 in Esophageal Tumor-Infiltrating T Cells and Plays a Role in T-cell Exhaustion. Cancer Research, 2020, 80, 5583-5596.	0.4	22
175	PIM2 promotes hepatocellular carcinoma tumorigenesis and progression through activating NF- $\kappa$ B signaling pathway. Cell Death and Disease, 2020, 11, 510.	2.7	22
176	TROAP switches DYRK1 activity to drive hepatocellular carcinoma progression. Cell Death and Disease, 2021, 12, 125.	2.7	22
177	SNRPB-mediated RNA splicing drives tumor cell proliferation and stemness in hepatocellular carcinoma. Aging, 2021, 13, 537-554.	1.4	22
178	Overexpression of CHD1L is positively associated with metastasis of lung adenocarcinoma and predicts patients poor survival. Oncotarget, 2015, 6, 31181-31190.	0.8	21
179	CD68 and interleukin 13, prospective immune markers for esophageal squamous cell carcinoma prognosis prediction. Oncotarget, 2016, 7, 15525-15538.	0.8	21
180	Overexpression of HN1L promotes cell malignant proliferation in non-small cell lung cancer. Cancer Biology and Therapy, 2017, 18, 904-915.	1.5	20

#	ARTICLE	IF	CITATIONS
181	Epigenetic alterations of a novel antioxidant gene <i>SLC22A3</i> predispose susceptible individuals to increased risk of esophageal cancer. <i>International Journal of Biological Sciences</i> , 2018, 14, 1658-1668.	2.6	20
182	Identification and Characterization of a Novel Melanoma Tumor Suppressor Gene on Human Chromosome 6q21. <i>Clinical Cancer Research</i> , 2009, 15, 797-803.	3.2	19
183	C-terminal truncated HBx protein activates caveolin-1/LRP6/ $\beta$ <sup>2</sup> -catenin/FRMD5 axis in promoting hepatocarcinogenesis. <i>Cancer Letters</i> , 2019, 444, 60-69.	3.2	19
184	Enhancement of cisplatin-based TACE by a hemoglobin-based oxygen carrier in an orthotopic rat HCC model. <i>Artificial Cells, Nanomedicine and Biotechnology</i> , 2014, 42, 229-236.	1.9	18
185	Deficiency in Embryonic Stem Cell Marker Reduced Expression 1 Activates Mitogen-Activated Protein Kinase Kinase 6-Dependent p38 Mitogen-Activated Protein Kinase Signaling to Drive Hepatocarcinogenesis. <i>Hepatology</i> , 2020, 72, 183-197.	3.6	18
186	Identification of Genes with Allelic Imbalance on 6p Associated with Nasopharyngeal Carcinoma in Southern Chinese. <i>PLoS ONE</i> , 2011, 6, e14562.	1.1	17
187	Overexpression of eIF-5A2 in mice causes accelerated organismal aging by increasing chromosome instability. <i>BMC Cancer</i> , 2011, 11, 199.	1.1	17
188	Hepatocellular carcinoma: Transcriptome diversity regulated by RNA editing. <i>International Journal of Biochemistry and Cell Biology</i> , 2013, 45, 1843-1848.	1.2	17
189	Expression of EIF5A2 associates with poor survival of nasopharyngeal carcinoma patients treated with induction chemotherapy. <i>BMC Cancer</i> , 2016, 16, 669.	1.1	17
190	Cleavage and Polyadenylation Specific Factor 1 Promotes Tumor Progression via Alternative Polyadenylation and Splicing in Hepatocellular Carcinoma. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 616835.	1.8	17
191	Characterization of 3p, 5p, and 3q in two nasopharyngeal carcinoma cell lines, using region-specific multiplex fluorescence in situ hybridization probes. <i>Cancer Genetics and Cytogenetics</i> , 2005, 158, 61-66.	1.0	16
192	PSCA acts as a tumor suppressor by facilitating the nuclear translocation of RB1CC1 in esophageal squamous cell carcinoma. <i>Carcinogenesis</i> , 2016, 37, 320-332.	1.3	16
193	Characterization of a complex chromosome rearrangement involving 6q in a melanoma cell line by chromosome microdissection. <i>Cancer Genetics and Cytogenetics</i> , 2002, 134, 65-70.	1.0	15
194	HBP21, a chaperone of heat shock protein 70, functions as a tumor suppressor in hepatocellular carcinoma. <i>Carcinogenesis</i> , 2015, 36, 1111-1120.	1.3	15
195	Hypoxia restrains the expression of complement component 9 in tumor-associated macrophages promoting non-small cell lung cancer progression. <i>Cell Death Discovery</i> , 2018, 4, 63.	2.0	15
196	Membrane Metalloendopeptidase (MME) Suppresses Metastasis of Esophageal Squamous Cell Carcinoma (ESCC) by Inhibiting FAK-RhoA Signaling Axis. <i>American Journal of Pathology</i> , 2019, 189, 1462-1472.	1.9	14
197	SCYL1 binding protein 1 promotes the ubiquitin-dependent degradation of Pirh2 and has tumor-suppressive function in the development of hepatocellular carcinoma. <i>Carcinogenesis</i> , 2012, 33, 1581-1588.	1.3	13
198	Prognostic significance of FAM3C in esophageal squamous cell carcinoma. <i>Diagnostic Pathology</i> , 2015, 10, 192.	0.9	13

#	ARTICLE	IF	CITATIONS
199	Characterization of oncogene-induced metabolic alterations in hepatic cells by using ultrahigh performance liquid chromatography-tandem mass spectrometry. <i>Talanta</i> , 2016, 152, 119-126.	2.9	13
200	Rapid assessment of the coenzyme Q <sub>10</sub> redox state using ultrahigh performance liquid chromatography tandem mass spectrometry. <i>Analyst</i> , The, 2014, 139, 5600-5604.	1.7	12
201	Reduction of AZGP1 predicts poor prognosis in esophageal squamous cell carcinoma patients in Northern China. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 85-94.	1.0	12
202	Nuclear DLC1 exerts oncogenic function through association with FOXK1 for cooperative activation of MMP9 expression in melanoma. <i>Oncogene</i> , 2020, 39, 4061-4076.	2.6	12
203	SEI1 induces genomic instability by inhibiting DNA damage response in ovarian cancer. <i>Cancer Letters</i> , 2017, 385, 271-279.	3.2	11
204	PDSS2 <sup>Δ</sup> Del2, a new variant of PDSS2, promotes tumor cell metastasis and angiogenesis in hepatocellular carcinoma via activating NF- $\kappa$ B. <i>Molecular Oncology</i> , 2020, 14, 3184-3197.	2.1	11
205	Met promotes the formation of double minute chromosomes induced by Sei-1 in NIH-3T3 murine fibroblasts. <i>Oncotarget</i> , 2016, 7, 56664-56675.	0.8	11
206	CHD1L augments autophagy-mediated migration of hepatocellular carcinoma through targeting ZKSCAN3. <i>Cell Death and Disease</i> , 2021, 12, 950.	2.7	11
207	G3BP2 regulated by the lncRNA LINC01554 facilitates esophageal squamous cell carcinoma metastasis through stabilizing HDGF transcript. <i>Oncogene</i> , 2021, , .	2.6	11
208	Downregulation of LGI1 promotes tumor metastasis in esophageal squamous cell carcinoma. <i>Carcinogenesis</i> , 2014, 35, 1154-1161.	1.3	10
209	Sei-1 promotes double minute chromosomes formation through activation of the PI3K/Akt/BRCA1-Abraxas pathway and induces double-strand breaks in NIH-3T3 fibroblasts. <i>Cell Death and Disease</i> , 2018, 9, 341.	2.7	10
210	Development of an oncogenic dedifferentiation SOX signature with prognostic significance in hepatocellular carcinoma. <i>BMC Cancer</i> , 2019, 19, 851.	1.1	10
211	Overexpression of N-terminal kinase like gene promotes tumorigenicity of hepatocellular carcinoma by regulating cell cycle progression and cell motility. <i>Oncotarget</i> , 2015, 6, 1618-1630.	0.8	10
212	Establishment and characterization of human non-small cell lung cancer cell lines. <i>Molecular Medicine Reports</i> , 2012, 5, 114-7.	1.1	9
213	Pericentromeric Regions Are Refractory To Prompt Repair after Replication Stress-Induced Breakage in HPV16 E6E7-Expressing Epithelial Cells. <i>PLoS ONE</i> , 2012, 7, e48576.	1.1	9
214	Targeting TROY-mediated P85a/AKT/TBX3 signaling attenuates tumor stemness and elevates treatment response in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, .	3.5	9
215	Podoplanin-positive cancer cells at the edge of esophageal squamous cell carcinomas are involved in invasion. <i>Molecular Medicine Reports</i> , 2014, 10, 1513-1518.	1.1	8
216	Downregulation of POTEG predicts poor prognosis in esophageal squamous cell carcinoma patients. <i>Molecular Carcinogenesis</i> , 2018, 57, 886-895.	1.3	7

#	ARTICLE	IF	CITATIONS
217	The promoter hypermethylation of <scp>SULT2B1</scp> accelerates esophagus tumorigenesis via downregulated <scp>PER1</scp>. Thoracic Cancer, 2021, 12, 3370-3379.	0.8	7
218	MAEL Augments Cancer Stemness Properties and Resistance to Sorafenib in Hepatocellular Carcinoma through the PTGS2/AKT/STAT3 Axis. Cancers, 2022, 14, 2880.	1.7	7
219	p21/Cyclin E pathway modulates anticlastogenic function of Bmiâ€1 in cancer cells. International Journal of Cancer, 2015, 136, 1361-1370.	2.3	6
220	NRIP3 upregulation confers resistance to chemoradiotherapy in ESCC via RTF2 removal by accelerating ubiquitination and degradation of RTF2. Oncogenesis, 2020, 9, 75.	2.1	6
221	Molecular subclassification of gastrointestinal cancers based on cancer stem cell traits. Experimental Hematology and Oncology, 2021, 10, 53.	2.0	5
222	MiRegulators in cancer stem cells of solid tumors. Cell Cycle, 2011, 10, 571-572.	1.3	4
223	Identification of prognostic claudins signature in hepatocellular carcinoma from a hepatocyte differentiation model. Hepatology International, 2020, 14, 521-533.	1.9	4
224	The Role of Tumor Microenvironment in Invasion and Metastasis of Esophageal Squamous Cell Carcinoma. Frontiers in Oncology, 0, 12, .	1.3	4
225	Proteomic Analysis of a Nasopharyngeal Carcinoma Cell Line and a Nasopharyngeal Epithelial Cell Line. Tumori, 2015, 101, 676-683.	0.6	3
226	Chemically-Induced Cancers Do Not Originate from Bone Marrow-Derived Cells. PLoS ONE, 2012, 7, e30493.	1.1	3
227	GLIPR1 promotes proliferation, metastasis and 5-fluorouracil resistance in hepatocellular carcinoma by activating the PI3K/PDK1/ROCK1 pathway. Cancer Gene Therapy, 0, , .	2.2	2
228	SERPINA11 Inhibits Metastasis in Hepatocellular Carcinoma by Suppressing MEK/ERK Signaling Pathway. Journal of Hepatocellular Carcinoma, 2021, Volume 8, 759-771.	1.8	1
229	Liver Tumor-Initiating Cells/Cancer Stem Cells: Past Studies, Current Status, and Future Perspectives. , 2012, , 181-196.		0