

Da Silveira, Gg, Gil Da Silveira, G

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9580231/da-silveira-gg-gil-da-silveira-g-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

686

papers

18,805

citations

63

h-index

105

g-index

715

ext. papers

22,977

ext. citations

4.9

avg, IF

5.71

L-index

#	Paper	IF	Citations
686	Evidence for X(3872) in Pb-Pb Collisions and Studies of its Prompt Production at $\sqrt{s_{NN}}=5.02$ TeV.. <i>Physical Review Letters</i> , 2022 , 128, 032001	7.4	1
685	Fragmentation of jets containing a prompt J/ Υ meson in PbPb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 825, 136842	4.2	1
684	Search for W resonances in proton-proton collisions at $\sqrt{s}=13$ TeV using hadronic decays of Lorentz-boosted W bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 826, 136888	4.2	0
683	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of Leptons in pp Collisions at $\sqrt{s}=13$ TeV.. <i>Physical Review Letters</i> , 2022 , 128, 081805	7.4	0
682	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
681	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
680	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
679	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
678	Using Z Boson Events to Study Parton-Medium Interactions in Pb-Pb Collisions.. <i>Physical Review Letters</i> , 2022 , 128, 122301	7.4	0
677	A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2022 , 17, P03014	1	0
676	Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 213	4.2	0
675	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
674	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
673	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
672	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
671	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
670	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0

669	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5-4	0
668	Measurement of the inclusive $\overline{\text{t}}\text{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5-4	
667	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=5.02$ TeV Using Leptonic Decays. <i>Physical Review Letters</i> , 2021 , 127, 191801	7-4	0
666	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4-2	3
665	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
664	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4-2	5
663	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
662	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
661	Search for new physics in top quark production with additional leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV using effective field theory. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
660	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
659	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	6
658	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4-2	1
657	Angular analysis of the decay $B^+ \rightarrow K^{*0} \mu^+ \nu_\mu$ in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
656	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4-2	5
655	Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2021 , 16, P05014	1	11
654	Measurement of prompt D0 and D*0 meson azimuthal anisotropy and search for strong electric fields in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136253	4-2	2
653	Measurement of b jet shapes in proton-proton collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
652	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2

651	Study of Drell-Yan dimuon production in proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 8.16 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
650	Measurement of the CP-violating phase ϕ_s in the $B_s^0 \rightarrow \mu^+ \mu^- (1020) \rightarrow \mu^+ \mu^- K_S^0$ channel in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136188	4.2	1
649	Measurements of the differential cross sections of the production of Z + jets and τ jets and of Z boson emission collinear with a jet in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
648	In-medium modification of dijets in PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	0
647	Measurement of the Z boson differential production cross section using its invisible decay mode ($Z \rightarrow \bar{\nu} \nu$) in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	
646	Measurement of the W Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV and Constraints on Effective Field Theory Coefficients. <i>Physical Review Letters</i> , 2021 , 126, 252002	7.4	0
645	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
644	Observation of a New Excited Beauty Strange Baryon Decaying to $\Lambda_b^+ \rightarrow \Lambda^+ \mu^- \mu^+$. <i>Physical Review Letters</i> , 2021 , 126, 252003	7.4	1
643	Performance of the CMS muon trigger system in proton-proton collisions at (\sqrt{s}) = 13. <i>Journal of Instrumentation</i> , 2021 , 16, P07001	1	2
642	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
641	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
640	Search for the lepton flavor violating decay $\tau \rightarrow \mu \mu \mu$ in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
639	Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 136018	4.2	6
638	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
637	Investigation of the nature of a massive vector mediator for dark matter through $e^+ e^-$ collisions. <i>Astronomische Nachrichten</i> , 2021 , 342, 411-415	0.7	
636	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	14
635	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
634	Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 813, 136036	4.2	1

633	The very forward CASTOR calorimeter of the CMS experiment. <i>Journal of Instrumentation</i> , 2021 , 16, P02010-P02010		
632	MUSIC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
631	Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136409	4.2	0
630	Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2021 , 127, 102002	7.4	1
629	Search for a heavy vector resonance decaying to a W boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	0
628	Measurement of the azimuthal anisotropy of ϕ and mesons in PbPb collisions at s _{NN} =5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136385	4.2	1
627	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
626	Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136446	4.2	8
625	Search for W [±] bosons decaying to a top and a bottom quark at s=13TeV in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136535	4.2	2
624	First measurement of the cross section for top quark pair production with additional charm jets using dileptonic final states in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136565	4.2	0
623	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	0
622	Observation of Forward Neutron Multiplicity Dependence of Dimuon Acoplanarity in Ultraperipheral Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2021 , 127, 122001	7.4	1
621	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
620	Evidence for electroweak production of four charged leptons and two jets in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135992	4.2	4
619	Associate production J / ψ + b at the Large Hadron Collider and Electron-Ion Collider. <i>Astronomische Nachrichten</i> , 2021 , 342, 450-454	0.7	
618	Search for Long-Lived Particles Decaying in the CMS End Cap Muon Detectors in Proton-Proton Collisions at sqrt[s]=13 TeV.. <i>Physical Review Letters</i> , 2021 , 127, 261804	7.4	0
617	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14
616	Performance of the CMS Level-1 trigger in proton-proton collisions at sqrt[s] = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23

615	Search for decays of the 125 GeV Higgs boson into a Z boson and a Υ meson. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
614	Prompt photon production in high-energy pA collisions at forward rapidity. <i>Physical Review C</i> , 2020 , 102,	2.7	3
613	Evidence for Top Quark Production in Nucleus-Nucleus Collisions. <i>Physical Review Letters</i> , 2020 , 125, 222001	7.4	1
612	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
611	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
610	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18
609	Measurements with silicon photomultipliers of dose-rate effects in the radiation damage of plastic scintillator tiles in the CMS hadron endcap calorimeter. <i>Journal of Instrumentation</i> , 2020 , 15, P06009-P06009	1	2
608	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
607	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
606	Running of the top quark mass from proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135263	4.2	9
605	Search for dijet resonances using events with three jets in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135448	4.2	1
604	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
603	Search for disappearing tracks in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 806, 135502	4.2	14
602	Search for new neutral Higgs bosons through the $(\mathbf{H})\rightarrow\mathbf{ZA}\rightarrow\{\ell\}^+\{\ell\}^-\overline{\mathbf{b}}\mathbf{b}$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
601	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
600	Multiparticle correlation studies in pPb collisions at $s_{NN}=8.16$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	2
599	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
598	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7

597	Determination of the strong coupling constant $\alpha_s(m_Z)$ from measurements of inclusive W^\pm and Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
596	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
595	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
594	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
593	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft τ Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
592	Evidence for (W^+W^-) production from double-parton interactions in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
591	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
590	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
589	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
588	Constraints on the ρ_{c1} versus ρ_{c2} Polarizations in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 162002	7.4	6
587	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\tau\mu$ and $e\tau$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
586	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
585	Study of J/ψ meson production inside jets in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 804, 135409	4.2	3
584	Search for a Narrow Resonance Lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 131802	7.4	12
583	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
582	Study of excited B_0 states decaying to $B_0\pi\pi$ in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135345	4.2	19
581	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4.2	25
580	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7

579	A multi-dimensional search for new heavy resonances decaying to boosted γ , W , or boson pairs in the dijet final state at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
578	Production of Λ^+ baryons in proton-proton and lead-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135328	4.2	11
577	Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s}=13$ TeV with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
576	Measurement of differential cross sections and charge ratios for t -channel single top quark production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
575	Measurement of $(\text{d}\sigma/\text{d}p_T \text{d}p_T)$ normalised multi-differential cross sections in (pp) collisions at $(\sqrt{s}=13, \text{TeV})$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
574	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
573	Dependence of inclusive jet production on the anti- k_T distance parameter in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
572	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
571	Observation of the $B_0 \rightarrow b\gamma$ decay in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5
570	Observation of electroweak production of W with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 811, 135988	4.2	3
569	Reconstruction of signal amplitudes in the CMS electromagnetic calorimeter in the presence of overlapping proton-proton interactions. <i>Journal of Instrumentation</i> , 2020 , 15, P10002-P10002	1	4
568	Observation of nuclear modifications in W boson production in pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135048	4.2	9
567	Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135087	4.2	15
566	Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135042	4.2	8
565	Observation of the Production of Three Massive Gauge Bosons at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 151802	7.4	2
564	Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135710	4.2	14
563	Strange hadron production in pp and pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	1
562	The production of isolated photons in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2

561	Measurement of CKM matrix elements in single top quark t-channel production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135609	4.2	3
560	Investigation into the event-activity dependence of η (nS) relative production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
559	The color dipole picture for prompt photon production in pp and pPb collisions at the CERN-LHC. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
558	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
557	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
556	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
555	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
554	Measurement of properties of $(\mathbf{B}^0 \rightarrow \mathbf{K}^0)$ decays and search for $\mathbf{B}^0 \rightarrow \mathbf{K}^0$ with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
553	Search for a light pseudoscalar Higgs boson in the boosted \mathbf{B}^0 final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
552	Measurements of $\mathbf{t}\overline{\mathbf{t}}\mathbf{H}$ Production and the CP Structure of the Yukawa Interaction between the Higgs Boson and Top Quark in the Diphoton Decay Channel. <i>Physical Review Letters</i> , 2020 , 125, 061801	7.4	15
551	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
550	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
549	Measurement of the cross section for $(\mathbf{t}\overline{\mathbf{t}})$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
548	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
547	Measurement of the $\mathbf{Y}(1\mathbf{S})$ pair production cross section and search for resonances decaying to $\mathbf{Y}(1\mathbf{S})\mathbf{B}^0$ in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135578	4.2	10
546	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	18
545	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
544	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 202001	7.4	2

543	Observation of the $B_{s^0} \rightarrow K(3872) \gamma$ Decay. <i>Physical Review Letters</i> , 2020 , 125, 152001	7.4	4
542	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
541	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
540	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 102001	7.4	3
539	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
538	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	0
537	Combined search for supersymmetry with photons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135183	4.2	
536	Measurement of the $t\bar{t}b\bar{b}$ production cross section in the all-jet final state in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135285	4.2	5
535	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
534	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with $e\bar{\nu}_\tau$ in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
533	Studies of Beauty Suppression via Nonprompt D^0 Mesons in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 022001	7.4	7
532	Search for charged Higgs bosons in the $H \rightarrow \tau\bar{\nu}_\tau$ decay channel in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
531	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
530	Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134826	4.2	35
529	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19
528	Search for Higgs and Z boson decays to $J/\psi \gamma$ pairs in the four-muon final state in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134811	4.2	4
527	A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 131-154	4.2	16
526	Measurement of B_{s0} meson production in pp and PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 168-190	4.2	5

525	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
524	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7.4	7
523	Search for the Higgs Boson Decaying to Two Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 021801	7.4	22
522	Search for supersymmetric partners of electrons and muons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 140-166	4.2	24
521	Non-Gaussian elliptic-flow fluctuations in PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 643-665	4.2	17
520	Measurement and interpretation of differential cross sections for Higgs boson production at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 369-396	4.2	18
519	Search for an L \bar{L} gauge boson using Z \rightarrow $\mu\mu$ events in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 345-368	4.2	29
518	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
517	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV via Higgs boson decays to μ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
516	FCC Physics Opportunities. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	174
515	Search for the pair production of light top squarks in the $e\bar{e}$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
514	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4.2	9
513	Observation of prompt J/ψ meson elliptic flow in high-multiplicity pPb collisions at $s_{NN}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 172-194	4.2	14
512	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
511	Search for supersymmetry in events with a photon, jets, $\bar{e}e$, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
510	Measurements of the $pp \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
509	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-129	4.2	27
508	Search for a $W\gamma$ boson decaying to a μ lepton and a neutrino in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 107-131	4.2	15

507	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
506	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
505	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
504	Search for nonresonant Higgs boson pair production in the ($\overline{\text{b}}\overline{\text{b}}$) final state at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
503	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
502	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
501	Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 320-347	4.2	21
500	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
499	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86
498	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35
497	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
496	Search for W Boson Decays to Three Charged Pions. <i>Physical Review Letters</i> , 2019 , 122, 151802	7.4	1
495	Measurement of prompt (τ S) production cross sections in proton-lead and proton-proton collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 509-532	4.2	6
494	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
493	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
492	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
491	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
490	Measurements of ($\overline{\text{t}}\text{t}$) differential cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15

489	Search for ($\overline{\text{t}}\text{H}$) production in the (H to $\overline{\text{b}}$) decay channel with leptonic ($\overline{\text{t}}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
488	Search for Narrow H Resonances in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1
487	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
486	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
485	Search for resonant ($\overline{\text{t}}\text{t}$) production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
484	Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132003	7.4	6
483	Observation of Two Excited B_{c}^{+} States and Measurement of the $B_{c}^{+}(2S)$ Mass in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132001	7.4	31
482	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
481	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
480	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
479	Measurement of nuclear modification factors of $\rho(1S)$, $\rho(2S)$, and $\rho(3S)$ mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 270-293	4.2	40
478	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
477	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
476	Search for a W' boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
475	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
474	Inclusive search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
473	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
472	Search for excited leptons in final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2

471	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
470	Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	2
469	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13, \text{TeV}$). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
468	Measurement of exclusive Υ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
467	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 76-99	4.2	2
466	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
465	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
464	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 398-423	4.2	17
463	FCC-hh: The Hadron Collider. <i>European Physical Journal: Special Topics</i> , 2019 , 228, 755-1107	2.3	196
462	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
461	HE-LHC: The High-Energy Large Hadron Collider. <i>European Physical Journal: Special Topics</i> , 2019 , 228, 1109-1382	2.3	72
460	FCC-ee: The Lepton Collider. <i>European Physical Journal: Special Topics</i> , 2019 , 228, 261-623	2.3	193
459	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
458	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15
457	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
456	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
455	Search for MSSM Higgs bosons decaying to $\tau\tau$ in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134992	4.2	11
454	An embedding technique to determine Υ backgrounds in proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P06032-P06032	1	5

453	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39
452	Charged-particle angular correlations in XeXe collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	14
451	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
450	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
449	Measurements of differential Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
448	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
447	Study of the $(\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \overline{\Lambda} \mathbf{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
446	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{b})q(\overline{q})$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
445	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
444	Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 799, 135049	4.2	5
443	Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV using charge-dependent azimuthal anisotropies. <i>Physical Review C</i> , 2019 , 100,	2.7	5
442	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
441	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
440	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
439	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
438	Search for Physics beyond the Standard Model in Events with Overlapping Photons and Jets. <i>Physical Review Letters</i> , 2019 , 123, 241801	7.4	
437	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
436	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 231803	7.4	7

435	Search for Higgs boson pair production in the $\text{b}\bar{\text{b}}$ final state in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 7-36	4.2	24
434	Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3
433	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30
432	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
431	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27
430	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
429	Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
428	Measurement of quarkonium production cross sections in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 251-272	4.2	20
427	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\text{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
426	Observation of the Higgs boson decay to a pair of τ leptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 283-316	4.2	78
425	Suppression of Excited χ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
424	Search for resonant and nonresonant Higgs boson pair production in the ($\text{b}\bar{\text{b}}\ell\ell$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
423	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
422	Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12
421	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
420	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
419	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
418	Measurement of the inclusive ($t\bar{t}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3

417	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	
416	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
415	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	4
414	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	45
413	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	40
412	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
411	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
410	Measurement of normalized differential ($\overline{\mathrm{t}}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
409	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
408	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
407	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $s=13\mathrm{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4-2	9
406	Bose-Einstein correlations in pp, pPb, and PbPb collisions at $s_{\mathrm{NN}}=0.9\sqrt{s}$ TeV. <i>Physical Review C</i> , 2018 , 97,	2-7	15
405	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
404	Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $s=13\mathrm{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 166-190	4-2	4
403	Search for pair production of vector-like quarks in the $b\bar{b}W^+W^-$ channel from proton-proton collisions at $s=13\mathrm{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 82-106	4-2	29
402	Measurement of the associated production of a single top quark and a Z boson in pp collisions at $s=13\mathrm{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 358-384	4-2	11
401	Search for new long-lived particles at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 432-454	4-2	20
400	Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $s=13\mathrm{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 384-400	4-2	2

399	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
398	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
397	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
396	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
395	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 457	4.2	9
394	Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 14-39	4.2	21
393	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 062002	7.4	8
392	Observation of $t\bar{t}$ over γ H Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
391	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 241801	7.4	9
390	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62
389	Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 574-600	4.2	24
388	Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 244-269	4.2	22
387	Search for the X(5568) State Decaying into $B_s^0 \pi^0$ in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36
386	Measurements of the $(\text{pp}) \rightarrow \text{ZZ}$ production cross section and the $(\text{Z}) \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s} = 13, \text{TeV}$) 2018 , 78, 1		3
385	Azimuthal anisotropy of charged particles with transverse momentum up to $100 \text{ GeV}/c$ in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 195-216	4.2	27
384	Search for $(\overline{t}t)\text{H}$ production in the all-jet final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
383	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
382	Measurement of the groomed jet mass in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5

381	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
380	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
379	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
378	Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions. <i>Physical Review C</i> , 2018 , 98,	2-7	6
377	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
376	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two τ leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
375	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	16
374	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	6
373	Charged-particle nuclear modification factors in XeXe collisions at ($\sqrt{s_{\mathrm{NN}}}=5.44$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
372	Precision measurement of the structure of the CMS inner tracking system using nuclear interactions. <i>Journal of Instrumentation</i> , 2018 , 13, P10034-P10034	1	7
371	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4-2	13
370	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
369	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	37
368	Event shape variables measured using multijet final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
367	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 241802	7-4	20
366	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
365	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	50
364	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11

363	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	5
362	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	9
361	Search for supersymmetry in events with a μ lepton pair and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	14
360	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Isolated Photon-Tagged Jets. <i>Physical Review Letters</i> , 2018 , 121, 242301	7-4	15
359	Search for the decay of a Higgs boson in the $\mu\tau$ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	11
358	Performance of reconstruction and identification of μ leptons decaying to hadrons and ν_{μ} in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29
357	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 221802	7-4	6
356	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4-2	23
355	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4-2	19
354	Studies of ρ and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4-2	12
353	Observation of the $Z \rightarrow \mu^+ \mu^-$ Decay in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141801	7-4	1
352	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\mu q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
351	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4-2	9
350	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\mu$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
349	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4-2	19
348	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	4
347	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	15
346	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8

345	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
344	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5
343	Search for vector-like T and B quark pairs in final states with leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	29
342	Search for dark matter produced in association with a Higgs boson decaying to $\tau\bar{\tau}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
341	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	42
340	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141802	7.4	1
339	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
338	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
337	Search for a heavy resonance decaying into a Z boson and a vector boson in the ($\nu\bar{\nu}\gamma$) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
336	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
335	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
334	Search for beyond the standard model Higgs bosons decaying into a ($\tau\bar{\tau}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
333	Observation of the $\chi_{b1}(3P)$ and $\chi_{b2}(3P)$ and Measurement of their Masses. <i>Physical Review Letters</i> , 2018 , 121, 092002	7.4	16
332	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
331	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
330	Search for lepton flavour violating decays of the Higgs boson to $\tau\bar{\nu}$ and $e\nu$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
329	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
328	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two τ leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 462-488	4.2	28

327	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
326	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
325	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
324	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
323	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
322	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
321	Search for a singly produced third-generation scalar leptoquark decaying to a lepton and a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
320	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
319	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
318	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
317	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
316	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13
315	Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 101-127	4.2	35
314	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 263-291	4.2	12
313	Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	40
312	Measurement of Prompt D^0 Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39
311	Search for pair production of excited top quarks in the lepton + jets final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 349-370	4.2	6
310	Search for excited quarks of light and heavy flavor in $1+1$ jet final states in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 390-411	4.2	5

309	Evidence for the Higgs boson decay to a bottom quark-antiquark pair. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 501-532	4.2	47
308	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
307	Measurement of angular parameters from the decay $B^0 \rightarrow K^* \mu^+ \mu^-$ in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 517-541	4.2	44
306	Nuclear modification factor of D0 mesons in PbPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 474-496	4.2	61
305	Search for R-parity violating supersymmetry in pp collisions at $s=13$ TeV using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 783, 114-139	4.2	8
304	Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 440-467	4.2	34
303	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 021802	7.4	23
302	Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 147-170	4.2	55
301	Observation of the decay $B^+ \rightarrow \rho^+(1020) K^+$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 66-86	4.2	2
300	Measurement of the WZ production cross section in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22
299	Measurements of the $[Formula: see text]$ production cross section in lepton+jets final states in pp collisions at 8 $[Formula: see text]$ and ratio of 8 to 7 $[Formula: see text]$ cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
298	Measurement of the $[Formula: see text]$ production cross section using events in the $[Formula: see text]$ final state in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
297	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
296	Search for electroweak production of charginos in final states with two leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
295	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
294	Measurement of the WZ production cross section in pp collisions at $[Formula: see text]$ and 8 $[Formula: see text]$ and search for anomalous triple gauge couplings at $[Formula: see text]$. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
293	Measurement of prompt and nonprompt $[Formula: see text]$ production in $[Formula: see text]$ and $[Formula: see text]$ collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
292	Suppression of $\psi(1S)$, $\psi(2S)$, and $\psi(3S)$ quarkonium states in PbPb collisions at $s_{NN}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 357-379	4.2	57

291	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149
290	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
289	Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 80-105	4.2	11
288	Measurement of the cross section for electroweak production of $Z\bar{\nu}\nu$ association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22
287	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
286	Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13$ TeV and combination with 8 TeV data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 57-80	4.2	50
285	Search for dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74
284	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 137-162	4.2	13
283	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
282	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
281	Search for Supersymmetry in pp Collisions at $\sqrt{s}=13$ TeV in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017 , 119, 151802	7.4	7
280	Measurement of the $B^{\{u\}}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
279	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
278	Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	39
277	Exclusive vector meson photoproduction at the LHC and a future circular collider: A closer look on the final state. <i>Physical Review D</i> , 2017 , 95,	4.9	3
276	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
275	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
274	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28

273	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using H \rightarrow WW decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
272	Study of Jet Quenching with Z+jet Correlations in Pb-Pb and pp Collisions at $\sqrt{s}_{NN}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 082301	7.4	22
271	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
270	Search for standard model production of four top quarks in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 336-358	4.2	10
269	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s}_{\mathrm{N};\mathrm{N}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
268	Measurement of the mass difference between top quark and antiquark in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 50-71	4.2	6
267	Search for anomalous couplings in boosted WW/WZ- $\bar{t}q$? production in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 21-42	4.2	22
266	Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 391-412	4.2	3
265	Search for heavy gauge W? bosons in events with an energetic lepton and large missing transverse momentum at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 278-301	4.2	24
264	Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 306-329	4.2	14
263	Search for high-mass Z resonances in proton-proton collisions at $s=8$ and 13 TeV using jet substructure techniques. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 363-387	4.2	10
262	Search for ($\overline{\mathrm{t}}\mathrm{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17
261	Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 634-656	4.2	11
260	Cross section measurement of t-channel single top quark production in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 752-776	4.2	32
259	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\mathrm{b}}\mathrm{b}$) or $\bar{t}t$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
258	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7.4	11
257	Observation of Y(1S) pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
256	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26

255	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
254	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
253	Measurement of the semileptonic ($\overline{\text{t}} + \text{b}$) production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
252	Measurements of the $\text{pp} \rightarrow \text{W}\Delta$ and $\text{pp} \rightarrow \text{Z}\Delta$ cross sections and limits on anomalous quartic gauge couplings at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
251	Mechanical stability of the CMS strip tracker measured with a laser alignment system. <i>Journal of Instrumentation</i> , 2017 , 12, P04023-P04023	1	
250	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
249	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
248	Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 563-584	4.2	6
247	Search for black holes and other new phenomena in high-multiplicity final states in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 279-307	4.2	10
246	Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton-proton collisions at $s=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 533-558	4.2	25
245	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
244	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
243	Measurement of the differential inclusive B+ hadron cross sections in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 435-456	4.2	15
242	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
241	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
240	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text]TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8
239	Relative Modification of Prompt B_s and J/ ψ Yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18
238	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74

237	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
236	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
235	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23
234	Measurement of electroweak-induced production of $W\gamma$ with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
233	Searches for $W\gamma$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
232	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
231	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
230	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
229	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
228	Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS. <i>Physical Review C</i> , 2017 , 96,	2.7	12
227	Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 682-705	4.2	29
226	Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 315-337	4.2	6
225	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
224	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
223	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
222	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
221	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
220	Search for top quark partners with charge $5/3$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3

219	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
218	Measurements of jet charge with dijet events in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
217	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
216	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
215	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
214	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
213	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (,text {TeV}). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
212	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
211	Search for high-mass Z resonances in $e+e$ and $\mu+\mu$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
210	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
209	Search for CP violation in (\overline{t}) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
208	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
207	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
206	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
205	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
204	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
203	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
202	Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57

201	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
200	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
199	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at $\sqrt{s}=8$ and $13\sqrt{\text{TeV}}$. <i>Physical Review Letters</i> , 2016 , 117, 051802	7.4	61
198	Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	2
197	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
196	Study of B Meson Production in p+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Exclusive Hadronic Decays. <i>Physical Review Letters</i> , 2016 , 116, 032301	7.4	19
195	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
194	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
193	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
192	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
191	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
190	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
189	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
188	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
187	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
186	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
185	Search for $W^+ \rightarrow t\bar{b}$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
184	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2

183	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
182	Measurement of the ratio $B(Bs_0 \rightarrow \mu^+ \mu^-) / B(Bs_0 \rightarrow \tau^+ \tau^-)$ in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 756, 84-102	4.2	4
181	Search for neutral MSSM Higgs bosons decaying to $\mu\mu$ in pp collisions at $\sqrt{s}=7$ and 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 221-246	4.2	11
180	Search for a Higgs boson decaying into $\mu\mu$ with low dilepton mass in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 341-362	4.2	13
179	Search for $W \rightarrow \tau \nu$ decaying to tau lepton and neutrino in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 196-216	4.2	14
178	Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 296-320	4.2	20
177	Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the muon+jets final state in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 321-346	4.2	10
176	A search for pair production of new light bosons decaying into muons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 752, 146-168	4.2	51
175	Transverse momentum spectra of inclusive b jets in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 59-80	4.2	22
174	Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 152-180	4.2	30
173	Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 9-35	4.2	12
172	Measurement of the $[Formula: see text]$ production cross section in the all-jets final state in pp collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
171	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
170	Search for massive WH resonances decaying into the $[Formula: see text]$ final state at $[Formula: see text]$. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
169	Search for new phenomena in monophoton final states in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 102-124	4.2	42
168	Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma$ using the $Bs_0 \rightarrow \mu^+ \mu^-$ decay channel in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4.2	26
167	Inclusive and differential measurements of the $t\bar{t}$ charge asymmetry in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 154-179	4.2	15
166	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14

165	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
164	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into τ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
163	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
162	Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with h \rightarrow $\tau\tau$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 217-244	4.2	46
161	Search for exotic decays of a Higgs boson into undetectable particles and one or more photons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 363-388	4.2	9
160	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
159	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
158	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
157	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
156	Reconstruction and identification of τ lepton decays to hadrons and $\tau \rightarrow \mu \nu$ at CMS. <i>Journal of Instrumentation</i> , 2016 , 11, P01019-P01019	1	75
155	Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 512-534	4.2	17
154	LHC forward physics. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2016 , 43, 110201	2.9	75
153	Measurement of the ZZ production cross section and Z $\rightarrow \tau\tau$ branching fraction in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4.2	22
152	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 6-31	4.2	5
151	Angular analysis of the decay $B^0 \rightarrow K^* \tau \nu$ from pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 424-448	4.2	59
150	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
149	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
148	Search for neutral resonances decaying into a Z boson and a pair of b jets or τ leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 369-394	4.2	33

147	Measurement of the $Z\bar{t}t$ production cross section in pp collisions at $s=8$ TeV and limits on anomalous $ZZ\bar{t}t$ and $Zt\bar{t}$ trilinear gauge boson couplings. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 448-468	4.2	10
146	Search for lepton flavour violating decays of the Higgs boson to $e\bar{t}$ and $e\bar{b}$ in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 472-500	4.2	35
145	Measurement of the inelastic cross section in proton-lead collisions at $s_{NN}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 641-662	4.2	10
144	Search for R-parity violating decays of a top squark in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 178-201	4.2	4
143	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
142	Search for new resonances decaying via WZ to leptons in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 83-104	4.2	47
141	Measurement of the $pp\rightarrow Z\bar{t}t$ production cross section and constraints on anomalous triple gauge couplings in four-lepton final states at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 740, 250-272	4.2	38
140	Differential cross section measurements for the production of a W boson in association with jets in proton-proton collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 741, 12-37	4.2	37
139	Measurement of the production cross section ratio $\sigma(B2(1P))/\sigma(B1(1P))$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 383-402	4.2	14
138	Search for stealth supersymmetry in events with jets, either photons or leptons, and low missing transverse momentum in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 743, 503-525	4.2	17
137	Search for a standard model-like Higgs boson in the $\mu\bar{\mu}$ and e^+e^- decay channels at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 744, 184-207	4.2	59
136	Searches for supersymmetry based on events with b jets and four W bosons in pp collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 745, 5-28	4.2	20
135	Search for quark contact interactions and extra spatial dimensions using dijet angular distributions in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 79-99	4.2	21
134	Measurement of the cross section ratio $\sigma(t\bar{t}bb)/\sigma(t\bar{t}jj)$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 746, 132-153	4.2	15
133	Search for monotop signatures in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 101801	7.4	25
132	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4.2	55
131	Search for displaced supersymmetry in events with an electron and a muon with large impact parameters. <i>Physical Review Letters</i> , 2015 , 114, 061801	7.4	39
130	Measurement of J/ψ and $\psi(2S)$ Prompt Double-Differential Cross Sections in pp Collisions at $\sqrt{s}=7$ TeV. <i>Physical Review Letters</i> , 2015 , 114, 191802	7.4	41

129	Study of vector boson scattering and search for new physics in events with two same-sign leptons and two jets. <i>Physical Review Letters</i> , 2015 , 114, 051801	7.4	62
128	Probing the photon flux in the diffractive quarkonium photoproduction at the LHC. <i>Physical Review D</i> , 2015 , 91,	4.9	10
127	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
126	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4.2	50
125	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4.2	33
124	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
123	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow c \bar{c} \mu \mu$ and $B \rightarrow c \bar{c} \mu \mu$ and $(\mathcal{B}(\mathcal{B} \rightarrow \mathcal{C})_{\mathcal{C}}^{\mu\mu} / \mathcal{B}(\mathcal{B} \rightarrow \mathcal{C})_{\mathcal{C}}^{\mu\mu})$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	13
122	Search for disappearing tracks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	35
121	Central $\mu\mu$ production via photon-photon fusion in proton-proton collisions with proton dissociation. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	17
120	Study of Z production in PbPb and pp collisions at ($\sqrt{s_{\mathcal{NN}}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18
119	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	69
118	Observation of the rare $B(s)(0) \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data. <i>Nature</i> , 2015 , 522, 68-72	50.4	326
117	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	6
116	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4.2	34
115	Search for narrow high-mass resonances in proton-proton collisions at $\sqrt{s}=8$ TeV decaying to a Z and a Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 255-277	4.2	30
114	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250
113	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
112	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4.2	48

111	Study of W boson production in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 565-586	4.2	36
110	Measurements of the $\sigma(1S)$, $\sigma(2S)$, and $\sigma(3S)$ differential cross sections in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 14-34	4.2	27
109	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4.2	4
108	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4.2	24
107	Angular coefficients of Z bosons produced in pp collisions at $\sqrt{s}=8$ TeV and decaying to $\mu\mu$ as a function of transverse momentum and rapidity. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 154-175	4.2	42
106	Search for resonant pair production of Higgs bosons decaying to two bottom quark-antiquark pairs in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 560-582	4.2	78
105	Evidence for transverse-momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and pPb collisions. <i>Physical Review C</i> , 2015 , 92,	2.7	104
104	Constraining the photon flux in two-photon processes at the LHC. <i>Physical Review D</i> , 2015 , 92,	4.9	11
103	Evidence for Collective Multiparticle Correlations in p-Pb Collisions. <i>Physical Review Letters</i> , 2015 , 115, 012301	7.4	145
102	Performance of photon reconstruction and identification with the CMS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P08010-P08010	1	141
101	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s}=8$ TeV. <i>Journal of Instrumentation</i> , 2015 , 10, P02006-P02006	1	84
100	Search for a pseudoscalar boson decaying into a Z boson and the 125 GeV Higgs boson in $\mu\mu b\bar{b}$ final states. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 221-243	4.2	48
99	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s})=8$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
98	Search for third-generation scalar leptoquarks in the $t\bar{t}$ channel in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	19
97	Search for lepton-flavour-violating decays of the Higgs boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 337-362	4.2	175
96	Search for pair-produced resonances decaying to jet pairs in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 747, 98-119	4.2	62
95	Search for heavy Majorana neutrinos in $\mu\mu +$ jets events in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 748, 144-166	4.2	58
94	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26

93	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	33
92	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	17
91	Search for a charged Higgs boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	61
90	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	11
89	Search for a light charged Higgs boson decaying to ($\overline{\text{charm}}$) in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5-4	33
88	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
87	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	
86	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	73
85	Search for diphoton resonances in the mass range from 150 to 850 GeV in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 750, 494-519	4-2	113
84	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , 2015 , 75, 212	4-2	399
83	Combined Measurement of the Higgs Boson Mass in pp Collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015 , 114, 191803	7-4	709
82	Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	7
81	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4-2	41
80	Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , 2015 , 75, 542	4-2	98
79	Measurements of the $Z\gamma$ production cross sections in the $\gamma\gamma$ channel in proton-proton collisions at $\sqrt{s}=8$ TeV and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
78	Measurement of the Z boson differential cross section in transverse momentum and rapidity in proton-proton collisions at 8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 749, 187-209	4-2	36
77	Comparison of the $Z/\gamma + \text{jets}$ to $\gamma\text{-jets}$ cross sections in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	5
76	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18

75	Long-range two-particle correlations of strange hadrons with charged particles in pPb and PbPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 742, 200-224	4.2	64
74	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	43
73	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	60
72	Measurement of associated W + charm production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
71	Search for new physics in events with same-sign dileptons and jets in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
70	Measurement of the $t\bar{t}$ production cross section in pp collisions at $s=8$ TeV in dilepton final states containing one τ lepton. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 23-43	4.2	17
69	Measurement of the ratio $B(t \rightarrow Wb)/B(t \rightarrow Wq)$ in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 33-57	4.2	41
68	Constraints on the Higgs boson width from off-shell production and decay to Z-boson pairs. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 64-85	4.2	116
67	Search for top-squark pairs decaying into Higgs or Z bosons in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 736, 371-397	4.2	57
66	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(\sqrt{s_{\text{NN}}}) = 5.02$ (TeV). <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	67
65	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4.2	16
64	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
63	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4.2	11
62	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	61
61	Event activity dependence of $(Y)(n_S)$ production in $(\sqrt{s_{NN}}) = 5.02$ TeV pPb and $(\sqrt{s}) = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	42
60	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
59	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	101
58	Search for $W \rightarrow \tau b$ decays in the lepton + jets final state in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	23

57	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	15
56	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	81
55	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	48
54	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	21
53	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
52	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	74
51	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	59
50	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4-2	13
49	Inclusive search for a vector-like T quark with charge . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 729, 149-171	4-2	103
48	Modification of jet shapes in PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 243-263	4-2	124
47	Search for baryon number violation in top-quark decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 731, 173-196	4-2	9
46	Observation of the associated production of a single top quark and a W boson in pp collisions at $\sqrt{s} = 8$ TeV. <i>Physical Review Letters</i> , 2014 , 112, 231802	7-4	62
45	Evidence for the direct decay of the 125 GeV Higgs boson to fermions. <i>Nature Physics</i> , 2014 , 10, 557-560	16-2	90
44	Search for supersymmetry in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 733, 328-353	4-2	50
43	Exclusive production in CMS. <i>EPJ Web of Conferences</i> , 2014 , 81, 04005	0-3	
42	Measurement of prompt $\langle 2S \rangle$ to J/ψ yield ratios in Pb-Pb and p-p collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review Letters</i> , 2014 , 113, 262301	7-4	38
41	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4-2	149
40	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4-2	29

39	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
38	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
37	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at (\sqrt{s}) = 8 TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
36	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
35	Measurement of prompt J/ψ pair production in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
34	Measurement of the production cross section for a W boson and two b jets in pp collisions at \sqrt{s} =7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 735, 204-225	4.2	19
33	Search for excited quarks in the μ jet final state in proton-proton collisions at \sqrt{s} =8TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 738, 274-293	4.2	21
32	Search for pair production of third-generation scalar leptoquarks and top squarks in proton-proton collisions at \sqrt{s} =8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 739, 229-249	4.2	56
31	Alignment of the CMS tracker with LHC and cosmic ray data. <i>Journal of Instrumentation</i> , 2014 , 9, P06009-P06009	4.2	24
30	Measurement of jet fragmentation in PbPb and pp collisions at $\sqrt{s_{NN}}$ =2.76 TeV. <i>Physical Review C</i> , 2014 , 90,	2.7	89
29	Measurement of higher-order harmonic azimuthal anisotropy in PbPb collisions at $\sqrt{s_{NN}}$ =2.76 TeV. <i>Physical Review C</i> , 2014 , 89,	2.7	109
28	Search for top squark and Higgsino production using diphoton Higgs boson decays. <i>Physical Review Letters</i> , 2014 , 112, 161802	7.4	38
27	Measurements of tt spin correlations and top-quark polarization using dilepton final states in pp collisions at \sqrt{s} =7 TeV. <i>Physical Review Letters</i> , 2014 , 112, 182001	7.4	49
26	Search for top-quark partners with charge 5/3 in the same-sign dilepton final state. <i>Physical Review Letters</i> , 2014 , 112, 171801	7.4	58
25	Search for the standard model Higgs boson produced in association with a W or a Z boson and decaying to bottom quarks. <i>Physical Review D</i> , 2014 , 89,	4.9	145
24	Search for flavor-changing neutral currents in top-quark decays $t \rightarrow Zq$ in pp collisions at \sqrt{s} = 8 TeV. <i>Physical Review Letters</i> , 2014 , 112, 171802	7.4	46
23	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
22	Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}}$ =2.76 TeV. <i>Physical Review Letters</i> , 2014 , 113, 132301	7.4	62

21	CMS Collaboration. <i>Nuclear Physics A</i> , 2014 , 932, 595-620	1.3	5
20	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
19	Study of hadronic event-shape variables in multijet final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
18	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
17	Description and performance of track and primary-vertex reconstruction with the CMS tracker. <i>Journal of Instrumentation</i> , 2014 , 9, P10009-P10009	1	279
16	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
15	Searches for light- and heavy-flavour three-jet resonances in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014 , 730, 193-214	4.2	35
14	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
13	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at (\sqrt{s}) = 8 TeV 2014 , 2014, 1		3
12	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6
11	Study of exclusive two-photon production of $W+W\bar{W}$ in pp collisions at ($\sqrt{s}=7$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	56
10	Angular analysis and branching fraction measurement of the decay $B^0 \rightarrow K^* \mu^+ \mu^-$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 77-100	4.2	35
9	Search for a new bottomonium state decaying to . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 57-76	4.2	31
8	Measurement of the W-boson helicity in top-quark decays from (\overline{t}) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	25
7	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
6	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
5	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
4	Measurement of the prompt . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 727, 381-402	4.2	83

3	Search for a Higgs boson decaying into a Z and a photon in pp collisions at . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013 , 726, 587-609	4.2	73
2	Measurement of the $B_s(0) \rightarrow \mu^+ \mu^-$ branching fraction and search for $B(0) \rightarrow \mu^+ \mu^-$ with the CMS experiment. <i>Physical Review Letters</i> , 2013 , 111, 101804	7.4	220
1	Searches for new physics using the $t\bar{t}$ invariant mass distribution in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2013 , 111, 211804	7.4	76