## Takeuchi Osamu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9580329/publications.pdf

Version: 2024-02-01

220 papers

84,484 citations

110 h-index 217 g-index

224 all docs

224 docs citations

times ranked

224

64375 citing authors

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Pathogen Recognition and Innate Immunity. Cell, 2006, 124, 783-801.   | 13.5 | 9,878     |
| 2  | Pattern Recognition Receptors and Inflammation. Cell, 2010, 140, 805-820.   | 13.5 | 6,978     |
| 3  | A Toll-like receptor recognizes bacterial DNA. Nature, 2000, 408, 740-745.  | 13.7 | 5,827     |
| 4  | Differential roles of MDA5 and RIG-I helicases in the recognition of RNA viruses. Nature, 2006, 441, 101-105.   | 13.7 | 3,292     |
| 5  | Differential Roles of TLR2 and TLR4 in Recognition of Gram-Negative and Gram-Positive Bacterial Cell Wall Components. Immunity, 1999, 11, 443-451.  | 6.6  | 3,040     |
| 6  | Role of Adaptor TRIF in the MyD88-Independent Toll-Like Receptor Signaling Pathway. Science, 2003, 301, 640-643.  | 6.0  | 2,808     |
| 7  | Small anti-viral compounds activate immune cells via the TLR7 MyD88–dependent signaling pathway.<br>Nature Immunology, 2002, 3, 196-200.  | 7.0  | 2,290     |
| 8  | IPS-1, an adaptor triggering RIG-l- and Mda5-mediated type I interferon induction. Nature Immunology, 2005, 6, 981-988.   | 7.0  | 2,254     |
| 9  | Loss of the autophagy protein Atg16L1 enhances endotoxin-induced IL-1Î <sup>2</sup> production. Nature, 2008, 456, 264-268.   | 13.7 | 1,837     |
| 10 | TRIM25 RING-finger E3 ubiquitin ligase is essential for RIG-I-mediated antiviral activity. Nature, 2007, 446, 916-920.  | 13.7 | 1,405     |
| 11 | Length-dependent recognition of double-stranded ribonucleic acids by retinoic acid–inducible gene-l<br>and melanoma differentiation–associated gene 5. Journal of Experimental Medicine, 2008, 205, 1601-1610.                      | 4.2  | 1,327     |
| 12 | Cell Type-Specific Involvement of RIG-I in Antiviral Response. Immunity, 2005, 23, 19-28.   | 6.6  | 1,221     |
| 13 | Cutting Edge: Role of Toll-Like Receptor 1 in Mediating Immune Response to Microbial Lipoproteins. Journal of Immunology, 2002, 169, 10-14.   | 0.4  | 1,186     |
| 14 | Cutting Edge: A Novel Toll/IL-1 Receptor Domain-Containing Adapter That Preferentially Activates the IFN-Î <sup>2</sup> Promoter in the Toll-Like Receptor Signaling. Journal of Immunology, 2002, 169, 6668-6672.                  | 0.4  | 1,123     |
| 15 | Discrimination of bacterial lipoproteins by Toll-like receptor 6. International Immunology, 2001, 13, 933-940.  | 1.8  | 1,112     |
| 16 | Innate immunity to virus infection. Immunological Reviews, 2009, 227, 75-86.  | 2.8  | 1,053     |
| 17 | The Jmjd3-Irf4 axis regulates M2 macrophage polarization and host responses against helminth infection. Nature Immunology, 2010, 11, 936-944.   | 7.0  | 996       |
| 18 | Lipopolysaccharide Stimulates the MyD88-Independent Pathway and Results in Activation of IFN-Regulatory Factor 3 and the Expression of a Subset of Lipopolysaccharide-Inducible Genes. Journal of Immunology, 2001, 167, 5887-5894. | 0.4  | 986       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Cutting Edge: TLR2-Deficient and MyD88-Deficient Mice Are Highly Susceptible to <i>Staphylococcus aureus</i> Infection. Journal of Immunology, 2000, 165, 5392-5396.  | 0.4  | 983       |
| 20 | TRAM is specifically involved in the Toll-like receptor 4–mediated MyD88-independent signaling pathway. Nature Immunology, 2003, 4, 1144-1150.  | 7.0  | 919       |
| 21 | Essential role for TIRAP in activation of the signalling cascade shared by TLR2 and TLR4. Nature, 2002, 420, 324-329.   | 13.7 | 910       |
| 22 | Interferon-α induction through Toll-like receptors involves a direct interaction of IRF7 with MyD88 and TRAF6. Nature Immunology, 2004, 5, 1061-1068.   | 7.0  | 894       |
| 23 | Essential function for the kinase TAK1 in innate and adaptive immune responses. Nature Immunology, 2005, 6, 1087-1095.  | 7.0  | 839       |
| 24 | Cyclophilin D is a component of mitochondrial permeability transition and mediates neuronal cell death after focal cerebral ischemia. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 12005-12010.                      | 3.3  | 744       |
| 25 | Atg9a controls dsDNA-driven dynamic translocation of STING and the innate immune response. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 20842-20846.   | 3.3  | 705       |
| 26 | A Toll-like receptor–independent antiviral response induced by double-stranded B-form DNA. Nature Immunology, 2006, 7, 40-48.   | 7.0  | 704       |
| 27 | Direct recognition of the mycobacterial glycolipid, trehalose dimycolate, by C-type lectin Mincle.<br>Journal of Experimental Medicine, 2009, 206, 2879-2888.   | 4.2  | 670       |
| 28 | Recognition of $5\hat{a} \in \mathbb{Z}$ Triphosphate by RIG-I Helicase Requires Short Blunt Double-Stranded RNA as Contained in Panhandle of Negative-Strand Virus. Immunity, 2009, 31, 25-34.   | 6.6  | 660       |
| 29 | Induction of Direct Antimicrobial Activity Through Mammalian Toll-Like Receptors. Science, 2001, 291, 1544-1547.  | 6.0  | 623       |
| 30 | Limb and Skin Abnormalities in Mice Lacking IKK. Science, 1999, 284, 313-316.   | 6.0  | 595       |
| 31 | SOCS-1 Participates in Negative Regulation of LPS Responses. Immunity, 2002, 17, 677-687.   | 6.6  | 583       |
| 32 | Activation of Toll-Like Receptor 2 in Acne Triggers Inflammatory Cytokine Responses. Journal of Immunology, 2002, 169, 1535-1541.   | 0.4  | 557       |
| 33 | Zc3h12a is an RNase essential for controlling immune responses by regulating mRNA decay. Nature, 2009, 458, 1185-1190.  | 13.7 | 557       |
| 34 | TANK-binding kinase-1 delineates innate and adaptive immune responses to DNA vaccines. Nature, 2008, 451, 725-729.  | 13.7 | 551       |
| 35 | Cutting Edge: Preferentially the <i>R</i> -Stereoisomer of the Mycoplasmal Lipopeptide Macrophage-Activating Lipopeptide-2 Activates Immune Cells Through a Toll-Like Receptor 2- and MyD88-Dependent Signaling Pathway. Journal of Immunology, 2000, 164, 554-557. | 0.4  | 550       |
| 36 | LGP2 is a positive regulator of RIG-l– and MDA5-mediated antiviral responses. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 1512-1517.  | 3.3  | 540       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Toll-like receptor 9 mediates innate immune activation by the malaria pigment hemozoin. Journal of Experimental Medicine, 2005, 201, 19-25.   | 4.2  | 537       |
| 38 | The Roles of Two lîB Kinase-related Kinases in Lipopolysaccharide and Double Stranded RNA Signaling and Viral Infection. Journal of Experimental Medicine, 2004, 199, 1641-1650.                                | 4.2  | 536       |
| 39 | Activation of Toll-Like Receptor-2 by Glycosylphosphatidylinositol Anchors from a Protozoan Parasite. Journal of Immunology, 2001, 167, 416-423.  | 0.4  | 513       |
| 40 | Stepwise Activation of BAX and BAK by tBID, BIM, and PUMA Initiates Mitochondrial Apoptosis. Molecular Cell, 2009, 36, 487-499.   | 4.5  | 505       |
| 41 | MDA5/RIG-I and virus recognition. Current Opinion in Immunology, 2008, 20, 17-22.   | 2.4  | 501       |
| 42 | Interleukin-1 receptor-associated kinase-1 plays an essential role for Toll-like receptor (TLR)7- and TLR9-mediated interferon-α induction. Journal of Experimental Medicine, 2005, 201, 915-923.               | 4.2  | 446       |
| 43 | Endotoxin-Induced Maturation of MyD88-Deficient Dendritic Cells. Journal of Immunology, 2001, 166, 5688-5694.   | 0.4  | 445       |
| 44 | Regulation of Toll/IL-1-receptor-mediated gene expression by the inducible nuclear protein lîºBî¶. Nature, 2004, 430, 218-222.  | 13.7 | 445       |
| 45 | Essential role of IPS-1 in innate immune responses against RNA viruses. Journal of Experimental Medicine, 2006, 203, 1795-1803.   | 4.2  | 438       |
| 46 | Immune Cell Activation by Bacterial Cpg-DNA through Myeloid Differentiation Marker 88 and Tumor<br>Necrosis Factor Receptor–Associated Factor (Traf)6. Journal of Experimental Medicine, 2000, 192,<br>595-600. | 4.2  | 434       |
| 47 | BID, BIM, and PUMA Are Essential for Activation of the BAX- and BAK-Dependent Cell Death Program. Science, 2010, 330, 1390-1393.  | 6.0  | 416       |
| 48 | Toll-like receptors; their physiological role and signal transduction system. International Immunopharmacology, 2001, 1, 625-635.   | 1.7  | 414       |
| 49 | Detection of pathogenic intestinal bacteria by Toll-like receptor 5 on intestinal CD11c+ lamina propria cells. Nature Immunology, 2006, 7, 868-874.   | 7.0  | 399       |
| 50 | Maturation of Human Dendritic Cells by Cell Wall Skeleton of Mycobacterium bovis Bacillus Calmette-Guelrin: Involvement of Toll-Like Receptors. Infection and Immunity, 2000, 68, 6883-6890.                    | 1.0  | 381       |
| 51 | Activation of MDA5 Requires Higher-Order RNA Structures Generated during Virus Infection. Journal of Virology, 2009, 83, 10761-10769.   | 1.5  | 377       |
| 52 | CD11b/CD18 Acts in Concert with CD14 and Toll-Like Receptor (TLR) 4 to Elicit Full Lipopolysaccharide and Taxol-Inducible Gene Expression. Journal of Immunology, 2001, 166, 574-581.                           | 0.4  | 368       |
| 53 | Synergy and Cross-Tolerance Between Toll-Like Receptor (TLR) 2- and TLR4-Mediated Signaling Pathways. Journal of Immunology, 2000, 165, 7096-7101.  | 0.4  | 367       |
| 54 | C-type lectin Mincle is an activating receptor for pathogenic fungus, <i>Malassezia </i> . Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 1897-1902.               | 3.3  | 367       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Sequential control of Toll-like receptor–dependent responses by IRAK1 and IRAK2. Nature Immunology, 2008, 9, 684-691.  | 7.0  | 361       |
| 56 | Alveolar Macrophages Are the Primary Interferon- $\hat{l}_{\pm}$ Producer in Pulmonary Infection with RNA Viruses. Immunity, 2007, 27, 240-252.  | 6.6  | 340       |
| 57 | Recognition of viruses by innate immunity. Immunological Reviews, 2007, 220, 214-224.  | 2.8  | 305       |
| 58 | TLR9 as a key receptor for the recognition of DNAâ~†. Advanced Drug Delivery Reviews, 2008, 60, 795-804.   | 6.6  | 296       |
| 59 | Malt1-Induced Cleavage of Regnase-1 in CD4+ Helper T Cells Regulates Immune Activation. Cell, 2013, 153, 1036-1049.  | 13.5 | 296       |
| 60 | Regnase-1 and Roquin Regulate a Common Element in Inflammatory mRNAs by Spatiotemporally Distinct Mechanisms. Cell, 2015, 161, 1058-1073.  | 13.5 | 296       |
| 61 | Cellular responses to bacterial cell wall components are mediated through MyD88-dependent signaling cascades. International Immunology, 2000, 12, 113-117.   | 1.8  | 291       |
| 62 | Critical role of Trib1 in differentiation of tissue-resident M2-like macrophages. Nature, 2013, 495, 524-528.  | 13.7 | 285       |
| 63 | Toll-Like Receptor-2 Modulates Ventricular Remodeling After Myocardial Infarction. Circulation, 2003, 108, 2905-2910.  | 1.6  | 277       |
| 64 | Critical Roles of Myeloid Differentiation Factor 88-Dependent Proinflammatory Cytokine Release in Early Phase Clearance of <i>Listeria monocytogenes </i> i>in Mice. Journal of Immunology, 2002, 169, 3863-3868.  | 0.4  | 265       |
| 65 | Differential involvement of IFN-Â in Toll-like receptor-stimulated dendritic cell activation.<br>International Immunology, 2002, 14, 1225-1231.  | 1.8  | 264       |
| 66 | The ll̂ºB kinase complex regulates the stability of cytokine-encoding mRNA induced by TLR–IL-1R by controlling degradation of regnase-1. Nature Immunology, 2011, 12, 1167-1175.   | 7.0  | 261       |
| 67 | Key function for the Ubc13 E2 ubiquitin-conjugating enzyme in immune receptor signaling. Nature Immunology, 2006, 7, 962-970.  | 7.0  | 249       |
| 68 | Toll-Like Receptor 2 Plays a Role in the Early Inflammatory Response to Murine Pneumococcal Pneumonia but Does Not Contribute to Antibacterial Defense. Journal of Immunology, 2004, 172, 3132-3138.   | 0.4  | 246       |
| 69 | p53 Controls Radiation-Induced Gastrointestinal Syndrome in Mice Independent of Apoptosis. Science, 2010, 327, 593-596.  | 6.0  | 225       |
| 70 | Akirins are highly conserved nuclear proteins required for NF-κB-dependent gene expression in drosophila and mice. Nature Immunology, 2008, 9, 97-104.   | 7.0  | 223       |
| 71 | Lipopolysaccharide-Induced IL-18 Secretion from Murine Kupffer Cells Independently of Myeloid Differentiation Factor 88 That Is Critically Involved in Induction of Production of IL-12 and IL- $\hat{1}^2$ . Journal of Immunology, 2001, 166, 2651-2657. | 0.4  | 222       |
| 72 | Roles of Toll-Like Receptors in C-C Chemokine Production by Renal Tubular Epithelial Cells. Journal of Immunology, 2002, 169, 2026-2033.   | 0.4  | 222       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | TLR7-dependent and $Fc\hat{l}^3R$ -independent production of type I interferon in experimental mouse lupus. Journal of Experimental Medicine, 2008, 205, 2995-3006.   | 4.2  | 199       |
| 74 | Antiviral Protein Viperin Promotes Toll-like Receptor 7- and Toll-like Receptor 9-Mediated Type I Interferon Production in Plasmacytoid Dendritic Cells. Immunity, 2011, 34, 352-363.                                     | 6.6  | 199       |
| 75 | Synergistic Effect of Muramyldipeptide with Lipopolysaccharide or Lipoteichoic Acid To Induce Inflammatory Cytokines in Human Monocytic Cells in Culture. Infection and Immunity, 2001, 69, 2045-2053.                    | 1.0  | 193       |
| 76 | Pathogen recognition by innate receptors. Journal of Infection and Chemotherapy, 2008, 14, 86-92.   | 0.8  | 187       |
| 77 | <i>Plasmodium</i> â€^ <i>berghei</i> Infection in Mice Induces Liver Injury by an IL-12- and Toll-Like<br>Receptor/Myeloid Differentiation Factor 88-Dependent Mechanism. Journal of Immunology, 2001, 167,<br>5928-5934. | 0.4  | 186       |
| 78 | Essential role of BAX,BAK in B cell homeostasis and prevention of autoimmune disease. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 11272-11277.                            | 3.3  | 181       |
| 79 | Arid5a controls IL-6 mRNA stability, which contributes to elevation of IL-6 level in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 9409-9414.                         | 3.3  | 179       |
| 80 | Differential recognition of structural details of bacterial lipopeptides by toll-like receptors. European Journal of Immunology, 2002, 32, 3337-3347.   | 1.6  | 179       |
| 81 | Involvement of Toll-like Receptor (TLR) 2 and TLR4 in Cell Activation by Mannuronic Acid Polymers.<br>Journal of Biological Chemistry, 2002, 277, 35489-35495.  | 1.6  | 178       |
| 82 | Endotoxin can induce MyD88-deficient dendritic cells to support Th2 cell differentiation. International Immunology, 2002, 14, 695-700.  | 1.8  | 176       |
| 83 | Double-Stranded RNA of Intestinal Commensal but Not Pathogenic Bacteria Triggers Production of Protective Interferon- $\hat{l}^2$ . Immunity, 2013, 38, 1187-1197.  | 6.6  | 176       |
| 84 | Genetic analysis of resistance to viral infection. Nature Reviews Immunology, 2007, 7, 753-766.   | 10.6 | 172       |
| 85 | West Nile Virus Noncoding Subgenomic RNA Contributes to Viral Evasion of the Type I<br>Interferon-Mediated Antiviral Response. Journal of Virology, 2012, 86, 5708-5718.  | 1.5  | 170       |
| 86 | Frequent mutations that converge on the NFKBIZ pathway in ulcerative colitis. Nature, 2020, 577, 260-265.   | 13.7 | 168       |
| 87 | TLR2 as an essential molecule for protective immunity against Toxoplasma gondii infection. International Immunology, 2003, 15, 1081-1087.   | 1.8  | 165       |
| 88 | Mycobacterial Infection in TLR2 and TLR6 Knockout Mice. Microbiology and Immunology, 2003, 47, 327-336.   | 0.7  | 160       |
| 89 | Essential role of IRAK-4 protein and its kinase activity in Toll-like receptor–mediated immune responses but not in TCR signaling. Journal of Experimental Medicine, 2007, 204, 1013-1024.                                | 4.2  | 158       |
| 90 | Recognition of lipopeptides by Toll-like receptors. Journal of Endotoxin Research, 2002, 8, 459-463.  | 2.5  | 158       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Simultaneous Blocking of Human Toll-Like Receptors 2 and 4 Suppresses Myeloid Dendritic Cell Activation Induced by Mycobacterium bovis Bacillus Calmette-Guelrin Peptidoglycan. Infection and Immunity, 2003, 71, 4238-4249.             | 1.0 | 154       |
| 92  | A variety of microbial components induce tolerance to lipopolysaccharide by differentially affecting MyD88-dependent and -independent pathways. International Immunology, 2002, 14, 783-791.   | 1.8 | 153       |
| 93  | Suppressor of cytokine signaling-1 selectively inhibits LPS-induced IL-6 production by regulating JAK-STAT. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 17089-17094.                     | 3.3 | 152       |
| 94  | Hepatitis C Virus Nonstructural Protein 5A Modulates the Toll-Like Receptor-MyD88-Dependent Signaling Pathway in Macrophage Cell Lines. Journal of Virology, 2007, 81, 8953-8966.  | 1.5 | 151       |
| 95  | TANK is a negative regulator of Toll-like receptor signaling and is critical for the prevention of autoimmune nephritis. Nature Immunology, 2009, 10, 965-972.   | 7.0 | 148       |
| 96  | Pathological role of Toll-like receptor signaling in cerebral malaria. International Immunology, 2006, 19, 67-79.  | 1.8 | 144       |
| 97  | Toll-Like Receptor 2 Mediates Staphylococcus aureus –Induced Myocardial Dysfunction and Cytokine Production in the Heart. Circulation, 2004, 110, 3693-3698.   | 1.6 | 143       |
| 98  | Polyubiquitin conjugation to NEMO by triparite motif protein 23 (TRIM23) is critical in antiviral defense. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 15856-15861.                      | 3.3 | 140       |
| 99  | Pivotal role of RNA-binding E3 ubiquitin ligase MEX3C in RIG-l–mediated antiviral innate immunity.<br>Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 5646-5651.                             | 3.3 | 140       |
| 100 | Protein Kinase R Contributes to Immunity against Specific Viruses by Regulating Interferon mRNA Integrity. Cell Host and Microbe, 2010, 7, 354-361.  | 5.1 | 137       |
| 101 | Expression of Toll-Like Receptor 2 on γδT Cells Bearing Invariant Vγ6/Vδ1 Induced by <i>Escherichia coli</i> Infection in Mice. Journal of Immunology, 2000, 165, 931-940.   | 0.4 | 135       |
| 102 | Novel Engagement of CD14 and Multiple Toll-Like Receptors by Group B Streptococci. Journal of Immunology, 2001, 167, 7069-7076.  | 0.4 | 135       |
| 103 | Cellular Activation, Phagocytosis, and Bactericidal Activity Against Group B Streptococcus Involve Parallel Myeloid Differentiation Factor 88-Dependent and Independent Signaling Pathways. Journal of Immunology, 2002, 169, 3970-3977. | 0.4 | 130       |
| 104 | Bruton's tyrosine kinase phosphorylates Toll-like receptor 3 to initiate antiviral response. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 5791-5796.                                      | 3.3 | 128       |
| 105 | Role of Lipoteichoic Acid in the Phagocyte Response to Group B <i>Streptococcus</i> . Journal of Immunology, 2005, 174, 6449-6455.   | 0.4 | 125       |
| 106 | The Triacylated ATP Binding Cluster Transporter Substrate-binding Lipoprotein of Staphylococcus aureus Functions as a Native Ligand for Toll-like Receptor 2. Journal of Biological Chemistry, 2009, 284, 8406-8411.                     | 1.6 | 125       |
| 107 | Regulation of lipopolysaccharide-inducible genes by MyD88 and Toll/IL-1 domain containing adaptor inducing IFN-Î <sup>2</sup> . Biochemical and Biophysical Research Communications, 2005, 328, 383-392.                                 | 1.0 | 123       |
| 108 | CD19 regulates innate immunity by the toll-like receptor RP105 signaling in B lymphocytes. Blood, 2003, 102, 1374-1380.  | 0.6 | 117       |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | <i>Mycoplasma fermentans</i> Lipoprotein M161Ag-Induced Cell Activation Is Mediated by Toll-Like<br>Receptor 2: Role of N-Terminal Hydrophobic Portion in its Multiple Functions. Journal of Immunology,<br>2001, 166, 2610-2616.  | 0.4 | 115       |
| 110 | Negative Regulation of Platelet Clearance and of the Macrophage Phagocytic Response by the Transmembrane Glycoprotein SHPS-1. Journal of Biological Chemistry, 2002, 277, 39833-39839.   | 1.6 | 115       |
| 111 | The TRAF-associated protein TANK facilitates cross-talk within the lÎB kinase family during Toll-like receptor signaling. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 17093-17098. | 3.3 | 112       |
| 112 | Cell activation by Porphyromonas gingivalis lipid A molecule through Toll-like receptor 4- and myeloid differentiation factor 88-dependent signaling pathway. International Immunology, 2002, 14, 1325-1332.                       | 1.8 | 111       |
| 113 | Lipopolysaccharide from <i>Coxiella burnetii</i> Is Involved in Bacterial Phagocytosis, Filamentous Actin Reorganization, and Inflammatory Responses through Toll-Like Receptor 4. Journal of Immunology, 2004, 172, 3695-3703.    | 0.4 | 110       |
| 114 | TAK1 is indispensable for development of T cells and prevention of colitis by the generation of regulatory T cells. International Immunology, 2006, 18, 1405-1411.   | 1.8 | 110       |
| 115 | Lymphocytoid Choriomeningitis Virus Activates Plasmacytoid Dendritic Cells and Induces a Cytotoxic T-Cell Response via MyD88. Journal of Virology, 2008, 82, 196-206.  | 1.5 | 110       |
| 116 | Akt Contributes to Activation of the TRIF-Dependent Signaling Pathways of TLRs by Interacting with TANK-Binding Kinase 1. Journal of Immunology, 2011, 186, 499-507.   | 0.4 | 109       |
| 117 | Selective roles for antiapoptotic MCL-1 during granulocyte development and macrophage effector function. Blood, 2009, 113, 2805-2815.  | 0.6 | 108       |
| 118 | Inhibitory Effect of Toll-Like Receptor 4 on Fusion between Phagosomes and Endosomes/Lysosomes in Macrophages. Journal of Immunology, 2004, 172, 2039-2047.  | 0.4 | 105       |
| 119 | Akirin2 is critical for inducing inflammatory genes by bridging lήBâ€Î¶ and the <scp>SWI</scp> / <scp>SNF</scp> complex. EMBO Journal, 2014, 33, 2332-2348.  | 3.5 | 105       |
| 120 | Involvement of Toll-Like Receptor 2 in Experimental Invasive Pulmonary Aspergillosis. Infection and Immunity, 2005, 73, 5420-5425.   | 1.0 | 103       |
| 121 | TRAF6 Establishes Innate Immune Responses by Activating NF-κB and IRF7 upon Sensing Cytosolic Viral RNA and DNA. PLoS ONE, 2009, 4, e5674.   | 1.1 | 102       |
| 122 | Poly I:C-Induced Activation of NK Cells by CD8 $\hat{i}$ ±+ Dendritic Cells via the IPS-1 and TRIF-Dependent Pathways. Journal of Immunology, 2009, 183, 2522-2528.  | 0.4 | 100       |
| 123 | Akirin specifies <scp>NF</scp> â€P̂B selectivity of <i>Drosophila</i> innate immune response via chromatin remodeling. EMBO Journal, 2014, 33, 2349-2362.  | 3.5 | 100       |
| 124 | Codon bias confers stability to human <scp>mRNA</scp> s. EMBO Reports, 2019, 20, e48220.   | 2.0 | 100       |
| 125 | A selective contribution of the RIG-I-like receptor pathway to type I interferon responses activated by cytosolic DNA. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 17870-17875.    | 3.3 | 96        |
| 126 | Differential inductions of TNF-alpha and IGTP, IIGP by structurally diverse classic and non-classic lipopolysaccharides. Cellular Microbiology, 2006, 8, 401-413.  | 1.1 | 95        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Human lactoferrin activates NFâ€̂ºB through the Tollâ€like receptor 4 pathway while it interferes with the lipopolysaccharideâ€stimulated TLR4 signaling. FEBS Journal, 2010, 277, 2051-2066.  | 2.2 | 95        |
| 128 | The Toll-Like Receptor 3-Mediated Antiviral Response Is Important for Protection against Poliovirus Infection in Poliovirus Receptor Transgenic Mice. Journal of Virology, 2012, 86, 185-194.  | 1.5 | 88        |
| 129 | Cutting Edge: TLR-Dependent Viral Recognition Along with Type I IFN Positive Feedback Signaling Masks the Requirement of Viral Replication for IFN-α Production in Plasmacytoid Dendritic Cells. Journal of Immunology, 2009, 182, 3960-3964.                      | 0.4 | 83        |
| 130 | Hepatitis C Virus Core Protein Abrogates the DDX3 Function That Enhances IPS-1-Mediated IFN–Beta Induction. PLoS ONE, 2010, 5, e14258.   | 1.1 | 80        |
| 131 | Involvement of Toll-Like Receptor 4 Signaling in Interferon-Â Production and Antitumor Effect by Streptococcal Agent OK-432. Journal of the National Cancer Institute, 2003, 95, 316-326.  | 3.0 | 79        |
| 132 | Cutting Edge: Role of TANK-Binding Kinase $1$ and Inducible lî $^\circ$ B Kinase in IFN Responses against Viruses in Innate Immune Cells. Journal of Immunology, 2006, 177, 5785-5789.   | 0.4 | 79        |
| 133 | Baculovirus Induces Type I Interferon Production through Toll-Like Receptor-Dependent and -Independent Pathways in a Cell-Type-Specific Manner. Journal of Virology, 2009, 83, 7629-7640.  | 1.5 | 79        |
| 134 | An Slfn2 mutation causes lymphoid and myeloid immunodeficiency due to loss of immune cell quiescence. Nature Immunology, 2010, 11, 335-343.  | 7.0 | 78        |
| 135 | Cutting Edge: Pivotal Function of Ubc13 in Thymocyte TCR Signaling. Journal of Immunology, 2006, 177, 7520-7524.   | 0.4 | 76        |
| 136 | Signaling pathways activated by microorganisms. Current Opinion in Cell Biology, 2007, 19, 185-191.  | 2.6 | 76        |
| 137 | Arid5a regulates naive CD4+ T cell fate through selective stabilization of Stat3 mRNA. Journal of Experimental Medicine, 2016, 213, 605-619.   | 4.2 | 76        |
| 138 | Enhanced TLR-mediated NF-IL6–dependent gene expression by Trib1 deficiency. Journal of Experimental Medicine, 2007, 204, 2233-2239.  | 4.2 | 73        |
| 139 | NET-CAGE characterizes the dynamics and topology of human transcribed cis-regulatory elements. Nature Genetics, 2019, 51, 1369-1379.   | 9.4 | 72        |
| 140 | The Transcription Factor Jdp2 Controls Bone Homeostasis and Antibacterial Immunity by Regulating Osteoclast and Neutrophil Differentiation. Immunity, 2012, 37, 1024-1036.   | 6.6 | 70        |
| 141 | Zinc-finger antiviral protein mediates retinoic acid inducible gene l–like receptor-independent antiviral response to murine leukemia virus. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 12379-12384.              | 3.3 | 70        |
| 142 | N4BP1 restricts HIV-1 and its inactivation by MALT1 promotes viral reactivation. Nature Microbiology, 2019, 4, 1532-1544.  | 5.9 | 61        |
| 143 | Glycosylphosphatidylinositol-anchored mucin-like glycoproteins isolated from Trypanosoma cruzi trypomastigotes induce in vivo leukocyte recruitment dependent on MCP-1 production by IFN-gamma-primed-macrophages. Journal of Leukocyte Biology, 2002, 71, 837-44. | 1.5 | 58        |
| 144 | VP1686, a Vibrio Type III Secretion Protein, Induces Toll-like Receptor-independent Apoptosis in Macrophage through NF-κB Inhibition. Journal of Biological Chemistry, 2006, 281, 36897-36904.   | 1.6 | 55        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 145 | IL-1α Modulates Neutrophil Recruitment in Chronic Inflammation Induced by Hydrocarbon Oil. Journal of Immunology, 2011, 186, 1747-1754.   | 0.4 | 55        |
| 146 | Essential Roles of K63-Linked Polyubiquitin-Binding Proteins TAB2 and TAB3 in B Cell Activation via MAPKs. Journal of Immunology, 2013, 190, 4037-4045.   | 0.4 | 53        |
| 147 | Mitochondrial damage elicits a TCDD-inducible poly(ADP-ribose) polymerase-mediated antiviral response. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 2681-2686.                                       | 3.3 | 52        |
| 148 | Genetic approaches to the study of Toll-like receptor function. Microbes and Infection, 2002, 4, 887-895.   | 1.0 | 51        |
| 149 | Strawberry notch homologue 2 regulates osteoclast fusion by enhancing the expression of DC-STAMP. Journal of Experimental Medicine, 2013, 210, 1947-1960.   | 4.2 | 49        |
| 150 | Post-transcriptional regulation of immune responses by RNA binding proteins. Proceedings of the Japan Academy Series B: Physical and Biological Sciences, 2018, 94, 248-258.  | 1.6 | 48        |
| 151 | Mouse Proteasomal ATPases Psmc3 and Psmc4: Genomic Organization and Gene Targeting. Genomics, 2000, 67, 1-7.  | 1.3 | 46        |
| 152 | lîºBζ is essential for natural killer cell activation in response to IL-12 and IL-18. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 17680-17685.  | 3.3 | 46        |
| 153 | Immunological basis of M13 phage vaccine: Regulation under MyD88 and TLR9 signaling. Biochemical and Biophysical Research Communications, 2010, 402, 19-22.   | 1.0 | 45        |
| 154 | Regulation of lymphocyte progenitor survival by the proapoptotic activities of Bim and Bid. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 20840-20845.  | 3.3 | 44        |
| 155 | Regnase-1 and Roquin Nonredundantly Regulate Th1 Differentiation Causing Cardiac Inflammation and Fibrosis. Journal of Immunology, 2017, 199, 4066-4077.  | 0.4 | 42        |
| 156 | Human Gingival CD14+ Fibroblasts Primed with Gamma Interferon Increase Production of Interleukin-8 in Response to Lipopolysaccharide through Up-Regulation of Membrane CD14 and MyD88 mRNA Expression. Infection and Immunity, 2002, 70, 1272-1278. | 1.0 | 40        |
| 157 | TRAF Family Member-associated NF-κB Activator (TANK) Is a Negative Regulator of Osteoclastogenesis and Bone Formation. Journal of Biological Chemistry, 2012, 287, 29114-29124.   | 1.6 | 37        |
| 158 | Post-transcriptional regulation of cytokine mRNA controls the initiation and resolution of inflammation. Biotechnology and Genetic Engineering Reviews, 2013, 29, 49-60.  | 2.4 | 36        |
| 159 | Monocytic Cell Activation by Nonendotoxic Glycoprotein from Prevotella intermedia ATCC 25611 Is Mediated by Toll-Like Receptor 2. Infection and Immunity, 2001, 69, 4951-4957.  | 1.0 | 33        |
| 160 | Limited role of the Toll-like receptor-2 in resistance to Mycobacterium avium. Immunology, 2004, 111, 179-185.  | 2.0 | 33        |
| 161 | Escherichia coliverotoxin 1 mediates apoptosis in human HCT116 colon cancer cells by inducing overexpression of the GADD family of genes and S phase arrest. FEBS Letters, 2005, 579, 6604-6610.  | 1.3 | 33        |
| 162 | CD44 Participates in IP-10 Induction in Cells in Which Hepatitis C Virus RNA Is Replicating, through an Interaction with Toll-Like Receptor 2 and Hyaluronan. Journal of Virology, 2012, 86, 6159-6170.   | 1.5 | 33        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 163 | Essential Function for the Nuclear Protein Akirin2 in B Cell Activation and Humoral Immune Responses. Journal of Immunology, 2015, 195, 519-527.   | 0.4 | 32        |
| 164 | Translation-dependent unwinding of stem–loops by UPF1 licenses Regnase-1 to degrade inflammatory mRNAs. Nucleic Acids Research, 2019, 47, 8838-8859.   | 6.5 | 32        |
| 165 | Chromatin Remodeling and Transcriptional Control in Innate Immunity: Emergence of Akirin2 as a Novel Player. Biomolecules, 2015, 5, 1618-1633.   | 1.8 | 31        |
| 166 | Hematopoietic IKBKE limits the chronicity of inflammasome priming and metaflammation. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 506-511.   | 3.3 | 30        |
| 167 | Acquired resistance to gemcitabine and cross-resistance in human pancreatic cancer clones.<br>Anti-Cancer Drugs, 2015, 26, 90-100.   | 0.7 | 29        |
| 168 | RNA binding proteins in the control of autoimmune diseases. Immunological Medicine, 2019, 42, 53-64.   | 1.4 | 27        |
| 169 | The effects of codon bias and optimality on mRNA and protein regulation. Cellular and Molecular Life Sciences, 2021, 78, 1909-1928.  | 2.4 | 26        |
| 170 | Translational control of mRNAs by 3'-Untranslated region binding proteins. BMB Reports, 2017, 50, 194-200.   | 1.1 | 26        |
| 171 | Toll-Like Receptor 4 Mediates the Antitumor Host Response Induced by a 55-Kilodalton Protein Isolated from Aeginetia indica L., a Parasitic Plant. Vaccine Journal, 2004, 11, 483-495.   | 2.6 | 25        |
| 172 | Reconsideration of Dynamic Force Spectroscopy Analysis of Streptavidin-Biotin Interactions. International Journal of Molecular Sciences, 2010, 11, 2134-2151.  | 1.8 | 24        |
| 173 | The TNF Family Member 4-1BBL Sustains Inflammation by Interacting with TLR Signaling Components During Late-Phase Activation. Science Signaling, 2013, 6, ra87.  | 1.6 | 24        |
| 174 | Pulmonary Regnase-1 orchestrates the interplay of epithelium and adaptive immune systems to protect against pneumonia. Mucosal Immunology, 2018, 11, 1203-1218.  | 2.7 | 23        |
| 175 | Postâ€transcriptional control of immune responses and its potential application. Clinical and Translational Immunology, 2019, 8, e1063.  | 1.7 | 23        |
| 176 | Critical Role of AZI2 in GM-CSF–Induced Dendritic Cell Differentiation. Journal of Immunology, 2013, 190, 5702-5711.   | 0.4 | 22        |
| 177 | Synergistic effects of lipopolysaccharide and interferon- $\hat{l}^3$ in inducing interleukin-8 production in human monocytic THP-1 cells is accompanied by up-regulation of CD14, Toll-like receptor 4, MD-2 and MyD88 expression. Journal of Endotoxin Research, 2003, 9, 145-153. | 2.5 | 21        |
| 178 | A Lipopolysaccharide from Pantoea Agglomerans Is a Promising Adjuvant for Sublingual Vaccines to Induce Systemic and Mucosal Immune Responses in Mice via TLR4 Pathway. PLoS ONE, 2015, 10, e0126849.  | 1.1 | 20        |
| 179 | Microarray analysis identifies apoptosis regulatory gene expression in HCT116 cells infected with thermostable direct hemolysin-deletion mutant of Vibrio parahaemolyticus. Biochemical and Biophysical Research Communications, 2005, 335, 328-334.                                 | 1.0 | 18        |
| 180 | Negative Regulation of Melanoma Differentiation-associated Gene 5 (MDA5)-dependent Antiviral Innate Immune Responses by Arf-like Protein 5B. Journal of Biological Chemistry, 2015, 290, 1269-1280.  | 1.6 | 18        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | RIG-I-like antiviral protein in flies. Nature Immunology, 2008, 9, 1327-1328.  | 7.0 | 16        |
| 182 | NO Is a Macrophage Autonomous Modifier of the Cytokine Response to Streptococcal Single-Stranded RNA. Journal of Immunology, 2012, 188, 774-780.   | 0.4 | 16        |
| 183 | A Simple 1-Day Colon Capsule Endoscopy Procedure Demonstrated to be a Highly Acceptable Monitoring Tool for Ulcerative Colitis. Inflammatory Bowel Diseases, 2018, 24, 2404-2412.  | 0.9 | 16        |
| 184 | Genetic polymorphisms of enzyme proteins and transporters related to methotrexate response and pharmacokinetics in a Japanese population. Journal of Pharmaceutical Health Care and Sciences, 2016, 2, 35.                                       | 0.4 | 15        |
| 185 | HuR keeps interferonâ€î² mRNA stable. European Journal of Immunology, 2015, 45, 1296-1299.   | 1.6 | 14        |
| 186 | Cytokine-Inducing Macromolecular Glycolipids from Enterococcus hirae: Improved Method for Separation and Analysis of Its Effects on Cellular Activation. Biochemical and Biophysical Research Communications, 2000, 273, 164-169.                | 1.0 | 13        |
| 187 | 5-Azacytidine-induced Protein 2 (AZI2) Regulates Bone Mass by Fine-tuning Osteoclast Survival. Journal of Biological Chemistry, 2015, 290, 9377-9386.  | 1.6 | 13        |
| 188 | IRF3: a molecular switch in pathogen responses. Nature Immunology, 2012, 13, 634-635.  | 7.0 | 12        |
| 189 | ILâ€33 causes selective mast cell tolerance to bacterial cell wall products by inducing IRAK1 degradation. European Journal of Immunology, 2013, 43, 979-988.  | 1.6 | 12        |
| 190 | SHOC2 Is a Critical Modulator of Sensitivity to EGFR–TKIs in Non–Small Cell Lung Cancer Cells. Molecular Cancer Research, 2021, 19, 317-328.   | 1.5 | 12        |
| 191 | Regnaseâ€1–related endoribonucleases in health and immunological diseases. Immunological Reviews, 2021, 304, 97-110.   | 2.8 | 12        |
| 192 | Pillars Article: Cutting Edge: Toll-Like Receptor 4 (TLR4)-Deficient Mice Are Hyporesponsive to Lipopolysaccharide: Evidence for TLR4 as the Lps Gene Product. J. Immunol. 1999. 162: 3749-3752. Journal of Immunology, 2016, 197, 2563-6.       | 0.4 | 12        |
| 193 | Regnase-1 Is an Endoribonuclease Essential for the Maintenance of Immune Homeostasis. Journal of Interferon and Cytokine Research, 2017, 37, 220-229.  | 0.5 | 10        |
| 194 | Bcl-2/Bcl-xL inhibitor navitoclax increases the antitumor effect of Chk1 inhibitor prexasertib by inducing apoptosis in pancreatic cancer cells via inhibition of Bcl-xL but not Bcl-2. Molecular and Cellular Biochemistry, 2020, 472, 187-198. | 1.4 | 10        |
| 195 | PIN and CCCH Zn-finger domains coordinate RNA targeting in ZC3H12 family endoribonucleases. Nucleic Acids Research, 2021, 49, 5369-5381.   | 6.5 | 9         |
| 196 | Prexasertib increases the sensitivity of pancreatic cancer cells to gemcitabine and S‹1. Oncology Reports, 2020, 43, 689-699.  | 1.2 | 9         |
| 197 | Enhancement of Regnase-1 expression with stem loop–targeting antisense oligonucleotides alleviates inflammatory diseases. Science Translational Medicine, 2022, 14, eabo2137.  | 5.8 | 8         |
| 198 | Recombinant human interleukin-11 improved carboplatin-induced thrombocytopenia without affecting antitumor activities in mice bearing Lewis lung carcinoma cells. Cancer Chemotherapy and Pharmacology, 2002, 49, 161-166.                       | 1.1 | 7         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Inhibition of growth of human hepatoma cells by dual-function antisense IL-6 oligonucleotides.<br>Hepatology Research, 2002, 22, 119-126.  | 1.8 | 7         |
| 200 | Ultimate High Conductivity of Multilayer Graphene Examined by Multiprobe Scanning Tunneling<br>Potentiometry on Artificially Grown High-Quality Graphite Thin Film. ACS Applied Electronic<br>Materials, 2019, 1, 1762-1771.     | 2.0 | 7         |
| 201 | Glycogen synthase kinaseâ€3β participates in acquired resistance to gemcitabine in pancreatic cancer. Cancer Science, 2020, 111, 4405-4416.  | 1.7 | 7         |
| 202 | Post-transcriptional regulation of immunological responses by Regnase-1-related RNases. International Immunology, 2021, 33, 859-865.   | 1.8 | 7         |
| 203 | Regnase-1 and Roquin regulate inflammatory mRNAs. Oncotarget, 2015, 6, 17869-17870.  | 0.8 | 7         |
| 204 | Translation of Hepatitis A Virus IRES Is Upregulated by a Hepatic Cell-Specific Factor. Frontiers in Genetics, 2018, 9, 307.   | 1.1 | 6         |
| 205 | Flesh-eating <i>Streptococcus pyogenes</i> triggers the expression of receptor activator of nuclear factor-ÎB ligand. Cellular Microbiology, 2016, 18, 1390-1404.  | 1.1 | 5         |
| 206 | Atomic Force Microscopy on Imogolite, Aluminosilicate Nanotube, Adsorbed on Au(111) Surface. Japanese Journal of Applied Physics, 2005, 44, 5397-5399.   | 0.8 | 4         |
| 207 | Differential effects of mesalazine formulations on thiopurine metabolism through thiopurine Sâ€methyltransferase inhibition. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 2116-2124.                        | 1.4 | 4         |
| 208 | Cyclin J–CDK complexes limit innate immune responses by reducing proinflammatory changes in macrophage metabolism. Science Signaling, 2022, 15, eabm5011.  | 1.6 | 4         |
| 209 | Sex Differences in mRNA Expression of Reduced Folate Carrierâ€1, Folypolyformyl Glutamate Synthase, and γâ€Glutamyl Hydrolase in a Healthy Japanese Population. Journal of Clinical Pharmacology, 2016, 56, 1563-1569.           | 1.0 | 3         |
| 210 | NSD3 keeps IRF3 active. Journal of Experimental Medicine, 2017, 214, 3475-3476.  | 4.2 | 3         |
| 211 | Increased DNA-incorporated thiopurine metabolite as a possible mechanism for leukocytopenia through cell apoptosis in inflammatory bowel disease patients with NUDT15 mutation. Journal of Gastroenterology, 2021, 56, 999-1007. | 2.3 | 3         |
| 212 | Evaluation of Suppressive Effects of Tranilast on the Invasion/Metastasis Mechanism in a Murine Pancreatic Cancer Cell Line. Pancreas, 2017, 46, 567-574.  | 0.5 | 2         |
| 213 | Functional dissection of the KRAS G12C mutation by comparison among multiple oncogenic driver mutations in a lung cancer cell line model. Biochemical and Biophysical Research Communications, 2021, 534, 1-7.                   | 1.0 | 2         |
| 214 | Individualized treatment based on CYP3A5 single-nucleotide polymorphisms with tacrolimus in ulcerative colitis. Intestinal Research, 2019, 17, 218-226.  | 1.0 | 2         |
| 215 | A case of concomitant association of early esophageal carcinoma and early gastric carcinoma<br>Japanese Journal of Gastroenterological Surgery, 1986, 19, 2409-2412.   | 0.0 | 1         |
| 216 | Local Performance Evaluation of Organic Solar Cell Using Scanning Tunneling Microscopy (STM). Journal of the Vacuum Society of Japan, 2017, 60, 381-387.   | 0.3 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Production of Si-Mn Alloy Using Cold Pellets Contained Carbon Material. Tetsu-To-Hagane/Journal of the Iron and Steel Institute of Japan, 1986, 72, 2024-2031.                    | 0.1 | 0         |
| 218 | STUDY OF COMPUTED TOMOGRAPHY ON REGIONAL LYMPH NODES OF THE BREAST. The Journal of the Japanese Practical Surgeon Society, 1989, 50, 650-657.                                     | 0.0 | 0         |
| 219 | ADRENAL MYELOLIPOMA EMBEDDED IN THE LIVER MIMICKING HEPATOCELLULAR CARCINOMA WITH FATTY DEGENERATION. The Journal of the Japanese Practical Surgeon Society, 1989, 50, 2671-2675. | 0.0 | O         |
| 220 | Pre-vaccination Anti-Severe Acute Respiratory Syndrome Coronavirus 2 Antibody Seroprevalence in Workers at Three Japanese Hospitals. Journal of Nippon Medical School, 2022, , .  | 0.3 | O         |