

è'1å-æjå-•

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9583239/publications.pdf>

Version: 2024-02-01

58
papers

1,966
citations

304743

22
h-index

265206

42
g-index

58
all docs

58
docs citations

58
times ranked

1514
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient Oxidation Approach for Selective Recovery of Lithium from Cathode Materials of Spent LiFePO ₄ Batteries. <i>Jom</i> , 2022, 74, 1934-1944.	1.9	17
2	Manganese Oxide/Iron Carbide Encapsulated in Nitrogen and Boron Codoped Carbon Nanowire Networks as Accelerated Alkaline Hydrogen Evolution and Oxygen Reduction Bifunctional Electrocatalysts. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 13280-13294.	8.0	22
3	The auto-oxidative relithiation of spent cathode materials at low temperature environment for efficient and sustainable regeneration. <i>Journal of Hazardous Materials</i> , 2022, 432, 128664.	12.4	23
4	Toward High Voltage Performance of LiCoO ₂ Cathode Materials Directly Regenerated with a Bulk and Surface Synergistic Approach from Spent Lithium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2022, 10, 6853-6862.	6.7	15
5	Highly Dispersed Micrometer Nickel-Rich Single-Crystal Construction: Benefits of Supercritical Reconstruction during Hydrothermal Synthesis. <i>ACS Applied Energy Materials</i> , 2022, 5, 6302-6312.	5.1	4
6	Tiny Ni Nanoparticles Embedded in Boron- and Nitrogen-Codoped Porous Carbon Nanowires for High-Efficiency Water Splitting. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 24447-24461.	8.0	24
7	Surface Growth and Intergranular Separation of Polycrystalline Particles for Regeneration of Stable Single-Crystal Cathode Materials. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 29886-29895.	8.0	17
8	Recycling of LiCoO ₂ cathode material from spent lithium ion batteries by ultrasonic enhanced leaching and one-step regeneration. <i>Journal of Environmental Management</i> , 2021, 277, 111426.	7.8	110
9	Tin-based negative electrodes with oxygen vacancies embedded through aluminothermic treatment process for lithium-ion battery materials. <i>Ionics</i> , 2021, 27, 533-540.	2.4	4
10	High-performance Ti _{0.95} Co _{0.05} N@NC-based ORR catalysts: organic-nitrogen nitrogenize and their application in rechargeable Zn-air batteries. <i>Ionics</i> , 2021, 27, 721-728.	2.4	3
11	Recycling of spent LiCoO ₂ materials by electrolytic leaching of cathode electrode plate. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 104789.	6.7	23
12	Direct regeneration of spent LiFePO ₄ cathode materials with pre-oxidation and V-doping. <i>Journal of Alloys and Compounds</i> , 2021, 860, 157909.	5.5	46
13	Flower-like NiS/C as high-performance anode material for sodium-ion batteries. <i>Ionics</i> , 2021, 27, 191-197.	2.4	7
14	Recovery of valuable metals from mixed spent lithium-ion batteries by multi-step directional precipitation. <i>RSC Advances</i> , 2021, 11, 268-277.	3.6	24
15	Research status and perspectives of rechargeable Li-CO ₂ battery. <i>Ionics</i> , 2021, 27, 2785-2802.	2.4	6
16	Elucidating electrochemical intercalation mechanisms of biomass-derived hard carbon in sodium/potassium ion batteries. , 2021, 3, 541-553.		64
17	Multiscale Investigation into Chemically Stable NASICON Solid Electrolyte in Acidic Solutions. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 33262-33271.	8.0	10
18	Ionic liquid-derived Fe, N, S, F multiple heteroatom-doped carbon materials for enhanced oxygen reduction reaction. <i>Nanotechnology</i> , 2021, 32, 395701.	2.6	6

#	ARTICLE	IF	CITATIONS
19	Dual-Function Regeneration of Waste Lithium Cobalt Oxide for Stable High Voltage Cycle Performance. ACS Sustainable Chemistry and Engineering, 2021, 9, 11194-11203.	6.7	23
20	Back Cover Image, Volume 3, Number 4, August 2021. , 2021, 3, ii.		0
21	Advanced Electrolyte Design for High-Energy-Density Li-Metal Batteries under Practical Conditions. Angewandte Chemie, 2021, 133, 25828-25842.	2.0	31
22	Advanced Electrolyte Design for High-Energy-Density Li-Metal Batteries under Practical Conditions. Angewandte Chemie - International Edition, 2021, 60, 25624-25638.	13.8	81
23	Engineering a Robust Interface on Ni-Rich Cathodes via a Novel Dry Doping Process toward Advanced High-Voltage Performance. ACS Applied Materials & Interfaces, 2021, 13, 45068-45076.	8.0	15
24	Leaching kinetics and interface reaction of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ materials from spent LIBs using GKB as reductant. Journal of Environmental Management, 2021, 300, 113710.	7.8	31
25	Collaborative Regeneration of Structural Evolution for High-Performance of LiCoO ₂ Materials from Spent Lithium-Ion Batteries. ACS Applied Energy Materials, 2021, 4, 12677-12687.	5.1	19
26	Restoring Surface Defect Crystal of Li-Lacking LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ Material Particles toward More Efficient Recycling of Lithium-Ion Batteries. ACS Sustainable Chemistry and Engineering, 2021, 9, 16997-17006.	6.7	23
27	Design of ultralong-life LiCoO ₂ batteries with IrO ₂ nanoparticles highly dispersed on nitrogen-doped carbon nanotubes. Journal of Materials Chemistry A, 2020, 8, 3763-3770.	10.3	58
28	Recycling of cathode material from spent lithium ion batteries using an ultrasound-assisted DL-malic acid leaching system. Waste Management, 2020, 103, 52-60.	7.4	96
29	Low-Cost Fabrication of Silicon Nanowires by Molten Salt Electrolysis and Their Electrochemical Performances as Lithium-Ion Battery Anodes. Jom, 2020, 72, 2245-2249.	1.9	4
30	Controllable Fabrication and Li Storage Kinetics of ¹⁸ O Spinel LiMn ₂ O ₄ Positive Materials for Li-Ion Batteries: An Exploration of Critical Diameter. ChemSusChem, 2020, 13, 803-810.	6.8	10
31	Direct Regeneration of LiNi _{0.5} Co _{0.2} Mn _{0.3} O ₂ Cathode from Spent Lithium-Ion Batteries by the Molten Salts Method. ACS Sustainable Chemistry and Engineering, 2020, 8, 18138-18147.	6.7	69
32	A Combined Method of Leaching and Co-Precipitation for Recycling Spent Lini _{0.6} Co _{0.2} Mn _{0.2} O ₂ Cathode Materials: Process Optimization and Performance Aspects. Jom, 2020, 72, 3843-3852.	1.9	14
33	Spray drying-assisted recycling of spent LiFePO ₄ for synthesizing hollow spherical LiFePO ₄ /C. Ionics, 2020, 26, 4949-4960.	2.4	7
34	Synthesis of Spherical Al-Doping LiMn ₂ O ₄ via a High-Pressure Spray-Drying Method as Cathode Materials for Lithium-Ion Batteries. Jom, 2019, 71, 608-612.	1.9	16
35	A novel strategy for realizing high nitrogen doping in Fe ₃ C-embedded nitrogen and phosphorus-co-doped porous carbon nanowires: efficient oxygen reduction reaction catalysis in acidic electrolytes. Journal of Materials Chemistry A, 2019, 7, 17923-17936.	10.3	47
36	Comparative Study of Ytria-Stabilized Zirconia Synthesis by Co-Precipitation and Solvothermal Methods. Jom, 2019, 71, 3806-3813.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Enhanced High-Voltage Cycling Stability of Nickel-Rich Cathode Materials by Surface Modification Using LaFeO ₃ Ionic Conductor. <i>Jom</i> , 2019, 71, 1975-1980.	1.9	9
38	Enhance the electrochemical performance of Li ₄ Ti ₅ O ₁₂ with Co doping via a facile mechanical activation strategy. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 5866-5873.	2.2	9
39	A simple preparation route for polysilicate titanium salt from spent titanium solutions. <i>Water Science and Technology</i> , 2019, 80, 1347-1356.	2.5	4
40	Enhanced electrokinetic remediation of lead- and cadmium-contaminated paddy soil by composite electrolyte of sodium chloride and citric acid. <i>Journal of Soils and Sediments</i> , 2018, 18, 1915-1924.	3.0	40
41	Use of electrochemical cathode-reduction method for leaching of cobalt from spent lithium-ion batteries. <i>Journal of Cleaner Production</i> , 2018, 180, 64-70.	9.3	117
42	Preparation of Ferrotitanium Alloys by Electrolysis-Assisted Calciothermic Reduction of Ilmenite in Equimolar CaCl ₂ -NaCl Electrolyte: Effect of Calcium Oxide. <i>Jom</i> , 2018, 70, 575-580.	1.9	4
43	Combustion combined with ball milling to produce nanoscale La ₂ O ₃ coated on LiMn ₂ O ₄ for optimized Li-ion storage performance at high temperature. <i>Journal of Applied Electrochemistry</i> , 2018, 48, 135-145.	2.9	33
44	Expanded biomass-derived hard carbon with ultra-stable performance in sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 1513-1522.	10.3	198
45	A combined process for cobalt recovering and cathode material regeneration from spent LiCoO ₂ batteries: Process optimization and kinetics aspects. <i>Waste Management</i> , 2018, 71, 372-380.	7.4	89
46	Honeycomb-like Hard Carbon Derived from Pine Pollen as High-Performance Anode Material for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 42796-42803.	8.0	129
47	Effective and environmentally friendly recycling process designed for LiCoO ₂ cathode powders of spent Li-ion batteries using mixture of mild organic acids. <i>Waste Management</i> , 2018, 78, 51-57.	7.4	55
48	A Hierarchical Energy Management Strategy for Power-Split Plug-in Hybrid Electric Vehicles Considering Velocity Prediction. <i>IEEE Access</i> , 2018, 6, 33261-33274.	4.2	60
49	CeVO ₄ -coated LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ as positive material: towards the excellent electrochemical performance at normal and high temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 15869-15877.	2.2	15
50	Design, synthesis and biological evaluation of six dinuclear platinum(II) complexes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 963-966.	2.2	6
51	TiO ₂ @MoS ₂ hybrid nano composites with 3D network architecture as binder-free flexible electrodes for lithium ion batteries. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 9519-9527.	2.2	21
52	Pd Nanoparticles Self-Assembled on Fluorine-Modified MWCNTs as Electro-Catalysts for Methanol Electro-Oxidation. <i>Nano</i> , 2017, 12, 1750031.	1.0	1
53	Use of glucose as reductant to recover Co from spent lithium ions batteries. <i>Waste Management</i> , 2017, 64, 214-218.	7.4	151
54	Effect of pore structures on the electrochemical performance of porous silicon synthesized from magnesiothermic reduction of biosilica. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2016, 31, 965-971.	1.0	7

#	ARTICLE	IF	CITATIONS
55	Strong Asymmetric Coupling of Two Parallel Exclusion Processes: Effect of Unequal Injection Rates. International Journal of Theoretical Physics, 2016, 55, 1642-1651.	1.2	5
56	Novel antitumor dinuclear platinum (II) complexes with a new chiral tetradentate ligand as the carrier group. Applied Organometallic Chemistry, 2015, 29, 481-486.	3.5	5
57	Enhanced methanol oxidation activity of Au@Pd nanoparticles supported on MWCNTs functionalized by MB under ultraviolet irradiation. Rare Metals, 2015, 34, 12-16.	7.1	9
58	Ce-doped LiNi _{1/3} Co _{(1/3-x)/3} Mn _{1/3} Ce _{x/3} O ₂ cathode materials for use in lithium ion batteries. Science Bulletin, 2012, 57, 4181-4187.	1.7	23