

Margus Punab

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9583639/publications.pdf>

Version: 2024-02-01

127
papers

8,602
citations

57681

46
h-index

51423

90
g-index

129
all docs

129
docs citations

129
times ranked

9454
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of congenital cryptorchidism in Estonia. <i>Andrology</i> , 2022, 10, 303-309.	1.9	6
2	Erectile dysfunction predicts mortality in middle-aged and older men independent of their sex steroid status. <i>Age and Ageing</i> , 2022, 51, .	0.7	11
3	Actionable secondary findings following exome sequencing of 836 non-obstructive azoospermia cases and their value in patient management. <i>Human Reproduction</i> , 2022, 37, 1652-1663.	0.4	3
4	Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study.. <i>Physiology and Behavior</i> , 2022, 252, 113825.	1.0	2
5	The European Academy of Andrology (EAA) ultrasound study on healthy, fertile men: Prostateâ€vesicular transrectal ultrasound reference ranges and associations with clinical, seminal and biochemical characteristics. <i>Andrology</i> , 2022, 10, 1150-1171.	1.9	8
6	Association of age, hormonal, and lifestyle factors with the Leydig cell biomarker INSL3 in aging men from the European Male Aging Study cohort. <i>Andrology</i> , 2022, 10, 1328-1338.	1.9	9
7	NR5A1 c.991â€G>ÂC spliceâ€site variant causes familial 46,XY partial gonadal dysgenesis with incomplete penetrance. <i>Clinical Endocrinology</i> , 2021, 94, 656-666.	1.2	9
8	A common 1.6 mb Y-chromosomal inversion predisposes to subsequent deletions and severe spermatogenic failure in humans. <i>ELife</i> , 2021, 10, .	2.8	16
9	Self-Reported Shorter Than Desired Ejaculation Latency and Related Distressâ€Prevalence and Clinical Correlates: Results From the European Male Ageing Study. <i>Journal of Sexual Medicine</i> , 2021, 18, 908-919.	0.3	5
10	Variants in GCNA, X-linked germ-cell genome integrity gene, identified in men with primary spermatogenic failure. <i>Human Genetics</i> , 2021, 140, 1169-1182.	1.8	27
11	Inflammatory markers are associated with quality of life, physical activity, and gait speed but not sarcopenia in aged men (40â€79Âyears). <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 1818-1831.	2.9	21
12	OUP accepted manuscript. <i>British Medical Bulletin</i> , 2021, , .	2.7	9
13	Aging Men With Insufficient Vitamin D Have a Higher Mortality Risk: No Added Value of its Free Fractions or Active Form. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, , .	1.8	6
14	<i>Mycoplasma genitalium</i> Provokes Seminal Inflammation among Infertile Males. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13467.	1.8	6
15	The European Academy of Andrology (EAA) ultrasound study on healthy, fertile men: clinical, seminal and biochemical characteristics. <i>Andrology</i> , 2020, 8, 1005-1020.	1.9	37
16	Profile of sexually transmitted infections causing urethritis and a related inflammatory reaction in urine among heterosexual males: A flow-cytometry study. <i>PLoS ONE</i> , 2020, 15, e0242227.	1.1	6
17	Evolutionary and functional analysis of RBMY1 gene copy number variation on the human Y chromosome. <i>Human Molecular Genetics</i> , 2019, 28, 2785-2798.	1.4	9
18	Chromosomal scan of single sperm cells by combining fluorescence-activated cell sorting and next-generation sequencing. <i>Journal of Assisted Reproduction and Genetics</i> , 2019, 36, 91-97.	1.2	13

#	ARTICLE	IF	CITATIONS
19	Reproductive Hormone Levels Predict Changes in Frailty Status in Community-Dwelling Older Men: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 701-709.	1.8	28
20	Prevalence of <i>Mycoplasma genitalium</i> and other sexually transmitted infections causing urethritis among high-risk heterosexual male patients in Estonia. <i>Infectious Diseases</i> , 2018, 50, 133-139.	1.4	4
21	Elevated luteinizing hormone despite normal testosterone levels in older men—natural history, risk factors and clinical features. <i>Clinical Endocrinology</i> , 2018, 88, 479-490.	1.2	26
22	Symptomatic androgen deficiency develops only when both total and free testosterone decline in obese men who may have incident biochemical secondary hypogonadism: Prospective results from the EMAS. <i>Clinical Endocrinology</i> , 2018, 89, 459-469.	1.2	44
23	Bi-allelic Recessive Loss-of-Function Variants in FANCM Cause Non-obstructive Azoospermia. <i>American Journal of Human Genetics</i> , 2018, 103, 200-212.	2.6	95
24	The effect of metabolic syndrome on male reproductive health: A cross-sectional study in a group of fertile men and male partners of infertile couples. <i>PLoS ONE</i> , 2018, 13, e0194395.	1.1	24
25	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. <i>European Journal of Nutrition</i> , 2017, 56, 2093-2103.	1.8	13
26	Seminal microbiome in men with and without prostatitis. <i>International Journal of Urology</i> , 2017, 24, 211-216.	0.5	84
27	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 662-671.	0.6	16
28	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2798-2806.	1.8	19
29	Semen quality of young men from the general population in Baltic countries. <i>Human Reproduction</i> , 2017, 32, 1334-1340.	0.4	26
30	Changes in prevalence of obesity and high waist circumference over four years across European regions: the European male ageing study (EMAS). <i>Endocrine</i> , 2017, 55, 456-469.	1.1	21
31	Reply to Eugenio Ventimiglia, Francesco Montorsi, and Andrea Salonia's Letter to the Editor re: Jakob Damsgaard, Ulla N. Joensen, Elisabeth Carlsen, et al. Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. <i>Fur Urol</i> 2016;70:1019–29. <i>European Urology</i> , 2017, 71, e71-e72.	0.9	1
32	Genetics of Sex Hormone-Binding Globulin and Testosterone Levels in Fertile and Infertile Men of Reproductive Age. <i>Journal of the Endocrine Society</i> , 2017, 1, 560-576.	0.1	10
33	Low Free Testosterone Is Associated with Hypogonadal Signs and Symptoms in Men with Normal Total Testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 2647-2657.	1.8	129
34	Frailty and bone health in European men. <i>Age and Ageing</i> , 2016, 46, 635-641.	0.7	19
35	The androgen receptor gene CAG repeat in relation to 4-year changes in androgen-sensitive endpoints in community-dwelling older European men. <i>European Journal of Endocrinology</i> , 2016, 175, 583-593.	1.9	11
36	Varicocele Is Associated with Impaired Semen Quality and Reproductive Hormone Levels: A Study of 7035 Healthy Young Men from Six European Countries. <i>European Urology</i> , 2016, 70, 1019-1029.	0.9	176

#	ARTICLE	IF	CITATIONS
37	Natural history, risk factors and clinical features of primary hypogonadism in ageing men: Longitudinal Data from the European Male Ageing Study. <i>Clinical Endocrinology</i> , 2016, 85, 891-901.	1.2	31
38	A New Baltic Population-Specific Human Genetic Marker in the <i>PMCA4</i> Gene. <i>Human Heredity</i> , 2016, 82, 140-146.	0.4	1
39	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 32.	0.8	25
40	Chronic widespread pain is associated with worsening frailty in European men. <i>Age and Ageing</i> , 2016, 45, 268-274.	0.7	63
41	Low free testosterone is associated with hypogonadal signs and symptoms in men with normal total testosterone levels: results from the European Male Ageing Study. <i>Archives of Public Health</i> , 2015, 73, .	1.0	1
42	Personality and Utilization of Prostate Cancer Testing. <i>SAGE Open</i> , 2015, 5, 215824401559332.	0.8	10
43	Associations Between Sex Steroids and the Development of Metabolic Syndrome: A Longitudinal Study in European Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1396-1404.	1.8	97
44	Low heel ultrasound parameters predict mortality in men: results from the European Male Ageing Study (EMAS). <i>Age and Ageing</i> , 2015, 44, 801-807.	0.7	4
45	Complementary seminovaginal microbiome in couples. <i>Research in Microbiology</i> , 2015, 166, 440-447.	1.0	164
46	Development of and Recovery from Secondary Hypogonadism in Aging Men: Prospective Results from the EMAS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3172-3182.	1.8	118
47	Reproductive Physiology in Young Men Is Cumulatively Affected by FSH-Action Modulating Genetic Variants: FSHR -29G/A and c.2039 A/G, FSHB -211G/T. <i>PLoS ONE</i> , 2014, 9, e94244.	1.1	40
48	Androgen Receptor Polymorphism-Dependent Variation in Prostate-Specific Antigen Concentrations of European Men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 2048-2056.	1.1	8
49	Semen quality in middle-aged males: associations with prostate-specific antigen and age-related prostate conditions. <i>Human Fertility</i> , 2014, 17, 60-66.	0.7	3
50	Low Prolactin Is Associated with Sexual Dysfunction and Psychological or Metabolic Disturbances in Middle-Aged and Elderly Men: The European Male Ageing Study (EMAS). <i>Journal of Sexual Medicine</i> , 2014, 11, 240-253.	0.3	63
51	Personal Values that Support and Counteract Utilization of a Screening Test for Prostate Cancer. <i>Behavioral Medicine</i> , 2014, 40, 22-28.	1.0	8
52	Male infertility: Decreased levels of selenium, zinc and antioxidants. <i>Journal of Trace Elements in Medicine and Biology</i> , 2014, 28, 179-185.	1.5	52
53	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. <i>Age and Ageing</i> , 2014, 43, 528-535.	0.7	19
54	Alcohol and male reproductive health: a cross-sectional study of 8344 healthy men from Europe and the USA. <i>Human Reproduction</i> , 2014, 29, 1801-1809.	0.4	114

#	ARTICLE	IF	CITATIONS
55	Semen quality and associated reproductive indicators in middle-aged males: the role of non-malignant prostate conditions and genital tract inflammation. <i>World Journal of Urology</i> , 2013, 31, 1411-1425.	1.2	17
56	The ability of three different models of frailty to predict all-cause mortality: Results from the European Male Aging Study (EMAS). <i>Archives of Gerontology and Geriatrics</i> , 2013, 57, 360-368.	1.4	121
57	Active Vitamin D (1,25-Dihydroxyvitamin D) and Bone Health in Middle-Aged and Elderly Men: The European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 995-1005.	1.8	61
58	Comparisons of Immunoassay and Mass Spectrometry Measurements of Serum Estradiol Levels and Their Influence on Clinical Association Studies in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E1097-E1102.	1.8	58
59	Frailty and Sexual Health in Older European Men. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013, 68, 837-844.	1.7	32
60	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. <i>Age and Ageing</i> , 2013, 42, 352-359.	0.7	74
61	Cohort Profile: The European Male Ageing Study. <i>International Journal of Epidemiology</i> , 2013, 42, 391-401.	0.9	41
62	Are Self-Reported Symptoms in Chronic Pelvic Pain Syndrome Contaminated by Socially Desirable Responding?. <i>Journal of Men's Health</i> , 2013, 10, 134-138.	0.1	2
63	Decline of seminal parameters in middle-aged males is associated with lower urinary tract symptoms, prostate enlargement and bladder outlet obstruction. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2013, 39, 727-740.	0.7	4
64	Male Infertility Workup Needs Additional Testing of Expressed Prostatic Secretion and/or Post-Massage Urine. <i>PLoS ONE</i> , 2013, 8, e82776.	1.1	9
65	Characteristics of Androgen Deficiency in Late-Onset Hypogonadism: Results from the European Male Aging Study (EMAS). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1508-1516.	1.8	258
66	Comparison of serum testosterone and estradiol measurements in 3174 European men using platform immunoassay and mass spectrometry; relevance for the diagnostics in aging men. <i>European Journal of Endocrinology</i> , 2012, 166, 983-991.	1.9	169
67	Association of hypogonadism with vitamin D status: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2012, 166, 77-85.	1.9	166
68	Combined Effects of the Variants <i>FSHB</i> and <i>FSHR</i> on Male Reproductive Parameters. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3639-3647.	1.8	116
69	The Non-Synonymous SNP, R1150W, in <i>SCN9A</i> is Not Associated with Chronic Widespread Pain Susceptibility. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-72.	1.0	16
70	Oxidative Stress—Cause or consequence of male genital tract disorders?. <i>Prostate</i> , 2012, 72, 977-983.	1.2	50
71	Lower vitamin D levels are associated with depression among community-dwelling European men. <i>Journal of Psychopharmacology</i> , 2011, 25, 1320-1328.	2.0	99
72	Seminal Interleukin-6 and Serum Prostate-specific Antigen as Possible Predictive Biomarkers in Asymptomatic Inflammatory Prostatitis. <i>Urology</i> , 2011, 78, 442-446.	0.5	18

#	ARTICLE	IF	CITATIONS
73	Polymorphisms in Genes Involved in the NF- κ B Signalling Pathway Are Associated with Bone Mineral Density, Geometry and Turnover in Men. <i>PLoS ONE</i> , 2011, 6, e28031.	1.1	19
74	Frailty in Relation to Variations in Hormone Levels of the Hypothalamic-Pituitary-Testicular Axis in Older Men: Results From the European Male Aging Study. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 814-821.	1.3	52
75	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. <i>Pain</i> , 2011, 152, 1495-1501.	2.0	24
76	Influence of sexual intercourse on genital tract microbiota in infertile couples. <i>Anaerobe</i> , 2011, 17, 414-418.	1.0	44
77	Influence of Insulin-Like Growth Factor Binding Protein (IGFBP)-1 and IGFBP-3 on Bone Health: Results from the European Male Ageing Study. <i>Calcified Tissue International</i> , 2011, 88, 503-510.	1.5	22
78	Influence of Polymorphisms in the RANKL/RANK/OPG Signaling Pathway on Volumetric Bone Mineral Density and Bone Geometry at the Forearm in Men. <i>Calcified Tissue International</i> , 2011, 89, 446-455.	1.5	16
79	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. <i>BMC Medical Genetics</i> , 2011, 12, 19.	2.1	10
80	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: Results from two population-based cohorts. <i>Arthritis and Rheumatism</i> , 2011, 63, 810-818.	6.7	54
81	The Relationships between Sex Hormones and Sexual Function in Middle-Aged and Older European Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1577-E1587.	1.8	103
82	Genetically Determined Dosage of Follicle-Stimulating Hormone (FSH) Affects Male Reproductive Parameters. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, E1534-E1541.	1.8	47
83	The Effect of Musculoskeletal Pain on Sexual Function in Middle-aged and Elderly European Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2011, 38, 370-377.	1.0	16
84	Influence of bone remodelling rate on quantitative ultrasound parameters at the calcaneus and DXA BMDa of the hip and spine in middle-aged and elderly European men: the European Male Ageing Study (EMAS). <i>European Journal of Endocrinology</i> , 2011, 165, 977-986.	1.9	28
85	Impaired quality of life and sexual function in overweight and obese men: the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2011, 164, 1003-1011.	1.9	90
86	The ESR1 (6q25) Locus Is Associated with Calcaneal Ultrasound Parameters and Radial Volumetric Bone Mineral Density in European Men. <i>PLoS ONE</i> , 2011, 6, e22037.	1.1	9
87	Influence of Lifestyle Factors on Quantitative Heel Ultrasound Measurements in Middle-Aged and Elderly Men. <i>Calcified Tissue International</i> , 2010, 86, 211-219.	1.5	24
88	Alpha-1 antitrypsin phenotypes in patients with Klinefelter's syndrome. <i>Journal of Genetics</i> , 2010, 89, 485-488.	0.4	0
89	Age-Related Changes in General and Sexual Health in Middle-Aged and Older Men: Results from the European Male Ageing Study (EMAS). <i>Journal of Sexual Medicine</i> , 2010, 7, 1362-1380.	0.3	377
90	Genetic variation in the RANKL/RANK/OPG signaling pathway is associated with bone turnover and bone mineral density in men. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1830-1838.	3.1	55

#	ARTICLE	IF	CITATIONS
91	Association of cognitive performance with the metabolic syndrome and with glycaemia in middle-aged and older European men: the European Male Ageing Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2010, 26, 668-676.	1.7	47
92	Characteristics of Secondary, Primary, and Compensated Hypogonadism in Aging Men: Evidence from the European Male Ageing Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1810-1818.	1.8	481
93	Endogenous hormones, androgen receptor CAG repeat length and fluid cognition in middle-aged and older men: results from the European Male Ageing Study. <i>European Journal of Endocrinology</i> , 2010, 162, 1155-1164.	1.9	25
94	No evidence for a role of the <i>catechol-O-methyltransferase</i> pain sensitivity haplotypes in chronic widespread pain. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 2009-2012.	0.5	43
95	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1448-1452.	0.5	86
96	Effect of Polymorphisms in Selected Genes Involved in Pituitary-Testicular Function on Reproductive Hormones and Phenotype in Aging Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1898-1908.	1.8	37
97	Increased Prevalence of the ~ 211 T Allele of Follicle Stimulating Hormone (FSH) β Subunit Promoter Polymorphism and Lower Serum FSH in Infertile Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 100-108.	1.8	57
98	Follicle-Stimulating Hormone Receptor Gene Haplotypes and Male Infertility in Estonian Population and Meta-Analysis. <i>Systems Biology in Reproductive Medicine</i> , 2010, 56, 84-90.	1.0	33
99	Analysis of Polymorphisms in the SRD5A2 Gene and Semen Parameters in Estonian Men. <i>Journal of Andrology</i> , 2010, 31, 372-378.	2.0	10
100	Identification of Late-Onset Hypogonadism in Middle-Aged and Elderly Men. <i>New England Journal of Medicine</i> , 2010, 363, 123-135.	13.9	1,274
101	Influence of lifestyle factors on quantitative heel ultrasound measurements in middle-aged and elderly men. <i>Calcified Tissue International</i> , 2010, 86, 211-9.	1.5	2
102	Increased Estrogen Rather Than Decreased Androgen Action Is Associated with Longer Androgen Receptor CAG Repeats. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 277-284.	1.8	125
103	Perturbed Insulin-like Growth Factor-1 (IGF-1) and IGF Binding Protein-3 Are Not Associated with Chronic Widespread Pain in Men: Results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009, 36, 2523-2530.	1.0	3
104	Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. <i>European Journal of Endocrinology</i> , 2009, 161, 947-954.	1.9	99
105	The association between different cognitive domains and age in a multi-centre study of middle-aged and older European men. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1257-1266.	1.3	10
106	The European Male Ageing Study (EMAS): design, methods and recruitment. <i>Journal of Developmental and Physical Disabilities</i> , 2009, 32, 11-24.	3.6	137
107	Genetic Variation in Sex Hormone Genes Influences Heel Ultrasound Parameters in Middle-Aged and Elderly Men: Results From the European Male Aging Study (EMAS). <i>Journal of Bone and Mineral Research</i> , 2009, 24, 314-323.	3.1	21
108	Association between 25-hydroxyvitamin D levels and cognitive performance in middle-aged and older European men. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2009, 80, 722-729.	0.9	130

#	ARTICLE	IF	CITATIONS
109	Antimicrobial Susceptibility Patterns of Coryneform Bacteria Isolated from Semen. <i>The Open Infectious Diseases Journal</i> , 2009, 3, 31-36.	0.6	6
110	Assessment of Sexual Health in Aging Men in Europe: Development and Validation of the European Male Ageing Study Sexual Function Questionnaire. <i>Journal of Sexual Medicine</i> , 2008, 5, 1374-1385.	0.3	80
111	Prevalence of Asymptomatic Inflammatory (National Institutes of Health Category IV) Prostatitis in Young Men According to Semen Analysis. <i>Urology</i> , 2008, 71, 1010-1015.	0.5	24
112	FSHB promoter polymorphism within evolutionary conserved element is associated with serum FSH level in men. <i>Human Reproduction</i> , 2008, 23, 2160-2166.	0.4	97
113	Hypothalamic-Pituitary-Testicular Axis Disruptions in Older Men Are Differentially Linked to Age and Modifiable Risk Factors: The European Male Aging Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 2737-2745.	1.8	790
114	Two Novel Deletions (Array CGH Findings) in Pigment Dispersion Syndrome. <i>Ophthalmic Genetics</i> , 2007, 28, 216-219.	0.5	6
115	The contribution of genetic variations of aryl hydrocarbon receptor pathway genes to male factor infertility. <i>Fertility and Sterility</i> , 2007, 88, 854-859.	0.5	37
116	Coryneform bacteria in semen of chronic prostatitis patients. <i>Journal of Developmental and Physical Disabilities</i> , 2007, 30, 123-128.	3.6	26
117	Reciprocal translocation t(7;16)(q21.2;p13.3) in an infertile man. <i>Fertility and Sterility</i> , 2006, 86, 719.e9-719.e11.	0.5	6
118	Seminal Microflora in Asymptomatic Inflammatory (NIH IV Category) Prostatitis. <i>European Urology</i> , 2006, 50, 1338-1346.	0.9	16
119	Mycoplasmas in semen of chronic prostatitis patients. <i>Scandinavian Journal of Urology and Nephrology</i> , 2005, 39, 479-482.	1.4	52
120	Association of In Utero Exposure to Maternal Smoking with Reduced Semen Quality and Testis Size in Adulthood: A Cross-Sectional Study of 1,770 Young Men from the General Population in Five European Countries. <i>American Journal of Epidemiology</i> , 2004, 159, 49-58.	1.6	214
121	Anaerobic seminal fluid micro-flora in chronic prostatitis/chronic pelvic pain syndrome patients. <i>Anaerobe</i> , 2003, 9, 117-123.	1.0	30
122	The limit of leucocytospermia from the microbiological viewpoint. <i>Andrologia</i> , 2003, 35, 271-278.	1.0	72
123	The limit of leucocytospermia from the microbiological viewpoint. <i>Andrologia</i> , 2003, 35, 271-278.	1.0	8
124	The limit of leucocytospermia from the microbiological viewpoint. <i>Andrologia</i> , 2003, 35, 271-8.	1.0	20
125	East-West gradient in semen quality in the Nordic-Baltic area: a study of men from the general population in Denmark, Norway, Estonia and Finland. <i>Human Reproduction</i> , 2002, 17, 2199-2208.	0.4	274
126	Regional differences in semen qualities in the Baltic region. <i>Journal of Developmental and Physical Disabilities</i> , 2002, 25, 243-252.	3.6	71

#	ARTICLE	IF	CITATIONS
127	Inter-observer variation in the results of the clinical andrological examination including estimation of testicular size. Journal of Developmental and Physical Disabilities, 2000, 23, 248-253.	3.6	82