

# Wei Gao

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9583827/publications.pdf>

Version: 2024-02-01

52  
papers

4,585  
citations

109137

35  
h-index

168136

53  
g-index

54  
all docs

54  
docs citations

54  
times ranked

2437  
citing authors

#	ARTICLE	IF	CITATIONS
1	Near-Infrared Absorbing Nonfullerene Acceptors for Organic Solar Cells. <i>Solar Rrl</i> , 2022, 6, 2100868.	3.1	16
2	16.3% Efficiency binary all-polymer solar cells enabled by a novel polymer acceptor with an asymmetrical selenophene-fused backbone. <i>Science China Chemistry</i> , 2022, 65, 309-317.	4.2	54
3	Intramolecular Chloro-Sulfur Interaction and Asymmetric Side-Chain Isomerization to Balance Crystallinity and Miscibility in All-Small-Molecule Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	29
4	Achieving 19% Power Conversion Efficiency in Planar-Mixed Heterojunction Organic Solar Cells Using a Pseudosymmetric Electron Acceptor. <i>Advanced Materials</i> , 2022, 34, .	11.1	271
5	Intramolecular Chloro-Sulfur Interaction and Asymmetric Side-Chain Isomerization to Balance Crystallinity and Miscibility in All-Small-Molecule Solar Cells. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	3
6	Over 17% Efficiency Binary Organic Solar Cells with Photoresponses Reaching 1000 nm Enabled by Selenophene-Fused Nonfullerene Acceptors. <i>ACS Energy Letters</i> , 2021, 6, 9-15.	8.8	141
7	Asymmetric Acceptors Enabling Organic Solar Cells to Achieve an over 17% Efficiency: Conformation Effects on Regulating Molecular Properties and Suppressing Nonradiative Energy Loss. <i>Advanced Energy Materials</i> , 2021, 11, 2003177.	10.2	114
8	Photooxidation Analysis of Two Isomeric Nonfullerene Acceptors: A Systematic Study of Conformational, Morphological, and Environmental Factors. <i>Solar Rrl</i> , 2021, 5, 2000704.	3.1	6
9	Over 16% Efficiency of Thick-Film Organic Photovoltaics with Symmetric and Asymmetric Non-Fullerene Materials as Alloyed Acceptor. <i>Solar Rrl</i> , 2021, 5, 2100365.	3.1	13
10	Asymmetric Isomer Effects in Benzo[1,2,5]thiadiazole-Fused Nonacyclic Acceptors: Dielectric Constant and Molecular Crystallinity Control for Significant Photovoltaic Performance Enhancement. <i>Advanced Functional Materials</i> , 2021, 31, 2104369.	7.8	46
11	Enabling High Efficiency of Hydrocarbon-Solvent Processed Organic Solar Cells through Balanced Charge Generation and Non-Radiative Loss. <i>Advanced Energy Materials</i> , 2021, 11, 2101768.	10.2	61
12	Adding a Third Component with Reduced Miscibility and Higher LUMO Level Enables Efficient Ternary Organic Solar Cells. <i>ACS Energy Letters</i> , 2020, 5, 2711-2720.	8.8	188
13	A Generally Applicable Approach Using Sequential Deposition to Enable Highly Efficient Organic Solar Cells. <i>Small Methods</i> , 2020, 4, 2000687.	4.6	86
14	Over 15.7% Efficiency of Ternary Organic Solar Cells by Employing Two Compatible Acceptors with Similar LUMO Levels. <i>Small</i> , 2020, 16, e2000441.	5.2	59
15	Conformation-Tuning Effect of Asymmetric Small Molecule Acceptors on Molecular Packing, Interaction, and Photovoltaic Performance. <i>Small</i> , 2020, 16, e2001942.	5.2	49
16	An asymmetrical fused-ring electron acceptor designed by a cross-conceptual strategy achieving 15.6% efficiency. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14583-14591.	5.2	32
17	Extending Photoresponse to the Near-Infrared Region for Inverted Perovskite Solar Cells by Using a Low-Bandgap Electron Transporting Material. <i>Solar Rrl</i> , 2020, 4, 1900565.	3.1	10
18	Alloy-like ternary polymer solar cells with over 17.2% efficiency. <i>Science Bulletin</i> , 2020, 65, 538-545.	4.3	252

#	ARTICLE	IF	CITATIONS
19	Over 14.5% efficiency and 71.6% fill factor of ternary organic solar cells with 300 nm thick active layers. <i>Energy and Environmental Science</i> , 2020, 13, 958-967.	15.6	198
20	Thick-Film Organic Solar Cells Achieving over 11% Efficiency and Nearly 70% Fill Factor at Thickness over 400 nm. <i>Advanced Functional Materials</i> , 2020, 30, 1908336.	7.8	94
21	Dithieno[3,2-b:2'-b']pyrrole-Fused Asymmetrical Electron Acceptors: A Study into the Effects of Nitrogen-Functionalization on Reducing Nonradiative Recombination Loss and Dipole Moment on Morphology. <i>Advanced Science</i> , 2020, 7, 1902657.	5.6	51
22	A novel 9H-indeno[1,2-b]pyrazine-2,3-dicarbonitrile end group for an efficient non-fullerene small molecule acceptor. <i>Journal of Materials Chemistry C</i> , 2019, 7, 10111-10118.	2.7	6
23	Chlorination Strategy-Induced Abnormal Nanomorphology Tuning in High-Efficiency Organic Solar Cells: A Study of Phenyl-Substituted Benzodithiophene-Based Nonfullerene Acceptors. <i>Solar Rrl</i> , 2019, 3, 1900262.	3.1	17
24	Multifunctional asymmetrical molecules for high-performance perovskite and organic solar cells. <i>Journal of Materials Chemistry A</i> , 2019, 7, 2412-2420.	5.2	14
25	Fused-Ring Core Engineering for Small Molecule Acceptors Enable High-Performance Nonfullerene Polymer Solar Cells. <i>Small Methods</i> , 2019, 3, 1900280.	4.6	17
26	Overcoming the energy loss in asymmetrical non-fullerene acceptor-based polymer solar cells by halogenation of polymer donors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15404-15410.	5.2	39
27	Unconjugated Side-Chain Engineering Enables Small Molecular Acceptors for Highly Efficient Non-Fullerene Organic Solar Cells: Insights into the Fine-Tuning of Acceptor Properties and Micromorphology. <i>Advanced Functional Materials</i> , 2019, 29, 1902155.	7.8	105
28	A High-Performance Non-Fullerene Acceptor Compatible with Polymers with Different Bandgaps for Efficient Organic Solar Cells. <i>Solar Rrl</i> , 2019, 3, 1800376.	3.1	37
29	Fluorene-fused ladder-type non-fullerene small molecule acceptors for high-performance polymer solar cells. <i>Materials Chemistry Frontiers</i> , 2019, 3, 709-715.	3.2	11
30	Simultaneously increasing open-circuit voltage and short-circuit current to minimize the energy loss in organic solar cells via designing asymmetrical non-fullerene acceptor. <i>Journal of Materials Chemistry A</i> , 2019, 7, 11053-11061.	5.2	37
31	Achieving 14.11% efficiency of ternary polymer solar cells by simultaneously optimizing photon harvesting and exciton distribution. <i>Journal of Materials Chemistry A</i> , 2019, 7, 7843-7851.	5.2	130
32	Regulating exciton bonding energy and bulk heterojunction morphology in organic solar cells via methyl-functionalized non-fullerene acceptors. <i>Journal of Materials Chemistry A</i> , 2019, 7, 6809-6817.	5.2	26
33	Efficient ternary non-fullerene polymer solar cells with PCE of 11.92% and FF of 76.5%. <i>Energy and Environmental Science</i> , 2018, 11, 841-849.	15.6	210
34	Efficient small-molecule non-fullerene electron transporting materials for high-performance inverted perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 4443-4448.	5.2	66
35	Energy level modulation of non-fullerene acceptors enables efficient organic solar cells with small energy loss. <i>Journal of Materials Chemistry A</i> , 2018, 6, 2468-2475.	5.2	145
36	Fine-Tuning of Molecular Packing and Energy Level through Methyl Substitution Enabling Excellent Small Molecule Acceptors for Nonfullerene Polymer Solar Cells with Efficiency up to 12.54%. <i>Advanced Materials</i> , 2018, 30, 1706124.	11.1	253

#	ARTICLE	IF	CITATIONS
37	A universal nonfullerene electron acceptor matching with different band-gap polymer donors for high-performance polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6874-6881.	5.2	37
38	Efficient Ternary Organic Solar Cells with Two Compatible Non-Fullerene Materials as One Alloyed Acceptor. <i>Small</i> , 2018, 14, e1802983.	5.2	55
39	Over 13% Efficiency Ternary Nonfullerene Polymer Solar Cells with Tilted Up Absorption Edge by Incorporating a Medium Bandgap Acceptor. <i>Advanced Energy Materials</i> , 2018, 8, 1801968.	10.2	167
40	Use of two structurally similar small molecular acceptors enabling ternary organic solar cells with high efficiencies and fill factors. <i>Energy and Environmental Science</i> , 2018, 11, 3275-3282.	15.6	261
41	Ternary non-fullerene polymer solar cells with an efficiency of 11.6% by simultaneously optimizing photon harvesting and phase separation. <i>Journal of Materials Chemistry A</i> , 2018, 6, 11751-11758.	5.2	30
42	Ternary nonfullerene polymer solar cells with efficiency >13.7% by integrating the advantages of the materials and two binary cells. <i>Energy and Environmental Science</i> , 2018, 11, 2134-2141.	15.6	223
43	Asymmetrical Ladder-Type Donor-Induced Polar Small Molecule Acceptor to Promote Fill Factors Approaching 77% for High-Performance Nonfullerene Polymer Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1800052.	11.1	252
44	Asymmetrical Small Molecule Acceptor Enabling Nonfullerene Polymer Solar Cell with Fill Factor Approaching 79%. <i>ACS Energy Letters</i> , 2018, 3, 1760-1768.	8.8	102
45	Designing an asymmetrical isomer to promote the LUMO energy level and molecular packing of a non-fullerene acceptor for polymer solar cells with 12.6% efficiency. <i>Chemical Science</i> , 2018, 9, 8142-8149.	3.7	67
46	Regulating the electron transporting properties of indacenodithiophene derivatives for perovskite solar cells with PCEs up to 19.51%. <i>Journal of Materials Chemistry A</i> , 2018, 6, 18044-18049.	5.2	26
47	Near-Infrared Small Molecule Acceptor Enabled High-Performance Nonfullerene Polymer Solar Cells with Over 13% Efficiency. <i>Advanced Functional Materials</i> , 2018, 28, 1803128.	7.8	78
48	A Novel Thiophene-Fused Ending Group Enabling an Excellent Small Molecule Acceptor for High-Performance Fullerene-Free Polymer Solar Cells with 11.8% Efficiency. <i>Solar Rrl</i> , 2017, 1, 1700044.	3.1	198
49	Side-Chain Effects on Energy-Level Modulation and Device Performance of Organic Semiconductor Acceptors in Organic Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 34146-34152.	4.0	42
50	Side Group Engineering of Small Molecular Acceptors for High-Performance Fullerene-Free Polymer Solar Cells: Thiophene Being Superior to Selenophene. <i>Advanced Functional Materials</i> , 2017, 27, 1702194.	7.8	88
51	Dithieno[3,2-b:2',3'-d]pyridin-5(4H)-one based D-A type copolymers with wide bandgaps of up to 2.05 eV to achieve solar cell efficiencies of up to 7.33%. <i>Chemical Science</i> , 2016, 7, 6167-6175.	3.7	43
52	Benzobisthiadiazole-alt-bithiazole copolymers with deep HOMO levels for good-performance field-effect transistors with air stability and a high on/off ratio. <i>Polymer Chemistry</i> , 2016, 7, 2808-2814.	1.9	22