

Chang-Hu Xue

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9584483/chang-hu-xue-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96

papers

1,794

citations

22

h-index

38

g-index

104

ext. papers

2,291

ext. citations

5.1

avg. IF

5.08

L-index

#	Paper	IF	Citations
96	Short-term supplementation of EPA-enriched ethanolamine plasmalogen increases the level of DHA in the brain and liver of n-3 PUFA deficient mice in early life after weaning.. <i>Food and Function</i> , 2022 ,	6.1	1
95	Preparation and Characterization of Astaxanthin-loaded Liposomes Stabilized by Sea Cucumber Sulfated Sterols Instead of Cholesterol.. <i>Journal of Oleo Science</i> , 2022 , 71,	1.6	2
94	EPA-Enriched Phospholipids Alleviate Renal Interstitial Fibrosis in Spontaneously Hypertensive Rats by Regulating TGF- β Signaling Pathways.. <i>Marine Drugs</i> , 2022 , 20,	6	2
93	A Novel Sialoglycopeptide from Eggs Prevents Liver Fibrosis Induced by CCl ₄ via Downregulating FXR/FGF15 and TLR4/TGF- β /Smad Pathways. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 13093-13101	5.7	3
92	Dietary Supplementation with Exogenous Sea-Cucumber-Derived Ceramides and Glucosylceramides Alleviates Insulin Resistance in High-Fructose-Diet-Fed Rats by Upregulating the IRS/PI3K/Akt Signaling Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 9178-9187	5.7	5
91	Effects of dietary n-3 PUFA levels in early life on susceptibility to high-fat-diet-induced metabolic syndrome in adult mice. <i>Journal of Nutritional Biochemistry</i> , 2021 , 89, 108578	6.3	3
90	Preparation of Sulforaphene from Radish Seed Extracts with Recombinant Food-Grade Harboring High Myrosinase Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 5363-5371	5.7	2
89	Dietary n-3 PUFA Deficiency Increases Vulnerability to Scopolamine-Induced Cognitive Impairment in Male C57BL/6 Mice. <i>Journal of Nutrition</i> , 2021 , 151, 2206-2214	4.1	1
88	Lipidomics Approach in High-Fat-Diet-Induced Atherosclerosis Dyslipidemia Hamsters: Alleviation Using Ether-Phospholipids in Sea Urchin. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 9167-9177	5.7	4
87	The enrichment of eggs with docosahexaenoic acid and eicosapentaenoic acid through supplementation of the laying hen diet. <i>Food Chemistry</i> , 2021 , 346, 128958	8.5	2
86	Characterization of Gangliosides in Three Sea Urchin Species by HILIC-ESI-MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 7641-7651	5.7	0
85	Comparative evaluation of phosphatidylcholine and phosphatidylserine with different fatty acids on nephrotoxicity in vancomycin-induced mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021 , 85, 1873-1884	2.1	2
84	Effects of Dietary Supplementation with EPA-enriched Phosphatidylcholine and Phosphatidylethanolamine on Glycerophospholipid Profile in Cerebral Cortex of SAMP8 Mice fed with High-fat Diet. <i>Journal of Oleo Science</i> , 2021 , 70, 275-287	1.6	2
83	Sea urchin gangliosides exhibit neuritogenic effects in neuronal PC12 cells via TrkA- and TrkB-related pathways. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021 , 85, 675-686	2.1	2
82	Trimethylamine -Oxide Generation from Choline-Containing Precursors Is Closely Associated with Their Molecular Structure. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 2933-2935	5.7	1
81	Dietary EPA-Enriched Phospholipids Alleviate Chronic Stress and LPS-Induced Depression- and Anxiety-Like Behavior by Regulating Immunity and Neuroinflammation. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100009	5.9	7
80	Comparative Study of DHA with Different Molecular Forms for Ameliorating Osteoporosis by Promoting Chondrocyte-to-Osteoblast Transdifferentiation in the Growth Plate of Ovariectomized Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 10562-10571	5.7	3

79	Characterizing gangliosides in six sea cucumber species by HILIC-ESI-MS/MS. <i>Food Chemistry</i> , 2021 , 352, 129379	8.5	6
78	N-3 PUFA-Deficiency in Early Life Exhibits Aggravated MPTP-Induced Neurotoxicity in Old Age while Supplementation with DHA/EPA-Enriched Phospholipids Exerts a Neuroprotective Effect. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2100339	5.9	
77	Sterol sulfate alleviates atherosclerosis mediating hepatic cholesterol metabolism in ApoE mice. <i>Food and Function</i> , 2021 , 12, 4887-4896	6.1	3
76	DHA/EPA-Enriched Phosphatidylcholine Suppresses Tumor Growth and Metastasis via Activating Peroxisome Proliferator-Activated Receptor α In Lewis Lung Cancer Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 676-685	5.7	3
75	Short-term supplementation of DHA-enriched phospholipids attenuates the nephrotoxicity of cisplatin without compromising its antitumor activity in mice. <i>Food and Function</i> , 2021 , 12, 9391-9404	6.1	0
74	Absorption, Pharmacokinetics, Tissue Distribution, and Excretion Profiles of Sea Cucumber-Derived Sulfated Sterols in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2021 ,	5.7	3
73	Recovery of brain DHA-containing phosphatidylserine and ethanolamine plasmalogen after dietary DHA-enriched phosphatidylcholine and phosphatidylserine in SAMP8 mice fed with high-fat diet. <i>Lipids in Health and Disease</i> , 2020 , 19, 104	4.4	5
72	Dietary Trimethylamine -Oxide Exacerbated Atherosclerosis under a Low-Fat Rather than High-Fat Diet. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 6789-6791	5.7	2
71	Comparative study on the digestion and absorption characteristics of n-3 LCPUFA-enriched phospholipids in the form of liposomes and emulsions. <i>Food Research International</i> , 2020 , 137, 109428	7	2
70	Effects of dietary choline, betaine, and L-carnitine on the generation of trimethylamine-N-oxide in healthy mice. <i>Journal of Food Science</i> , 2020 , 85, 2207-2215	3.4	5
69	EPA-enriched ethanolamine plasmalogen alleviates atherosclerosis via mediating bile acids metabolism. <i>Journal of Functional Foods</i> , 2020 , 66, 103824	5.1	21
68	The interaction between dietary marine components and intestinal flora. <i>Marine Life Science and Technology</i> , 2020 , 2, 161-171	4.5	8
67	Eicosapentaenoic Acid-Enriched Phosphoethanolamine Plasmalogens Alleviated Atherosclerosis by Remodeling Gut Microbiota to Regulate Bile Acid Metabolism in LDLR Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 5339-5348	5.7	15
66	Characterization of lipid composition in the muscle tissue of four shrimp species commonly consumed in China by UPLC- α Triple TOFMS/MS. <i>LWT - Food Science and Technology</i> , 2020 , 128, 109469	5.4	10
65	A pilot study on the effects of DHA/EPA-enriched phospholipids on aerobic and anaerobic exercises in mice. <i>Food and Function</i> , 2020 , 11, 1441-1454	6.1	9
64	Comparative lipid profile of four edible shellfishes by UPLC-Triple TOF-MS/MS. <i>Food Chemistry</i> , 2020 , 310, 125947	8.5	24
63	Characterization and Absorption Kinetics of a Novel Multifunctional Nanoliposome Stabilized by Sea Cucumber Saponins Instead of Cholesterol. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 642-651	5.7	5
62	Characterizing the phospholipid composition of six edible sea cucumbers by NPLC-Triple TOF-MS/MS. <i>Journal of Food Composition and Analysis</i> , 2020 , 94, 103626	4.1	11

61	Sea cucumbers-derived sterol sulfate alleviates insulin resistance and inflammation in high-fat-high-fructose diet-induced obese mice. <i>Pharmacological Research</i> , 2020 , 160, 105191	10.2	8
60	Sea Cucumber Sterol Alleviates the Lipid Accumulation in High-Fat-Fructose Diet Fed Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 9707-9717	5.7	10
59	Polymannuronic acid prevents dopaminergic neuronal loss via brain-gut-microbiota axis in Parkinson's disease model. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 994-1005	7.9	10
58	Docosahexaenoic acid-acylated astaxanthin ester exhibits superior performance over non-esterified astaxanthin in preventing behavioral deficits coupled with apoptosis in MPTP-induced mice with Parkinson's disease. <i>Food and Function</i> , 2020 , 11, 8038-8050	6.1	11
57	Maternal diet with sea urchin gangliosides promotes neurodevelopment of young offspring enhancing NGF and BDNF expression. <i>Food and Function</i> , 2020 , 11, 9912-9923	6.1	3
56	Exogenous natural EPA-enriched phosphatidylcholine and phosphatidylethanolamine ameliorate lipid accumulation and insulin resistance activation of PPAR α in mice. <i>Food and Function</i> , 2020 , 11, 8248-8258	6.1	7
55	Effect of Stored Humidity and Initial Moisture Content on the Qualities and Mycotoxin Levels of Maize Germ and Its Processing Products. <i>Toxins</i> , 2020 , 12,	4.9	1
54	The opposite effects of Antarctic krill oil and arachidonic acid-rich oil on bone resorption in ovariectomized mice. <i>Food and Function</i> , 2020 , 11, 7048-7060	6.1	7
53	Identification of ceramide 2-aminoethylphosphonate molecular species from different aquatic products by NPLC/Q-Exactive-MS. <i>Food Chemistry</i> , 2020 , 304, 125425	8.5	6
52	Preparation and effects on neuronal nutrition of plasmenylethonoamine and plasmanylcholine from the mussel. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020 , 84, 380-392	2.1	5
51	Health benefits of dietary marine DHA/EPA-enriched glycerophospholipids. <i>Progress in Lipid Research</i> , 2019 , 75, 100997	14.3	92
50	Comparative studies of DHA-enriched phosphatidylcholine and recombination of DHA-ethyl ester with egg phosphatidylcholine on ameliorating memory and cognitive deficiency in SAMP8 mice. <i>Food and Function</i> , 2019 , 10, 938-950	6.1	36
49	Synergistic effect of sea cucumber saponins and EPA-enriched phospholipids on insulin resistance in high-fat diet-induced obese mice. <i>Food and Function</i> , 2019 , 10, 3955-3964	6.1	11
48	Comparative Lipid Profile Analysis of Four Fish Species by Ultraperformance Liquid Chromatography Coupled with Quadrupole Time-of-Flight Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 9423-9431	5.7	18
47	Digestion, Absorption, and Metabolism Characteristics of EPA-Enriched Phosphoethanolamine Plasmalogens Based on Gastrointestinal Functions in Healthy Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 12786-12795	5.7	8
46	Application of Plackett-Burman Design in Screening of Natural Antioxidants Suitable for Anchovy Oil. <i>Antioxidants</i> , 2019 , 8,	7.1	4
45	Cerebrosides from Sea Cucumber Improved A β -Induced Cognitive Deficiency in a Rat Model of Alzheimer's Disease. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1800707	5.9	17
44	DHA-Enriched Phosphatidylcholine and DHA-Enriched Phosphatidylserine Improve Age-Related Lipid Metabolic Disorder through Different Metabolism in the Senescence-Accelerated Mouse. <i>European Journal of Lipid Science and Technology</i> , 2018 , 120, 1700490	3	13

43	Transcriptome analysis revealed anti-obesity effects of the Sodium Alginate in high-fat diet-induced obese mice. <i>International Journal of Biological Macromolecules</i> , 2018 , 115, 861-870	7.9	22
42	Replenishment of Docosahexaenoic Acid (DHA) in Dietary n-3-Deficient Mice Fed DHA in Triglycerides or Phosphatidylcholines After Weaning. <i>Journal of Food Science</i> , 2018 , 83, 481-488	3.4	13
41	Comparative Study of Different Polar Groups of EPA-Enriched Phospholipids on Ameliorating Memory Loss and Cognitive Deficiency in Aged SAMP8 Mice. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1700637	5.9	21
40	DHA enriched phospholipids with different polar groups (PC and PS) had different improvements on MPTP-induced mice with Parkinson's disease. <i>Journal of Functional Foods</i> , 2018 , 45, 417-426	5.1	33
39	Long-Term Effects of Docosahexaenoic Acid-Bound Phospholipids and the Combination of Docosahexaenoic Acid-Bound Triglyceride and Egg Yolk Phospholipid on Lipid Metabolism in Mice. <i>Journal of Ocean University of China</i> , 2018 , 17, 392-398	1	10
38	Saponins from Sea Cucumber and Their Biological Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 7222-7237	5.7	43
37	The Protective Activities of Dietary Sea Cucumber Cerebrosides against Atherosclerosis through Regulating Inflammation and Cholesterol Metabolism in Male Mice. <i>Molecular Nutrition and Food Research</i> , 2018 , 62, e1800315	5.9	11
36	Trimethylamine-N-oxide (TMAO)-induced atherosclerosis is associated with bile acid metabolism. <i>Lipids in Health and Disease</i> , 2018 , 17, 286	4.4	84
35	The improvements of functional ingredients from marine foods in lipid metabolism. <i>Trends in Food Science and Technology</i> , 2018 , 81, 74-89	15.3	23
34	Docosahexaenoic acid-containing phosphatidylcholine induced osteoblastic differentiation by modulating key transcription factors. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12661	3.3	3
33	Antarctic Krill Oil improves articular cartilage degeneration via activating chondrocyte autophagy and inhibiting apoptosis in osteoarthritis mice. <i>Journal of Functional Foods</i> , 2018 , 46, 413-422	5.1	13
32	Mechanisms of DHA-enriched phospholipids in improving cognitive deficits in aged SAMP8 mice with high-fat diet. <i>Journal of Nutritional Biochemistry</i> , 2018 , 59, 64-75	6.3	27
31	Sialoglycoprotein isolated from the eggs of <i>Gadus morhua</i> enhances fracture healing in osteoporotic mice. <i>Food and Function</i> , 2017 , 8, 1094-1104	6.1	16
30	Effects of dietary glucocerebrosides from sea cucumber on the brain sphingolipid profiles of mouse models of Alzheimer's disease. <i>Food and Function</i> , 2017 , 8, 1271-1281	6.1	12
29	Neuroprotection of <i>Strongylocentrotus nudus</i> gangliosides against Alzheimer's disease via regulation of neurite loss and mitochondrial apoptosis. <i>Journal of Functional Foods</i> , 2017 , 33, 122-133	5.1	10
28	Comparative analyses of DHA-Phosphatidylcholine and recombination of DHA-Triglyceride with Egg-Phosphatidylcholine or Glycerolphosphorylcholine on DHA repletion in n-3 deficient mice. <i>Lipids in Health and Disease</i> , 2017 , 16, 234	4.4	12
27	Rapid modulation of lipid metabolism in C57BL/6J mice induced by eicosapentaenoic acid-enriched phospholipid from <i>Cucumaria frondosa</i> . <i>Journal of Functional Foods</i> , 2017 , 28, 28-35	5.1	23
26	Sialoglycoprotein isolated from the eggs of <i>Carassius auratus</i> prevents bone loss: an effect associated with the regulation of gut microbiota in ovariectomized rats. <i>Food and Function</i> , 2016 , 7, 4764-4771	6.1	12

25	Serum pharmacokinetics of choline, trimethylamine, and trimethylamine-N-oxide after oral gavage of phosphatidylcholines with different fatty acid compositions in mice. <i>Bioscience, Biotechnology and Biochemistry</i> , 2016 , 80, 2217-2223	2.1	7
24	Effects of different fatty acids composition of phosphatidylcholine on brain function of dementia mice induced by scopolamine. <i>Lipids in Health and Disease</i> , 2016 , 15, 135	4.4	34
23	Structure of Sphingolipids From Sea Cucumber <i>Cucumaria frondosa</i> and Structure-Specific Cytotoxicity Against Human HepG2 Cells. <i>Lipids</i> , 2016 , 51, 321-34	1.6	14
22	Eicosapentaenoic acid-enriched phospholipids improve A β 40-induced cognitive deficiency in a rat model of Alzheimer's disease. <i>Journal of Functional Foods</i> , 2016 , 24, 537-548	5.1	36
21	Extracting Protein from Antarctic Krill (<i>Euphausia superba</i>). <i>Journal of Aquatic Food Product Technology</i> , 2016 , 25, 597-606	1.6	4
20	DHA-PC and DHA-PS improved A β 40 induced cognitive deficiency uncoupled with an increase in brain DHA in rats. <i>Journal of Functional Foods</i> , 2016 , 22, 417-430	5.1	53
19	Transport and uptake effects of marine complex lipid liposomes in small intestinal epithelial cell models. <i>Food and Function</i> , 2016 , 7, 1904-14	6.1	11
18	Comparative Study of EPA-enriched Phosphatidylcholine and EPA-enriched Phosphatidylserine on Lipid Metabolism in Mice. <i>Journal of Oleo Science</i> , 2016 , 65, 593-602	1.6	20
17	Sea cucumber cerebroside and long-chain bases from <i>Acaudina molpadioides</i> protect against high fat diet-induced metabolic disorders in mice. <i>Food and Function</i> , 2015 , 6, 3428-36	6.1	21
16	EPA-enriched phospholipids ameliorate cancer-associated cachexia mainly via inhibiting lipolysis. <i>Food and Function</i> , 2015 , 6, 3652-62	6.1	18
15	Molecular species analysis of monosialogangliosides from sea urchin <i>Strongylocentrotus nudus</i> by RPLC-ESI-MS/MS. <i>Food Chemistry</i> , 2015 , 166, 473-478	8.5	12
14	Dietary trimethylamine N-oxide exacerbates impaired glucose tolerance in mice fed a high fat diet. <i>Journal of Bioscience and Bioengineering</i> , 2014 , 118, 476-81	3.3	191
13	The protective effect of eicosapentaenoic acid-enriched phospholipids from sea cucumber <i>Cucumaria frondosa</i> on oxidative stress in PC12 cells and SAMP8 mice. <i>Neurochemistry International</i> , 2014 , 64, 9-17	4.4	70
12	Effects of polysaccharides from abalone (<i>Haliotis discus hannai</i> Ino) on HepG2 cell proliferation. <i>International Journal of Biological Macromolecules</i> , 2014 , 66, 354-61	7.9	27
11	LIPID AND FATTY ACID COMPOSITION OF TWO SPECIES OF ABALONE, HALIOTIS DISCUS HANNAI INO AND HALIOTIS DIVERSICOLOR REEVE. <i>Journal of Food Biochemistry</i> , 2013 , 37, 296-301	3.3	14
10	Eicosapentaenoic acid-enriched phospholipid ameliorates insulin resistance and lipid metabolism in diet-induced-obese mice. <i>Lipids in Health and Disease</i> , 2013 , 12, 109	4.4	90
9	Determination of 6 Kinds of Sex Hormones in Fish Using Subcritical 1,1,1,2-Tetrafluoroethane Extraction-Gas Chromatography-Tandem Mass Spectrometry. <i>Chinese Journal of Analytical Chemistry</i> , 2013 , 41, 1487-1492	1.6	1
8	The anti-tumor activities of cerebroside derived from sea cucumber <i>Acaudina molpadioides</i> and starfish <i>Asterias amurensis</i> in vitro and in vivo. <i>Journal of Oleo Science</i> , 2012 , 61, 321-30	1.6	30

7	LIPID PROFILE AND FATTY ACID COMPOSITIONS IN BODY WALL OF APOSTICHOPUS JAPONICUS (SELENKA). <i>Journal of Food Biochemistry</i> , 2012 , 36, 317-321	3.3	35
6	Isolation and anti-fatty liver activity of a novel cerebroside from the sea cucumber <i>Acaudina molpadioides</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2011 , 75, 1466-71	2.1	41
5	Study of antioxidant activities of sulfated polysaccharides from <i>Laminaria japonica</i> . <i>Journal of Applied Phycology</i> , 2008 , 20, 431-436	3.2	73
4	PHOSPHATIDYLCHOLINE LEVELS AND THEIR FATTY ACID COMPOSITIONS IN SQUID EGG: A COMPARISON STUDY WITH POLLACK ROE AND STURGEON CAVIAR. <i>Journal of Food Lipids</i> , 2008 , 15, 222-230		15
3	Purification and characterization of stomach protease from the turbot (<i>Scophthalmus maximus</i> L.). <i>Fish Physiology and Biochemistry</i> , 2006 , 32, 179-188	2.7	18
2	Seasonal changes in phospholipids of mussel (<i>Mytilus edulis</i> Linne). <i>Journal of the Science of Food and Agriculture</i> , 2003 , 83, 133-135	4.3	21
1	Chemical characters and antioxidative properties of sulfated polysaccharides from <i>Laminaria japonica</i> . <i>Journal of Applied Phycology</i> , 2001 , 13, 67-70	3.2	101