

# Laetitia Marchand-Martin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9584607/publications.pdf>

Version: 2024-02-01

32  
papers

1,602  
citations

759233

12  
h-index

454955

30  
g-index

32  
all docs

32  
docs citations

32  
times ranked

1861  
citing authors

#	ARTICLE	IF	CITATIONS
1	Survival and Morbidity of Preterm Children Born at 22 Through 34 Weeksâ€™ Gestation in France in 2011. JAMA Pediatrics, 2015, 169, 230.	6.2	576
2	Neurodevelopmental outcome at 2 years for preterm children born at 22 to 34 weeksâ€™ gestation in France in 2011: EPIPAGE-2 cohort study. BMJ: British Medical Journal, 2017, 358, j3448.	2.3	317
3	Neurodevelopmental outcomes at age 5 among children born preterm: EPIPAGE-2 cohort study. BMJ, The, 2021, 373, n741.	6.0	125
4	Association Between Early Screening for Patent Ductus Arteriosus and In-Hospital Mortality Among Extremely Preterm Infants. JAMA - Journal of the American Medical Association, 2015, 313, 2441.	7.4	119
5	Special Care and School Difficulties in 8-Year-Old Very Preterm Children: The Epipage Cohort Study. PLoS ONE, 2011, 6, e21361.	2.5	83
6	Preterm premature rupture of membranes at 22â€“25 weeksâ€™ gestation: perinatal and 2-year outcomes within a national population-based study (EPIPAGE-2). American Journal of Obstetrics and Gynecology, 2018, 219, 298.e1-298.e14.	1.3	62
7	Abstention or intervention for isolated hypotension in the first 3â€¦days of life in extremely preterm infants: association with short-term outcomes in the EPIPAGE 2 cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, 490-496.	2.8	55
8	Assessment of Neonatal Intensive Care Unit Practices and Preterm Newborn Gut Microbiota and 2-Year Neurodevelopmental Outcomes. JAMA Network Open, 2020, 3, e2018119.	5.9	44
9	Effect of Atropine With Propofol vs Atropine With Atracurium and Sufentanil on Oxygen Desaturation in Neonates Requiring Nonemergency Intubation. JAMA - Journal of the American Medical Association, 2018, 319, 1790.	7.4	35
10	Cohort Profile: the Etude EpidÃ©miologique sur les Petits Ages Gestationnels-2 (EPIPAGE-2) preterm birth cohort. International Journal of Epidemiology, 2021, 50, 1428-1429m.	1.9	24
11	Profiles of Functioning in 5.5-Year-Old Very Preterm Born Children in France: The EPIPAGE-2 Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2022, 61, 881-891.	0.5	15
12	Thresholds of glycemia, insulin therapy, and risk for severe retinopathy in premature infants: A cohort study. PLoS Medicine, 2020, 17, e1003477.	8.4	15
13	Early Antibiotic Exposure and Adverse Outcomes in Very Preterm Infants at Low Risk of Early-Onset Sepsis: The EPIPAGE-2 Cohort Study. Journal of Pediatrics, 2022, 243, 91-98.e4.	1.8	14
14	Intensity of perinatal care, extreme prematurity and sensorimotor outcome at 2 years corrected age: evidence from the EPIPAGE-2 cohort study. BMC Medicine, 2018, 16, 227.	5.5	13
15	Association Between Early Amino Acid Intake and Full-Scale IQ at Age 5 Years Among Infants Born at Less Than 30 Weeksâ€™ Gestation. JAMA Network Open, 2021, 4, e2135452.	5.9	13
16	A population-based comparison of preterm neonatal deaths (22â€“34 gestational weeks) in France and Ontario: a cohort study. CMAJ Open, 2019, 7, E159-E166.	2.4	12
17	Planned Mode of Delivery of Preterm Twins and Neonatal and 2-Year Outcomes. Obstetrics and Gynecology, 2019, 133, 71-80.	2.4	10
18	Volume of Neonatal Care and Survival without Disability at 2 Years in Very Preterm Infants: Results of a French National Cohort Study. Journal of Pediatrics, 2019, 213, 22-29.e4.	1.8	9

#	ARTICLE	IF	CITATIONS
19	Maternal employment and socio-economic status of families raising children born very preterm with motor or cognitive impairments: the EIPAGE cohort study. <i>Developmental Medicine and Child Neurology</i> , 2020, 62, 1182-1190.	2.1	9
20	Cerebral Oxygenation During Neonatal Intubation—Ancillary Study of the Prettineo Study. <i>Frontiers in Pediatrics</i> , 2019, 7, 40.	1.9	8
21	Perceived maternal information on premature infant's pain during hospitalization: the French EIPAGE-2 national cohort study. <i>Pediatric Research</i> , 2020, 87, 153-162.	2.3	8
22	Mediolateral episiotomy and risk of obstetric anal sphincter injuries and adverse neonatal outcomes during operative vaginal delivery in nulliparous women: a propensity-score analysis. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 48.	2.4	7
23	Bronchopulmonary Dysplasia and Risk of Developmental Delay: An EIPAGE-2 Cohort Study. <i>Neonatology</i> , 2022, 119, 124-128.	2.0	7
24	Early extubation is not associated with severe intraventricular hemorrhage in preterm infants born before 29 weeks of gestation. Results of an EIPAGE-2 cohort study. <i>PLoS ONE</i> , 2019, 14, e0214232.	2.5	6
25	Intensity of perinatal care for extremely preterm babies and outcomes at a higher gestational age: evidence from the EIPAGE-2 cohort study. <i>BMC Pediatrics</i> , 2020, 20, 8.	1.7	5
26	Neurodevelopmental Outcomes after Premedication with Atropine/Propofol vs Atropine/Atracurium/Sufentanil for Neonatal Intubation: 2-Year Follow-Up of a Randomized Clinical Trial. <i>Journal of Pediatrics</i> , 2021, 231, 273-277.e3.	1.8	3
27	Full compliance with Respiratory syncytial virus prophylaxis was associated with fewer respiratory-related hospital admissions in preterm children: A cohort study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 1633-1638.	1.5	2
28	Neurodevelopment at 5 years of age for preterm-born children according to mode of conception: a cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 227, 606.e1-606.e21.	1.3	2
29	Neurodevelopment at 5 Years of Age According to Early Screening for Patent Ductus Arteriosus in Extremely Preterm Infants. <i>JAMA - Journal of the American Medical Association</i> , 2022, 328, 71.	7.4	2
30	A randomized EPIREMED protocol study on the long-term visuo spatial effects of very preterm children with a working memory deficit. <i>BMC Pediatrics</i> , 2021, 21, 402.	1.7	1
31	Risk Factors for High-Arched Palate and Posterior Crossbite at the Age of 5 in Children Born Very Preterm: EIPAGE-2 Cohort Study. <i>Frontiers in Pediatrics</i> , 2022, 10, 784911.	1.9	1
32	Ophthalmological Impairments at Five and a Half Years after Preterm Birth: EIPAGE-2 Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2139.	2.4	0