

Hirofumi Tsukasaki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9584859/publications.pdf>

Version: 2024-02-01

54
papers

1,376
citations

394421

19
h-index

345221

36
g-index

54
all docs

54
docs citations

54
times ranked

2137
citing authors

#	ARTICLE	IF	CITATIONS
1	Stabilization of layered perovskite structures via strontium substitution in Ca ₃ Ti ₂ O ₇ revealed via elemental mapping. <i>Journal of Applied Physics</i> , 2022, 131, 024102.	2.5	1
2	Reversible Charge/Discharge Reaction of a Ternary Metal Fluoride, Pb ₂ CuF ₆ : A Highly Conductive Cathode Material for Fluoride-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2022, 5, 1002-1009.	5.1	10
3	Deterioration process of argyrodite solid electrolytes during exposure to humidity-controlled air. <i>Journal of Power Sources</i> , 2022, 524, 231085.	7.8	24
4	Highly active postspinel-structured catalysts for oxygen evolution reaction. <i>RSC Advances</i> , 2022, 12, 5094-5104.	3.6	3
5	Cycle Degradation Analysis by High Precision Coulometry for Sulfide-Based All-Solid-State Battery Cathode under Various Potentials. <i>Electrochemistry</i> , 2022, 90, 047003-047003.	1.4	11
6	Synthesis and Electrochemical Properties of Li ₃ CuS ₂ as a Positive Electrode Material for All-Solid-State Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 20-24.	5.1	13
7	Optimization of lithium ion conductivity of Li ₂ S-P ₂ S ₅ glass ceramics by microstructural control of crystallization kinetics. <i>Solid State Ionics</i> , 2021, 362, 115583.	2.7	9
8	Microstructure and Charge/Discharge Mechanism of a Li ₃ CuS ₂ Positive Electrode Material for All-Solid-State Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 6290-6295.	5.1	10
9	<i>In situ</i> observation of the deterioration process of sulfide-based solid electrolytes using airtight and air-flow TEM systems. <i>Microscopy (Oxford, England)</i> , 2021, 70, 519-525.	1.5	11
10	Microstructure and Charge-discharge Properties of a Li ₃ CuS ₂ active material for All-Solid-State Batteries. <i>Microscopy and Microanalysis</i> , 2021, 27, 3424-3425.	0.4	0
11	Crystallization behaviors in superionic conductor Na ₃ PS ₄ . <i>Journal of Power Sources</i> , 2021, 511, 230444.	7.8	9
12	Charged domain boundaries stabilized by translational symmetry breaking in the hybrid improper ferroelectric Ca _{3-x} Sr _x Ti ₂ O ₇ . <i>Communications Materials</i> , 2021, 2, .	6.9	8
13	Exothermal behavior and microstructure of a LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ electrode layer using a Li ₄ SnS ₄ solid electrolyte. <i>Journal of Power Sources</i> , 2020, 479, 228827.	7.8	22
14	Lithium Ion Conduction in a Cation-Deficient Quadruple Perovskite LiCuTa ₃ O ₉ Epitaxial Thin Film: Theoretical and Experimental Investigations. <i>Chemistry of Materials</i> , 2020, 32, 9753-9760.	6.7	1
15	Annealing effect on local structure and negative thermal expansion of antiperovskite manganese nitride fine particles. <i>Applied Physics Express</i> , 2020, 13, 075501.	2.4	6
16	High ionic conductivity of multivalent cation doped Li ₆ PS ₅ Cl solid electrolytes synthesized by mechanical milling. <i>RSC Advances</i> , 2020, 10, 22304-22310.	3.6	20
17	A reversible oxygen redox reaction in bulk-type all-solid-state batteries. <i>Science Advances</i> , 2020, 6, eaax7236.	10.3	34
18	Ionic conductivity and thermal stability of Li ₂ O-Li ₂ S-P ₂ S ₅ oxysulfide glass. <i>Solid State Ionics</i> , 2020, 347, 115267.	2.7	19

#	ARTICLE	IF	CITATIONS
19	Enhanced Catalytic Activity and Stability of the Oxygen Evolution Reaction on Tetravalent Mixed Metal Oxide. Chemistry of Materials, 2020, 32, 3893-3903.	6.7	36
20	Thermal behavior and microstructure of the Li ₃ PS ₄ -ZnO composite electrolyte. Journal of Power Sources, 2019, 436, 226865.	7.8	11
21	Ferroelectric state in lead-free mixed-oxide system (1-x)TjETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 Td (&t;i>x&t;i>)Na having high Ba contents. Journal of the Ceramic Society of Japan, 2019, 127, 304-309.	1.1	3
22	Ex situ investigation of exothermal behavior and structural changes of the Li ₃ PS ₄ -LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ electrode composites. Solid State Ionics, 2019, 342, 115046.	2.7	13
23	Exothermal mechanisms in the charged LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ electrode layers for sulfide-based all-solid-state lithium batteries. Journal of Power Sources, 2019, 434, 226714.	7.8	29
24	Quantitative analysis of crystallinity in an argyrodite sulfide-based solid electrolyte synthesized via solution processing. RSC Advances, 2019, 9, 14465-14471.	3.6	22
25	Amorphous Ni-Rich Li(Ni _{1-x} Co _x) _{1-y} Mn _y O ₂ Positive Electrode Materials for Bulk-Type All-Oxide Solid-State Batteries. Advanced Materials Interfaces, 2019, 6, 1802016.	3.7	12
26	Strain-induced μ -martensitic transformation and hydrogen embrittlement of SUS304 stainless steel. Philosophical Magazine Letters, 2019, 99, 404-413.	1.2	7
27	Ionic conductivity and crystallization process in the Li ₂ S-P ₂ S ₅ glass electrolyte. Solid State Ionics, 2018, 317, 122-126.	2.7	55
28	Crystallization behavior of the Li ₂ S-P ₂ S ₅ glass electrolyte in the LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ positive electrode layer. Scientific Reports, 2018, 8, 6214.	3.3	30
29	Features of the ferroelectric tetragonal state in the simple-perovskite mixed-oxide system (1-x)TjETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 667 Td (&t;i>x&t;i>)Na Journal of the Ceramic Society of Japan, 2018, 126, 170-177.	1.1	4
30	Unusual inhomogeneous microstructures in charge glass state of PbCrO ₃ . Japanese Journal of Applied Physics, 2018, 57, 050301.	1.5	2
31	Preparation of LiNi _{1/3} Mn _{1/3} Co _{1/3} O ₂ /Li ₃ PS ₄ cathode composite particles using a new liquid-phase process and application to all-solid-state lithium batteries. Journal of the Ceramic Society of Japan, 2018, 126, 826-831.	1.1	8
32	Thermal behavior and microstructures of cathodes for liquid electrolyte-based lithium batteries. Scientific Reports, 2018, 8, 15613.	3.3	17
33	Amorphization of Sodium Cobalt Oxide Active Materials for High-Capacity All-Solid-State Sodium Batteries. Chemistry of Materials, 2018, 30, 6998-7004.	6.7	12
34	Synergistically Enhanced Oxygen Evolution Reaction Catalysis for Multielement Transition-Metal Oxides. ACS Applied Energy Materials, 2018, 1, 3711-3721.	5.1	53
35	Amorphous LiCoO ₂ /Li ₂ SO ₄ active materials: Potential positive electrodes for bulk-type all-oxide solid-state lithium batteries with high energy density. Journal of Power Sources, 2017, 348, 1-8.	7.8	29
36	Structural investigation of the SrAl ₂ O ₄ -BaAl ₂ O ₄ solid solution system with unstable domain walls. Journal of Solid State Chemistry, 2017, 249, 149-153.	2.9	7

#	ARTICLE	IF	CITATIONS
37	Features of the Relaxor State in the Simple-Perovskite Mixed-Oxide System ($(1-x) \text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3-x\text{PbTiO}_3$) with Lower Ti Contents. Journal of the Physical Society of Japan, 2016, 85, 034708.	1.6	50
38	A novel discharge-charge mechanism of a P_{25}S_5 composite electrode without electrolytes in all-solid-state Li/S batteries. Journal of Materials Chemistry A, 2017, 5, 11224-11228.	10.3	48
39	Analysis of structural and thermal stability in the positive electrode for sulfide-based all-solid-state lithium batteries. Journal of Power Sources, 2017, 367, 42-48.	7.8	38
40	Direct observation of a non-isothermal crystallization process in precursor $\text{Li}_{10}\text{GeP}_2\text{S}_{12}$ glass electrolyte. Journal of Power Sources, 2017, 369, 57-64.	7.8	23
41	Characterization of sulfur nanocomposite electrodes containing phosphorus sulfide for high-capacity all-solid-state Na/S batteries. Solid State Ionics, 2017, 311, 6-13.	2.7	30
42	Pair distribution function analysis of sulfide glassy electrolytes for all-solid-state batteries: Understanding the improvement of ionic conductivity under annealing condition. Scientific Reports, 2017, 7, 6972.	3.3	51
43	Direct observation of a non-crystalline state of $\text{Li}_2\text{S}-\text{P}_2\text{S}_5$ solid electrolytes. Scientific Reports, 2017, 7, 4142.	3.3	47
44	Bifunctional Oxygen Reaction Catalysis of Quadruple Manganese Perovskites. Advanced Materials, 2017, 29, 1603004.	21.0	148
45	A Fluctuating State in the Framework Compounds $(\text{Ba,Sr})\text{Al}_2\text{O}_4$. Scientific Reports, 2016, 6, 19154.	3.3	8
46	Modulated structures and associated microstructures in the ferroelectric phase of $\text{Ba}_{1-x}\text{Sr}_x\text{Al}_2\text{O}_4$ for $0.7 \leq x \leq 1.0$. Japanese Journal of Applied Physics, 2016, 55, 011502.	1.5	1
47	Features of Ferroelectric States in the Simple-Perovskite Mixed-Oxide System $(1-x)\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3-x\text{PbTiO}_3$ with Lower Ti Contents. Journal of the Physical Society of Japan, 2016, 85, 034708.	1.6	2
48	Features of the ferroelectric rhombohedral state in $\text{Ba}(\text{Ti}_{1-x}\text{Zr}_x)\text{O}_3$ having the simple perovskite structure. Journal of the Ceramic Society of Japan, 2015, 123, 913-919.	1.1	2
49	Suppression of structural phase transition by Sr substitution in the improper ferroelectric BaAl_2O_4 . Japanese Journal of Applied Physics, 2015, 54, 10NC02.	1.5	1
50	Structural changes and microstructures of $\text{Ba}_{1-x}\text{Sr}_x\text{Al}_2\text{O}_4$ for $0 < x < 0.4$. Journal of the Korean Physical Society, 2015, 66, 1355-1358.	0.7	2
51	Covalency-reinforced oxygen evolution reaction catalyst. Nature Communications, 2015, 6, 8249.	12.8	393
52	Structural changes and microstructures in stuffed tridymite-type compounds $\text{Ba}_{1-x}\text{Sr}_x\text{Al}_2\text{O}_4$. Japanese Journal of Applied Physics, 2014, 53, 09PB01.	1.5	14
53	Direct Observation of the Polar State in the Relaxor $\text{Ba}(\text{Ti}_{1-x}\text{Zr}_x)\text{O}_3$ by Transmission Electron Microscopy. Ferroelectrics, 2014, 460, 18-33.	0.6	2
54	Presence of the Ferroelectric Monoclinic State in the Mixed Ferroelectric System $\text{Ba}(\text{Ti}_{1-x}\text{Zr}_x)\text{O}_3$. Advanced Materials Research, 0, 409, 555-560.	0.3	3