

David Dudgeon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9585360/publications.pdf>

Version: 2024-02-01

192
papers

16,632
citations

47006

47
h-index

16650

123
g-index

201
all docs

201
docs citations

201
times ranked

15683
citing authors

#	ARTICLE	IF	CITATIONS
1	A global agenda for advancing freshwater biodiversity research. <i>Ecology Letters</i> , 2022, 25, 255-263.	6.4	95
2	Sex-related differences in aging rate are associated with sex chromosome system in amphibians. <i>Evolution; International Journal of Organic Evolution</i> , 2022, 76, 346-356.	2.3	7
3	A new species of the genus <i>Cloeon</i> Leach, 1815 from China (Ephemeroptera: Baetidae). <i>Aquatic Insects</i> , 2021, 42, 12-22.	0.9	1
4	A comparison of the ecological effects of two invasive poeciliids and two native fishes: a mesocosm approach. <i>Biological Invasions</i> , 2021, 23, 1517-1532.	2.4	5
5	Recovery of tropical marine benthos after a trawl ban demonstrates linkage between abiotic and biotic changes. <i>Communications Biology</i> , 2021, 4, 212.	4.4	16
6	A manipulative field experiment reveals the ecological effects of invasive mosquitofish (<i>Gambusia</i>). <i>Journal of Applied Ecology</i> , 2021, 58, 1075-1084.	2.4	5
7	Can the functional response to prey predict invasiveness? A comparison of native fishes and alien poeciliids in Hong Kong. <i>Biological Invasions</i> , 2021, 23, 2143-2154.	2.4	0
8	CITES and beyond: Illuminating 20 years of global, legal wildlife trade. <i>Global Ecology and Conservation</i> , 2021, 26, e01455.	2.1	28
9	International socioeconomic inequality drives trade patterns in the global wildlife market. <i>Science Advances</i> , 2021, 7, .	10.3	26
10	Human settlements in headwater catchments are associated with generalist stream food webs. <i>Hydrobiologia</i> , 2021, 848, 4017-4027.	2.0	4
11	Do exotic poeciliids affect the distribution or trophic niche of native fishes? Absence of evidence from Hong Kong streams. <i>Freshwater Biology</i> , 2021, 66, 1751-1764.	2.4	2
12	Twenty-five essential research questions to inform the protection and restoration of freshwater biodiversity. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 2632-2653.	2.0	49
13	Initial recovery of demersal fish communities in coastal waters of Hong Kong, South China, following a trawl ban. <i>Reviews in Fish Biology and Fisheries</i> , 2021, 31, 989-1007.	4.9	9
14	When is protection not conservation? A case study of semi-natural freshwater marshes in Hong Kong. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021, 31, 3345-3356.	2.0	2
15	Shifts in aquatic insect composition in a tropical forest stream after three decades of climatic warming. <i>Global Change Biology</i> , 2020, 26, 6399-6412.	9.5	6
16	Conservation management of abandoned paddy fields in Asia: Semi-natural marshes with low-intensity bovid grazing have higher biodiversity. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020, 30, 1934-1944.	2.0	3
17	Pitfalls during in silico prediction of primer specificity for eDNA surveillance. <i>Ecosphere</i> , 2020, 11, e03193.	2.2	18
18	Stable-isotope based trophic metrics reveal early recovery of tropical crustacean assemblages following a trawl ban. <i>Ecological Indicators</i> , 2020, 117, 106610.	6.3	5

#	ARTICLE	IF	CITATIONS
19	The Freshwater Commons. , 2020, , 1-33.		0
20	Global Endangerment of Freshwater Biodiversity. , 2020, , 34-60.		0
21	Overexploitation. , 2020, , 61-122.		0
22	Alien Species and Their Effects. , 2020, , 123-215.		0
23	River Regulation. , 2020, , 216-258.		0
24	Vanishing Lakes and Threats to Lacustrine Biodiversity. , 2020, , 259-290.		0
25	How Will Climate Change Affect Freshwater Biodiversity?. , 2020, , 291-331.		0
26	Ecosystem Services and Incentivizing Conservation of Freshwater Biodiversity. , 2020, , 332-355.		0
27	Conservation of Freshwater Biodiversity. , 2020, , 356-398.		0
28	Multiple threats imperil freshwater biodiversity in the Anthropocene. <i>Current Biology</i> , 2019, 29, R960-R967.	3.9	340
29	Biodiversity of leaf litter fungi in streams along a latitudinal gradient. <i>Science of the Total Environment</i> , 2019, 661, 306-315.	8.0	53
30	Emerging threats and persistent conservation challenges for freshwater biodiversity. <i>Biological Reviews</i> , 2019, 94, 849-873.	10.4	1,766
31	Integrating the social, hydrological and ecological dimensions of freshwater health: The Freshwater Health Index. <i>Science of the Total Environment</i> , 2018, 627, 304-313.	8.0	96
32	Delineation of core terrestrial habitat for conservation of a tropical salamander: The Hong Kong newt (<i>Paramesotriton hongkongensis</i>). <i>Biological Conservation</i> , 2017, 209, 76-82.	4.1	5
33	Riparian plant litter quality increases with latitude. <i>Scientific Reports</i> , 2017, 7, 10562.	3.3	53
34	Essential Biodiversity Variables for measuring change in global freshwater biodiversity. <i>Biological Conservation</i> , 2017, 213, 272-279.	4.1	114
35	Does forest extent affect salamander survival? Evidence from a long-term demographic study of a tropical newt. <i>Ecology and Evolution</i> , 2017, 7, 10963-10973.	1.9	2
36	Impacts of Dams and Global Warming on Fish Biodiversity in the Indo-Burma Hotspot. <i>PLoS ONE</i> , 2016, 11, e0160151.	2.5	48

#	ARTICLE	IF	CITATIONS
37	Dietary Dependence of Predatory Arthropods on Volant Aquatic Insects in Tropical Stream Riparia. <i>Biotropica</i> , 2016, 48, 218-228.	1.6	13
38	Are high densities of fishes and shrimp associated with top-down control of tropical benthic communities? A test in three Hong Kong streams. <i>Freshwater Biology</i> , 2016, 61, 57-68.	2.4	11
39	Biotic and abiotic variables influencing plant litter breakdown in streams: a global study. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152664.	2.6	86
40	Alien species in aquatic environments: a selective comparison of coastal and inland waters in tropical and temperate latitudes. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016, 26, 872-891.	2.0	61
41	The broad footprint of climate change from genes to biomes to people. <i>Science</i> , 2016, 354, .	12.6	883
42	Movement of three stream-resident balitoroid loaches and a goby in a Hong Kong hillstream. <i>Ecology of Freshwater Fish</i> , 2016, 25, 622-630.	1.4	5
43	The magnitude and seasonality of aquatic insect subsidies to tropical stream riparia in Hong Kong. <i>Aquatic Sciences</i> , 2016, 78, 655-667.	1.5	11
44	A comparative analysis reveals weak relationships between ecological factors and beta diversity of stream insect metacommunities at two spatial levels. <i>Ecology and Evolution</i> , 2015, 5, 1235-1248.	1.9	167
45	"Freshwater Biology" – sustaining excellence in a world of change. <i>Freshwater Biology</i> , 2015, 60, 1737-1739.	2.4	1
46	Leaf-litter breakdown in tropical streams: is variability the norm?. <i>Freshwater Science</i> , 2015, 34, 759-769.	1.8	46
47	Conserving intertidal habitats: What is the potential of ecological engineering to mitigate impacts of coastal structures?. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 167, 504-515.	2.1	86
48	Do adult snails in headwater streams make upstream migrations to compensate for spate-induced washout? A test using three populations of a tropical caenogastropod. <i>Journal of Molluscan Studies</i> , 2015, 81, 417-420.	1.2	1
49	Spatio-temporal variability in the distribution of ground-dwelling riparian spiders and their potential role in water-to-land energy transfer along Hong Kong forest streams. <i>PeerJ</i> , 2015, 3, e1134.	2.0	4
50	Accept no substitute: biodiversity matters. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014, 24, 435-440.	2.0	36
51	Threats to Freshwater Biodiversity in a Changing World. , 2014, , 243-253.		25
52	Limited life-history variations in a tropical stream caenogastropod, <i>Sulcospira hainanensis</i> , in habitats with contrasting resource availability. <i>Journal of Molluscan Studies</i> , 2014, 80, 190-197.	1.2	1
53	Invasive apple snails (<i>Pomacea canaliculata</i>) are predators of amphibians in South China. <i>Biological Invasions</i> , 2014, 16, 1785-1789.	2.4	49
54	Production and population dynamics of the prosobranch snail <i>Sulcospira hainanensis</i> (Pachychilidae), a major secondary consumer in Hong Kong streams. <i>Hydrobiologia</i> , 2014, 724, 21-39.	2.0	7

#	ARTICLE	IF	CITATIONS
55	Responses of epibenthic algal assemblages to water abstraction in Hong Kong streams. <i>Hydrobiologia</i> , 2013, 703, 225-237.	2.0	20
56	A manipulative study of macroinvertebrate grazers in Hong Kong streams: do snails compete with insects?. <i>Freshwater Biology</i> , 2013, 58, 2299-2309.	2.4	4
57	Breeding Dynamics, Diet, and Body Condition of the Hong Kong Newt (<i>Paramesotriton hongkongensis</i>). <i>Herpetological Monographs</i> , 2013, 27, 1-22.	0.8	5
58	Water security for a planet under pressure: interconnected challenges of a changing world call for sustainable solutions. <i>Current Opinion in Environmental Sustainability</i> , 2012, 4, 35-43.	6.3	246
59	Monsoons and habitat influence trophic pathways and the importance of terrestrial-marine linkages for estuary sharks. <i>Ecosphere</i> , 2012, 3, 1-31.	2.2	11
60	Global patterns of stream detritivore distribution: implications for biodiversity loss in changing climates. <i>Global Ecology and Biogeography</i> , 2012, 21, 134-141.	5.8	114
61	Scales of spatiotemporal variation in macroinvertebrate assemblage structure in monsoonal streams: the importance of season. <i>Freshwater Biology</i> , 2012, 57, 218-231.	2.4	34
62	Responses of benthic macroinvertebrate communities to altitude and geology in tributaries of the Sepik River (Papua New Guinea): the influence of taxonomic resolution on the detection of environmental gradients. <i>Freshwater Biology</i> , 2012, 57, 1794-1812.	2.4	18
63	The influence of macroinvertebrate shredders, leaf type and composition on litter breakdown in a Hong Kong stream. <i>Fundamental and Applied Limnology</i> , 2011, 178, 147-157.	0.7	8
64	A global experiment suggests climate warming will not accelerate litter decomposition in streams but might reduce carbon sequestration. <i>Ecology Letters</i> , 2011, 14, 289-294.	6.4	256
65	Scales of spatiotemporal variability in macroinvertebrate abundance and diversity in monsoonal streams: detecting environmental change. <i>Freshwater Biology</i> , 2011, 56, 1193-1208.	2.4	46
66	Asian river fishes in the Anthropocene: threats and conservation challenges in an era of rapid environmental change. <i>Journal of Fish Biology</i> , 2011, 79, 1487-1524.	1.6	130
67	Environmental flow allocations in monsoonal Hong Kong. <i>Freshwater Biology</i> , 2011, 56, 1209-1230.	2.4	14
68	Global distribution of a key trophic guild contrasts with common latitudinal diversity patterns. <i>Ecology</i> , 2011, 92, 1839-1848.	3.2	162
69	The influence of flow and season upon leaf-litter breakdown in monsoonal Hong Kong streams. <i>Hydrobiologia</i> , 2011, 663, 205-215.	2.0	15
70	Global alteration of freshwaters: influences on human and environmental well-being. <i>Ecological Research</i> , 2011, 26, 865-873.	1.5	87
71	Spatial, seasonal, and ontogenetic variations in the significance of detrital pathways and terrestrial carbon for a benthic shark, <i>Chiloscyllium plagiosum</i> (Hemiscylliidae), in a tropical estuary. <i>Limnology and Oceanography</i> , 2011, 56, 1035-1053.	3.1	21
72	Leaf litter retention in tropical streams in Hong Kong. <i>Fundamental and Applied Limnology</i> , 2011, 178, 159-170.	0.7	6

#	ARTICLE	IF	CITATIONS
73	Dietary variation and food selection by an algivorous loach (<i>Pseudogastromyzon myersi</i> : Balitoridae) in Hong Kong streams. <i>Marine and Freshwater Research</i> , 2010, 61, 49.	1.3	9
74	Secondary production and diet of an invasive snail in freshwater wetlands: implications for resource utilization and competition. <i>Biological Invasions</i> , 2010, 12, 1153-1164.	2.4	70
75	Impacts of land use and water quality on macroinvertebrate communities in the Pearl River drainage basin, China. <i>Hydrobiologia</i> , 2010, 652, 71-88.	2.0	48
76	Biodiversity and ecosystem functioning in a species-poor guild: a test using tropical stream detritivores. <i>Hydrobiologia</i> , 2010, 652, 329-336.	2.0	6
77	Requiem for a river: extinctions, climate change and the last of the Yangtze. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2010, 20, 127-131.	2.0	57
78	Prospects for sustaining freshwater biodiversity in the 21st century: linking ecosystem structure and function. <i>Current Opinion in Environmental Sustainability</i> , 2010, 2, 422-430.	6.3	180
79	Response of grazing impacts of an algivorous fish (<i>Pseudogastromyzon myersi</i> : Balitoridae) to seasonal disturbance in Hong Kong streams. <i>Freshwater Biology</i> , 2010, 55, 411-423.	2.4	13
80	Weak effects of plant diversity on leaf-litter breakdown in a tropical stream. <i>Marine and Freshwater Research</i> , 2010, 61, 1218.	1.3	2
81	Freshwater biodiversity conservation: recent progress and future challenges. <i>Journal of the North American Benthological Society</i> , 2010, 29, 344-358.	3.1	1,253
82	Foodweb structure in small streams: do we need different models for the tropics?. <i>Journal of the North American Benthological Society</i> , 2010, 29, 395-412.	3.1	54
83	Effects of increased salinity and an introduced predator on lowland amphibians in Southern China: Species identity matters. <i>Biological Conservation</i> , 2010, 143, 1079-1086.	4.1	61
84	Evidence of rapid shifts in the trophic base of lotic predators using experimental dietary manipulations and assimilation-based analyses. <i>Oecologia</i> , 2009, 159, 767-776.	2.0	15
85	Spatial and seasonal variations in benthic algal assemblages in streams in monsoonal Hong Kong. <i>Hydrobiologia</i> , 2009, 632, 189-200.	2.0	31
86	Effects of leaf toughness and nitrogen content on litter breakdown and macroinvertebrates in a tropical stream. <i>Aquatic Sciences</i> , 2009, 71, 80-93.	1.5	59
87	What does stable isotope analysis reveal about trophic relationships and the relative importance of allochthonous and autochthonous resources in tropical streams? A synthetic study from Hong Kong. <i>Freshwater Biology</i> , 2009, 54, 127-141.	2.4	91
88	Seasonal and inter-stream variations in the population dynamics, growth and secondary production of an algivorous fish (<i>Pseudogastromyzon myersi</i> : Balitoridae) in monsoonal Hong Kong. <i>Freshwater Biology</i> , 2009, 54, 1960-1976.	2.4	17
89	Substrate Availability May Be More Important than Aquatic Insect Abundance in the Distribution of Riparian Orb-weaver Spiders in the Tropics. <i>Biotropica</i> , 2009, 41, 196-201.	1.6	29
90	Are autochthonous foods more important than allochthonous resources to benthic consumers in tropical headwater streams?. <i>Journal of the North American Benthological Society</i> , 2009, 28, 426-439.	3.1	127

#	ARTICLE	IF	CITATIONS
91	Are tropical streams really different?. Journal of the North American Benthological Society, 2009, 28, 397-403.	3.1	114
92	Shredders: species richness, abundance, and role in litter breakdown in tropical Hong Kong streams. Journal of the North American Benthological Society, 2009, 28, 167-180.	3.1	41
93	Experimental dietary manipulations for determining the relative importance of allochthonous and autochthonous food resources in tropical streams. Freshwater Biology, 2008, 53, 139-147.	2.4	25
94	Threatened fishes of the world: <i>Macropodus hongkongensis</i> Freyhof and Herder, 2002 (Osphronemidae). Environmental Biology of Fishes, 2008, 81, 367-368.	1.0	5
95	Distribution Patterns of Birds and Insect Prey in a Tropical Riparian Forest. Biotropica, 2008, 40, 623-629.	1.6	40
96	Food resources of shredders and other benthic macroinvertebrates in relation to shading conditions in tropical Hong Kong streams. Freshwater Biology, 2008, 53, 2011-2025.	2.4	91
97	The effects of leaf litter characteristics on feeding and fitness of a tropical stream shredder, <i>Anisocentropus maculatus</i> (Trichoptera : Calamoceratidae). Marine and Freshwater Research, 2008, 59, 897.	1.3	13
98	Macroinvertebrates: Composition, Life Histories and Production. , 2008, , 65-105.		45
99	Arthropod 'rain' into tropical streams: the importance of intact riparian forest and influences on fish diets. Marine and Freshwater Research, 2008, 59, 653.	1.3	34
100	The source and fate of organic matter and the significance of detrital pathways in a tropical coastal ecosystem. Limnology and Oceanography, 2008, 53, 1479-1492.	3.1	24
101	Experimental dietary manipulations and concurrent use of assimilation-based analyses for elucidation of consumer - resource relationships in tropical streams. Marine and Freshwater Research, 2008, 59, 963.	1.3	5
102	Contribution of adult aquatic insects to riparian prey availability along tropical forest streams. Marine and Freshwater Research, 2007, 58, 725.	1.3	21
103	Production dynamics and growth of atyid shrimps (Decapoda:Caridina spp.) in 4 Hong Kong streams: the effects of site, season, and species. Journal of the North American Benthological Society, 2006, 25, 406-416.	3.1	19
104	Identification and characterization of a biomarker of toxicity from the proteome of the paralytic shellfish toxin-producing dinoflagellate <i>Alexandrium tamarense</i> (Dinophyceae). Proteomics, 2006, 6, 654-666.	2.2	48
105	Freshwater biodiversity: importance, threats, status and conservation challenges. Biological Reviews, 2006, 81, 163.	10.4	5,448
106	The impacts of human disturbance on stream benthic invertebrates and their drift in North Sulawesi, Indonesia. Freshwater Biology, 2006, 51, 1710-1729.	2.4	54
107	Selecting small reserves in a human-dominated landscape: A case study of Hong Kong, China. Journal of Environmental Management, 2006, 78, 86-96.	7.8	10
108	Exotic species, fisheries and conservation of freshwater biodiversity in tropical Asia: the case of the Sepik River, Papua New Guinea. Aquatic Conservation: Marine and Freshwater Ecosystems, 2006, 16, 203-215.	2.0	49

#	ARTICLE	IF	CITATIONS
109	Quantifying the Asian turtle crisis: market surveys in southern China, 2000–2003. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2006, 16, 751-770.	2.0	113
110	Stating mechanisms and refining criteria for ecologically successful river restoration: a comment on Palmer et al. (2005). <i>Journal of Applied Ecology</i> , 2005, 42, 218-222.	4.0	90
111	Inter- and intraspecific differences in the life history and growth of <i>Caridina</i> spp. (Decapoda: Atyidae) in Hong Kong streams. <i>Freshwater Biology</i> , 2005, 50, 2114-2128.	2.4	21
112	Last chance to see?: ex situ conservation and the fate of the baiji. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2005, 15, 105-108.	2.0	19
113	River Rehabilitation for Conservation of Fish Biodiversity in Monsoonal Asia. <i>Ecology and Society</i> , 2005, 10, .	2.3	76
114	Genetic differentiation of <i>Caridina cantonensis</i> (Decapoda: Atyidae) in Hong Kong streams. <i>Journal of the North American Benthological Society</i> , 2005, 24, 845-857.	3.1	11
115	Reproduction and Sexual Dimorphism of the Palaemonid Shrimp <i>Macrobrachium Hainanense</i> in Hong Kong Streams. <i>Journal of Crustacean Biology</i> , 2005, 25, 450-459.	0.8	42
116	Beyond Singapore: Hong Kong and Asian biodiversity. <i>Trends in Ecology and Evolution</i> , 2005, 20, 281-282.	8.7	18
117	Stable isotope investigation of food use by <i>Caridina</i> spp. (Decapoda: Atyidae) in Hong Kong streams. <i>Journal of the North American Benthological Society</i> , 2005, 24, 68-81.	3.1	40
118	Effects of <i>Macrobrachium hainanense</i> predation on benthic community functioning in tropical Asian streams. <i>Freshwater Biology</i> , 2004, 49, 1306-1319.	2.4	14
119	Growth and production of a tropical predatory shrimp, <i>Macrobrachium hainanense</i> (Palaemonidae), in two Hong Kong streams. <i>Freshwater Biology</i> , 2004, 49, 1320-1336.	2.4	26
120	A fine-scale gap analysis of the existing protected area system in Hong Kong, China. <i>Biodiversity and Conservation</i> , 2004, 13, 943-957.	2.6	44
121	Foodweb structure in a tropical Asian forest stream. <i>Journal of the North American Benthological Society</i> , 2004, 23, 728-755.	3.1	89
122	The contribution of scientific information to the conservation and management of freshwater biodiversity in tropical Asia. <i>Hydrobiologia</i> , 2003, 500, 295-314.	2.0	67
123	Clinging to the wreckage: unexpected persistence of freshwater biodiversity in a degraded tropical landscape. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2003, 13, 93-97.	2.0	11
124	Life histories, production dynamics and resource utilisation of mayflies (Ephemeroptera) in two tropical Asian forest streams. <i>Freshwater Biology</i> , 2003, 48, 485-499.	2.4	44
125	The contribution of scientific information to the conservation and management of freshwater biodiversity in tropical Asia. , 2003, , 295-314.		9
126	The impact of agricultural runoff on stream benthos in Hong Kong, China. <i>Water Research</i> , 2002, 36, 3103-3109.	11.3	38

#	ARTICLE	IF	CITATIONS
127	The most endangered ecosystems in the world? Conservation of riverine biodiversity in Asia. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2002, 28, 59-68.	0.1	10
128	Book Reviews : Richard Louis EDMONDS, ed., Managing the Chinese Environment. Oxford: Oxford University Press, 2000. 326 pp. ISBN: 0-19-829635-5. Price: Å£16.99. China Information, 2001, 15, 225-228.	1.4	0
129	Stable-isotope determination of mayfly (Insecta: Ephemeroptera) food sources in three tropical Asian streams. Fundamental and Applied Limnology, 2001, 151, 17-32.	0.7	30
130	Laboratory and field studies of mayfly growth in tropical Asia. Fundamental and Applied Limnology, 2001, 153, 75-90.	0.7	14
131	Riverine biodiversity in Asia: a challenge for conservation biology. Hydrobiologia, 2000, 418, 1-13.	2.0	44
132	Ephemerellidae (Insecta: Ephemeroptera) from Hong Kong, China, with Descriptions of Two New Species. Aquatic Insects, 2000, 22, 197-207.	0.9	13
133	Large-Scale Hydrological Changes in Tropical Asia: Prospects for Riverine Biodiversity. BioScience, 2000, 50, 793.	4.9	332
134	The Ecology of Tropical Asian Rivers and Streams in Relation to Biodiversity Conservation. Annual Review of Ecology, Evolution, and Systematics, 2000, 31, 239-263.	6.7	327
135	Indiscriminate Feeding by a Predatory Stonefly (Plecoptera: Perlidae) in a Tropical Asian Stream. Aquatic Insects, 2000, 22, 39-47.	0.9	9
136	A New Species of Prosopistoma from China (Ephemeroptera: Prosopistomatidae). Aquatic Insects, 2000, 22, 122-128.	0.9	9
137	The future now: prospects for the conservation of riverine biodiversity in Asia. Aquatic Conservation: Marine and Freshwater Ecosystems, 1999, 9, 497-501.	2.0	12
138	Patterns of variation in secondary production in a tropical stream. Fundamental and Applied Limnology, 1999, 144, 271-281.	0.7	27
139	Leaf litter in a tropical stream: food or substrate for macroinvertebrates?. Fundamental and Applied Limnology, 1999, 146, 65-82.	0.7	94
140	Life histories, secondary production and microdistribution of hydroptychid caddisflies (Trichoptera) in a tropical forest stream. Journal of Zoology, 1997, 243, 191-210.	1.7	19
141	Life histories, secondary production, and microdistribution of heptageniid mayflies (Ephemeroptera) in a tropical forest stream. Journal of Zoology, 1996, 240, 341-361.	1.7	21
142	Life history, secondary production and microdistribution of <i>Stenopsyche angustata</i> (Trichoptera: Tj ETQq0 0 0 rgBT/Qverlock_10 Tf 50 1	1.7	13
143	Anthropogenic influences on Hong Kong streams. Geo Journal, 1996, 40, 53.	3.1	24
144	The life history, secondary production and microdistribution of <i>Ephemera</i> spp. (Ephemeroptera: Tj ETQq0 0 0 rgBT/Qverlock_10 Tf 50 6	1.1	21

#	ARTICLE	IF	CITATIONS
145	The influence of refugia on predation impacts in a Hong Kong stream. <i>Archiv für Hydrobiologie</i> , 1996, 138, 145-159.	1.1	15
146	Black Flies (Diptera: Simuliidae) from Hong Kong: Taxonomic Notes with Descriptions of Two New Species.. <i>Tropical Medicine and Health</i> , 1995, 23, 189-196.	0.1	10
147	River regulation in Southern China: Ecological implications, conservation and environmental management. <i>River Research and Applications</i> , 1995, 11, 35-54.	0.8	45
148	Life histories, secondary production and microdistribution of Psephenidae (Coleoptera: Insecta) in a tropical forest stream. <i>Journal of Zoology</i> , 1995, 236, 465-481.	1.7	14
149	The need for multi-scale approaches to the conservation and management of tropical inland waters. <i>SIL Communications 1953-1996</i> , 1994, 24, 11-16.	0.1	3
150	Inland waters of tropical Asia and Australia: Conservation and management. <i>SIL Communications 1953-1996</i> , 1994, 24, 1-3.	0.1	4
151	Conservation and management of tropical Asian and Australian inland waters: Problems, solutions and prospects. <i>SIL Communications 1953-1996</i> , 1994, 24, 369-386.	0.1	1
152	The influence of riparian vegetation on macroinvertebrate community structure and functional organization in six new Guinea streams. <i>Hydrobiologia</i> , 1994, 294, 65-85.	2.0	58
153	The effects of spate-induced disturbance, predation and environmental complexity on macroinvertebrates in a tropical stream. <i>Freshwater Biology</i> , 1993, 30, 189-197.	2.4	76
154	Endangered ecosystems: a review of the conservation status of tropical Asian rivers. <i>Hydrobiologia</i> , 1992, 248, 167-191.	2.0	183
155	Effects of water transfer on aquatic insects in a stream in Hong Kong. <i>River Research and Applications</i> , 1992, 7, 369-377.	0.8	20
156	An experimental study of the influence of periphytic algae on invertebrate abundance in a Hong Kong stream. <i>Freshwater Biology</i> , 1992, 27, 53-63.	2.4	21
157	S.-O. Ryding & W. Rast (eds). 1989. The control of eutrophication of lakes and reservoirs. <i>Man and the Biosphere Series, Vol. 1</i> . Unesco, Paris and The Parthenon Publishing Group, UK & USA. xxii + 314 pages. UK: ISBN 1-85070-2578-8; Price: £28.00. USA: ISBN 0-929858-13-1; Price \$48.00. UNESCO: ISBN 92-3-1025503. (hardback). <i>Journal of Tropical Ecology</i> , 1991, 7, 67-68.	1.1	0
158	An experimental study of the effects of predatory fish on macroinvertebrates in a Hong Kong stream. <i>Freshwater Biology</i> , 1991, 25, 321-330.	2.4	30
159	Ecological energetics of populations of four sympatric isopods in a Hong Kong forest. <i>Journal of Tropical Ecology</i> , 1991, 7, 475-490.	1.1	6
160	Conservation and management of tropical inland waters: problems solutions and prospects. <i>Journal of Tropical Ecology</i> , 1990, 6, 331-331.	1.1	1
161	Phenology and diversity of necrophagous Diptera in a Hong Kong forest. <i>Journal of Tropical Ecology</i> , 1990, 6, 91-101.	1.1	3
162	Interspecific competition among larvae of <i>Hemipyrellia ligurriens</i> (Calliphoridae) and <i>Boettcherisca formosensis</i> (Sarcophagidae) (Diptera). <i>Researches on Population Ecology</i> , 1990, 32, 337-348.	0.9	10

#	ARTICLE	IF	CITATIONS
163	Feeding by the aquatic heteropteran, <i>Diplonychus rusticum</i> (Belostomatidae): an effect of prey density on meal size. <i>Hydrobiologia</i> , 1990, 190, 93-96.	2.0	13
164	Differential palatability of leaf litter to four sympatric isopods in a Hong Kong forest. <i>Oecologia</i> , 1990, 84, 398-403.	2.0	33
165	Selection of gastropod prey by a tropical freshwater crab. <i>Journal of Zoology</i> , 1990, 220, 147-155.	1.7	18
166	Seasonal dynamics of invertebrate drift in a Hong Kong stream. <i>Journal of Zoology</i> , 1990, 222, 187-196.	1.7	11
167	Determinants of the Distribution and Abundance of Larval Ephemeroptera (Insecta) in Hong Kong Running Waters. , 1990, , 221-232.		13
168	Benthic community structure and the effect of rotenone piscicide on invertebrate drift and standing stocks in two Papua New Guinea streams. <i>Archiv für Hydrobiologie</i> , 1990, 119, 35-53.	1.1	21
169	Larval growth dynamics of <i>Hemipyrellia ligurriens</i> (Calliphoridae) and <i>Boettcherisca formosensis</i> (Sarcophagidae) in crowded and uncrowded cultures. <i>Researches on Population Ecology</i> , 1989, 31, 113-122.	0.9	4
170	Variations in the life-history parameters of <i>Hemipyrellia ligurriens</i> (Diptera: Calliphoridae) in response to larval competition for food. <i>Ecological Entomology</i> , 1989, 14, 109-116.	2.2	26
171	The influence of riparian vegetation on the functional organization of four Hong Kong stream communities. <i>Hydrobiologia</i> , 1989, 179, 183-194.	2.0	39
172	Life cycle, production, microdistribution and diet of the damselfly <i>Euphaea decorata</i> (Odonata: Libellulidae) in a Hong Kong stream. <i>Journal of Zoology</i> , 1989, 217, 381-402.	1.7	36
173	Resource partitioning among Odonata (Insecta: Anisoptera and Zygoptera) larvae in a Hong Kong forest stream. <i>Journal of Zoology</i> , 1989, 217, 381-402.	1.7	12
174	Life-history responses of larviparous <i>Boettcherisca formosensis</i> (Diptera: Sarcophagidae) to larval competition for food, including comparisons with oviparous <i>Hemipyrellia ligurriens</i> (Calliphoridae). <i>Ecological Entomology</i> , 1989, 14, 349-356.	2.2	21
175	Dietary variations of predaceous caddisfly larvae (Trichoptera: Rhyacophilidae, Polycentropodidae) in a Hong Kong stream. <i>Journal of Zoology</i> , 1988, 216, 609-627.	2.0	11
176	The influence of riparian vegetation on macroinvertebrate community structure in four Hong Kong streams. <i>Journal of Zoology</i> , 1988, 216, 609-627.	1.7	45
177	Flight periods of aquatic insects from a Hong Kong forest stream I. Macronematinae (Hydropsychidae) and stenopsychidae (Trichoptera). <i>Aquatic Insects</i> , 1988, 10, 61-68.	0.9	14
178	Hong Kong freshwaters: Seasonal influences on benthic communities. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 1988, 23, 1362-1366.	0.1	0
179	A laboratory study of optimal behaviour and the costs of net construction by <i>Polycentropus havomaculatus</i> (Insecta: Trichoptera: Polycentropodidae). <i>Journal of Zoology</i> , 1987, 211, 121-141.	1.7	17
180	Life cycle and diet of <i>Zygonyx iris insignis</i> (Insecta: Odonata: Anisoptera) in Hong Kong running waters. <i>Journal of Tropical Ecology</i> , 1986, 2, 73-85.	1.1	10

#	ARTICLE	IF	CITATIONS
181	The life cycle, population dynamics and productivity of <i>Melanooides tuberculata</i> (Muller, 1774) (Gastropoda: Prosobranchia: Thiaridae) in Hong Kong. <i>Journal of Zoology</i> , 1986, 208, 37-53.	1.7	62
182	Seasonal effects on litterfall in a Hong Kong mixed forest. <i>Journal of Tropical Ecology</i> , 1985, 1, 55-64.	1.1	29
183	The effects and possible implications of artificial damage on the life-span of <i>Ficus fistulosa</i> leaves. <i>Journal of Tropical Ecology</i> , 1985, 1, 187-190.	1.1	6
184	Breakdown of <i>Ficus fistulosa</i> (Moraceae) leaves in Hong Kong, with special reference to dynamics of elements and the effects of invertebrate consumers. <i>Journal of Tropical Ecology</i> , 1985, 1, 249-264.	1.1	9
185	Fitness Implications of Plant-Herbivore "Mutualism". <i>Oikos</i> , 1985, 44, 360.	2.7	6
186	The population dynamics of some freshwater carideans (Crustacea: Decapoda) in Hong Kong, with special reference to <i>Neocaridina serrata</i> (Atyidae). <i>Hydrobiologia</i> , 1985, 120, 141-149.	2.0	34
187	The larval morphology and ecology of a new species of <i>Melanotrichia</i> from Hong Kong (Trichoptera: Xiphocentronidae). <i>Aquatic Insects</i> , 1984, 6, 245-252.	0.9	4
188	Longitudinal and temporal changes in functional organization of macroinvertebrate communities in the Lam Tsuen River, Hong Kong. <i>Hydrobiologia</i> , 1984, 111, 207-217.	2.0	35
189	Site selection and attachment duration of <i>Anodonta woodiana</i> (Bivalvia: Unionacea) glochidia on fish hosts. <i>Journal of Zoology</i> , 1984, 204, 355-362.	1.7	52
190	The utilization of terrestrial plants as a food source by the fish stock of a gently sloping marginal zone in Plover Cove Reservoir, Hong Kong. <i>Environmental Biology of Fishes</i> , 1983, 8, 73-77.	1.0	6
191	The population dynamics and sexual strategy of <i>Anodonta woodiana</i> (Bivalvia: Unionacea) in Plover Cove Reservoir, Hong Kong. <i>Journal of Zoology</i> , 1983, 201, 161-183.	1.7	53
192	An investigation into some physical and biotic effects of flooding on reservoir mud previously subjected to a period of aerial exposure. <i>Hydrobiologia</i> , 1982, 97, 27-35.	2.0	4