

# Brandon F Law

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9586087/publications.pdf>

Version: 2024-02-01

10  
papers

215  
citations

1478505

6  
h-index

1372567

10  
g-index

11  
all docs

11  
docs citations

11  
times ranked

271  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy of face masks, neck gaiters and face shields for reducing the expulsion of simulated cough-generated aerosols. <i>Aerosol Science and Technology</i> , 2021, 55, 449-457.	3.1	115
2	A comparison of performance metrics for cloth masks as source control devices for simulated cough and exhalation aerosols. <i>Aerosol Science and Technology</i> , 2021, 55, 1125-1142.	3.1	31
3	Case Study. <i>Journal of Occupational and Environmental Hygiene</i> , 2011, 8, D68-D72.	1.0	11
4	Acute 4,4'-Methylene Diphenyl Diisocyanate Exposure-Mediated Downregulation of miR-206-3p and miR-381-3p Activates Inducible Nitric Oxide Synthase Transcription by Targeting Calcineurin/NFAT Signaling in Macrophages. <i>Toxicological Sciences</i> , 2020, 173, 100-113.	3.1	11
5	Characterization and comparative analysis of 2,4-toluene diisocyanate and 1,6-hexamethylene diisocyanate haptenated human serum albumin and hemoglobin. <i>Journal of Immunological Methods</i> , 2016, 431, 38-44.	1.4	10
6	Circulating miRs-183-5p, -206-3p and -381-3p may serve as novel biomarkers for 4,4'-methylene diphenyl diisocyanate exposure. <i>Biomarkers</i> , 2019, 24, 76-90.	1.9	9
7	Mass spectrometry-based analysis of murine bronchoalveolar lavage fluid following respiratory exposure to 4,4'-methylene diphenyl diisocyanate aerosol. <i>Xenobiotica</i> , 2018, 48, 626-636.	1.1	7
8	Analytical Methodology and Assessment of Potential Second-Hand Exposure to Fentanyl in the Hospital Surgical Setting. <i>Journal of Addictive Diseases</i> , 2010, 29, 51-58.	1.3	5
9	The influence of diisocyanate antigen preparation methodology on monoclonal and serum antibody recognition. <i>Journal of Occupational and Environmental Hygiene</i> , 2016, 13, 829-839.	1.0	5
10	MicroRNA-mediated calcineurin signaling activation induces CCL2, CCL3, CCL5, IL8, and chemotactic activities in 4,4'-methylene diphenyl diisocyanate exposed macrophages. <i>Xenobiotica</i> , 2021, 51, 1436-1452.	1.1	4