

# Maria JosÃ© GonÃ§alves

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9586974/publications.pdf>

Version: 2024-02-01

28  
papers

1,229  
citations

394421

19  
h-index

501196

28  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1658  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Antifungal activity and chemical composition of the essential oil from the aerial parts of two new <i>Teucrium capitatum</i> L. chemotypes from Sardinia Island, Italy. <i>Natural Product Research</i> , 2021, 35, 6007-6013.                      | 1.8 | 10        |
| 2  | Chemical composition and biological activity of essential oil of <i>Teucrium scordium</i> L. subsp. <i>scordioides</i> (Schreb.) Arcang. (Lamiaceae) from Sardinia Island (Italy). <i>Natural Product Research</i> , 2021, , 1-8.                   | 1.8 | 8         |
| 3  | Antifungal and anti-inflammatory potential of the endangered aromatic plant <i>Thymus albicans</i> . <i>Scientific Reports</i> , 2020, 10, 18859.   | 3.3 | 9         |
| 4  | Evaluation of the mycotoxins content of <i>Salicornia</i> spp. : a gourmet plant alternative to salt. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2020, 13, 162-170.  | 2.8 | 9         |
| 5  | Unveiling the Antifungal Potential of Two Iberian Thyme Essential Oils: Effect on <i>C. albicans</i> Germ Tube and Preformed Biofilms. <i>Frontiers in Pharmacology</i> , 2019, 10, 446.  | 3.5 | 29        |
| 6  | <i>Ocimum tenuiflorum</i> L. and <i>Ocimum basilicum</i> L., two spices of Lamiaceae family with bioactive essential oils. <i>Industrial Crops and Products</i> , 2018, 113, 89-97.   | 5.2 | 43        |
| 7  | Chemical and biomolecular analyses to discriminate three taxa of <i>Pistacia</i> genus from Sardinia Island (Italy) and their antifungal activity. <i>Natural Product Research</i> , 2018, 32, 2766-2774.   | 1.8 | 8         |
| 8  | New Claims for Wild Carrot ( <i>Daucus carota</i> subsp. <i>carota</i> ) Essential Oil. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-10.  | 1.2 | 27        |
| 9  | Chemical characterization and bioactivity of phytochemicals from Iberian endemic <i>Santolina semidentata</i> and strategies for ex situ propagation. <i>Industrial Crops and Products</i> , 2015, 74, 505-513.                                     | 5.2 | 18        |
| 10 | Antifungal activity of extracts from <i>Cynomorium coccineum</i> growing wild in Sardinia island (Italy). <i>Natural Product Research</i> , 2015, 29, 2247-2250.  | 1.8 | 16        |
| 11 | <i>Myrtus communis</i> L. as source of a bioactive and safe essential oil. <i>Food and Chemical Toxicology</i> , 2015, 75, 166-172.   | 3.6 | 53        |
| 12 | Activity of <i>Thymus caespititius</i> essential oil and $\beta$ -terpineol against yeasts and filamentous fungi. <i>Industrial Crops and Products</i> , 2014, 62, 107-112.   | 5.2 | 19        |
| 13 | New compounds, chemical composition, antifungal activity and cytotoxicity of the essential oil from <i>Myrtus nivellei</i> Batt. & Trab., an endemic species of Central Sahara. <i>Journal of Ethnopharmacology</i> , 2013, 149, 613-620.           | 4.1 | 26        |
| 14 | Antifungal activity of the essential oil of <i>Thymus villosus</i> subsp. <i>lusitanicus</i> against <i>Candida</i> , <i>Cryptococcus</i> , <i>Aspergillus</i> and dermatophyte species. <i>Industrial Crops and Products</i> , 2013, 51, 93-99.    | 5.2 | 38        |
| 15 | Effects of Essential Oils from <i>Eucalyptus globulus</i> Leaves on Soil Organisms Involved in Leaf Degradation. <i>PLoS ONE</i> , 2013, 8, e61233.   | 2.5 | 42        |
| 16 | Composition and biological activity of the essential oil from <i>Thapsia minor</i> , a new source of geranyl acetate. <i>Industrial Crops and Products</i> , 2012, 35, 166-171.   | 5.2 | 51        |
| 17 | Composition, antifungal activity and cytotoxicity of the essential oils of <i>Seseli tortuosum</i> L. and <i>Seseli montanum</i> subsp. <i>peixotoanum</i> (Samp.) M. Lãnz from Portugal. <i>Industrial Crops and Products</i> , 2012, 39, 204-209. | 5.2 | 21        |
| 18 | Chemical composition and antifungal activity of the essential oils of <i>Lavandula viridis</i> L'Hã©r.. <i>Journal of Medical Microbiology</i> , 2011, 60, 612-618.   | 1.8 | 113       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Composition of a volatile extract of <i>Eryngium duriaei</i> subsp. <i>juresianum</i> (M. LaÃnz) M. LaÃnz, signalised by the antifungal activity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011, 54, 619-622. | 2.8 | 27        |
| 20 | Antifungal Activity of the Essential Oil of <i>Thymus</i> x <i>viciosoi</i> against <i>Candida</i> , <i>Cryptococcus</i> , <i>Aspergillus</i> and Dermatophyte Species. <i>Planta Medica</i> , 2010, 76, 882-888.                 | 1.3 | 47        |
| 21 | Essential oils from <i>Distichoselinum tenuifolium</i> : Chemical composition, cytotoxicity, antifungal and anti-inflammatory properties. <i>Journal of Ethnopharmacology</i> , 2010, 130, 593-598.                               | 4.1 | 47        |
| 22 | Essential oil of <i>Daucus carota</i> subsp. <i>halophilus</i> : Composition, antifungal activity and cytotoxicity. <i>Journal of Ethnopharmacology</i> , 2008, 119, 129-134.   | 4.1 | 124       |
| 23 | In vitro susceptibility of some species of yeasts and filamentous fungi to essential oils of <i>Salvia officinalis</i> . <i>Industrial Crops and Products</i> , 2007, 26, 135-141.  | 5.2 | 81        |
| 24 | Antifungal activity of the essential oil of <i>Thymus pulegioides</i> on <i>Candida</i> , <i>Aspergillus</i> and dermatophyte species. <i>Journal of Medical Microbiology</i> , 2006, 55, 1367-1373.                              | 1.8 | 249       |
| 25 | Chemical Composition and Antimicrobial Activity of the Commercially Available Oil of <i>Luma chequen</i> (Molina) A. Gray. <i>Journal of Essential Oil Research</i> , 2006, 18, 108-110.  | 2.7 | 2         |
| 26 | Essential oil of <i>Dittrichia viscosa</i> ssp. <i>viscosa</i> : analysis by <sup>13</sup> C-NMR and antimicrobial activity. <i>Flavour and Fragrance Journal</i> , 2006, 21, 324-332.  | 2.6 | 39        |
| 27 | Antifungal activity of the essential oil of <i>Thymus capitellatus</i> against <i>Candida</i> , <i>Aspergillus</i> and dermatophyte strains. <i>Flavour and Fragrance Journal</i> , 2006, 21, 749-753.                            | 2.6 | 25        |
| 28 | Antimicrobial Activity and Chemical Composition of the Bark Oil of <i>Croton stellulifer</i> , an Endemic Species from S. TomÃ© e PrÃncipe. <i>Planta Medica</i> , 2000, 66, 647-650.   | 1.3 | 48        |