

Mustapha Missbah El Idrissi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/958847/publications.pdf>

Version: 2024-02-01

29
papers

421
citations

1170033

9
h-index

889612

19
g-index

30
all docs

30
docs citations

30
times ranked

403
citing authors

#	ARTICLE	IF	CITATIONS
1	The Fodder Legume <i>Chamaecytisus albidus</i> Establishes Functional Symbiosis with Different Bradyrhizobial Symbiobars in Morocco. <i>Microbial Ecology</i> , 2022, 84, 794-807.	1.4	6
2	Characterization of plant growth-promoting bacteria isolated from the rhizosphere of <i>Robinia pseudoacacia</i> growing in metal-contaminated mine tailings in eastern Morocco. <i>Journal of Environmental Management</i> , 2022, 304, 114321.	3.8	12
3	Phylogenetic and symbiotic diversity of <i>Lupinus albus</i> and <i>L. angustifolius</i> microsymbionts in the Maamora forest, Morocco. <i>Systematic and Applied Microbiology</i> , 2022, 45, 126338.	1.2	4
4	Genotypic and symbiotic diversity studies of rhizobia nodulating <i>Acacia saligna</i> in Tunisia reveal two novel symbiobars within the <i>Rhizobium leguminosarum</i> complex and <i>Bradyrhizobium</i> . <i>Systematic and Applied Microbiology</i> , 2022, 45, 126343.	1.2	2
5	Identification of the endosymbionts from <i>Sulla spinosissima</i> growing in a lead mine tailings in Eastern Morocco as <i>Mesorhizobium camelthorni</i> sv. <i>aridi</i> . <i>Journal of Applied Microbiology</i> , 2021, 130, 948-959.	1.4	6
6	<i>Bradyrhizobium</i> sp. sv. <i>retamae</i> nodulates <i>Retama monosperma</i> grown in a lead and zinc mine tailings in Eastern Morocco. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 639-649.	0.8	8
7	The endemic <i>Chamaecytisus albidus</i> is nodulated by symbiobar <i>genistearum</i> of <i>Bradyrhizobium</i> in the Moroccan Maamora Forest. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126197.	1.2	2
8	Characterization of <i>Retama sphaerocarpa</i> microsymbionts in Zaida lead mine tailings in the Moroccan middle Atlas. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126207.	1.2	7
9	Characterization of <i>Bradyrhizobium</i> spp. Nodulating <i>Lupinus cosentinii</i> and <i>L. luteus</i> Microsymbionts in Morocco. <i>Frontiers in Agronomy</i> , 2021, 3, .	1.5	4
10	<i>Ensifer meliloti</i> sv. <i>lancerottense</i> nodulates <i>Lotus creticus</i> in alkaline soils of Northern Morocco. <i>Rhizosphere</i> , 2021, 18, 100339.	1.4	2
11	Diversity of <i>Trigonella foenum graecum</i> Microsymbionts in Morocco. , 2021, , 283-299.		1
12	Nodulation Process, Nitrogen Fixation, and Diversity of Fenugreek Rhizobia. , 2021, , 265-281.		1
13	<i>Microvirga</i> sp. symbiobar <i>mediterraneense</i> nodulates <i>Lupinus cosentinii</i> grown wild in Morocco. <i>Journal of Applied Microbiology</i> , 2020, 128, 1109-1118.	1.4	7
14	Nodulation of <i>Retama</i> species by members of the genus <i>Microvirga</i> in Morocco. <i>Symbiosis</i> , 2020, 82, 249-258.	1.2	12
15	Characterization of <i>Pisum sativum</i> and <i>Vicia faba</i> microsymbionts in Morocco and definition of symbiobar <i>viciae</i> in <i>Rhizobium acidisoli</i> . <i>Systematic and Applied Microbiology</i> , 2020, 43, 126084.	1.2	16
16	<i>Ensifer fredii</i> symbiobar <i>vachelliae</i> nodulates endemic <i>Vachellia gummifera</i> in semiarid Moroccan areas. <i>Systematic and Applied Microbiology</i> , 2019, 42, 125999.	1.2	9
17	Nodulation of <i>Retama monosperma</i> by <i>Ensifer aridi</i> in an Abandoned Lead Mine Soils in Eastern Morocco. <i>Frontiers in Microbiology</i> , 2019, 10, 1456.	1.5	18
18	<i>Astragalus algarbiensis</i> is nodulated by the <i>genistearum</i> symbiobar of <i>Bradyrhizobium</i> spp. in Morocco. <i>Systematic and Applied Microbiology</i> , 2019, 42, 440-447.	1.2	6

#	ARTICLE	IF	CITATIONS
19	Diversity of nodular bacteria of <i>Scorpiurus muricatus</i> in western Algeria and their impact on plant growth. Canadian Journal of Microbiology, 2017, 63, 450-463.	0.8	5
20	Modernization of Traditional Food Processes and Products. , 2016, , .		7
21	Identification of the rhizobial symbiont of <i>Astragalus glombiformis</i> in Eastern Morocco as <i>Mesorhizobium camelthorni</i> . Antonie Van Leeuwenhoek, 2013, 104, 187-198.	0.7	20
22	Ensifer melilotis the preferred symbiont of <i>Medicago arborea</i> in eastern Morocco soils. Canadian Journal of Microbiology, 2013, 59, 540-548.	0.8	4
23	Definition of a novel symbiovar (<i>sv. retamae</i>) within <i>Bradyrhizobium retamae</i> sp. nov., nodulating <i>Retama sphaerocarpa</i> and <i>Retama monosperma</i> . Systematic and Applied Microbiology, 2013, 36, 218-223.	1.2	88
24	<i>Colutea arborescens</i> is nodulated by diverse rhizobia in Eastern Morocco. Archives of Microbiology, 2011, 193, 115-124.	1.0	11
25	The efficiency and competitiveness of three <i>Mesorhizobium</i> sp. strains nodulating <i>Acacia senegal</i> (L.) Willd. under water deficiency conditions in the greenhouse. Symbiosis, 2011, 54, 87-94.	1.2	6
26	Phenotypic and genotypic characteristics of <i>Acacia senegal</i> (L.) Willd. root-nodulating bacteria isolated from soils in the dryland part of Senegal. Letters in Applied Microbiology, 2008, 47, 85-97.	1.0	49
27	Diversity of bacteria that nodulate <i>Prosopis juliflora</i> in the eastern area of Morocco. Systematic and Applied Microbiology, 2008, 31, 378-386.	1.2	34
28	Effect of high salts concentrations on the growth of rhizobia and responses to added osmotica. Journal of Applied Microbiology, 1999, 86, 889-898.	1.4	51
29	Characterization of rhizobia isolated from Carob tree (<i>Ceratonia siliqua</i>). Journal of Applied Bacteriology, 1996, 80, 165-173.	1.1	23