

Hiie Soeorg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9589496/publications.pdf>

Version: 2024-02-01

27
papers

230
citations

1040056

9
h-index

1058476

14
g-index

29
all docs

29
docs citations

29
times ranked

385
citing authors

#	ARTICLE	IF	CITATIONS
1	Glomerular filtration rate in children and young adults with haematoœoncological disease and infection is best described by threeœcompartment iohexol model. <i>Pediatric Blood and Cancer</i> , 2022, 69, e29305.	1.5	2
2	Seroprevalence and levels of IgG antibodies after COVID-19 infection or vaccination. <i>Infectious Diseases</i> , 2022, 54, 63-71.	2.8	17
3	The PHARMACOMœEPI Framework for Integrating Pharmacometric Modelling Into Pharmacoepidemiological Research Using RealœWorld Data: Application to Assess Death Associated With Valproate. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 840-856.	4.7	4
4	Changes in adipokine levels and metabolic profiles following bariatric surgery. <i>BMC Endocrine Disorders</i> , 2022, 22, 33.	2.2	12
5	Artificial Neural Network vs. Pharmacometric Model for Population Prediction of Plasma Concentration in RealœWorld Data: A Case Study on Valproic Acid. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 1278-1285.	4.7	4
6	Estimation of cefepime, piperacillin, and tazobactam clearance with iohexol-based glomerular filtration rate in paediatric patients. <i>European Journal of Clinical Pharmacology</i> , 2022, , 1.	1.9	1
7	Pharmacogenetics may explain part of the interindividual variability of dobutamine pharmacodynamics in neonates. <i>British Journal of Clinical Pharmacology</i> , 2022, , .	2.4	1
8	Pharmacokinetics of Gentamicin Components C1, C1a, and C2/C2a/C2b and Subsequent Decline in Glomerular Filtration Rate in Neonates. <i>AAPS Journal</i> , 2022, 24, .	4.4	0
9	Ampicillin Pharmacokinetics During First Week of Life in Preterm and Term Neonates. <i>Pediatric Infectious Disease Journal</i> , 2021, 40, 464-472.	2.0	4
10	Rotavirus Strain Surveillance in Estonia After Introduction of Rotavirus Universal Mass Vaccination. <i>Pediatric Infectious Disease Journal</i> , 2021, 40, 489-494.	2.0	0
11	Long-Term Elevated Inflammatory Protein Levels in Asymptomatic SARS-CoV-2 Infected Individuals. <i>Frontiers in Immunology</i> , 2021, 12, 709759.	4.8	21
12	Prevalence of SARS-CoV-2 IgG antibodies and their association with clinical symptoms of COVID-19 in Estonia (KoroSero-EST-1 study). <i>Vaccine</i> , 2021, 39, 5376-5384.	3.8	9
13	The Pharmacokinetic Profile and Bioavailability of Enteral N-Acetylcysteine in Intensive Care Unit. <i>Medicina (Lithuania)</i> , 2021, 57, 1218.	2.0	6
14	Norovirus strains among children aged 0œ18 years hospitalized with acute gastroenteritis in Estonia 2015œ2016. <i>Journal of Medical Virology</i> , 2021, , .	5.0	3
15	Population pharmacokinetics and pharmacodynamics of dobutamine in neonates on the first days of life. <i>British Journal of Clinical Pharmacology</i> , 2020, 86, 318-328.	2.4	7
16	Dynamics of pertussis toxin IgG after symptomatic pertussis in children and adults. <i>Vaccine</i> , 2020, 38, 3196-3200.	3.8	1
17	Acute gastroenteritis hospitalizations after implementation of universal mass vaccination against rotavirus. <i>Vaccine</i> , 2020, 38, 2879-2886.	3.8	8
18	Genetic Relatedness of <i>Staphylococcus haemolyticus</i> in Gut and Skin of Preterm Neonates and Breast Milk of Their Mothers. <i>Pediatric Infectious Disease Journal</i> , 2019, 38, 308-313.	2.0	6

#	ARTICLE	IF	CITATIONS
19	Pharmacokinetics of Penicillin G in Preterm and Term Neonates. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	13
20	Genetic relatedness of Gram-negative bacteria colonizing gut and skin of neonates and mother's own milk. <i>Journal of Perinatology</i> , 2018, 38, 1503-1511.	2.0	4
21	Higher intake of coagulase-negative staphylococci from maternal milk promotes gut colonization with mecA-negative <i>Staphylococcus epidermidis</i> in preterm neonates. <i>Journal of Perinatology</i> , 2018, 38, 1344-1352.	2.0	3
22	Coagulase-Negative Staphylococci in Human Milk From Mothers of Preterm Compared With Term Neonates. <i>Journal of Human Lactation</i> , 2017, 33, 329-340.	1.6	12
23	The role of breast milk in the colonization of neonatal gut and skin with coagulase-negative staphylococci. <i>Pediatric Research</i> , 2017, 82, 759-767.	2.3	21
24	Molecular epidemiology of <i>Staphylococcus epidermidis</i> in neonatal intensive care units. <i>Apmis</i> , 2017, 125, 63-73.	2.0	10
25	<i>In vitro</i> synergy of oxacillin and gentamicin against coagulase-negative staphylococci from blood cultures of neonates with late-onset sepsis. <i>Apmis</i> , 2013, 121, 859-864.	2.0	9
26	Genetic Relatedness of Coagulase-negative Staphylococci From Gastrointestinal Tract and Blood of Preterm Neonates With Late-onset Sepsis. <i>Pediatric Infectious Disease Journal</i> , 2013, 32, 389-393.	2.0	43
27	Group A rotavirus genotypes circulating prior to implementation of a National Immunization Program in Estonia. <i>Human Vaccines and Immunotherapeutics</i> , 2012, 8, 465-469.	3.3	9